# ललितपुर जिल्लाको ज्यालादर तथा निर्माण सामग्रीहरुको स्वीकृत जिल्ला दररेट

## आ.व. २०८२/०८३

जिल्ला दररेट निर्धारण समिति

ललितपुर

२०८२ आषाढ ३२

आज मिति २०८२।३।३२ गते दिनको १:०० बजे जिल्ला प्रशासन कार्यालय, ललितपुरमा आ.व. २०८२।०८३ को ललितपुर जिल्लाको जिल्ला दररेट निर्धारण समितिको बैठक प्रमुख जिल्ला अधिकारी श्री रमेश ढकालज्यूको अध्यक्षतामा तपशिल बमोजिमको उपस्थितिमा बसी तपशिल बमोजिमको निर्णय गरियो।

उपस्थिति

१) प्रमुख जिल्ला अधिकारी, श्री रमेश ढकाल , जिल्ला प्रशासन कार्यालय, ललितपुर — अध्यक्ष

२) जि.स.स. सदस्य, श्री दिनेश घोरासाइने, जिल्ला समन्वय समिति, ललितपुर — सदस्य

३) जिल्ला समन्वय अधिकारी, श्री हरि नारायण वेल्वासे, जिल्ला समन्वय समिति, काठमाडौं — सदस्य

४) प्रमुख कोष नियन्त्रक, श्री युवाराज आचार्य, कोष तथा लेखा नियन्त्रक कार्यालय, ललितपुर — सदस्य

५) प्रतिनिधि श्री पञ्चराम महर्जन, निर्माण व्यवसायी संघ, ललितपुर, — सदस्य

६) कार्यालय प्रमुख श्री राजु श्रेष्ठ, पूर्वाधार विकास कार्यालय, ललितपुर — सदस्य-सचिव

आमन्त्रित

१) सहायक प्रमुख जिल्ला अधिकारी श्री गीता घिमिरे, जिल्ला प्रशासन कार्यालय, ललितपुर

२) सि.डि.ई. श्री अनिल प्रसाद केसी., खानेपानी तथा सफाई डिभिजन कार्यालय, भक्तपुर

३) इन्जिनियर श्री निता कुमारी इसर, जिल्ला समन्वय समिति, ललितपुर, सदस्य

४) इन्जिनियर श्री पुरुसोत्तम महर्जन, पूर्वाधार विकास कार्यालय, ललितपुर

५) इन्जिनियर श्री रविन खाती, पूर्वाधार विकास कार्यालय, ललितपुर

६) इन्जिनियर श्री किरण कार्की, सहरी विकास तथा भवन कार्यालय, काठमाण्डौ

७) इलेक्ट्रिकल एण्ड इलेक्ट्रोनिक्स इन्जिनियर श्री प्रतिक श्रेष्ठ

८) श्री प्रमोद लामिछाने, नेपाल राष्ट्रिय निर्माण व्यवसायी महासङ्घ, काठमाडौं

९) श्री भगिरथ तिमल्सिना, निर्माण व्यवसायी संघ, ललितपुर

१०) श्री गिता शाही, निर्माण व्यवसायी महासंघ, काठमाण्डौ

निर्णयहरु:

आर्थिक वर्ष ०८२।८३ को लागि यस जिल्लाको जिल्ला दररेट निर्धारण गर्नका लागि जिल्ला दररेट निर्धारण समितिबाट जिल्ला स्थित सबै सरोकारवालाहरु, विषयगत कार्यालयहरुसँग समन्वयमा तयार गरी पेश हुन आएको कामदारहरूको ज्यालादर, ढुवानी दर, Civil Works, Sanitary Works, Electrical works सम्बन्धी प्रतिवेदन बैठकमा छलफल भयो। उक्त कार्यको लागि बजार सर्वेक्षण, चालु आ.व. को दररेट, नेपाल राष्ट्र बैङ्कको Index तथा सरोकारवाला निकायहरुको सुझावलाई समेत आधार मानी देहाय बमोजिम दररेट निर्धारण गर्ने निर्णय गरियो।

<u>निर्णय नं. १:</u>

कामदारको ज्याला दर र ढुवानी दर निर्धारण गर्ने।

<u>निर्णय नं. २:</u>

घर र जग्गा भाडा, दररेट पुस्तिकामा उल्लेख गरिएको।

<u>निर्णय नं. ३:</u>

सिभिल कार्य सम्बन्धी दर रेट निर्धारण गर्ने।

<u>निर्णय नं. ४:</u>

ईलेक्ट्रिकल कार्यको दर रेट निर्धारण गर्ने।

<u>निर्णय नं. ५:</u>

स्यानिटरी कार्य सम्बन्धीको दर रेट निर्धारण गर्ने।

<u>निर्णय नं. ६:</u>

मेशिन, औजार तथा उपकरणहरुको भाडा दर सम्बन्धमा मेशिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर, एक्साभेटर, रोलर, ग्रेडर आदिका दर सडक विभागबाट कायम गरिएको भाडा दर अनुसार नै कायम गर्ने निर्णय गरियो ।

निर्णय नं. ७:

नगरपालिकाको बजार क्षेत्र बाहेकका दुर्गम स्थानहरुमा नियमानुसार ढुवानी थप गरि दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ८:

स्थानीय निर्माण सामग्री उपलब्ध हुने खानी क्षेत्र आसपासका महानगरपालिका/नगरपालिका/गाउँपालिका क्षेत्रमा निर्माण कार्य गराउनु पर्ने अवस्थामा सम्बन्धित खानीबाट दररेट लिई खानी देखि निर्माण स्थल सम्मको दुरी (Lead) समावेश गरी दर बिश्लेषण गरी जिल्ला दररेट भन्दा बढी नहुने गरी दररेट कायम गर्ने निर्णय गरियो।

निर्णय नं. ९:

यस जिल्ला दररेटमा उल्लेख नभएका विभिन्न निर्माण सामग्रीहरुको हकमा सम्बन्धित कार्यालयले गुणस्तर र स्पेशिफिकेशन एकिन गरि आयोजना/परियोजनामा आवश्यक निर्माण सामग्रीहरूको दररेट सम्बन्धित उत्पादक वा आधिकारिक बिक्रेताबाट संकलन गरी, प्राप्त दररेटको आधारमा नियमानुसार कार्यान्वयन गर्न सक्ने निर्णय गरियो ।

२०८२।३।३२

# विषय सूची

# विषय सूची

# श्रमिकको ज्याला दर

| सि. नं. | कामदारहरुको विवरण | एकाई | ज्याला दर प्रतिदिन रु. | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०।८१ | आ.व. २०८१।८२ | आ.व. २०८२।८३ |
| १ | निर्माणकामको लागि श्रमिक (ज्यामी) | प्रति दिन | ९००.०० | ९२०.०० | ९३५.०० |
| २ | फोहर ढल सफा गर्ने कामदार | प्रति दिन | १०६५.०० | १२२५.०० | १२४५.०० |
| ३ | उच्च माध्यमिक तह उत्तिर्ण गरी ल्याब टेक्निसियनको तालिम प्राप्त गरेको | प्रति दिन | १५००.०० | १५००.०० | १५२५.०० |
| ४ | दक्ष (डकर्मी, सिकर्मी, नकर्मी, चित्रकार, बढकर्मी), प्लम्बर, ढुङ्गा र काठ चुङ्गा काट्ने साधारण मूर्तिकार ,चित्रकार, आर्टिस्ट आदी । | प्रति दिन | १२००.०० | १२२५.०० | १२४५.०० |
| ५ | अर्धदक्ष (डकर्मी, सिकर्मी, नकर्मी) ,चित्रकार, प्लम्बर, इलेक्ट्रोसियन, आरावाला, सुपरभाईजर, नदी निरीक्षक, प्लास्टर, मेकानिक्स, कालिगढ, ड्रिलर, फोटोग्राफिक्स, फोरमेन आदी । | प्रति दिन | १०००.०० | १०२०.०० | १०३५.०० |
| ६ | साइकलो स्टाइल ट्रेसिङ्ग, एमोनिया प्रिन्टीङ्ग फोरमेन, सामाजिक परिचालक, खंवेल (खानी सम्बन्धी काम गर्ने कामदार), आदी । | प्रति दिन | ८४५.०० | ८६०.०० | ८७५.०० |
| ७ | निर्माण कार्यको क्याम्प वर्कर, जुनियर सुपरभाइजर, सेक्युरेटी गार्ड, नाइट वाचमेन, रोड लेन्थ वर्कर, हेल्पर मेकानिक्स, अफिस असिस्टेन्ट, सर्भे हेल्पर, वेल्डर सहायक, रनर, गणक चेन म्यान, टेप म्यान, स्टाफ म्यान, ड्रिल हेल्पर, ट्रक हेल्पर, सयस Enumerator आदी । | प्रति दिन | ७९५.०० | ८१०.०० | ८२५.०० |
| ८ | माली, सहायक परिचालक, स्वीपर, मेहत्तर, धोबी, वन हेरालु, चौकिदार, आदी । | प्रति दिन | ७२५.०० | ७४०.०० | ७५५.०० |
| ९ | सामान लोड अनलोड गर्ने ज्याला | १०० किलो | २५.०० | २५.०० | २६.०० |
| | **सडकको कामको लागि** | | | | |
| १ | पिच स्प्रेयर, पिच व्याचलर | प्रति दिन | ८८०.०० | ९००.०० | ९१५.०० |
| २ | प्याच वर्कर (दिउसो को समयमा काम गर्ने) । | प्रति दिन | ८७०.०० | ८८५.०० | ९००.०० |
| ३ | प्याच वर्कर सुपरभाइजर (दिउसो को समयमा काम गर्ने) सुपरभाइजर सरह । | प्रति दिन | ९०५.०० | ९२५.०० | ९४०.०० |
| ४ | प्याच वर्कर (रात्री समयमा काम गर्ने) । | प्रति दिन | १२३०.०० | १२५५.०० | १२७५.०० |
| ५ | प्याच वर्कर सुपरभाइजर (रात्री समयमा काम गर्ने) | प्रति दिन | १२३०.०० | १२५५.०० | १२७५.०० |
| ६ | मरिया (४० के.जी. तौल सम्म) | प्रति दिन | ८९०.०० | ९१०.०० | ९२५.०० |
| ७ | ४ व्हील (4WD) डबल क्याब पिकअप भाडा ईन्धन र चालक समेत | प्रति दिन | ६३५०.०० | ६३५०.०० | ६३५०.०० |
| | २ व्हील (2WD) डबल क्याब पिकअप भाडा ईन्धन र चालक समेत | प्रति दिन | | | ५५००.०० |
| ८ | ४ व्हील (4WD) जिप भाडा ईन्धन र चालक समेत | प्रति दिन | ७६२०.०० | ७६२०.०० | ७६२०.०० |
| | २ व्हील (2WD) जिप भाडा ईन्धन र चालक समेत | प्रति दिन | | | ६५००.०० |

नोट १: नेपाल सरकारबाट तलबमान निर्धारण भएका प्राविधिक तथा प्रशासनिक पद सरहको जनशक्ति दैनिक ज्यालादारीमा लिनुपरेमा प्रतिदिन ज्याला निर्धारण गर्दा सो पदको तलबमानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने निर्णय गरियो ।

नोट २: नेपाल सरकारबाट तलबमान निर्धारण नभएका प्राविधिक तथा प्रशासनिक पद सरहको जनशक्ति दैनिक ज्यालादारीमा लिनुपरेमा नेपाल सरकारको स्वामित्व रहेका संस्थानबाट निर्धारण गरिएको सो पदको तलबमानलाई २६ दिनले भाग गरी आउने रकमलाई प्रतिदिनको ज्याला कायम गर्ने निर्णय गरियो ।

प्रमुख जिल्ला अधिकारी

# घर र जग्गा भाडा निर्धारण

घर र जग्गा भाडा निर्धारण प्रयोजनको लागि विभिन्न प्रकारको घरको बनावट हेरी तपशिल बमोजिम दर कायम गर्ने निर्णय गरियो ।

| सि. नं. | घरको बनावट विवरण | स्तर | ईकाई | आ.व. २०८२/०८३ को दररेट | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | | | | व्यवसायिक भवनको हकमा | | | आवासीय भवनको हकमा | | |
| | | | | सिभिल कार्य | विद्युत कार्य | स्यानिटरी कार्य | सिभिल कार्य | विद्युत कार्य | स्यानिटरी कार्य |
| १ | आर.सि.सि.फ्रेम सोल्ड ईटा सिमेन्टको जोडाई, आर सि सि छाना | उत्तम | व.फु. | ११६६.३६ | १०९.८८ | २७४.६५ | २८४८.२४ | ६३.४० | २३३.४६ |
| २ | | मध्यम | व.फु. | ३०६४.१० | ७०.२७ | १९८५.०० | २४०९.१५ | ६०.५८ | १७७.२५ |
| ३ | | सामान्य | व.फु. | २७०१.७७ | ३६.२४ | १३५.२४ | १९२४.२८ | २७.४२ | ११४.१५ |
| ४ | आर.सि.सि.फ्रेम सोल्ड ईटा सिमेन्टको जोडाई, फर्कटपाता छाना | उत्तम | व.फु. | ३०४३.९३ | ८३.१९ | २२२.९४ | २३९४.८६ | ७५.८१ | १८९.५० |
| ५ | | मध्यम | व.फु. | २४१९.४३ | ५७.८५ | १६५.४५ | १९८७.९७ | ४९.६७ | १४०.६३ |
| ६ | | सामान्य | व.फु. | २२८६.२८ | २६.१८ | १०९.७८ | १७९७.५८ | २२.२५ | ९३.३१ |
| ७ | आर.सि.सि.फ्रेम चाइनिज ईटा सिमेन्टको जोडाई, आर सि सि छाना | उत्तम | व.फु. | ३५४१.५७ | १०९.८८ | २७४.६५ | २७९२.४२ | ६३.४० | २३३.४५ |
| ८ | | मध्यम | व.फु. | २९५८.९२ | ७१.२७ | २०३.८२ | २३२६.४६ | ६०.५८ | १७७.२५ |
| ९ | | सामान्य | व.फु. | २७१४.९१ | ३६.२४ | १३५.२४ | २१३४.५९ | २७.४२ | ११४.१५ |
| १० | आर.सि.सि.फ्रेम चाइनिज ईटा सिमेन्टको जोडाई, फर्कटपाता छाना | उत्तम | व.फु. | ३४३३.२० | ८३.१९ | २२२.९४ | २९९१.४९ | ७५.८१ | १८९.५० |
| ११ | | मध्यम | व.फु. | २४१८.१७ | ५७.८५ | ८४५.०० | ६३.६४ | ४९.६७ | १४०.६३ |
| १२ | | सामान्य | व.फु. | २२९६.१७ | २६.१८ | १०९.७८ | १८०७.७२ | २२.२५ | ९३.३१ |
| १३ | लोड बियरिङ्ग सोल्ड ईटाको गारो सिमेन्टको जोडाई, आर सि सि छाना | सामान्य | व.फु. | ३५६४.४२ | १०९.८८ | २७४.६५ | २८०२.६३ | ६३.४० | २३३.४५ |
| १४ | | मध्यम | व.फु. | ३०९३.९४ | ७१.२७ | २०३.८२ | २३६९.७१ | ६०.५८ | १७७.२५ |
| १५ | | सामान्य | व.फु. | २७४३.९३ | ३२.२५ | १३५.२४ | २१६४.६५ | २७.४२ | ११४.१५ |
| १६ | लोड बियरिङ्ग सोल्ड ईटाको गारो सिमेन्टको जोडाई, फर्कटपाता छाना | उत्तम | व.फु. | ३०९२.६५ | ८३.१९ | ८८०.०० | २४३१.६० | ७५.८१ | १८९.५० |
| १७ | | मध्यम | व.फु. | २३६३.४९ | ५७.८५ | १६५.४५ | २०१५.४८ | ४९.१७ | १४०.६३ |
| १८ | | सामान्य | व.फु. | २३४४.०० | २६.१८ | १०९.७८ | १८४३.९७ | २२.२५ | ९३.३१ |
| १९ | लोड बियरिङ्ग सोल्ड ईटाको गारो सिमेन्टको जोडाई, टायल छाना | मध्यम | व.फु. | २९२६.७१ | ५७.८५ | १३७.०० | २७०६.२९ | ४९.१७ | १४०.६३ |
| २० | | सामान्य | व.फु. | २७१७.७८ | २६.१८ | १३७.०० | २१३६.४८ | २२.२५ | ९३.३१ |
| २१ | लोड बियरिङ्ग चाइनिज ईटाको गारो सिमेन्टको जोडाई, आर सि सि छाना | उत्तम | व.फु. | ३५८०.०९ | १०९.८८ | ८९०.०० | २८१४.७८ | ६३.४० | २३३.४५ |
| २२ | | मध्यम | व.फु. | ३०२९.५२ | ७१.२७ | २०३.८२ | २७८२.०० | ६०.५८ | १७७.२५ |
| २३ | | सामान्य | व.फु. | २७६८.७२ | ३६.२४ | १३५.२४ | २१७६.९० | २७.४२ | ११४.१५ |
| २४ | लोड बियरिङ्ग चाइनिज ईटाको गारो सिमेन्टको जोडाई, फर्कटपाता छाना | उत्तम | व.फु. | ३१०७.५३ | ८३.१९ | २२२.९४ | २४४३.३० | ७५.८१ | १८९.५० |
| २५ | | मध्यम | व.फु. | २५७८.२८ | ५७.८५ | १६५.४५ | २०२७.१७ | ४९.१७ | १४०.६३ |
| २६ | | सामान्य | व.फु. | २३५८.८८ | २६.१८ | १०९.७८ | १८५४.६७ | २२.२५ | ९३.३१ |
| २७ | लोड बियरिङ्ग सोल्ड ईटाको गारो माटोको जोडाई, आर सि सि छाना | मध्यम | व.फु. | ३४१२.५० | ५७.८५ | १६५.४५ | २७४६.०६ | ४९.१७ | १४०.६३ |
| २८ | | सामान्य | व.फु. | ३२३१.७९ | २६.१८ | १०९.७८ | २५४१.०० | २२.२५ | ९३.३१ |
| २९ | लोड बियरिङ्ग सोल्ड ईटाको गारो माटोको जोडाई, फर्कटपाता छाना | मध्यम | व.फु. | २९६३.९८ | ५७.८५ | १६५.४५ | २३५४.०२ | ४९.१७ | १४०.६३ |
| ३० | | सामान्य | व.फु. | २७८२.२८ | २६.१८ | १०९.७८ | २१८७.५६ | २२.२५ | ९३.३१ |
| ३१ | लोड बियरिङ्ग सोल्ड ईटाको गारो माटोको जोडाई, टायल छाना | मध्यम | व.फु. | ३२८९.२९ | ५७.८५ | १६५.४५ | २५८६.९४ | ४९.१७ | १४०.६३ |
| ३२ | लोड बियरिङ्ग सोल्ड ईटाको गारो माटोको जोडाई, फर्कटपाता छाना तथा माटोको । कठले भुई | सामान्य | व.फु. | ३०६९.८१ | २६.१८ | १०९.७८ | २४१३.६४ | २२.२५ | ९३.३१ |
| ३३ | | मध्यम | व.फु. | २३५७.५७ | ५७.८५ | १६५.४५ | २६३९.८९ | ४९.१७ | १४०.६३ |
| ३४ | | सामान्य | व.फु. | ३१९०.२३ | २६.१८ | १०९.७८ | २५०८.३२ | २२.२५ | ९३.३१ |
| ३५ | लोड बियरिङ्ग सोल्ड ईटाको गारो माटोको जोडाई, टायल छाना तथा माटोको । कठले भुई | मध्यम | व.फु. | ३६५७.४८ | ५७.८५ | १६५.४५ | २८७५.७० | ४९.१७ | १४०.६३ |
| ३६ | | सामान्य | व.फु. | ३१९०.१६ | २६.१८ | १०९.७८ | २७४४.१३ | २२.२५ | ९३.३१ |
| ३७ | लोड बियरिङ्ग ढुङ्गाको गारो माटोको जोडाई, फर्कटपाता छाना तथा माटोको । कठले भुई | सामान्य | व.फु. | ३६९७.९२ | २६.१८ | १०९.७८ | २९२१.२४ | २२.२५ | ९३.३१ |
| ३८ | लोड बियरिङ्ग ढुङ्गाको गारो माटोको जोडाई, टायल छाना तथा माटोको । कठले भुई | सामान्य | व.फु. | ३९५०.८४ | २६.१८ | १०९.७८ | २३५७.०५ | २२.२५ | ९३.३१ |
| ३९ | लोड बियरिङ्ग ढुङ्गाको गारो सिमेन्टको जोडाई, फर्कटपाता छाना तथा माटोको । कठले भुई | सामान्य | व.फु. | ३९६२.२३ | २६.१८ | १०९.७८ | २८०८.८० | २२.२५ | ९३.३१ |
| ४० | लोड बियरिङ्ग ढुङ्गाको गारो सिमेन्टको जोडाई, टायल छाना तथा माटोको । कठले भुई | सामान्य | व.फु. | ३८६२.१३ | २६.१८ | १०९.७८ | ३०३६.६१ | २२.२५ | ९३.३१ |
| ४१ | लोड बियरिङ्ग ढुङ्गाको गारो सिमेन्टको जोडाई, आर सि सि छाना | उत्तम | व.फु. | ४०९०.१५ | १०९.८८ | २७४.६५ | ३२१५.८८ | ६३.४० | २३३.४५ |
| ४२ | | मध्यम | व.फु. | ३५३९.६७ | ७१.२७ | २०३.८२ | २७८३.०७ | ६०.५८ | १७७.२५ |
| ४३ | | सामान्य | व.फु. | ३२७८.८६ | ३२.२५ | १३५.२४ | २५७८.०१ | २७.४२ | ११४.१५ |

प्रमुख प्रशासकीय अधिकृत

**भवनको बनावट र फिनिसिङ तथा सामान/उपकरण जडानको आधारमा वर्गीकरण**

क) लिफ्ट जडान भएको हकमा रु २५,४२,५००/०० (प्याट समेत) कट गर्नु पर्नेछ । (६ व्यक्ति क्षमता भएको लिफ्ट)

ख) सेप्टिक ट्याङ्कि तथा सोक पिट (Soak pit) नभएको हकमा भवनको कुल मूल्याङ्कनमा रु ५५१,००२/४ (प्याट बाहेक) घटाउनुपर्नेछ ।

ग) संयुक्त आवास (Apartment) र Housing का भवनहरुको मूल्याङ्कन गर्दा भवनले ओगटेको जग्गा भवन वरिपरि भित्र रहेका सडक, Swimming Pool लगायतका पूर्वाधारहरु तथा Land scaping कार्य हरुको मूल्याङ्कन वर्ग दर रेटमा समावेश नगरिएकोले सो को छुट्टै मूल्याङ्कन गर्नुपर्ने छ ।

घ) मार्पीका विभिन्न कार्यका दर रेटहरु सामान्य खिस्मिकर जग भएका भवनहरुको लागि निर्धारण गरिएको हो । अन्य किसिमका जगहरुको हकमा जग complex (combined/ Mat) भएमा वा pile foundation भएमा सोको छुट्टै मूल्याङ्कन गरी भवनको कुल मूल्याङ्कनमा समावेश गर्ने ।

ङ) उपरोक्त अनुसारको दररेट प्रयोग गरी घरको मूल्याङ्कन गर्दा तसकडी लगायतका मूल्याङ्कनका विधि र सूत्र (Formula) "भवनको आयत मूल्याङ्कन कार्य विधि २०७०" बे निर्देष्ट गरे बमोजिम हुनेछ ।

घरभाडा मूल्याङ्कन प्रयोजनको लागि मुख्य सडकको दायाँ र बायाँ निर्माण भएका घरहरुको हकमा Internal Rate of Return (IRR) १० प्रतिशत र जग्गाको हकमा IRR ५ प्रतिशत कायम गर्ने र मुख्य सडकसग जोडिएका सहायक सडक र सो सहायक सडकबाट हाँगा फाटेका सडकको दायाँ र बायाँ निर्माण भएका घरहरुको हकमा IRR क्रमशः घटाउदै न्यूनतम ६ प्रतिशत सम्म कायम गर्ने तथा जग्गाको हकमा IRR क्रमशः घटाउदै न्यूनतम ३ प्रतिशत कायम गर्ने निर्णय गरिएको ।

## ढुवानी दर

ढुवानी प्रयोजनको लागि सडकको प्रकार र सामानको प्रकार हेरी तपशिल बमोजिम दररेट कायम गर्ने निर्णय गरिएको ।

| क. सामान ढुवानी | | | | | |
|---|---|---|---|---|---|
| सि.नं | विवरण | प्रति इकाई | प्याट बाहेकको स्वीकृत दररेट (रु.) | | |
| | | | ०७९।८० | ०८१।८२ | ०८२।८३ |
| १ | धनिले सामान | | | | |
| १.१ | पक्कि सडक | प्र.कि.मि.। प्र.मे.ट | | | ३३ |
| १.२ | मामेल सडक | प्र.कि.मि.। प्र.मे.ट | | | ४१ |
| १.३ | कच्चि सडक | प्र.कि.मि.। प्र.मे.ट | | | ७४ |
| २ | अधनिले सामान | | | | |
| २.१ | पक्कि सडक | प्र.कि.मि.। प्र.मे.ट | | | ३८ |
| २.२ | मामेल सडक | प्र.कि.मि.। प्र.मे.ट | | | ४५ |
| २.३ | कच्चि सडक | प्र.कि.मि.। प्र.मे.ट | | | ७८ |
| नेटः अधनिले सामान भन्नाले पशुपन्छी, एच.डि.पि.ई पाईप, तारबाली, गोट बिरुवा, लिसा, बिजुलिको पोल, आयतन ठुला भएका वस्तुका सामानहरु ईत्यादि भाई जनाईएछ | | | | | |

# फलाम जन्य निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | विभिन्न साइजका TMT Bar | | | | |
| | a) 8 mm dia | के.जी | १००.०० | ९४.०० | ९४.०० |
| | b) 10,12,16,20, mm dia | के.जी | ९९.०० | ९०.०० | ९०.०० |
| | c) 25 mm dia | के.जी | १००.०० | ९४.०० | ९४.०० |
| | c) 28,32 mm dia | के.जी | १००.०० | ९४.०० | ९४.०० |
| २ | विभिन्न साइजका TMT Bar (FE 500D) | | | | |
| | a) 8 mm dia | के.जी | | १०४.०० | १०४.०० |
| | b) 10,12,16,20, mm dia | के.जी | | १००.०० | १००.०० |
| | c) 25 mm dia | के.जी | | १०४.०० | १०४.०० |
| | c) 28,32 mm dia | के.जी | | १०४.०० | १०४.०० |
| ३ | विभिन्न साइजको TOR Steel | | | | |
| | a) 8mm dia TOR steel | के.जी | ९४.०० | ९४.०० | ९४.०० |
| | b) 10-25mm TOR steel | के.जी | ९१.०० | ९१.०० | ९१.०० |
| | c) 28-32mm TOR steel | के.जी | ९४.०० | ९४.०० | ९४.०० |
| ४ | TOR kari-4.75, 7 mm dia | के.जी | १०१.०० | ९६.०० | ९६.०० |
| ५ | Parallel thread rebars couplers | | | | |
| | a) 16mm dia | | १०४.०० | ९५.०० | ९५.०० |
| | b) 20mm dia | | २१०.०० | १८०.०० | १८०.०० |
| | c) 25mm dia | | २९८.०० | २५०.०० | २५०.०० |
| | d) 28mm dia | | ३८०.०० | ३००.०० | ३००.०० |
| | e) 32mm dia | | ४८०.०० | ३८०.०० | ३८०.०० |
| | f) 36mm dia | | ६४०.०० | ५१२.०० | ५१२.०० |
| | g) 40mm dia | | ८७५.०० | ७००.०० | ७००.०० |
| ६ | Parallel threading of rebars with one thread cap | | | | |
| | a) 16mm dia | | २७.०० | २७.०० | २७.०० |
| | b) 20mm dia | | ४०.०० | ४०.०० | ४०.०० |
| | c) 25mm dia | | ७४.०० | ७४.०० | ७४.०० |
| | d) 28mm dia | | ९०.०० | ९०.०० | ९०.०० |
| | e) 32mm dia | | ९९.०० | ९९.०० | ९९.०० |
| | f) 36mm dia | | १६५.०० | १६५.०० | १६५.०० |
| | g) 40mm dia | | १८०.०० | १८०.०० | १८०.०० |
| ७ | इण्डी बाँधनेतार | के.जी | १०६.०० | १२०.०० | १२०.०० |
| ८ | एम.एस.सोलिड स्क्वायर रड | के.जी | ८०.०० | ८०.०० | ८०.०० |
| ९ | विभिन्न साइजको एम.एस. एङ्गल | के.जी | ९३.०० | ९३.०० | ९३.०० |
| १० | विभिन्न साइजको ब्याक पाईप | के.जी | ९३.०० | ९३.०० | ९३.०० |
| ११ | विभिन्न साइजको एम.एस. च्यानल | के.जी | ९६.०० | ९६.०० | ९६.०० |

# फलाम जन्य निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १२ | विभिन्न साइजको आइ बिम | के.जी | ९४.०० | ९४.०० | ९४.०० |
| १३ | विभिन्न साइजको एम.एस. प्लेट | के.जी | १६१.०० | १६१.०० | १६१.०० |
| १४ | विभिन्न मोटाइको एम.एस. कालो सिट | के.जी | १६१.०० | १६१.०० | १६१.०० |
| १५ | **G.I. Wire** | | | | |
| | **i) Heavy Zinc coated** | | | | |
| | 8 gauge | के.जी | १२९.०० | १२९.०० | १२९.०० |
| | 10 gauge | के.जी | १२९.०० | १२९.०० | १२९.०० |
| | 12 gauge | के.जी | १२९.०० | १२९.०० | १२९.०० |
| | **ii) Medium zinc Coated** | | | | |
| | 8 gauge | के.जी | १२४.०० | १२४.०० | १२४.०० |
| | 10 gauge | के.जी | १२४.०० | १२४.०० | १२४.०० |
| | 12 gauge | के.जी | १२४.०० | १२४.०० | १२४.०० |
| | **iii) Light Zinc Coated/Commercial** | | | | |
| | 8 gauge | के.जी | ११७.०० | ११७.०० | ११७.०० |
| | 10 gauge | के.जी | ११७.०० | ११७.०० | ११७.०० |
| | 12 gauge | के.जी | ११७.०० | ११७.०० | ११७.०० |
| १६ | मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क कोटेड तयारी गेबियन बाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm | ब.मि. | २८६.०० | २७३.०० | २७०.०० |
| १७ | मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क कोटेड तयारी गेबियन बाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm | ब.मि. | ३४७.०० | ३३२.०० | ३२८.०० |
| १८ | मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क र पि.भि.सि.कोटेड तयारी गेबियन बाकस mesh size-60x80mm , mesh wire-2.2 mm , selvedge wire-2.7mm and lacing wire-2.2mm | ब.मि. | ५६६.०० | ५४२.०० | ५३५.०० |
| १९ | मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क र पि.भि.सि.कोटेड तयारी जम्बो गेबियन बाकस mesh size-100x120mm , mesh wire-3.0 mm , selvedge wire-3.9mm and lacing wire-2.4mm | ब.मि. | ३७४.०० | ३५८.०० | ३५३.०० |
| २० | मेशिनबाट बुनिएका, Mechanically selvedged double Twist wire mesh को हेवि जिङ्क र पि.भि.सि.कोटेड तयारी जम्बो गेबियन बाकस mesh size-100x120mm , mesh wire-2.70mm , selvedge wire-3.40 mm and lacing wire-2.20mm | ब.मि. | ३३६.०० | ३२२.०० | ३१८.०० |
| २१ | **Barbed Wire (काँटेतार)** | | | | |
| | 12 guage commercial, Medium duty | के.जी | ११५.०० | ११५.०० | ११५.०० |
| | U-hook for barbed wire fencing | गोटा | ०.८९ | ०.८९ | ०.८९ |
| २२ | **Fabrication of chain link mesh of size** | | | | |

# फलाम जन्य निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 1"x1" 12 guage | वर्ग मी. | ८२७.०० | ८२७.०० | ८२७.०० |
| | 1.5"x1.5" 12 guage | वर्ग मी. | ७७४.०० | ७७४.०० | ७७४.०० |
| | 2"x2" 10 guage | वर्ग मी. | ६१३.०० | ६१३.०० | ६१३.०० |
| | 3"x3" 10 guage | वर्ग मी. | ५०१.०० | ५०१.०० | ५०१.०० |
| | 4"x4" 10 guage | वर्ग मी. | ३९९.०० | ३९९.०० | ३९९.०० |
| २३ | विभिन्न प्रकारको जालीहरु | | | | |
| | मसिनो खालको Mosquito proof जाली | व.मि. | १३७.०० | १३७.०० | १३७.०० |
| | बालुवा चाल्ने जाली | व.मि. | १४३.०० | १४३.०० | १४३.०० |
| | कुखुरे जाली (Chicken wire mesh) | व.मि. | ८६.०० | ८६.०० | ८६.०० |
| | ब्रास क्रसिङ्ग जाली | व.मि. | २२४.०० | २२४.०० | २२४.०० |
| | स्टील जाली (crossing ) | व.मि. | १८०.०० | १८०.०० | १८०.०० |
| | मसिनो खालको Steel Mosquito proof जाली | व.मि. | ३१२.०० | ३१२.०० | ३१२.०० |
| | फलामबाट निर्मित सामानहरु | | | | |
| २४ | विभिन्न साईजको एम.एस.फलामे पट्टिको ग्रील बनाई जडान गर्ने काम | के.जी | १५४.०० | १५४.०० | १५४.०० |
| २५ | सोलिड स्क्वायर रडको ग्रील बनाई जडान गर्ने काम एककोट प्राईमर समेत | के.जी | १४१.०० | १४१.०० | १४१.०० |
| २६ | कोल्यापसीबल गेट बनाई जडान गर्ने | व.फि. | ५९४.०० | ५९४.०० | ५९४.०० |
| २७ | १६-१८ गेजको फलामे रोलिङ्ग सटर बनाई जडान गर्ने | व.फि. | ४१५.०० | ४१५.०० | ४१५.०० |
| २८ | फलामे रोलिङ्ग सटर १६-१८ गेज जडान सहित स्ट्रीप सटर प्याल भएको | व.फि. | ३३२.०० | ३३२.०० | ३३२.०० |
| २९ | फलामे रोलिङ्ग सटर डण्डी प्रयोग गरी बनाइको साथै जडान गर्ने समेत | व.फि. | ५९४.०० | ५९४.०० | ५९४.०० |
| ३० | १६ गेज पाताबाट कम्पाउण्ड वालको गेट बनाई जडान गर्ने (५० x ५०x ५ mm) को फ्रेम समेत | व.फि. | ७७२.०० | ७७२.०० | ७७२.०० |
| ३१ | ३"-४" व्यासको Iron Black Pipe मा एङ्गल र पट्टि राखी खुडकिला सहितको घुम्ने भऱ्याङ्ग (Spiral Staircase) तयार गरी जडान समेत । भऱ्याङको नापी गर्दा floor to floor height लिने: | र.फि. | ३४१४.०० | ३४१४.०० | ३४१४.०० |
| ३२ | फलामको होल्डफास्ट (७ वटाको १ के.जि.) | के.जी. | १४८.०० | १४८.०० | १४८.०० |
| ३३ | विभिन्न साइजको किला काटी | के.जी. | १३२.०० | १३२.०० | १३२.०० |
| ३४ | विभिन्न साइजको नट बोल्ट | के.जी. | १९५.०० | १९५.०० | १९५.०० |
| ३५ | फलामे सामाग्रीको फेब्रिकेशन तथा जडान कार्य | के.जी. | ५२.०० | ५२.०० | ५२.०० |
| ३६ | Readymade Black Pipe Tubular Truss fitting & fixing work | के.जी. | १६६.०० | १६६.०० | १६६.०० |
| ३७ | Mild Steel Props for Concreting 2" dia 3.5 mm wall thickness and 3.5 m- 4.0 m height | गोटा | २३०४.०० | २३०४.०० | २३०४.०० |
| ३८ | स्टेनलेस स्टील पाइप | | | | |
| | ३/४" व्यास भएको १६ गेज मोटाई | मीटर | २२९.०० | २२९.०० | २२९.०० |
| | १" व्यास भएको १६ गेज मोटाई | मीटर | २८८.०० | २८८.०० | २८८.०० |
| | १ १/४" व्यास भएको १६ गेज मोटाई | मीटर | ३६७.०० | ३६७.०० | ३६७.०० |

# फलाम जन्य निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | १ १/२" व्यास भएको १६ गेज मोटाई | मीटर | ४४६.०० | ४४६.०० | ४४६.०० |
| | २" व्यास भएको १६ गेज मोटाई | मीटर | ६०२.०० | ६०२.०० | ६०२.०० |
| ३९ | Supplying & Installation of light Gauge Steel Structure using light steel sections of (90*45*10/90*37*7.5) mm of steel grade G350 & G550 with zinc coating 150 GSM with varaible thickness ranging from 0.55mm to 1.2mm as per engineer's design including all necessary accessories such as anchor bolts, teist tie, screws etc. all complete | के.जी. | ४७०.०० | ४७०.०० | ४७०.०० |

प्रमुख जिल्ला अधिकारी

# सडक र पुल सम्वन्धि निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.व.क. वाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | **Bitumen** | | | | |
| | VG -10 | के.जी | ११५.०० | १०५.०० | १०८.०० |
| | VG -30 | के.जी | ११९.०० | १०८.३० | ११०.०० |
| २ | CRMB-DIGO 55 Bitumen | के.जी | ८९.०० | ८९.०० | ८९.०० |
| ३ | **Cationic Bitumen Emulsion** | | | | |
| | छिटो जम्ने (RS 60%) | के.जी | ८६.५० | ८६.५० | ८९.०० |
| | छिटो जम्ने (RS 65%) | के.जी | ९१.६० | ९१.६० | ९४.०० |
| | छिटो जम्ने (RS 70%) | के.जी | ९६.८० | ९६.८० | ९९.०० |
| | मध्यम जम्ने (MS 60%) | के.जी | ८७.५० | ८७.५० | ९०.०० |
| | मध्यम जम्ने (MS 65%) | के.जी | ९१.६० | ९१.६० | ९४.०० |
| | ढीलो जम्ने (SS60%) | के.जी | ८८.५० | ८८.५० | ९१.०० |
| ४ | Slurry Seal with 60% bitumen | के.जी | ९५.७० | ९५.७० | ९८.०० |
| ५ | Hi - seal Redymix | के.जी | ११२.०० | ११२.०० | ११२.०० |
| ६ | Polymer Bitumen | के.जी | १२५.०० | १२५.०० | १२५.०० |
| ७ | सडक कालोपत्रे गर्दा बिटुमीन नउम्कीनको लागी प्रयोग गर्ने सामान Anti stripping | के.जी | ३७०.०० | ३७०.०० | ३७०.०० |
| ८ | कालेपत्रे सडक Pot hole टाल्नको लागी प्रयोग गरिने Pre-coated Aggregate सामाग्री | के.जी | ३५.०० | ३५.०० | ३५.०० |
| ९ | कालोपत्रे सडकमा रेखांकन गर्न प्रयोग गरिने Thermo Plastic Road marking सामाग्री | | | | |
| | a) B.S. Grade | के.जि | १९८.०० | १९८.०० | १९८.०० |
| | b) Most Grade | के.जी | २१९.०० | २१९.०० | २१९.०० |
| | c) Glass beads | के.जी | १८०.०० | १८०.०० | १८०.०० |
| १० | **Elastomeric Bearing Pad** | | | | |
| | Free Type | गोटा | २४०३१.२८ | २४०३१.२८ | २६०००.०० |
| | Fix end Dowel Type | गोटा | ५०९९३.०० | ५०९९३.०० | ५०९९३.०० |
| ११ | **Expansion Joint Works** | | | | |
| | Single strip seal | र. मि. | १०१३२.०० | १०१३२.०० | ११०००.०० |
| | Slab seal (320*50) | र. मि. | १९९९९.०० | १९९९९.०० | २१५००.०० |
| १२ | मोटर ट्रस पुलको लागि स्टील पार्ट फेब्रिकेशन फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम | टन | १७८५००.०० | १७८५००.०० | १७८५००.०० |
| १३ | मोटर पुलको लागि स्टील प्लेट गर्डरको फेब्रिकेशन र हट डिप ग्याल्भनाईजेसन समेत गर्ने काम | टन | १७८५००.०० | १७८५००.०० | १७८५००.०० |
| १४ | **High density polyethene geo-membrane** | | | | |
| | 1.00 mm thickness | व.मि. | ६८४.०० | ६८४.०० | ६८४.०० |
| | 2.00 mm thickness | व.मि. | १३६४.०० | १३६४.०० | १३६४.०० |
| १५ | **Needle punched non woven geo-textile** | | | | |

# सडक र पुल सम्वन्धि निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | weight-120gm/sqm | व.मि. | ७७.०० | ७७.०० | ७७.०० |
| | weight-150gm/sqm | व.मि | ८६.०० | ८६.०० | ८६.०० |
| | weight-200gm/sqm | व.मि. | १२६.०० | १२६.०० | १२६.०० |
| १६ | Tendon sheath | मी. | ३८८.०० | ३८८.०० | ३८८.०० |
| १७ | Tendon wire | टन | १५१७९६.०० | १५१७९६.०० | १५१७९६.०० |
| १८ | Ancorage block with cap | गोटा | १०४४७.०० | १०४४७.०० | १०४४७.०० |
| १९ | Road divider ( polythene ) | गोटा | १७३२.०० | १७३२.०० | १७३२.०० |
| २० | Dust bin ( polythene ) 165 ltr | गोटा | ३२९१.०० | ३२९१.०० | ३२९१.०० |
| २१ | १ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइपको PDA Test गर्ने काम पाइल हेड तयार गर्ने र प्रतिवेदन समेत तयार गर्ने काम | गोटा | १९३८००.०० | १९३८००.०० | १९३८००.०० |
| २२ | १ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Entrigrety Test गरी प्रतिवेदन समेत तयार गर्ने काम | गोटा | ६२४०.०० | ६२४०.०० | ६२४०.०० |
| २३ | १ मीटर व्यास सम्मको बोरहोल आर.सि.सि. पाइलको Cross hole ultrasonic monitor (CHUM) Test गरी प्रतिवेदन समेत तयार गर्ने काम | गोटा | १०९२०.०० | १०९२०.०० | १०९२०.०० |
| २४ | Geogrids | व. मि. | १४०.०० | १४०.०० | १४०.०० |
| | झोलुङे पुल सम्वन्धि | | | | |
| १ | Φ 13 mm thimble | गोटा | ७९.०० | ७९.०० | ७९.०० |
| २ | Φ 26 mm thimble | गोटा | ४०१.०० | ४०१.०० | ४०१.०० |
| ३ | Φ 32 mm thimble | गोटा | ६८७.०० | ६८७.०० | ६८७.०० |
| ४ | Φ 36 mm thimble | गोटा | १३७३.०० | १३७३.०० | १३७३.०० |
| ५ | Φ 40 mm thimble | गोटा | १७१६.०० | १७१६.०० | १७१६.०० |
| ६ | Wire mesh netting -10 SWG 50x50 mesh size | व. मि. | ४५७.०० | ४५७.०० | ४५७.०० |
| ७ | Sign Board with Fittings (Size - 60cm X 90cm) | गोटा | ७२२३.०० | ७२२३.०० | ७२२३.०० |
| ८ | Hot deep galvanized Bolts, Nuts & Washers | के.जी. | ३१२.०० | ३१२.०० | ३१२.०० |
| ९ | Bolts, Nuts & Washers (Hotdip friction Grip) | के.जी. | ४१०.०० | ४१०.०० | ४१०.०० |
| १० | High tensile friction grip nut bolts | के.जी. | ३७७.०० | ३७७.०० | ३७७.०० |
| ११ | Hot deep galvinazation | के.जी. | ५१.०० | ५१.०० | ५१.०० |
| १२ | 3D Semi Flexible Galvanized steel Mat; Panels size (80x115x3000) 3D; , Approx. Wt. 3.0 kg/m2 | व. मि. | ३८९८.०० | ३८९८.०० | ३८९८.०० |
| १३ | Binding loops stainless steel , appprox wt 6.0 Kg/Bundle | प्रति बण्डल | २२९००.०० | २२९००.०० | २२९००.०० |

प्रमुख जिल्ला अधिकारी

# स्थानीय निर्माण सामाग्रीहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | मेशिनबाट उत्पादित ईंटा (१-नं.) | प्रति हजार | १६५०८.०० | १६५०८.०० | १६५०८.०० |
| २ | चिम्नी भट्टाको ईंटा | प्रति हजार | १५४२९.०० | १५१४५.०० | १५१४५.०० |
| ३ | तराई को १ नं.ईंटा | प्रति हजार | १७५००.०० | १७४००.०० | १७४००.०० |
| ४ | टुक्रा ईंटा | घ.मि. | २६२५.०० | २६२५.०० | २६२५.०० |
| ५ | सिमेन्टको ईंटा | | | | |
| | BK108N | प्रति हजार | १५४५०.०० | १५४५०.०० | १५४५०.०० |
| | BK118As | प्रति हजार | १६२७४.०० | १६२७४.०० | १६२७४.०० |
| | **Autoclaved Aerated Concrete Blocks(Sand based)** | | | | |
| | Size 2"*8"*4" | गोटा | १३७.०० | १३७.०० | १३७.०० |
| | Size 2"*8"*6" | गोटा | २०५.०० | २०५.०० | २०५.०० |
| | Size 2"*8"*8" | गोटा | २७६.०० | २७६.०० | २७६.०० |
| | ECO BRICK ( Sada) | गोटा | १९.०० | १९.०० | १९.०० |
| | ECO BRICK ( Colour) | गोटा | २१.०० | २१.०० | २१.०० |
| ६ | खानीको ढुंगा | घ.फि | ७७.०० | ७३.०० | ७३.०० |
| ७ | विभिन्न प्रकारको खानीको बालुवा | घ.फि | ८८.०० | ९०.०० | ९०.०० |
| ८ | क्रसरबाट उत्पादित ६-१० मी. मी. साइजको गिट्टि | घ.फि | ८५.०० | ९०.०० | ९०.०० |
| ९ | क्रसरबाट उत्पादित १०-२० मी. मी. साइजको गिट्टि | घ.फि | ९०.०० | ९५.०० | ९५.०० |
| १० | क्रसरबाट उत्पादित २०-४० मी. मी. साइजको गिट्टि | घ.फि. | ८४.०० | ९०.०० | ९०.०० |
| ११ | क्रसरबाट उत्पादित ६ मी.मी. भन्दा कमको गिट्टि | घ.फि. | ८१.०० | ८४.०० | ८४.०० |
| १२ | **Crusher run sub-base material** | घ.फि. | ६७.०० | ७०.०० | ७०.०० |
| १३ | **CRM Base material** | घ.फि. | ७८.०० | ८२.०० | ८२.०० |
| १४ | छानामा छाउने क्ले टायलहरु | | | | |
| | मेशिनबाट उत्पादित टायल | गोटा | १९.०० | १९.०० | १९.०० |
| | चिम्नी भट्टाको टायल | गोटा | १७.०० | १७.०० | १७.०० |
| | मेशिनबाट उत्पादित धुरी | गोटा | ३४.०० | ३४.०० | ३४.०० |
| | चिम्नी भट्टाको धुरी | गोटा | २८.०० | २८.०० | २८.०० |
| १५ | भुईमा/ कौसीमा छाप्ने क्ले टायलहरु | | | | |
| | मेशिनबाट उत्पादित क्ले टायल | गोटा | १०.०० | १०.०० | १०.०० |
| | चिम्नी भट्टाको क्ले टायल | गोटा | ९.०० | ९.०० | ९.०० |
| १६ | छाप्ने ढुङ्गा (Flag stone) | | | | |
| | १" सम्म बाक्लो सर्फेस ड्रेस गरेको छाप्ने ढुङ्गा | व.फि | ८२.०० | ८२.०० | ८२.०० |
| | १½" सम्म बाक्लो " " | व.फि | ९४.०० | ९४.०० | ९४.०० |
| | २ सम्म बाक्लो ढुङ्गा " " | व.फि | १११.०० | १११.०० | १११.०० |
| | २.५ सम्म बाक्लो ढुङ्गा " " | व.फि | ११९.०० | ११९.०० | ११९.०० |
| | २.५" - ३" सम्म बाक्लो ढुङ्गा " | व.फि | १४८.०० | १४८.०० | १४८.०० |
| १७ | खोलाको बोल्डर कोबल १०० मि.मि. सम्म | घ.फि. | ११३.०० | ११३.०० | ११३.०० |
| १८ | स्थानीय स्तरमा पाउने प्रामेल (मेलम्ची, टिकाभैरव, भकुण्डे बेसि खानी बाहेकको) (Capping Layer 0-75 mm समेत) | घ.फि. | ६१.०० | ६१.०० | ६१.०० |

# स्थानीय निर्माण सामाग्रीहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १९ | पहाडी भागमा स्थानीय ढुङ्गा (औसत दुरी ८०० मिटर सम्म) | घ.फि. | ७०.०० | ७०.०० | ७०.०० |
| २० | भवनको भुँइ कोठामा पुर्न, सोलिङको Void filling गर्न प्रयोग गरिने बालुवा | " | ४८.०० | ४८.०० | ४८.०० |
| २१ | ढुगांको धुलो (Stone dust) | घ.फि. | ३५.०० | ३५.०० | ३५.०० |
| २२ | लिङन राख्ने माटो (ट्रक ढुवानी बाहेक) | घ.मि. | ३१८.०० | ३१८.०० | ३१८.०० |
| २३ | सबग्रेडमा राख्ने माटो (Granular soil) | घ.मि. | ५५०.०० | ५५०.०० | ५५०.०० |
| २४ | भुस | के.जि. | ५.०० | ५.०० | ५.०० |
| २५ | गोबर | के.जि. | ५.०० | ५.०० | ५.०० |
| २६ | निर्माण कार्यको लागी पानी | | | | |
| | ३ कि.मी सम्म को दुरीमा | लिटर | ०.२८ | ०.२८ | ०.२८ |
| | ३ कि.मी. देखि माथीको दुरीमा | लिटर | ०.३३ | ०.३३ | ०.३३ |
| २७ | ५०० गेज प्लाष्टिक सिट | व.मी. | ३३.०० | ३३.०० | ३३.०० |
| २८ | Plastic felt (२०मी. × १मी.) | रोल | २५४१.०० | २५४१.०० | २५४१.०० |
| २९ | १८-२० फिट लामो बाँस | गोटा | २४०.०० | २४०.०० | २४०.०० |
| ३२ | Compressed Stabilized Earthen Block (CSEB) | | | | |
| | 230x110x60 mm | गोटा | | १४.०० | १४.०० |

# प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिङहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/०८१ | आ.व. २०८१/०८२ | आ.व. २०८२/०८३ |
| १ | **NP-2 Class Pipes(Plain)** | | | | |
| | 150 mm dia. | र.मि | ५७०.०० | ५७०.०० | ५७०.०० |
| | 200 mm dia. | र.मि | ७४०.०० | ७४०.०० | ७४०.०० |
| | 250 mm dia. | र.मि | ९२५.०० | ९२५.०० | ९२५.०० |
| | 300 mm dia. | र.मि | १२६०.०० | १२६०.०० | १२६०.०० |
| | 350 mm dia. | र.मि | १३२५.०० | १३२५.०० | १३२५.०० |
| | 375 mm dia. | र.मि | १५२०.०० | १५२०.०० | १५२०.०० |
| | 400 mm dia. | र.मि | १७५०.०० | १७५०.०० | १७५०.०० |
| | 450 mm dia. | र.मि | १८५२.०० | १८५२.०० | १८५२.०० |
| | 500 mm dia. | र.मि | २०८०.०० | २०८०.०० | २०८०.०० |
| | 600 mm dia. | र.मि | २७४०.०० | २७४०.०० | २७४०.०० |
| | 700 mm dia. | र.मि | ३५७५.०० | ३५७५.०० | ३५७५.०० |
| | 750 mm dia. | र.मि | ३८७०.०० | ३८७०.०० | ३८७०.०० |
| | 800 mm dia. | र.मि | ४३२०.०० | ४३२०.०० | ४३२०.०० |
| | 900 mm dia. | र.मि | ५८३५.०० | ५८३५.०० | ५८३५.०० |
| | 1000 mm dia. | र.मि | ६८०५.०० | ६८०५.०० | ६८०५.०० |
| | 1200 mm dia. | र.मि | ८३०१.०० | ८३०१.०० | ८३०१.०० |
| | 1500 mm dia. | र.मि | १७४५०.०० | १७४५०.०० | १७४५०.०० |
| २ | **NP-3 Class Pipes(Plain)** | | | | |
| | 150 mm dia. | र.मि | १३१०.०० | १३१०.०० | १३१०.०० |
| | 200 mm dia. | र.मि | १७४५.०० | १७४५.०० | १७४५.०० |
| | 250 mm dia. | र.मि | २१८५.०० | २१८५.०० | २१८५.०० |
| | 300 mm dia. | र.मि | ३१४०.०० | ३१४०.०० | ३१४०.०० |
| | 350 mm dia. | र.मि | ३५२०.०० | ३५२०.०० | ३५२०.०० |
| | 375 mm dia. | र.मि | ३७६०.०० | ३७६०.०० | ३७६०.०० |
| | 400 mm dia. | र.मि | ४०१०.०० | ४०१०.०० | ४०१०.०० |
| | 450 mm dia. | र.मि | ४५००.०० | ४५००.०० | ४५००.०० |
| | 500 mm dia. | र.मि | ५०२०.०० | ५०२०.०० | ५०२०.०० |
| | 600 mm dia. | र.मि | ६२००.०० | ६२००.०० | ६२००.०० |
| | 700 mm dia. | र.मि | ७४८५.०० | ७४८५.०० | ७४८५.०० |
| | 750 mm dia. | र.मि | ८६००.०० | ८६००.०० | ८६००.०० |
| | 800 mm dia. | र.मि | ९३८५.०० | ९३८५.०० | ९३८५.०० |
| | 900 mm dia. | र.मि | १२१७२.०० | १२१७२.०० | १२१७२.०० |
| | 1000 mm dia. | र.मि | १३५२५.०० | १३५२५.०० | १३५२५.०० |
| | 1200 mm dia. | र.मि | १६१००.०० | १६१००.०० | १६१००.०० |
| | 1500 mm dia. | र.मि | २५३००.०० | २५३००.०० | २५३००.०० |
| ३ | **NP-2 RCC Collar** | | | | |
| | 150 mm dia | गोटा | १४५.०० | १४५.०० | १४५.०० |
| | 200 mm dia | गोटा | १९३.०० | १९३.०० | १९३.०० |
| | 250 mm dia | गोटा | २३९.०० | २३९.०० | २३९.०० |

# प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिङहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/०८१ | आ.व. २०८१/०८२ | आ.व. २०८२/०८३ |
| | 300 mm dia | गोटा | ३२४.०० | ३२४.०० | ३२४.०० |
| | 350 mm dia | गोटा | ३५७.०० | ३५७.०० | ३५७.०० |
| | 375 mm dia | गोटा | ३९२.०० | ३९२.०० | ३९२.०० |
| | 400 mm dia | गोटा | ४५१.०० | ४५१.०० | ४५१.०० |
| | 450 mm dia | गोटा | ४७६.०० | ४७६.०० | ४७६.०० |
| | 500 mm dia | गोटा | ५३५.०० | ५३५.०० | ५३५.०० |
| | 600 mm dia | गोटा | ७०६.०० | ७०६.०० | ७०६.०० |
| | 700 mm dia | गोटा | ९२०.०० | ९२०.०० | ९२०.०० |
| | 750 mm dia | गोटा | ९९५.०० | ९९५.०० | ९९५.०० |
| | 800 mm dia | गोटा | १११०.०० | १११०.०० | १११०.०० |
| | 900 mm dia | गोटा | १५००.०० | १५००.०० | १५००.०० |
| | 1000 mm dia | गोटा | १७५२.०० | १७५२.०० | १७५२.०० |
| | 1200 mm dia | गोटा | २१३७.०० | २१३७.०० | २१३७.०० |
| | 1500 mm dia | गोटा | ४४९२.०० | ४४९२.०० | ४४९२.०० |
| ४ | **NP-3 Class Collars** | | | | |
| | 150 mm dia. | गोटा | ३२७.०० | ३२७.०० | ३२७.०० |
| | 200 mm dia. | गोटा | ४३६.०० | ४३६.०० | ४३६.०० |
| | 250 mm dia. | गोटा | ५४४.०० | ५४४.०० | ५४४.०० |
| | 300 mm dia. | गोटा | ७८३.०० | ७८३.०० | ७८३.०० |
| | 350 mm dia. | गोटा | ८७९.०० | ८७९.०० | ८७९.०० |
| | 375 mm dia. | गोटा | ९४०.०० | ९४०.०० | ९४०.०० |
| | 400 mm dia. | गोटा | १०००.०० | १०००.०० | १०००.०० |
| | 450 mm dia. | गोटा | ११२५.०० | ११२५.०० | ११२५.०० |
| | 500 mm dia. | गोटा | १२५५.०० | १२५५.०० | १२५५.०० |
| | 600 mm dia. | गोटा | १५५०.०० | १५५०.०० | १५५०.०० |
| | 700 mm dia. | गोटा | १८७१.०० | १८७१.०० | १८७१.०० |
| | 750 mm dia. | गोटा | २१५०.०० | २१५०.०० | २१५०.०० |
| | 800 mm dia | गोटा | २३४४.०० | २३४४.०० | २३४४.०० |
| | 900 mm dia | गोटा | ३०४२.०० | ३०४२.०० | ३०४२.०० |
| | 1000 mm dia. | गोटा | ३३८२.०० | ३३८२.०० | ३३८२.०० |
| | 1200 mm dia. | गोटा | ४०२४.०० | ४०२४.०० | ४०२४.०० |
| | 1500 mm dia. | गोटा | ६३२४.०० | ६३२४.०० | ६३२४.०० |
| ५ | **NP-3 Pipes Socket and Spigot** | | | | |
| | 150 mm dia. | र.मि | १४८०.०० | १४८०.०० | १४८०.०० |
| | 200 mm dia. | र.मि | २०१०.०० | २०१०.०० | २०१०.०० |
| | 250 mm dia. | र.मि | २५१०.०० | २५१०.०० | २५१०.०० |
| | 300 mm dia. | र.मि | ३६०५.०० | ३६०५.०० | ३६०५.०० |
| | 400 mm dia. | र.मि | ४६१०.०० | ४६१०.०० | ४६१०.०० |
| | 450 mm dia. | र.मि | ५१८०.०० | ५१८०.०० | ५१८०.०० |

# प्रिकाष्ट आर.सि.सि.पाईपहरु तथा रिङहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/०८१ | आ.व. २०८१/०८२ | आ.व. २०८२/०८३ |
| | 500 mm dia. | र.मि | ५७७०.०० | ५७७०.०० | ५७७०.०० |
| | 600 mm dia. | र.मि | ७१३०.०० | ७१३०.०० | ७१३०.०० |
| | 700 mm dia. | र.मि | ८६१०.०० | ८६१०.०० | ८६१०.०० |
| | 800 mm dia. | र.मि | १०७९०.०० | १०७९०.०० | १०७९०.०० |
| | 900 mm dia. | र.मि | १४०००.०० | १४०००.०० | १४०००.०० |
| | 1000 mm dia. | र.मि | १४८१४.०० | १४८१४.०० | १४८१४.०० |
| | 1200 mm dia. | र.मि | १८६००.०० | १८६००.०० | १८६००.०० |
| | 1400 mm dia. | र.मि | २५७५०.०० | २५७५०.०० | २५७५०.०० |
| | 1600 mm dia. | र.मि | ३२६००.०० | ३२६००.०० | ३२६००.०० |
| | 1800 mm dia | र.मि | ४३६००.०० | ४३६००.०० | ४३६००.०० |

# भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | नेपालबाट उत्पादित बिभिन्न ओ.पि.सि सिमेन्ट | ब्याग | ७००.०० | | |
| | 53 grade | | | ६००.०० | ६६०.०० |
| | 43 grade | | | ५८५.०० | ६४०.०० |
| २ | नेपालबाट उत्पादित बिभिन्न पि.पि.सि सिमेन्ट | ब्याग | ६००.०० | ५००.०० | ५५०.०० |
| ३ | सेतो सिमेन्ट (40kg/bag) | ब्याग | १२३०.०० | १२३०.०० | १२३०.०० |
| ४ | Ready Made dry mortar (40kg/bag) | ब्याग | १२००.०० | १२००.०० | १२००.०० |
| ५ | सिमेन्ट लोड र अनलोड | ब्याग | ११.५५ | ११.५५ | ११.५५ |
| ६ | **Ready Mix Concrete (चक्रपथबाट ३ कि.मि. बाहिर सम्म)** | | | | |
| | M 10 Grade | घ. मि | १३६५०.०० | ११६००.०० | ११६००.०० |
| | M 15 Grade | घ. मि | १४७००.०० | १२३८८.५० | १२३८८.५० |
| | M 20 Grade | घ. मि | १५२२५.०० | १३३९२.४५ | १३३९२.४५ |
| | M 25 Grade | घ. मि | १६२७५.०० | १४३९३.०० | १४३९३.०० |
| | M 30 Grade | घ. मि | १७११५.०० | १७०००.०० | १७०००.०० |
| | M 35 Grade | घ. मि | १८३८२.०० | १७४६०.०० | १७४६०.०० |
| | M 40 Grade | घ. मि | १९९५०.०० | १८९८९.०० | १८९८९.०० |
| | Ready Mix- Concrete Premix M45 -KTM | घ. मि | २१४५०.०० | २१०००.०० | २१०००.०० |
| ६ | स्टेनलेस स्टील रेलीङको कार्य- २ इन्च पाईपको ठाडो पोष्ट, २ इन्चको हेण्डरेल तथा १ इन्च व्यासको तिन तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम (उचाई ९० से.मि.) | र.फी. | १२६०.०० | १२६०.०० | १२६०.०० |
| ७ | स्टेनलेस स्टील रेलीङको कार्य-२ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको दुई तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम | र.फी. | ११०२.०० | ११०२.०० | ११०२.०० |
| ८ | स्टेनलेस स्टील रेलीङको कार्य- १.५ इन्च पाईपको ठाडो पोष्ट, हेण्डरेल २ इन्च तथा १ इन्च व्यासको तिन तह तेर्सा पाईप राखी तयार गरि जडान गर्ने काम | र.फी. | १०१६.०० | १०१६.०० | १०१६.०० |
| ९ | सादा सेतो सिसा | | | | |
| | ३ मी.मी. | व.फि. | ५२.०० | ५२.०० | ५२.०० |
| | ३.५ मी.मी. | व.फि | ५९.०० | ५९.०० | ५९.०० |
| | ४ मी.मी | व.फि. | ६९.०० | ६९.०० | ६९.०० |
| | ५ मी.मी. | व.फि. | ७९.०० | ७९.०० | ७९.०० |
| | ६ मी.मी. | व.फि. | १०६.०० | १०६.०० | १०६.०० |
| | ८ मी.मी. | व.फि. | १५९.०० | १५९.०० | १५९.०० |
| | १० मी.मी. | व.फि. | २०२.०० | २०२.०० | २०२.०० |
| | १२ मी.मी. | व.फि. | २३४.०० | २३४.०० | २३४.०० |
| १० | बुट्टेदार सिसा | | | | |
| | ३.मी.मी | व.फि. | ५१.०० | ५१.०० | ५१.०० |
| | ४ मी.मी. | व.फि. | ६०.०० | ६०.०० | ६०.०० |

# भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ११ | पोलि फाईबर ग्लास | | | | |
| | ६ मी.मी. | व.फि. | १६४.०० | १६४.०० | १६४.०० |
| १२ | काली रङको सिसा | | | | |
| | ३.मी.मी. | व.फि. | १०२.०० | १०२.०० | १०२.०० |
| | ४ मी.मी. | व.फि. | १०९.०० | १०९.०० | १०९.०० |
| | ५ मी.मी. | व.फि. | १२७.०० | १२७.०० | १२७.०० |
| | ६ मी.मी. | व.फि. | १८४.०० | १८४.०० | १८४.०० |
| | ८ मी.मी. | व.फि. | २६४.०० | २६४.०० | २६४.०० |
| | १० मी.मी. | व.फि. | ३७३.०० | ३७३.०० | ३७३.०० |
| | १२ मी.मी. | व.फि. | ४२६.०० | ४२६.०० | ४२६.०० |
| १३ | Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने | | | | |
| | ५ मि.मि बाक्लो | व.फि. | १२३.०० | १२३.०० | १२३.०० |
| १४ | छानामा प्रयोग गरिने बुट्टेदार ऐना Itching Glass with simple shade and texture -४ मी.मी. बाक्लो | व.मि. | ६५१०.०० | ६५१०.०० | ६५१०.०० |
| १५ | विभिन्न रंगको Reflector Glass (शिशा) -५ मी.मीं मोटो | व.फि. | १९६.०० | १९६.०० | १९६.०० |
| १६ | **Readymade Plaster of Parish** cornice and molding | | | | |
| | POP Molding 1" to 1½" | र.मि | २५३.०० | २५३.०० | २५३.०० |
| | Up to 5" wide | र.मि | ३०३.०० | ३०३.०० | ३०३.०० |
| | Up to 8" wide | र.मि | ४१९.०० | ४१९.०० | ४१९.०० |
| | Above 8" wide | र.मि | १७१.०० | १७१.०० | १७१.०० |
| १७ | Plaster of paris | कि.ग्रा. | २४.०० | २४.०० | २४.०० |
| १८ | Wall putty-Normal | कि.ग्रा. | ३७.०० | ३७.०० | ३७.०० |
| १९ | Wall putty-water proof | कि.ग्रा. | ६३.०० | ६३.०० | ६३.०० |
| २० | राजस्थानी मार्बल | | | | |
| | १३ मी.मी बाक्लो राजस्थानी | व.फि. | १७९.०० | १७९.०० | १७९.०० |
| | १६ मी.मी बाक्लो राजस्थानी | व.फि. | १९६.०० | १९६.०० | १९६.०० |
| २१ | ग्रेनाइट | | | | |
| | १२ मी.मी बाक्लो ग्रेनाइट | व.फि. | २७९.०० | २७९.०० | २७९.०० |
| | १६ मी.मी बाक्लो ग्रेनाइट | व.फि. | ३६६.०० | ३६६.०० | ३६६.०० |
| | १८ मी.मी बाक्लो ग्रेनाइट | व.फि. | ४२१.०० | ४२१.०० | ४२१.०० |
| २२ | कोटा स्टोन | | | | |
| | 1" thick | व.फि. | १५९.०० | १५९.०० | १५९.०० |
| | 3/4" thick | व.फि. | १४६.०० | १४६.०० | १४६.०० |
| २३ | **Porcelain Glazed Tiles** (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | Thai Tiles | व.फि. | १३४.०० | १३४.०० | १३४.०० |

# भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | floor tile | व.फि. | ९०.०० | ९०.०० | ९०.०० |
| | Ordinary Floor and Wall tiles | व.फि. | ५७.०० | ५७.०० | ५७.०० |
| | Border Tile - 2"x8" | र.फि. | ४५.०० | ४५.०० | ४५.०० |
| | Ceramic Wall Tile (31*45cm) | व.फि. | १९१.०० | १९१.०० | १९१.०० |
| | Ceramic Floor Tile (31*45cm) | व.फि. | १५५.०० | १५५.०० | १५५.०० |
| | 24" x 24" GVT | व.फि. | १५५.०० | १५५.०० | १५५.०० |
| | 24" x 24" GRES Virtified ( Digital Floor) | व.फि. | १५३.०० | १५३.०० | १५३.०० |
| | 12" x 12" GRES homogenous Vertified parking Tile | व.फि. | १०६.०० | १०६.०० | १०६.०० |
| | 24" x 24" Virtified | व.फि. | ११८.०० | ११८.०० | ११८.०० |
| | Floor tiles- | | | | |
| | 16"X16" | व.फि. | १०४.०० | १०३.०० | १०३.०० |
| | 12"x12" | व.फि. | ९३.०० | ९२.०० | ९२.०० |
| | 12'X12' (White / Ivory) | व.फि. | ८२.०० | ८१.०० | ८१.०० |
| | 24"x24" (Digital) | व.फि. | १२९.०० | १२७.०० | १२७.०० |
| | 12"x24" (Walls) | व.फि. | १३७.०० | १३५.०० | १३५.०० |
| | 12"x18"(wall) | व.फि. | १०९.०० | १०७.०० | १०७.०० |
| | Artificial Granite (800mmx2600mm) | व.फि. | ४७९.०० | ४७९.०० | ४७९.०० |
| | GVT Floor Tile (900mm x 1800mm) | व.फि. | ३७३.०० | ३७६.०० | ३७३.०० |
| | Double Charge Floor tile (800mmx800mm) | व.फि. | १५९.०० | १५८.०० | १५८.०० |
| | Double Charge Floor tile (600mmx600mm) | व.फि. | १२७.०० | १२७.०० | १२७.०० |
| | GVT Floor Tile (800mm x 1600mm) | व.फि. | २१३.०० | २१३.०० | २१३.०० |
| | 10"x24" (Walls) | व.फि. | १३३.०० | १३३.०० | १३३.०० |
| | (600mmx1200mm) Homogeneous Floor Tile (Full Body) | व.फि. | २३८.०० | २३७.०० | २३७.०० |
| | (600mmx600mm) Homogeneous Floor Tile (Full Body) | व.फि. | १७०.०० | १७०.०० | १७०.०० |
| | Planks Tile-GVT (200mm x 1200mm) | व.फि. | २३५.०० | २३३.०० | २३३.०० |
| | Planks tile-Ceramic (148mm x 600mm) | व.फि. | १६१.०० | १५८.०० | १५८.०० |
| | SST Vitrified Tile-Ivory (600mm x 600mm) | व.फि. | १२१.०० | १२०.०० | १२०.०० |
| | Parking Tiles-Digital Vitrified (300mm x 300mm) | व.फि. | १२१.०० | १२०.०० | १२०.०० |
| | Ceramic Floor-(600mm x 600 mm) | व.फि. | १३९.०० | ११५.०० | ११५.०० |
| | Ceramic Floor-Terrace/Kitchen (397mm x 397mm) | व.फि. | १२१.०० | १२०.०० | १२०.०० |
| | Parking Tiles-Digital Vitrified(12mm) (400mm x 400mm) | व.फि. | १४२.०० | १४०.०० | १४०.०० |
| | GVT Floor Tile(Glazed Vitrified Tile) (600mm x 600mm) | व.फि. | १५५.०० | १५३.०० | १५३.०० |
| | GVT Floor Tile(Glazed Vitrified Tile) (600mm x1200mm) | व.फि. | १९८.०० | १९७.०० | १९७.०० |

# भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | GVT Floor Tile(Glazed Vitrified Tile) (800mm x 800mm) | व.फि. | १६७.०० | १६७.०० | १६७.०० |
| | DCH Floor Tile(Double Charge) (800mm x 1200mm) | व.फि. | १८०.०० | १७८.०० | १७८.०० |
| | Bathroom/Kitchen Wall-Ceramic (300mm x 600mm) | व.फि. | १४९.०० | १४७.०० | १४७.०० |
| | Vitrified Elevation Tile (300mm x 600mm) | व.फि. | १५८.०० | १५७.०० | १५७.०० |
| | Vitrified Floor-Matte (600mm x 600mm) | व.फि. | १४९.०० | १४८.०० | १४८.०० |
| २४ | छानामा टाइलको बुट्टा काट्ने र पानी पट्टी कार्य | | | | |
| | १.४ भागको मिश्रणको सिमेन्ट मसला तयार गरि खट राखि १" पाक्लो प्लाष्टरमा रुफिङ टाइलको बुट्टा काट्ने सामान सहित | व.मि. | ६६४.०० | ६६४.०० | ६६४.०० |
| | १" साइजको १:३ भागको मिश्रणको मसला तयार गरि खट राखि वर्षादको पानी पट्टी बनाउने काम | र.मी | ७९.०० | ७९.०० | ७९.०० |
| २५ | **Heritage Wall Surface Texture (Interior and Exterior) including the cost of supplying and fitting** | | | | |
| | Heritage granular | व.फि | ९२.०० | ९२.०० | ९२.०० |
| | Heritage flakes | व.फि | ११४.०० | ११४.०० | ११४.०० |
| | Heritage granite finish | व.फि | ९२.०० | ९२.०० | ९२.०० |
| | Heritage Top coat (plastic lamination) | व.फि | २३.०० | २३.०० | २३.०० |
| | Plastic Sheet 500 guage | व.मि | ४०.०० | ४०.०० | ४०.०० |
| | Plastic Tripal 500 guage | व.मि | ४३.०० | ४३.०० | ४३.०० |
| २८.० | **Sandwitch/EPS Non burn Panel** | | | | |
| २८.१ | Ivory colour Flat Wall Panel(0.4*1040) -50 mm | व.फि | २१६.०० | २१६.०० | २१६.०० |
| | Ivory colour Flat Wall Panel(0.4*1040) -75 mm | व.फि | २५२.०० | २५२.०० | २५२.०० |
| | Ivory colour Wall Panel(0.4*1040) -100 mm | व.फि | २८८.०० | २८८.०० | २८८.०० |
| २८.२ | Gray colour R.P Wall Panel(0.4*1105) -50 mm | व.फि | २४०.०० | २४०.०० | २४०.०० |
| | Gray colour R.P Wall Panel(0.4*1105) -75 mm | व.फि | २७६.०० | २७६.०० | २७६.०० |
| | Gray colour R.P Wall Panel(0.4*1105) -100 mm | व.फि | ३१२.०० | ३१२.०० | ३१२.०० |
| २८.३ | Wooden Colour Sliding Wall Panel(0.4*1219) -75mm | व.फि | ३००.०० | ३००.०० | ३००.०० |
| | Wooden Colour Sliding Wall Panel(0.4*1219) -100mm | व.फि | ३३६.०० | ३३६.०० | ३३६.०० |
| २८.४ | Black colour Zing Wall & Roof Panel(0.4*1219) -50mm | व.फि | २८८.०० | २८८.०० | २८८.०० |
| | Black colour Zing Wall & Roof Panel(0.4*1219) -75mm | व.फि | ३२४.०० | ३२४.०० | ३२४.०० |
| | Black colour Zing Wall & Roof Panel(0.4*1219) -100mm | व.फि | ३६०.०० | ३६०.०० | ३६०.०० |
| २८.५ | Roof Blue & Orange colour (0.4*1219) -50mm | व.फि | २५२.०० | २५२.०० | २५२.०० |
| | Roof Blue & Orange colour (0.4*1219) -75mm | व.फि | २८८.०० | २८८.०० | २८८.०० |
| | Roof Blue & Orange colour (0.4*1219) -100mm | व.फि | ३२४.०० | ३२४.०० | ३२४.०० |
| २८.६ | Steel Door (900*2100) 80 T | गोटा | १५२७४.३४ | १५२७४.३४ | १५२७४.३४ |
| | Steel Door (1000*2100) 80 T | गोटा | १६१५९.२९ | १६१५९.२९ | १६१५९.२९ |

# भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| २८.७ | ABS Door (900*2100) 80 T | गोटा | १३५०४.४२ | १३५०४.४२ | १३५०४.४२ |
| २८.८ | Panel Door (900*2100) 80 T | गोटा | ११७३४.५१ | ११७३४.५१ | ११७३४.५१ |
| २८.९ | Window (115mm) | व.फि | ७६६.०२ | ७६६.०२ | ७६६.०२ |
| | Steel door | | | | |
| | Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8~0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door | व.फि | ११००.०० | ११००.०० | ११००.०० |
| | Providing and fitting 60 Minute Fire-Rated Steel Door (1000x2100 mm) with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material. | व.फि | २५२५.०० | २५२५.०० | २५२५.०० |
| | Providing and fitting 60 Minute Fire-Rated Steel Emergency Door (1000x2100 mm)with all complete set of frame 1.6mm GI/EGI Sheet, leaf 0.8mm GI/EGI Steel on both side, core insulation Honey comb/glass wool fire rated material. | व.फि | ३४००.०० | ३४००.०० | ३४००.०० |
| | Providing and fitting Lead Line Radiation Proof Door (1000x2100 mm)with all complete set of frame 1.6mm GI/EGI sheet and 2mm lead sheet frame inside its section, 2 mm lead sheet pasted inside the door leaf. | व.फि | ६७००.०० | ६७००.०० | ६७००.०० |
| | Panel door | | | | |
| | Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminum, leaf Nonburn EPS Panel framed by 0.4mm Aluminum | व.फि | ७२०.०० | ७२०.०० | ७२०.०० |
| | UPVC Window | | | | |
| | Providing and fitting 115mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm~3.0mm and 1.5(+0.2)mm thick galvanized mild steel section. Fitting materials and accessories for window, sliding windows with stainless insect screen. | व.फि | ८८८.०० | ८८८.०० | ८८८.०० |
| | **CLADDING** | | | | |
| १ | MCM Brick Claddding | व.फि | ४०५.०० | ४०५.०० | ४०५.०० |
| २ | MCM Slate Stone Claddding | व.फि | ४७९.०० | ४७९.०० | ४७९.०० |
| ३ | MCM Oasis Stone Claddding | व.फि | ५२२.०० | ५२२.०० | ५२२.०० |
| ४ | MCM Wood Claddding | व.फि | ५९७.०० | ५९७.०० | ५९७.०० |
| ५ | MCM Travertine Stone Claddding | व.फि | ७३५.०० | ७३५.०० | ७३५.०० |
| | **Laminates** | | | | |
| १ | Liner 0.7mm | | १११९.०० | १११९.०० | १११९.०० |
| २ | 0.8 mm SUD | | १५९९.०० | १५९९.०० | १५९९.०० |
| ३ | Texture code: UBL, WWS, VEC, FLU, BST, FLK, PAR 0.8 mm | | १८१२.०० | १८१२.०० | १८१२.०० |
| ४ | PGL 0.8 mm | | १८१२.०० | १८१२.०० | १८१२.०० |

# भवन निर्माणमा प्रयोग हुने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ५ | Marker Grade MGD 0.8 mm | per sheet (8'X4') | १९१९.०० | १९१९.०० | १९१९.०० |
| ६ | SUD 0.8 mm | | १५९९.०० | १५९९.०० | १५९९.०० |
| ७ | Texture code: LMN, TWL, AQU, CLG, CRI, CRB, CRO, MBR, MAT, OSS, WDP 0.8 mm | | १८१२.०० | १८१२.०० | १८१२.०० |
| ८ | gloss PRG 0.8 mm | | १८१२.०० | १८१२.०० | १८१२.०० |
| ९ | marker grade MGD 0.8 mm | | १९१९.०० | १९१९.०० | १९१९.०० |
| १० | metal ZRL 0.8 mm | | ५८६४.०० | ५८६४.०० | ५८६४.०० |
| ११ | Plain 1mm | | २६६५.०० | २६६५.०० | २६६५.०० |
| १२ | Texture 1mm | | ३१९८.०० | ३१९८.०० | ३१९८.०० |
| १३ | SUD 1mm | | २७७२.०० | २७७२.०० | २७७२.०० |
| १४ | Texture code: ASH/CHS,CTR,EMI,HSC,PTR,RAF, 1mm SGL, NLT, OLM, SAN, STC, SPK, SRA, STN, TST, TXM | | ३७३१.०० | ३७३१.०० | ३७३१.०० |
| १५ | Special Texture code:SYN, VRB, ARA, SAT, TRC 1mm | | ४२६४.०० | ४२६४.०० | ४२६४.०० |
| १६ | HDG 1mm | | ४७९७.०० | ४७९७.०० | ४७९७.०० |
| १७ | Unicore 1mm | | ७९९६.०० | ७९९६.०० | ७९९६.०० |
| १८ | Metal 1mm | | ७९९६.०० | ७९९६.०० | ७९९६.०० |
| 19 | **EXTERIOR FAÇADE** | | | | |
| | Clads Solids 6mm | sq.ft | ६९३.०० | ६९३.०० | ६९३.०० |
| | Clads Wood Grains 6mm | sq.ft. | ७७२.०० | ७७२.०० | ७७२.०० |
| २० | Ceramic, glazed & glossy bathroom wall tiles size of 30X60 cm of 9mm thickness | व.फि | १०५.०० | १०५.०० | १०५.०० |
| २१ | Porcelain, unglazed, matte & unpolished bathroom floor tiles sizes of 30X30 cm of 8mm thickness | व.फि | ८०.०० | ८०.०० | ८०.०० |
| २२ | Ceramic, glazed, matte, glossy kitchen wall tile size of 30X45cm of 9mm thickness | व.फि | ८०.०० | ८०.०० | ८०.०० |
| २३ | Porcelain unglazed & unpolished kitchen floor tile size of 60X60 cm of 10mm thickness | व.फि | १०५.०० | १०५.०० | १०५.०० |
| २४ | Porcelain unglazed & unpolished Indoor Floor Area/Corridor Tile sizes of 60X60 cm of 10mm thickness | व.फि | १०५.०० | १०५.०० | १०५.०० |
| २५ | Vitrified body unglazed, matt outdoor floor area tile sizes of 60X60 cm of 10mm thickness | व.फि | १३५.०० | १३५.०० | १३५.०० |
| २६ | Vitrified body unglazed, matt Terrace/Balcony Tile sizes of 40X40 cm of 10 mm thickness | व.फि | १३५.०० | १३५.०० | १३५.०० |
| २७ | Vitrified body unglazed Parking tile sizes of 30X30 cm of thickness 10 mm thickness | व.फि | १२५.०० | १२५.०० | १२५.०० |
| २८ | Vitrified body unglazded facade tile size of 30X60 cm of thickness 10 mm thickness | व.फि | १६०.०० | १६०.०० | १६०.०० |
| २९ | Ceramic matte facade tile size of 30X45 cm of thickness of 9 mm thickness | व.फि | ११०.०० | ११०.०० | ११०.०० |
| ३० | Vitrified body unglazed matt tile of size 60X120 cm of 10 mm thickness | व.फि | १७५.०० | १७५.०० | १७५.०० |
| ३१ | Vitrified body unglazed matt tile of size 60X60 cm of 10 mm thickness | व.फि | १३५.०० | १३५.०० | १३५.०० |

प्रमुख जिल्ला अधिकारी

# Aluminum Doors and Windows

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | **102 SERIES WINDOWS** | | | | |
| १ | Providing and fixing Single Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer ). | Sq.ft. | ६८९.०० | ६८९.०० | ६८९.०० |
| २ | Providing and fixing Double Panel Casement (Hinged) Door of aluminum section in natural or color anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle and door closer ). | Sq.ft. | ७५९.०० | ७५९.०० | ७५९.०० |
| ३ | Providing and fixing Single Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle). | Sq.ft. | ८७७.०० | ८७७.०० | ८७७.०० |
| ४ | Providing and fixing Double Panel Swing Door of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.50 mm) fitted with 5 mm clear glass or 9 mm both side laminated board (excluding the cost of handle). | Sq.ft. | ९६६.०० | ९६६.०० | ९६६.०० |
| ५ | Supply and installation for pre-engineered System Slide window with 6063-TS Aluminium alloy anodized conforming to JIS 4100 with Texgaurd coating of 20 microns (± 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed seprately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min: Width 700mm max: 2400 mm) along with Mesh along with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa. Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security.Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer | Sq Mtr | १५६६६.०० | १५६६६.०० | १५६६६.०० |
| | | | | | |

# Aluminum Doors and Windows

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.कं. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | **90 SERIES WINDOWS** | | | | |
| १ | Providing and fixing 2 or 3 Panel Sliding Window of aluminum section in naturally anodized or Black anodized/powder coaded color, Section size (87x56×1.20 mm) fitted with 5 mm clear glass without fly mesh shutter. (window size 6' x 5' or average area 30 sq. feet per window). | Sq.ft. | ५५०.०० | ५५०.०० | ५५०.०० |
| २ | Providing and fixing 2 or 3 panel sliding window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56x1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window). | Sq.ft. | ६३४.०० | ६३४.०० | ६३४.०० |
| ३ | Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87×65×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window). | Sq.ft. | ५९९.०० | ५९९.०० | ५९९.०० |
| ४ | Providing and fixing 2 or 3 panel sliding window with top fix glass of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x56×1.50 mm) fitted with 5 mm clear glass with out fly mesh shutter. (window size 6'x5' or average area 30 sq. feet per window). | Sq.ft. | ६९०.०० | ६९०.०० | ६९०.०० |
| ५ | Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12×1.20 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel). | Sq.ft. | ४५६.०० | ४५६.०० | ४५६.०० |
| ६ | Providing and fixing Fixed Window of aluminum section in naturally anodized or black anodized/powder coated color, Section size (87x25+12×1.5 mm) fitted with 5 mm clear glass with out fly mesh shutter. (Average area 5 sq. feet per panel). | Sq.ft. | ५२४.०० | ५२४.०० | ५२४.०० |
| ७ | Providing and fixing Fly Mesh Shutter with stainless steel fly mesh in 90 series for sliding window. (Section thickness 1 mm) | Sq.ft. | २००.०० | २००.०० | २००.०० |
| | **102 SERIES PARTITION** | | | | |
| १ | Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft). | Sq.ft. | ५५३.०० | ५५३.०० | ५५३.०० |
| २ | Providing and fixing Half Height Partition of aluminum section in naturally anodized or black anodized/powder coated color Section size (102×45×1.5 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft). | Sq.ft. | ६००.०० | ६००.०० | ६००.०० |
| | **64 SERIES PARTITION** | | | | |
| १ | Providing and fixing Full Height Partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft). | Sq.ft. | ४१५.०० | ४१५.०० | ४१५.०० |

# Aluminum Doors and Windows

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| २ | Providing and fixing low height partition of aluminum section in naturally anodized or black anodized color Section size (64x38x1.10 mm) fitted with 5 mm clear glass or 9 mm both side laminated board.(average panel area 6.00 Sq.ft). | Sq.ft. | ५०९.०० | ५०९.०० | ५०९.०० |
| | **ACOUSTIC PARTITION** | | | | |
| | SLIDING AND FOLDING ACOUSTIC PARTITION Providing and fixing operable partition consisting of series of individual flat elements of 100 mm thick travelling along the ceiling track assembled to form a solid wall. The sound insulation of the operable partition should be 50db. | Sq.m. | ४६८००.०० | ४६८००.०० | ४६८००.०० |
| | **STRUCTURAL GLAZING** | | | | |
| १ | Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x50+13x1.3 mm) fitted with 5 mm color glass. (average panel area 6.00 Sq.ft.) | Sq.ft. | ५८४.०० | ५८४.०० | ५८४.०० |
| २ | Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x75+13x1.6 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.) | Sq.ft. | ६७८.०० | ६७८.०० | ६७८.०० |
| ३ | Providing and fixing Structural Glazing of aluminum section in natural or color anodized/powder coated color Section size (60x100+13x2 mm) fitted with 5 mm color glass . (average panel area 6.00 Sq.ft.) | Sq.ft. | ८२४.०० | ८२४.०० | ८२४.०० |
| | **GLASS DOOR & PARTITION** | | | | |
| १ | Providing and fixing Fixid Glass Door of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor). | Sq.ft. | १३२१.०० | १३२१.०० | १३२१.०० |
| २ | Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Stainless Steel patches or Aluminium Frame (Ground Floor). | Sq.ft. | ८७१.०० | ८७१.०० | ८७१.०० |
| ३ | Providing and fixing Fixid Glass Partition of 12 mm Clear Toughened Glass with Spider Fitting. | Sq.ft. | १४२१.०० | १४२१.०० | १४२१.०० |
| | **Aluminium Composite Panel (ACP).** | | | | |
| १ | Providing and fixing ACP Cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing. | Sq.ft. | ३५५.०० | ३५५.०० | ३५५.०० |
| २ | Providing and fixing ACP Cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF Core) on 25x38 mm Aluminium Tube framing | Sq.ft. | ४७६.०० | ४७६.०० | ४७६.०० |
| | **FABRIC LINED ACOUSTIC PANEL** | | | | |
| १ | DEMOUNTABLE FABRIC LINED ACOUSTIC PANEL: Providing and fixing of fabric panel made with 12mm thick marine ply (BWP) with a top layer of 3mm thick layer of TECSOUND50 soundproofing membrane, then a layer of 50mm infill of resin bonded glass wool (24 kg/cum),wrapped in tissue fiber matt supported suitably with a layer of perforated 12 mm marine ply(BWP) (perforation to be 20% of the surface area). | Sq.m | २६०००.०० | २६०००.०० | २६०००.०० |

# Aluminum Doors and Windows

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | **ALUMINIUM DOOR & WINDOW** | | | | |
| १ | Supply and installation for Casement door & Window pre-engineered System with 6063-T5 Aluminium alloy anodized conforming to JIS 4100 with Teaguard coating of 20 microns (+ 2 microns) , available in 6 standard shades, All Thai Sections are directly shall be come from factory to site in a packed boxes. The system comprising of aluminium outer frame profiles & shutter (Sash) profiles packed separately in two boxes for each window as per drawings provided by client. All Profile Dim - Frame 72X35mm, Sash bottom19X39.5mm with (Min Height :400mm Max :1600 mm) and (Min Width 700mm max: 2400 mm) with Toughened Glass upto 8 mm Thickness and 789 grade weather silicon. All necessary ZDC handle, POM bearing roller upto 200 kg ,SUS430 grade assembly screws, mechanical End Connection having special nano seal for superior sealing at all 04 corners with pvc gasket, shall be of original manufacturer make. Such material supplied is ready to glaze & assemble with all hardwares,weather seals ,nano gasket ,air piece etc. prefitted from the factrory All System Certified by ASTM E330:2000Pa for Wind Pressure, Water Tightness penetration test ASTM E300:300 Pa, Air Infiltration Test ASTM E283:10.7m3/h.m, Noise insulation performance test JIS 25dB (A4706 and A4702) Along with Proof load test ASTM E330-02 in pressure at +/-3000Pa. The crescent handle /lock & rollers shall be tested for 30,000 & 100,000 cycles of operation respectively conforming to JIS A4706 .The interlock section shall be housing antilift mechanism to enhance security. Contractor has to submit Final Product Test Certification required for items mentioned in the boq from the manufacturers letter head and Installation of the work should be done by Manufacturer certified Installer. | Sq Mtr | १६९००.०० | १६९००.०० | १६९००.०० |
| २ | EXTERNAL / INTERNAL GLAZED DOOR (FIRE RATED AND ACOUSTICALLY TREATED) ALUMINIUM WITH THERMAL BREAK ( CASEMENT- NC 65 HDS ): Providing and fixing 46mm thk. TGU with a configuration of 8mm thk. TG+12mm air gap+6mm thk. TG+14 mm air gap+ 6mm TG with performance parameter of the composite | Sq.m | १०२०००.०० | १०२०००.०० | १०२०००.०० |
| ३ | **Steel Door & Windows** | | | | |
| | **Steel Door (a set with frame)** | | | | |
| | 900x2100 | set | २१८४०.०० | २१८४०.०० | २१८४०.०० |
| | 1000x2100 | set | २२८८०.०० | २२८८०.०० | २२८८०.०० |
| | **ABS Door** | | | | |
| | 900x2100 | set | १८७२०.०० | १८७२०.०० | १८७२०.०० |
| | **Panel Door** | | | | |
| | 900x2100 | set | १४५६०.०० | १४५६०.०० | १४५६०.०० |
| | **Window** | | | | |
| | 115mm | set | ९३२.०० | ९३२.०० | ९३२.०० |

प्रमुख जिल्ला अधिकारी

# काठ तथा प्लाइउड सम्बन्धी निर्माण सामग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | ६' सम्मको सालकाठ | घ. फि | ५८८०.०० | ५८८०.०० | ५८८०.०० |
| २ | ६' देखि ८' सम्मको सालकाठ | घ. फि | ६०९०.०० | ६०९०.०० | ६०९०.०० |
| ३ | ८' देखि १२' सम्मको सालकाठ | घ. फि | ६५६२.०० | ६५६२.०० | ६५६२.०० |
| ४ | १२ फिट देखि माथिको साल काठ | घ. फि | ६९३०.०० | ६९३०.०० | ६९३०.०० |
| ५ | साज काठ | घ. फि | ३५१७.०० | ३५१७.०० | ३५१७.०० |
| ६ | जामुन काठ | घ. फि | २२५७.०० | २२५७.०० | २२५७.०० |
| ७ | सल्लाको काठ | घ. फि | १६२७.०० | १६२७.०० | १६२७.०० |
| ८ | सिसौ काठ | घ. फि | ३६७५.०० | ३६७५.०० | ३६७५.०० |
| ९ | जंगली सिसौ काठ | घ. फि | ५५३३.०० | ५५३३.०० | ५५३३.०० |
| १० | उतीस को काठ | घ. फि | ६६८.०० | ६६८.०० | ६६८.०० |
| ११ | काठ दाउरा | के.जी | १९.०० | १९.०० | १९.०० |
| १२ | ३८ मि.मि. मोटाईको केमिकली ट्रिटेड मेसिनमेड वाटरप्रुफ, बोरर फ्रि सोलीडकोर फ्लसडोर सटर | | | | |
| | साधारण | | | | |
| | Plain | व.फि | २५३.०० | २५३.०० | २५३.०० |
| | Ordinary-one side teak water proof | व.फि | ३०१.०० | ३०१.०० | ३०१.०० |
| | Both side teak water Proof | व.फि | ३५०.०० | ३५०.०० | ३५०.०० |
| | वाटर प्रुफ गरिएको | | | | |
| | Plain | व.फि | २६४.०० | २६४.०० | २६४.०० |
| | One side teak | व.फि | ३१०.०० | ३१०.०० | ३१०.०० |
| | Both side teak | व.फि | ३५८.०० | ३५८.०० | ३५८.०० |
| १३ | कुदिएको काठको काम तयारी | | | | |
| | भऱ्याइको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको स्थानीय सीसौ काठको हुक्का (2'-6"x3"x3") | गोटा | १०८०.०० | १०८०.०० | १०८०.०० |
| | भऱ्याइको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको जंगली स्पेशल सीसौ काठको हुक्का (2'-6"x3"x3") | गोटा | १३२३.०० | १३२३.०० | १३२३.०० |
| | भऱ्याइको रेलिङ्ग तथा बार्दली आदिमा कुँदिएको सीसौ काठको हेण्ड रेल (3"x4") | र.फि. | ७२४.०० | ७२४.०० | ७२४.०० |
| | भऱ्याइको रेलिङ्गको घुम्ने ठाउँमा कुँदिएको सीसौ काठको गोलो हेण्ड रेल (3"x4") | गोटा | २३६२.०० | २३६२.०० | २३६२.०० |
| | देवी देवताको मुर्ति कुँदिएको ४' देखि ५' लामो (३"x ८") साल काठमा टुँडाल बनाउने काम | गोटा | १३५००.०० | १३५००.०० | १३५००.०० |
| | देवी देवताको मुर्ति कुँदिएको ६' देखि ७ लामो (३"x ८") साल काठमा टुँडाल बनाउने काम | गोटा | २२५००.०० | २२५००.०० | २२५००.०० |
| | विभिन्न बुट्टा तथा देवी देवताको मुर्ति कुँदिएको साल काठको झ्याल ढोका बनाउने काम (खापाको माटाई ४० मि.मि. देखि ५० मि.मि. सम्म) | व.फि. | ३१५०.०० | ३१५०.०० | ३१५०.०० |

# काठ तथा प्लाइउड सम्बन्धी निर्माण सामग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | घोडाको आकृति गरि कुँदिएको ४"x ५" साइजको ३' देखि ४' लामो साल काठको तयारी टुंडाल बनाउने काम । | गोटा | ७२८०.०० | ७२८०.०० | ७२८०.०० |
| | सामान्य प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी | व.फि. | १३५०.०० | १३५०.०० | १३५०.०० |
| | मध्यम प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी | व.फि. | १६२०.०० | १६२०.०० | १६२०.०० |
| | विशेष प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी लक सहीत | व.फि. | २३६२.०० | २३६२.०० | २३६२.०० |
| | विशेष प्रकारको कुँदिएको सालको काठको आँखी झ्याल तयारी लक नभएको | व.फि. | १९८०.०० | १९८०.०० | १९८०.०० |
| | ३"x १.५" साइजको सालको काठको कुँदिएको पली तयारी गर्ने काम | र.फि. | ३६०.०० | ३६०.०० | ३६०.०० |
| | कुँदिएको विभिन्न बुट्टा राखी बनाएको साल काठको ४"x ५"को कार्नेस थिम आदि तयारी गर्ने कार्य | र.फि. | १६२०.०० | १६२०.०० | १६२०.०० |
| | ४"x ५"को साल काठको नाग बुट्टा कुँदि तयारी गरी जडान गर्ने कार्य | र.फि. | १७१०.०० | १७१०.०० | १७१०.०० |
| १४ | **Wooden Parquet Flooring** | | | | |
| | Shisam wooden parqueting150mm*30mm*8mm | व.फि. | २२०.०० | २२०.०० | २२०.०० |
| १५ | विभिन्न मोटाईको प्लाइउडहरु | | | | |
| | साधारण प्लाइउड | | | | |
| | ३ मी.मी | व.फि | ३६.०० | ३६.०० | ३६.०० |
| | ३.५ मी.मी. | व.फि | २६.०० | २६.०० | २६.०० |
| | ४ मी.मी | व.फि | २८.०० | २८.०० | २८.०० |
| | ६ मी.मी | व.फि | ५३.०० | ५३.०० | ५३.०० |
| | ८ मी.मी | व.फि | ५७.०० | ५७.०० | ५७.०० |
| | १२ मी.मी | व.फि | ८०.०० | ८०.०० | ८०.०० |
| | १९ मी.मी B/B | व.फि | ११२.०० | ११२.०० | ११२.०० |
| | १८ मी.मी PLY | व.फि | ११५.०० | ११५.०० | ११५.०० |
| १६ | वाटर प्रुफ प्लाइउड | | | | |
| | ४ मी.मी | व.फि | ५२.०० | ५२.०० | ५२.०० |
| | ६ मी.मी | व.फि | ६५.०० | ६५.०० | ६५.०० |
| | ८ मी.मी. | व.फि | ६७.०० | ६७.०० | ६७.०० |
| | ९ मी.मी. | व.फि | ८९.०० | ८९.०० | ८९.०० |
| | १२ मी.मी | व.फि | ९९.०० | ९९.०० | ९९.०० |
| | १५ मी.मी PLY | व.फि | ११३.०० | ११३.०० | ११३.०० |
| | १८ मी.मी B/B | व.फि | १३९.०० | १३९.०० | १३९.०० |

# काठ तथा प्लाइउड सम्बन्धी निर्माण सामग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | | | | | |
| १७ | **Natural Teak Plywood** | | | | |
| | ३ मी. मी | व.फि | ५१.०० | ५१.०० | ५१.०० |
| | ४ मी. मी (Group Match of in 5 pcs) | व.फि | ७४.०० | ७४.०० | ७४.०० |
| | ४ मी. मी (Regular) | व.फि | ६४.०० | ६४.०० | ६४.०० |
| | ४ मी. मी (Crown) | व.फि | ४६.०० | ४६.०० | ४६.०० |
| | ४ मी. मी (Beri) | व.फि | ५२.०० | ५२.०० | ५२.०० |
| | ४ मी. मी (Whitest line) | व.फि | ४२.०० | ४२.०० | ४२.०० |
| | ४ मी. मी (Beach) | व.फि | ४९.०० | ४९.०० | ४९.०० |
| | ४ मी. मी (Recon 18 No.) | व.फि | ३९.०० | ३९.०० | ३९.०० |
| १८ | सनमाईका तथा फरमाईका | | | | |
| | सनमाईका (4' x 8') | व.फि | १८.०० | १८.०० | १८.०० |
| | फोरमाईका | व.फि | ८०.०० | ८०.०० | ८०.०० |
| | हार्डबोर्ड (Hard board) 12 mm thick | व.फि | ४७.०० | ४७.०० | ४७.०० |
| १९ | **DECORATIVE (THICKER)** | | | | |
| | 6 OST | व.फि | १३५.०० | १३५.०० | १३५.०० |
| | 6 BST | व.फि | १७२.०० | १७२.०० | १७२.०० |
| | 9 OST | व.फि | १५०.०० | १५०.०० | १५०.०० |
| | 9 BST | व.फि | १८६.०० | १८६.०० | १८६.०० |
| | 12 OST | व.फि | १६४.०० | १६४.०० | १६४.०० |
| | 12 BST | व.फि | २०१.०० | २०१.०० | २०१.०० |
| | 19 B/B OST | व.फि | १७७.०० | १७७.०० | १७७.०० |
| | 19 B/B BST | व.फि | २१५.०० | २१५.०० | २१५.०० |
| | 18 OST | व.फि | २०१.०० | २०१.०० | २०१.०० |
| | 18 BST | व.फि | २३८.०० | २३८.०० | २३८.०० |
| २० | **Ready made Teak wood Doors**<br>**(Seasoned and Poisoned treated )**<br>( excluding the cost of fitting, transportation, Painting) | | | | |
| | Readymade door shutter Recon, ordinary (1 side teak) | व.फि | १८७.०० | १८७.०० | १८७.०० |
| | Readymade door shutter Recon, Special (1 side teak) | व.फि | २५५.०० | २५५.०० | २५५.०० |
| | **Oneside water proof ply fitting** | | | | |
| | Readymade door shutter Recon, ordinary (1 side teak) | व.फि | २१४.०० | २१४.०० | २१४.०० |
| | Readymade door shutter Recon, Special (1 side teak) | व.फि | २८८.०० | २८८.०० | २८८.०० |
| २१ | काठको लिष्टि | | | | |
| | 1/2" wide | र.फि. | १५.०० | १५.०० | १५.०० |

# काठ तथा प्लाइउड सम्बन्धी निर्माण सामग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 3/4" wide | र.फि. | १७.०० | १७.०० | १७.०० |
| | 1.5" wide | र.फि. | २९.०० | २९.०० | २९.०० |
| | Decorative | र.फि. | ४०.०० | ४०.०० | ४०.०० |
| २२ | **Infill Material** | | | | |
| | Frame C - Studs( 0.55mm*0.75mm*3m) | गोटा | ४०९.०० | ४०९.०० | ४०९.०० |
| | Frame U - Studs( 0.55mm*0.75mm*3m) | गोटा | ४०९.०० | ४०९.०० | ४०९.०० |
| | Board 9 mm | गोटा | २४००.०० | २४०० ०० | २४००.०० |
| | Fiber mess tape (for 90mm/roll) | गोटा | ३२३.०० | ३२३.०० | ३२३.०० |
| | PU sasuage rod | गोटा | १८९०.०० | १८९०.०० | १८९०.०० |
| २३ | **Parquet(sisam,saaj & Teak)** | | | | |
| | 1"x3"x6mm thickness | ब.फि | २१५.०० | २१५.०० | २१५.०० |
| | 1"x6"x8mm thickness | ब.फि | ३२३.०० | ३२३.०० | ३२३.०० |
| | 2"x10"x10mm thickness | ब.फि | ४३१.०० | ४३१.०० | ४३१.०० |
| | 3"x14"x12mm thickness | ब.फि | ५८८.०० | ५८८.०० | ५८८.०० |
| | 3"x18"x14mm thickness | ब.फि | ६९५.०० | ६९५.०० | ६९५.०० |
| 24 | **Tounge & Groove(T.G.)Flooring** | ब.फि | | | |
| | Sisam/ Saj / Teak wood Parquet of 18mm Thickness: Color: Natural | ब.फि | ७४९.०० | ७४९.०० | ७४९.०० |
| | Sisam/ Saj wood Parquet of 18mm Thickness: Color: Stain/ Mix | ब.फि | ६९५.०० | ६९५.०० | ६९५.०० |
| 25 | **Wall panelling** | ब.फि | | | |
| | pine | ब.फि | ५३५.०० | ५३५.०० | ५३५.०० |
| | saaj,Teak | ब.फि | ६४२.०० | ६४२.०० | ६४२.०० |
| | Sisam | ब.फि | ७४९.०० | ७४९.०० | ७४९.०० |
| | **3"Skirting** | | | | |
| | pine | र.फि. | १६१.०० | १६१.०० | १६१.०० |
| | saaj,Teak | र.फि. | २१५.०० | २१५.०० | २१५.०० |
| | Sisam | र.फि. | ३२३.०० | ३२३.०० | ३२३.०० |
| | **4"Skirting** | र.फि. | | | |
| | pine | र.फि. | २१५.०० | २१५.०० | २१५.०० |
| | saaj,Teak | र.फि. | २६९.०० | २६९.०० | २६९.०० |
| | Sisam | र.फि. | ३७७.०० | ३७७.०० | ३७७.०० |
| | **5"Skirting** | | | | |
| | pine | र.फि. | २६९.०० | २६९.०० | २६९.०० |
| | saaj,Teak | र.फि. | ३२३.०० | ३२३.०० | ३२३.०० |
| | Sisam | र.फि. | ४३१.०० | ४३१.०० | ४३१.०० |

# UPVC Profile for Door/Window

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Supplying and installation of UPVC Profile: Sliding window frame 50*80mm; sash 58*36mm, Sliding Door frame 52*88; sash 80*42, Casement window frame 60*60mm:sash 60*78mm, Casement Door frame 60*60; sash 60*104mm white colour with reinforcement, 5mm thick clear float glass, insect net, patented standard hardware like: rollers, gaskets, brush seal, moon locks, push locks, drinage cover, etc. | | | | |
| **A** | **Single glazing** | | | | |
| १ | UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm glass) | व.मि | ७५७५.०० | ७५७५.०० | ७५७५.०० |
| २ | UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm glass) | व.मि | ६९९७.०० | ६९९७.०० | ६९९७.०० |
| ३ | UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass) | व.मि | ७८६७.०० | ७८६७.०० | ७८६७.०० |
| ४ | UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm glass) | व.मि | ७८६७.०० | ७८६७.०० | ७८६७.०० |
| ५ | UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass) | व.मि | ८६२४.०० | ८६२४.०० | ८६२४.०० |
| ६ | UPVC Single Door with full panel (frame 60*60 mm, sash 60*104 mm, white colour) | व.मि | ८७४४.०० | ८७४४.०० | ८७४४.०० |
| ७ | UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm glass) | व.मि | ९३२८.०० | ९३२८.०० | ९३२८.०० |
| ८ | UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm glass) | व.मि | ९३२८.०० | ९३२८.०० | ९३२८.०० |
| ९ | UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm glass) | व.मि | ९०३६.०० | ९०३६.०० | ९०३६.०० |
| १० | UPVC Swing Door with half glass half uPVC panel (frame 60*60 mm) | व.मि | १०४९०.०० | १०४९०.०० | १०४९०.०० |
| ११ | UPVC 88x60mm Sliding white colour window with 5mm glass pannele | व.मि | ९०५७.०० | ९०५७.०० | ९०५७.०० |
| ११ | UPVC 60x64mm white colour casement window with 5mm glass pannele | व.मि | १०२८५.०० | १०२८५.०० | १०२८५.०० |
| १२ | UPVC110x64mm x9mmthick board and 5mm tjick glass pannel white colour | व.मि | १०७६७.०० | १०७६७.०० | १०७६७.०० |
| १२ | UPVC60x60mm x9mmthick white colour partition board with 5mm glass | व.मि | ११९४५.०० | ११९४५.०० | ११९४५.०० |
| १३ | UPVC60x60mm white colour swing door with 5mm glass pannel | व.मि | ७०६३.०० | ७०६३.०० | ७०६३.०० |
| **B** | **Double glazing** | | | | |
| १ | UPVC Sliding window with net (frame 50*80 mm, sash 58*36 mm, white colour with 5mm double glass) | व.मि | ९९०६.०० | ९९०६.०० | ९९०६.०० |
| २ | UPVC Sliding window without net (frame 60*60 mm, sash 66*42 mm, white colour with 5mm double glass) | व.मि | ९३८१.०० | ९३८१.०० | ९३८१.०० |
| ३ | UPVC Top Hung window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass) | व.मि | १०२०३.०० | १०२०३.०० | १०२०३.०० |
| ४ | UPVC Casement window (frame 60*60 mm, sash 60*78 mm, white colour with 5mm double glass) | व.मि | १०२०३.०० | १०२०३.०० | १०२०३.०० |
| ५ | UPVC Single Door with half panel half glass (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass) | व.मि | १०८५६.०० | १०८५६.०० | १०८५६.०० |
| ६ | UPVC Double Door (frame 60*60 mm, sash 60*104 mm, white colour with 5mm double glass) | व.मि | १०९६८.०० | १०९६८.०० | १०९६८.०० |
| ७ | UPVC Sliding Door with net (frame 52*88 mm, sash 88*42 mm, white colour with 5mm double glass) | व.मि | ११५४७.०० | ११५४७.०० | ११५४७.०० |
| ८ | UPVC Sliding Door without net (frame 60*60 mm, sash 88*42 mm, white colour with 5mm double glass) | व.मि | ११२५८.०० | ११२५८.०० | ११२५८.०० |
| ९ | Supply & fixing of 80*50 mm white colour casement window | व.मि | १००९१.०० | १००९१.०० | १००९१.०० |

# UPVC Profile for Door/Window

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Supplying and installation of RoHS Complint, 100% lead free, 100% recyclable UPVC profile;sliding window frame 50*80mm;sash 58*36mm, Sliding Door Frame 52*88; sash 80*42 ,Casement window frame 60*60;sash 60*104mm white colour with reinforcement,5mm thick clear float glass .insect net,patented standard hard ware like :rollers, gaskets, brush, seal, moon locks, push locks, drining cover.etc. | | | | |
| | **Single glazing** | | | | |
| 1 | upvc sliding window with net (frame 50x80mm,sash 58x36mm , whit colou with 5mm glass ) | ब.मि | १४६०१.०० | १४६०१.०० | १४६०१.०० |
| 2 | upvc sliding window without net (frame 60x60mm,sash 66x42mm,white colour with 5 mm glass) | ब.मि | १४१४९.०० | १४१४९.०० | १४१४९.०० |
| 3 | upvc top hung window (frame 60x60mm ,sash 60x78mm, white colour with 5mm glass) | ब.मि | १४८६७.०० | १४८६७.०० | १४८६७.०० |
| 4 | upvc casement window (fream 60x60mm ,sash 60x78mm ,white colour with 5mm glass) | ब.मि | १४८६७.०० | १४८६७.०० | १४८६७.०० |
| 5 | upvc single door with half pannel half glass ( fream 60x60mm , sash 60x104mm ,white colour with 5mm glass) | ब.मि | १५०४४.०० | १५०४४.०० | १५०४४.०० |
| 6 | upvc single door with full pannel (fream 60x60mm ,sash 60x104mm ,white colour ) | ब.मि | १५०४४.०० | १५०४४.०० | १५०४४.०० |
| 7 | upvc double door (fream 60x60mm,sash 60x104mm ,white colour with 5mm glass) | ब.मि | १५४८६.०० | १५४८६.०० | १५४८६.०० |
| 8 | upvc sliding door with net ( fream 52x88mm,sash 88x42mm ,white colur with 5mm glass) | ब.मि | १५४८६.०० | १५४८६.०० | १५४८६.०० |
| 9 | upvc sliding door without net (fream60x60mm,sash 88x42mm, white colour with 5mm glass) | ब.मि | १४१५९.०० | १४१५९.०० | १४१५९.०० |
| 10 | upvc swing door with half glass half upvc pannel (fream 60x60mm) | ब.मि | १५९२९.०० | १५९२९.०० | १५९२९.०० |
| 11 | upvc 88x60 mm sliding white colour window with 5mm glass pannel. | ब.मि | १५४८६.०० | १५४८६.०० | १५४८६.०० |
| 12 | upvc 60x64mm white colour casement window with 5mm glass pannel. | ब.मि | १५९२९.०० | १५९२९.०० | १५९२९.०० |
| 13 | upvc 110x64 mm x9mm thick board and 5mm tijck glass pannel with white colour. | ब.मि | १६८१४.०० | १६८१४.०० | १६८१४.०० |
| 14 | upvc 60x60mm x 9mm thick white colour partition board with 5mm glass colour. | ब.मि | १७२५६.०० | १७२५६.०० | १७२५६.०० |
| 15 | upvc 60x60mmx white colour swing door with 5mm glass pannel. | ब.मि | १४१५९.०० | १४१५९.०० | १४१५९.०० |
| | **Double glazing** | | | | |
| 1 | upvc sliding window with net ( fream 50x80mm,sash 58x 36mm,white colour with 5mm double glass) | ब.मि | १५७५२.०० | १५७५२.०० | १५७५२.०० |
| 2 | upvc sliding window without net (fream 60x60mm, sash 66x42mm ,white colour with 5mm double glass) | ब.मि | १५४८६.०० | १५४८६.०० | १५४८६.०० |
| 3 | upvc tophung window (fream 60x60mm ,sash 60x78mm,chite colour with 5mm double glass) | ब.मि | १५९२९.०० | १५९२९.०० | १५९२९.०० |
| 4 | upvc casement window (fream 60x60mm,sash 60x78mm,white colour with 5mm double glass) | ब.मि | १५९२९.०० | १५९२९.०० | १५९२९.०० |
| 5 | upvc single door with half pannel half glass ( fream 60x60mm,sash 60x104mm ,white colour with 5mm double glass) | ब.मि | १७०७९.०० | १७०७९.०० | १७०७९.०० |
| 6 | upvc double door ( fream 60x60mm,sash60x78mm, white colour with 5mm double glass) | ब.मि | १७२५६.०० | १७२५६.०० | १७२५६.०० |
| 7 | upvc sliding door with net ( fream 52x88mm,sash 88x42mm,white colour with 5mm double glass) | ब.मि | १७६९९.०० | १७६९९.०० | १७६९९.०० |
| 8 | upvc sliding door without net ( fream 60x60 mm,sash 88x42mm,white colour with 5mm double glass) | ब.मि | १७२५६.०० | १७२५६.०० | १७२५६.०० |
| 9 | supply and fixing of 80x50mm white colour casement window | ब.मि | १५९२९.०० | १५९२९.०० | १५९२९.०० |

# छाना छाउने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | ग्याल्भनाईज सेतो सादा जस्तापाता | | | | |
| | 0.20 mm (30 guage light) | बण्डल | ४७८१.०० | ४७८१.०० | ४७८१.०० |
| | 0.22 mm (30 guage Medium) | बण्डल | ५२३९.०० | ५२३९.०० | ५२३९.०० |
| | 0.24 mm (30 guage Heavy) | बण्डल | ५५९२.०० | ५५९२.०० | ५५९२.०० |
| | 0.26 mm (28 guage light) | बण्डल | ५८९०.०० | ५८९०.०० | ५८९०.०० |
| | 0.28 mm (28 guage Medium) | बण्डल | ६२७३.०० | ६२७३.०० | ६२७३.०० |
| | 0.31 mm (28 guage Heavy) | बण्डल | ६८६०.०० | ६८६०.०० | ६८६०.०० |
| | 0.35 mm (26 guage light) | बण्डल | ७६०३.०० | ७६०३.०० | ७६०३.०० |
| | 0.37 mm (26 guage Medium) | बण्डल | ८०९७.३५ | ८०९७.३५ | ८०९७.३५ |
| | 0.41 mm (26 guage Heavy) | बण्डल | ८७४३.०० | ८७४३.०० | ८७४३.०० |
| | 0.45 mm (24 guage light) | बण्डल | ९४८५.०० | ९४८५.०० | ९४८५.०० |
| | 0.50 mm (24 guage Medium) | बण्डल | १०४३३.०० | १०४३३.०० | १०४३३.०० |
| | 0.52 mm (24 guage Heavy) | बण्डल | १०७९८.०० | १०७९८.०० | १०७९८.०० |
| | 0.75 mm | बण्डल | १५५०२.०० | १५५०२.०० | १५५०२.०० |
| २ | कोरुगेटेड रंगिन जस्तापाता | | | | |
| | 0.20 mm (30 guage light) | बण्डल | ६२४६.०० | ६१५१.०० | ६१५१.०० |
| | 0.22 mm (30 guage Medium) | बण्डल | ६५८०.०० | ६५७८.०० | ६५७८.०० |
| | 0.24 mm (30 guage Heavy) | बण्डल | ७१५२.०० | ७०४३.०० | ७०४३.०० |
| | 0.26 mm (28 guage light) | बण्डल | ७५२९.०० | ७४१५.०० | ७४१५.०० |
| | 0.28 mm (28 guage Medium) | बण्डल | ७९२५.०० | ७८०५.०० | ७८०५.०० |
| | 0.31 mm (28 guage Heavy) | बण्डल | ८५१०.०० | ८३८१.०० | ८३८१.०० |
| | 0.35 mm (26 guage light) | बण्डल | ९४१६.०० | ९२७३.०० | ९२७३.०० |
| | 0.37 mm (26 guage Medium) | बण्डल | १००७७.०० | ९९२३.०० | ९९२३.०० |
| | 0.41 mm (26 guage Heavy) | बण्डल | १०७४६.०० | १०४८२.०० | १०४८२.०० |
| | 0.45 mm (24 guage light) | बण्डल | ११६५२.०० | ११३६६.०० | ११३६६.०० |
| | 0.50 mm (24 guage Medium) | बण्डल | १२७२८.०० | १२४१५.०० | १२४१५.०० |
| | 0.52 mm (24 guage Heavy) | बण्डल | १३२००.०० | १२८७५.०० | १२८७५.०० |
| | 0.55 mm(24 guage Medium) | बण्डल | १३८२२.०० | १३४८३.०० | १३४८३.०० |
| | 0.75 mm | बण्डल | १८५६८.०० | १८११२.०० | १८११२.०० |
| ३ | ग्याल्भानाइज्ड कोरुगेटेड जस्तापाता | | | | |
| | 0.20 mm (30 guage light) | बण्डल | ४८२५.०० | ४८२५.०० | ४८२५.०० |
| | 0.22 mm (30 guage Medium) | बण्डल | ५२३३.०० | ५२३३.०० | ५२३३.०० |
| | 0.24 mm (30 guage Heavy) | बण्डल | ५६२३.०० | ५६२३.०० | ५६२३.०० |
| | 0.26 mm (28 guage light) | बण्डल | ५९५०.०० | ५९५०.०० | ५९५०.०० |
| | 0.28 mm (28 guage Medium) | बण्डल | ६२९५.०० | ६२९५.०० | ६२९५.०० |
| | 0.31 mm (28 guage Heavy) | बण्डल | ६८४८.०० | ६८४८.०० | ६८४८.०० |

# छाना छाउने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 0.35 mm (26 guage light) | बण्डल | ७५९२.०० | ७५९२.०० | ७५९२.०० |
| | 0.37 mm (26 guage Medium) | बण्डल | ८२३६.०० | ८२३६.०० | ८२३६.०० |
| | 0.41 mm (26 guage Heavy) | बण्डल | ८७८०.०० | ८७८०.०० | ८७८०.०० |
| | 0.45 mm (24 guage light) | बण्डल | ९५९६.०० | ९५९६.०० | ९५९६.०० |
| | 0.50 mm (24 guage Medium) | बण्डल | १०६०३.०० | १०६०३.०० | १०६०३.०० |
| | 0.52 mm (24 guage Heavy) | बण्डल | १०९८४.०० | १०९८४.०० | १०९८४.०० |
| | 0.75 mm | बण्डल | १५८०१.०० | १५८०१.०० | १५८०१.०० |
| ४ | जस्ता पाताको धुरी | | | | |
| | 0.20 mm base metal | बण्डल | १६४९.०० | १६४९.०० | १६४९.०० |
| | 0.22 mm base metal | बण्डल | १७९५.०० | १७९५.०० | १७९५.०० |
| | 0.24 mm base metal | बण्डल | १९२३.०० | १९२३.०० | १९२३.०० |
| | 0.26 mm base metal | बण्डल | २०३२.०० | २०३२.०० | २०३२.०० |
| | 0.28 mm base metal | बण्डल | २१५१.०० | २१५१.०० | २१५१.०० |
| | 0.31 mm base metal | बण्डल | २३३३.०० | २३३३.०० | २३३३.०० |
| | 0.35 mm base metal | बण्डल | २५८८.०० | २५८८.०० | २५८८.०० |
| | 0.38 mm base metal | बण्डल | २७९८.०० | २७९८.०० | २७९८.०० |
| | 0.41 mm base metal | बण्डल | २९८०.०० | २९८०.०० | २९८०.०० |
| ५ | ४ फिट x८ फिट को जि.आई. प्लेन सिट | | | | |
| | 1.1 mm base metal | पिस | ३३९६.०० | ३३९६.०० | ३३९६.०० |
| | 0.90 mm base metal | पिस | २८०७.०० | २८०७.०० | २८०७.०० |
| | 0.80 mm base metal | पिस | २५३०.०० | २५३०.०० | २५३०.०० |
| | 0.75 mm base metal | पिस | २३७४.०० | २३७४.०० | २३७४.०० |
| | 0.70 mm base metal | पिस | २२१८.०० | २२१८.०० | २२१८.०० |
| | 0.62 mm base metal | पिस | १९८७.०० | १९८७.०० | १९८७.०० |
| | 0.55 mm base metal | पिस | १७७६.०० | १७७६.०० | १७७६.०० |
| | 0.50 mm base metal | पिस | १६१९.०० | १६१९.०० | १६१९.०० |
| | 0.48 mm base metal | पिस | १५५५.०० | १५५५.०० | १५५५.०० |
| | 0.45 mm base metal | पिस | १४७२.०० | १४७२.०० | १४७२.०० |
| | 0.42 mm base metal | पिस | १३८०.०० | १३८०.०० | १३८०.०० |
| | 0.40 mm base metal | पिस | १३१६.०० | १३१६.०० | १३१६.०० |
| | 0.37 mm base metal | पिस | १२२४.०० | १२२४.०० | १२२४.०० |
| | 0.35 mm base metal | पिस | ११७८.०० | ११७८.०० | ११७८.०० |
| | 0.30 mm base metal | पिस | १०३०.०० | १०३०.०० | १०३०.०० |
| | 0.28 mm base metal | पिस | ९६६.०० | ९६६.०० | ९६६.०० |
| ६ | ४ x ८ फिट को रङ्गिन प्लेन सिट | | | | |
| | 0.90 mm base metal | पिस | ३०७१.०० | ३०७१.०० | ३०७१.०० |

# छाना छाउने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 0.80 mm base metal | पिस | २७८९.०० | २७८९.०० | २७८९.०० |
| | 0.75 mm base metal | पिस | २६१६.०० | २६१६.०० | २६१६.०० |
| | 0.70 mm base metal | पिस | २५०६.०० | २५०६.०० | २५०६.०० |
| | 0.62 mm base metal | पिस | २२४२.०० | २२४२.०० | २२४२.०० |
| | 0.55 mm base metal | पिस | २०१४.०० | २०१४.०० | २०१४.०० |
| | 0.50 mm base metal | पिस | १८४१.०० | १८४१.०० | १८४१.०० |
| | 0.48 mm base metal | पिस | १७६८.०० | १७६८.०० | १७६८.०० |
| | 0.45 mm base metal | पिस | १६६८.०० | १६६८.०० | १६६८.०० |
| | 0.42 mm base metal | पिस | १५५८.०० | १५५८.०० | १५५८.०० |
| | 0.40 mm base metal | पिस | १५३१.०० | १५३१.०० | १५३१.०० |
| | 0.37 mm base metal | पिस | १४३१.०० | १४३१.०० | १४३१.०० |
| | 0.35 mm base metal | पिस | १३६७.०० | १३६७.०० | १३६७.०० |
| | 0.30 mm base metal | पिस | १२१२.०० | १२१२.०० | १२१२.०० |
| | 0.28 mm base metal | पिस | ११४८.०० | ११४८.०० | ११४८.०० |
| ७ | **GI Expanded metal Mesh** | | | | |
| | 1.20 mm मोटाई र ३ फिट चौडाई भएको जाली | र.मि. | १५९.०० | १५९.०० | १५९.०० |
| | 1.20 mm मोटाई र ४ फिट चौडाई भएको जाली | र.मि. | २१२.०० | २१२.०० | २१२.०० |
| | 1.00 mm मोटाई र ३ फिट चौडाई भएको जाली | र.मि. | १३२.०० | १३२.०० | १३२.०० |
| | 1.00 mm मोटाई र ४ फिट चौडाई भएको जाली | र.मि. | १७६.०० | १७६.०० | १७६.०० |
| | 0.90 mm मोटाई र ३ फिट चौडाई भएको जाली | र.मि. | १२३.०० | १२३.०० | १२३.०० |
| | 0.90 mm मोटाई र ४ फिट चौडाई भएको जाली | र.मि. | १५९.०० | १५९.०० | १५९.०० |
| ८ | **UPVC Roofing Sheet (3mm thick )** | | | | |
| | PMMA coating & Mesh ( Regular ) | व.मि. | १६०५.०० | १५८१.०० | १५८१.०० |
| | Stone coated (16 inch* 4 feet) | व.मि. | १२७९.०० | १२६०.०० | १२६०.०० |
| | Ridge cover Regular Profile 1.10 R.m. | र.मि. | २०५२.०० | २०२१.०० | १६०५.०० |
| | Ridge cover Tile Profile 1.05 R.m. | र.मि. | २०५२.०० | २०२१.०० | १६०५.०० |
| | UPVC Clip | गोटा | २७.०० | २७.०० | २०.०० |
| | self tapping screw 3" | गोटा | ३१.०० | ३१.०० | १५.०० |
| | self tapping screw 2.2" | गोटा | २१.०० | २१.०० | १५.०० |
| | self tapping screw 2" | गोटा | ११.०० | ११.०० | १०.०० |
| | self tapping screw 1.5" | गोटा | ९.०० | ९.०० | ९.०० |
| | UPVC Roofing Sheet Double Mesh (Tile or regular) | व.मि. | १५४८.०० | १५२५.०० | १५२५.०० |
| | UPVC Roofing Sheet Single Mesh (Tile or regular) | व.मि. | १३७६.०० | १३५५.०० | १३५५.०० |
| | UPVC Roofing Sheet No Mesh (Tile or regular) | व.मि. | १२०४.०० | ११८६.०० | ११८६.०० |
| | Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape) | व.मि. | १४९२.०० | १४७०.०० | १४७०.०० |

# छाना छाउने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मू.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Non Fiber Mesh UPVC Roofing having 3 mm thick ASA coating (in Tile and Regular Shape) | व.मि. | १३८६.०० | १३६५.०० | १३६५.०० |
| ९ | **UPVC Roofing Sheet** | | | | |
| | Corrugated sheets(2mm) | व.फि. | ७०.०० | ७०.०० | ७०.०० |
| | Corrugated ridge (2mm) (3'*1.4') | गोटा | ७९४.०० | ७९४.०० | ७९४.०० |
| | Corrugated ridge side(2mm)(3'*1.4') | गोटा | ४७७.०० | ४७७.०० | ४७७.०० |
| | Spanish tile without fiber mesh(3mm) | व.फि. | १०८.०० | १०८.०० | १०८.०० |
| | Spanish tile with fiber mesh(3mm) | व.फि. | ११७.०० | ११७.०० | ११७.०० |
| | Spanish ridge(3mm)(3'*1.4') | गोटा | १४३२.०० | १४१०.०० | १४१०.०० |
| | Spanish ridge side(3mm) | गोटा | ७९४.०० | ७९४.०० | ७९४.०० |
| | Spanish tile tripod(3mm) | गोटा | १०६२.०० | १०६२.०० | १०६२.०० |
| | Clip Set | गोटा | ९.०० | ९.०० | ९.०० |
| १० | एल्मुनियम प्लेन सिट | | | | |
| | (क) २६ गेज | व.फि. | ३०.०० | ३०.०० | ३०.०० |
| | (ख) ३० गेज | व.फि. | २८.०० | २८.०० | २८.०० |
| ११ | **Corrugated/Plain Fiber Glass Sheet** | | | | |
| | ०.८ मी. मी. मोटो प्लेन | व.फि. | १२२.०० | १२२.०० | १२२.०० |
| | ०.८ मी. मी. मोटो कोरोगेटेड | व.फि. | १३५.०० | १३५.०० | १३५.०० |
| | १.२ मी.मी. मोटा प्लेन | व.फि. | १३५.०० | १३५.०० | १३५.०० |
| | १.२ मी.मी. मोटो कोरोगेटेड | व.फि. | १५५.०० | १५५.०० | १५५.०० |
| | २ मी.मी. मोटो प्लेन | व.फि. | २३०.०० | २३०.०० | २३०.०० |
| | २ मी.मी. मोटो कोरोगेटेड | व.फि. | २७१.०० | २७१.०० | २७१.०० |
| | ३ मी. मी. मोटो प्लेन | व.फि. | ३१२.०० | ३१२.०० | ३१२.०० |
| | ३ मी. मी. मोटो कोरोगेटेड | व.फि. | ४०७.०० | ४०७.०० | ४०७.०० |
| १२ | **ASP Corrugated roofingSheet** (L-6,8,10,12,14,16,18 ft W-3ft | | | | |
| | Corrugated steel Sheet-Thickness-1.mm , Weight-5.5Kg/sqm) | व.मिटर | ११४७.०० | ११२९.०० | ११२९.०० |
| | Ridge Cover corrugated | र.मिटर | १६५२.०० | १६२७.०० | १६२७.०० |
| | Self tapping screw 75mm with clip set | गोटा | २१.०० | २१.०० | २१.०० |
| | Ridge Cover regular Profile 1.10 RM | र.मिटर | १७०५.०० | १६८०.०० | १६८०.०० |
| | Ridge Cover regular Profile 1.05 RM | र.मिटर | १७०५.०० | १६८०.०० | १६८०.०० |
| | Self tapping screw 3" with clip set | गोटा | ३१.०० | ३१.०० | ३१.०० |
| | Self tapping screw 2.2" with clip set | गोटा | २६.०० | २६.०० | २६.०० |
| १३ | Fiber Glass छानाको लागि Alumunium strip (25 x 1.5) mm | र.मि. | ७१.०० | ७१.०० | ७१.०० |
| १४ | Fiber Glass छानाको लागि Ribet nut | गोटा | ७.०० | ७.०० | ७.०० |
| १५ | विभिन्न साईजको जे-हुक, यु-हुक | जोडी | १४६.०० | १४६.०० | १४६.०० |
| १६ | २" साइज रुफिङ नेल्स | गोटा | ७.०० | ७.०० | ७.०० |
| १७ | ३" साइज रुफिङ नेल्स | गोटा | १०.०० | १०.०० | १०.०० |

# छाना छाउने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १८ | **Roofing Material** | | | | |
| | Stone Coated Roofing having 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm | व.मि | ४२६४.०० | ४२००.०० | ४२००.०० |
| | Stone Coated Roofing Sheet 2.95 mm thick (Steel Base Material Thickness:0.45 mm, Steel Total Coating Thickness: 0.50 mm, Tile TCT (inclusive of stone chip): 2.00 mm | व.मि | ३१९८.०० | ३५५०.०० | ३५५०.०० |
| १९ | **Fiber Plain Sheet** | | ०.०० | | |
| | (Thickness : 1.2 mm)-Red, Blue, Green and Clear | व.फि. | १०६.०० | १०६.०० | १०६.०० |
| | (Thickness : 1.5 mm)-Red, Blue, Green and Clear | व.फि. | १२७.०० | १२७.०० | १२७.०० |
| | (Thickness : 1.8 mm)-Red, Blue, Green and Clear | व.फि. | १५४.०० | १५४.०० | १५४.०० |
| | (Thickness : 2 mm)-Red, Blue, Green and Clear | व.फि. | १६५.०० | १६५.०० | १६५.०० |
| | (Thickness : 2.5 mm)-Red, Blue, Green and Clear | व.फि. | २०७.०० | २०७.०० | २०७.०० |
| | (Thickness : 3 mm)-Red, Blue, Green and Clear | व.फि. | २५५.०० | २५५.०० | २५५.०० |
| २० | **Fiber Corrugated Sheet** | | | | |
| | Fiber S span Thickness 2mm, width 42" | र. फि | ६८२.०० | ६८२.०० | ६८२.०० |
| | Normal Corrugation (Thickness : 0.6 mm)-Clear | र. फि | १३३.०० | १३३.०० | १३३.०० |
| | Normal Corrugation (Thickness : 0.8 mm)-Clear | र. फि | १८१.०० | १८१.०० | १८१.०० |
| | Fiber Heritage Sheet Width 34" Thickness 2 mm | र. फि | ५१७.०० | ५१७.०० | ५१७.०० |
| 21 | Providing and installing roofing shingles made with resilient, heavyweight fiberglass mat and reinforces the roofing shingles along with required accessories & fittings like roof starter, Ridge Cap Shingles, Screws, Sealant etc. Their premium laminated fiberglass mat is saturated and stabilized with IKO SBS modified asphalt for exceptional flexibility in all types of weather which gives Cambridge IR collection exceptional flexibility, tear- resistance and a UL 2218/FM 4473 Class 4 Impact Resistance rating. It Includes up to 110 mph (177 km/h) Limited Wind Warranty, Which constructed with one of the heaviest mats in the industry for their class, Cambridge is engineered to withstand the elements for years. For superior weather and impact resistance, Cambridge collections are built-in algae-resistant granules. | व.मी. | ३१५५.०० | ३१०८.०० | ३१०८.०० |
| 22 | Roof Gard-cool Grey or Stormtite underlayment is an innovative RoofGard/ Stormtite synthetic underlayment for giving total deck protection. | व.मी. | ४२६.०० | ४२६.०० | ४२६.०० |

# छाना छाउने निर्माण सामाग्री

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 23 | Providing and installing 12mm thick Cement Fiber Board complying with standards for the required test value, Density = 1260 kg/cubic meter (ASTM C 1185 standard), water absorption should be less than or equal to 34% and water expansion rate equal to 0.12%, complying with JIS A 5420 standard, providing sound resistant (STC) up to 38dB as per BS 2750 standard for laying over the fabricated ceiling of GI to support roofing shingles. | व.मी. | १६६३.०० | १६३८.०० | १६३८.०० |
| 24 | Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3~0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m~13m with specified color and thickness with its accessories such as ( ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials) | | | | |
| २४.१ | Black Color/Combat Color Zinc Panel for wall & Roof | | | | |
| | 50mm | व.फी. | ४८६.०० | ४८६.०० | ४८६.०० |
| | 75mm | व.फी. | ४९३.०० | ४९३.०० | ४९३.०० |
| | 100mm | व.फी. | ५४५.०० | ५४५.०० | ५४५.०० |
| | 125mm | व.फी. | ६४८.०० | ६४८.०० | ६४८.०० |
| | 150mm | व.फी. | ६९५.०० | ६९५.०० | ६९५.०० |
| २४.२ | Blue & Orange Color Roofing Panel | | | | |
| | 50mm | व.फी. | ४२४.०० | ४२४.०० | ४२४.०० |
| | 75mm | व.फी. | ४७६.०० | ४७६.०० | ४७६.०० |
| | 100mm | व.फी. | ५७१.०० | ५७१.०० | ५७१.०० |
| | 125mm | व.फी. | ५८१.०० | ५८१.०० | ५८१.०० |
| | 150mm | व.फी. | ६३२.०० | ६३२.०० | ६३२.०० |

# Partition Board and Ceiling

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | Plain Particle Board (Exteriors Grade) | | | | |
| | ९ मी .मी | व.फि | ४०.०० | ४०.०० | ४०.०० |
| | १२ मी .मी | व.फि | ४५.०० | ४५.०० | ४५.०० |
| | १८ मी .मी | व.फि | ५८.०० | ५८.०० | ५८.०० |
| | २५ मी .मी | व.फि | ७८.०० | ७८.०० | ७८.०० |
| २ | PPB One side lamination Melamined faced (Exterior Grade) | | | | |
| | ९ मी .मी | व.फि | ८२.०० | ८२.०० | ८२.०० |
| | १२ मी .मी | व.फि | ९१.०० | ९१.०० | ९१.०० |
| | १८ मी .मी | व.फि | १०८.०० | १०८.०० | १०८.०० |
| | २५ मी .मी | व.फि | १४०.०० | १४०.०० | १४०.०० |
| ३ | PPB Both side lamination Melamined faced (Exteriors Grade) | | | | |
| | ९ मी .मी | व.फि | ९१.०० | ९१.०० | ९१.०० |
| | १२ मी .मी | व.फि | १०५.०० | १०५.०० | १०५.०० |
| | १८ मी .मी | व.फि | १२१.०० | १२१.०० | १२१.०० |
| | २५ मी .मी | व.फि | १५४.०० | १५४.०० | १५४.०० |
| ४ | Plain Particle Board (Interiors Grade) | | | | |
| | ९ मी .मी | व.फि | २९.०० | २९.०० | २९.०० |
| | १२ मी .मी | व.फि | ३४.०० | ३४.०० | ३४.०० |
| | १८ मी .मी | व.फि | ५१.०० | ५१.०० | ५१.०० |
| | २५ मी .मी | व.फि | ६५.०० | ६५.०० | ६५.०० |
| ५ | PPB One side lamination Melamined faced (InteriorGrade) | | | | |
| | ३ मी .मी | व.फि | ४४.०० | ४४.०० | ४४.०० |
| | ६ मी .मी | व.फि | ६२.०० | ६२.०० | ६२.०० |
| | ९ मी .मी | व.फि | ७२.०० | ७२.०० | ७२.०० |
| | १२ मी .मी | व.फि | ८२.०० | ८२.०० | ८२.०० |
| | १८ मी .मी | व.फि | ९४.०० | ९४.०० | ९४.०० |
| | २५ मी .मी | व.फि | ११८.०० | ११८.०० | ११८.०० |
| ६ | PPB Both side lamination Melamined faced (Interiors Grade) | | | | |
| | ३ मी .मी | व.फि | ५१.०० | ५१.०० | ५१.०० |
| | ६ मी .मी | व.फि | ६८.०० | ६८.०० | ६८.०० |
| | ९ मी .मी | व.फि | ८२.०० | ८२.०० | ८२.०० |
| ७ | PPB One side lamination Melamined faced (Interior Grade) | | | | |
| | ३ मी .मी | व.फि | ५१.०० | ५१.०० | ५१.०० |
| | ४ मी .मी | व.फि | ५८.०० | ५८.०० | ५८.०० |

# Partition Board and Ceiling

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | ६ मी .मी | व.फि | ७२.०० | ७२.०० | ७२.०० |
| | ९ मी .मी | व.फि | ९३.०० | ९३.०० | ९३.०० |
| | १२ मी .मी | व.फि | १०५.०० | १०५.०० | १०५.०० |
| | १८ मी .मी | व.फि | १३५.०० | १३५.०० | १३५.०० |
| | २५ मी .मी | व.फि | १८७.०० | १८७.०० | १८७.०० |
| ८ | **PPB Both side lamination Melamined faced - Hybrid board (WPC Board)** | | | | |
| | ३ मी .मी | व.फि | ५८.०० | ५८.०० | ५८.०० |
| | ४ मी .मी | व.फि | ६५.०० | ६५.०० | ६५.०० |
| | ६ मी .मी | व.फि | ८१.०० | ८१.०० | ८१.०० |
| | ९ मी .मी | व.फि | १०१.०० | १०१.०० | १०१.०० |
| | १२ मी .मी | व.फि | १११.०० | १११.०० | १११.०० |
| | १८ मी .मी | व.फि | १४१.०० | १४१.०० | १४१.०० |
| | २५ मी .मी | व.फि | १९१.०० | १९१.०० | १९१.०० |
| ९ | **Alstone Hybrid Board (WPC Board)** | | | | |
| | ६ मी .मी (१२२० x २४४०) | व.फि | १८६.०० | १८६.०० | |
| | १२ मी .मी | व.फि | २९८.०० | २९८.०० | |
| | १८ मी .मी | व.फि | ४५१.०० | ४५१.०० | |
| १० | **Alstone Hybrid Board** | | | | |
| | **४ मी.मी बाक्लो** Hybrid Board (WPC Board) | व.फि | ८९.०० | ८९.०० | |
| | **६ मी.मी बाक्लो** Hybrid Board (WPC Board) | व.फि | १२७.०० | १२७.०० | |
| | **१२ मी.मी बाक्लो** Hybrid Board (WPC Board) | व.फि | २३५.०० | २३५.०० | |
| | **१८ मी.मी बाक्लो** Hybrid Board (WPC Board) | व.फि | ३२५.०० | ३२५.०० | |
| | **६ मी.मी बाक्लो** Hybrid Board (WPC Art Jali) | व.फि | ३९४.०० | ३९४.०० | |
| | **१२ मी.मी बाक्लो** Hybrid Board (WPC Art Jali) | व.फि | ५८९.०० | ५८९.०० | |
| | **१८ मी.मी बाक्लो** Hybrid Board (WPC Art Jali) | व.फि | ७६०.०० | ७६०.०० | |
| | WPC door framme 100*50 mm upto ht 7 ft | व.फि | ४०५.०० | ४०५.०० | |
| | WPC door shutter 30 mm th. (7*3) size | व.फि | ५७५.०० | ५७५.०० | |
| | 18 mm th. WPC OLIGO (colour) | व.फि | ६१३.०० | ६१३.०० | |
| ११ | **Alstone Hybrid Board (WPC Board) ,** | | | | |
| | ६ मी .मी size ( 1220*2440) mm | व.फि | १७९.०० | १७९.०० | |
| | १२ मी .मी size ( 1221*2440) mm | व.फि | ३४०.०० | ३४०.०० | |
| | १८ मी .मी size ( 1222*2440) mm | व.फि | ४७३.०० | ४७३.०० | |
| १२ | **Supplying and fixing of gypsum board** | | | | |
| | Wall partition | व.फि | १३३.०० | १३२.०० | १३३.०० |

# Partition Board and Ceiling

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Wall paneling | व.फि | ८७.०० | ८७.०० | ८७.०० |
| | 12.5mm thick Gypsum Board False ceiling | व.फि | ८८.०० | ८८.०० | ८८.०० |
| १३ | **Fiber cement board (Wall)** | | | | |
| | 3.2 MM (2'x2') | व.फि. | २७.०० | २७.०० | २७.०० |
| | 3.2 MM (4'x8') | व.फि. | २९.०० | २९.०० | २९.०० |
| | 3.5 MM (4'x8') | व.फि. | ३४.०० | ३४.०० | ३४.०० |
| | 4MM (4'x8') | व.फि. | ३५.०० | ३५.०० | ३५.०० |
| | 6MM (4'x8') | व.फि. | ५०.०० | ५०.०० | ५०.०० |
| | 8MM (4'x8') | व.फि. | ६७.०० | ६७.०० | ६७.०० |
| | 9MM (4'x8') | व.फि. | ७५.०० | ७५.०० | ७५.०० |
| | 10MM (4'x8') | व.फि. | ८५.०० | ८५.०० | ८५.०० |
| | 12MM (4'x8') | व.फि. | ९४.०० | ९४.०० | ९४.०० |
| | **Fiber cement board (Floor)** | | | | |
| | 15MM (4'x8') | व.फि. | १४३.०० | १४३.०० | १४३.०० |
| | 18MM (4'x8') | व.फि. | १७१.०० | १७१.०० | १७१.०० |
| | 20MM (4'x8') | व.फि. | १९२.०० | १९२.०० | १९२.०० |
| | **Fiber cement board (Cassiano)** | | | | |
| | 8MM (4'x8') | व.फि. | ९४.०० | ९४.०० | ९४.०० |
| १४ | **Fiber Cement Board (Planck)** | | | | |
| | 8MM (3"x 9'-10") 9'-10"Rft | व.फि. | ३४.०० | ३४.०० | ३४.०० |
| | 8MM (6"x 9'-10") 9'-10"Rft | व.फि. | ५५.०० | ५५.०० | ५५.०० |
| | 8MM (8"x 9'-10") 9'-10"Rft | व.फि. | ७४.०० | ७४.०० | ७४.०० |
| | 8MM Coloured Teak Texture Walnut (6"x 9'-10") 9'-10"Rft | व.फि. | ६९.०० | ६९.०० | ६९.०० |
| | 8MM Coloured Teak Texture GST (6"x 9'-10") 9'-10"Rft | व.फि. | ६९.०० | ६९.०० | ६९.०० |
| | 8MM Coloured Teak Texture Cherry Red (6"x 9'-10") 9'-10"Rft | व.फि. | ६९.०० | ६९.०० | ६९.०० |
| | 8MM Coloured Teak Texture Afromosia -Brown (6"x 9'-10") 9'-10"Rft | व.फि. | ६९.०० | ६९.०० | ६९.०० |
| १५ | Infill wall Partition using 6mm Board on 74mm Stud | व.मि | ५२४७.०० | ५२४७.०० | ५२४७.०० |
| | Infill wall Partition using 10mm Board on 74mm Stud | व.मि | ६२६१.०० | ६२६१.०० | ६२६१.०० |
| | Infill wall Partition using 6mm Board on 50mm Stud | व.मि | ४२५९.०० | ४२५९.०० | ४२५९.०० |
| | Dry wall Partition using 10mm Board on 74mm Stud | व.मि | ५२६४.०० | ५२६४.०० | ५२६४.०० |
| | | | | | |
| १६ | Vinyl Laminated gypsum ceiling board (7 mm thick) | व.फि. | ९५.०० | ९५.०० | ९५.०० |
| १७ | **Material for Wall** | | | | |

प्रमुख जिल्ला अधिकारी

# Partition Board and Ceiling

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | **Mural Wall:** 20-25mm thk. Cement tile from Craft Betton of approved colour, shade, pattern, achieved by mixing cement with matching colour pigment as directed, curing, acid cleaning as applicable, laid to required pattern on 20mm thick cement mortar 1:4 (1 cement : 4 coarse sand), jointed with white cement slurry mixed with pigment. | ब.मि | १५६००.०० | १५६००.०० | १५६००.०० |
| 18 | Providing and fitting EPS Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3~0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m~13m with specified color and thickness with its accessories such as ( ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials) | | | | |
| १८.१ | **Ivory Color Flat Wall Panel** | | | | |
| | 50mm | ब.फी. | ३६५.०० | ३६५.०० | ३६५.०० |
| | 75mm | ब.फी. | ३७३.०० | ३७३.०० | ३७३.०० |
| | 100mm | ब.फी. | ४२४.०० | ४२४.०० | ४२४.०० |
| | 125mm | ब.फी. | ५२८.०० | ५२८.०० | ५२८.०० |
| | 150mm | ब.फी. | ५८१.०० | ५८१.०० | ५८१.०० |
| १८.२ | **Gray Color RP Wall Panel** | | | | |
| | 50mm | ब.फी. | ३९९.०० | ३९९.०० | ३९९.०० |
| | 75mm | ब.फी. | ४०७.०० | ४०७.०० | ४०७.०० |
| | 100mm | ब.फी. | ४५९.०० | ४५९.०० | ४५९.०० |
| | 125mm | ब.फी. | ५६२.०० | ५६२.०० | ५६२.०० |
| | 150mm | ब.फी. | ६१५.०० | ६१५.०० | ६१५.०० |
| १८.३ | **Wooden Color Siding Wall Panel** | | | | |
| | 75mm | ब.फी. | ४९३.०० | ४९३.०० | ४९३.०० |
| | 100mm | ब.फी. | ५४५.०० | ५४५.०० | ५४५.०० |
| | 125mm | ब.फी. | ६०५.०० | ६०५.०० | ६०५.०० |
| | 150mm | ब.फी. | ६५०.०० | ६५०.०० | ६५०.०० |

प्रमुख जिल्ला अधिकारी

# Prefab Panel for wall Partition

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 1 | Supply and erection of different mm th. cement base prefabricated solid wall panel non asbestos including 1.1 mm thick GI channel (50*25*20) mm with necessary accessories and fittings charge in partation wall all complete | | | | |
| | a) 75 mm thick | व.फि | ३२१.०० | ३२१.०० | ३२१.०० |
| | b)50 mm thick | व.फि | २५४.०० | २५४.०० | २५४.०० |
| 2 | **False Ceiling/Partition/External cladding Fiber Board** | | | | |
| | Supplying, making, fixing of false ceiling with fibre designer board in E-grid | व.फि | ९९.०० | ९९.०० | ९९.०० |
| | Supplying, making, fixing of 70mm thick exterior with full height of partition with fibre cemnet board | व.फि | २९७.०० | २९७.०० | २९७.०० |
| | Supplying, making, fixing of 66mm thick exterior with full height of partition with fibre cemnet board | व.फि | २६०.०० | २६०.०० | २६०.०० |
| | Supplying, making, fixing of 91mm thick exterior with full height of partition with fibre cemnet board | व.फि | ३३१.०० | ३३१.०० | ३३१.०० |
| | Supplying, making, fixing of external cladding with 9 mm HD/ 7.5mm sliding board | व.फि | २९२.०० | २९२.०० | २९२.०० |
| | Supplying, making, fixing of 50mm thick full height of partition with wall panels | व.फि | २३१.०० | २३१.०० | २३१.०० |
| | Supplying, making, fixing of 75mm thick full height of partition with wall panels | व.फि | ३०७.०० | ३०७.०० | ३०७.०० |
| | 6 mm thick Water proof cement board 6mm thick for false ceiling | व.फि | ३७.०० | ३७.०० | ३७.०० |
| | TEAK TILE CLADDING: CNC cut or hand made engraving on 8 mm thick teak tile fixed on 12mm thick marine plywood(BWP) base fixed to wall with adequate hardware/fixing arrangement as/design. | | | | |
| | 150X150Tile | गोटा | २९४०.०० | २९४०.०० | २९४०.०० |
| | 150X300 Tile | गोटा | ३६७५.०० | ३६७५.०० | ३६७५.०० |
| | 300X300 Tile | गोटा | ४२००.०० | ४२००.०० | ४२००.०० |
| 3 | **Cement board** | | | | |
| | 6 mm thick | व.फि | ३६.०० | ३६.०० | ३६.०० |
| | 8 mm thick | व.फि | ४४.०० | ४४.०० | ४४.०० |
| | 10 mm thick | व.फि | ५६.०० | ५६.०० | ५६.०० |
| | 12 mm thick | व.फि | ६८.०० | ६८.०० | ६८.०० |
| 4 | **Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire** | | | | |
| | Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 2 mm both side 40 mm thick 1:4 cement sand plaster all complete work. | व.फि | ४१९.०० | ४१९.०० | ४१९.०० |
| | Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 3 mm both side 40 mm thick 1:4 cement sand plaster all complete work. | व.फि | ४५२.०० | ४५२.०० | ४५२.०० |
| | Supplying and fixing 130 mm thick EVG 3D panel with mesh size 50 x 50 GI wire 4 mm both side 40 mm thick 1:4 cement sand plaster all complete work. | व.फि | ५५८.०० | ५५८.०० | ५५८.०० |
| | Joint less false ceiling channel 0.55mm thick flange of 20 mm and another flange 30mm ( conform to IS 4862 : 2000 ) all complete work | व.फि | ११९.०० | ११९.०० | ११९.०० |
| | solid wall panel 50/75 mm thick conform to IS 14862 ( density more than 1200kg /m3) | | | 0.00 | 0.00 |

# Prefab Panel for wall Partition

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 50 mm thick | व.फि | २८०.०० | २८०.०० | २८०.०० |
| | 75 mm thick | व.फि | ३६९.०० | ३६९.०० | ३६९.०० |
| | External cladding with 9mm /7.5 mm siding board and GI steel frame work | व.फि | ३००.०० | ३००.०० | ३००.०० |
| | Full Height Partition (With 9mm thick Fiber Cement Heavy Duty Wall Board on exterior side and 10mm Standard FCB Interior side and 51mm G.I wall frame system) Exterior cum Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993 | व.फि | ३०४.०० | ३०४.०० | ३०४.०० |
| | Full Height Partition (With 8mm thick Fiber Cement Wall Board on both side and 51mm G.I wall frame system) Interior Wall confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993 | व.फि | २६६.०० | २६६.०० | २६६.०० |
| | Full Height Partition (With 9mm thick Fiber Cement Wall Board exterior & 10mm Interior on interior side and 72mm G.I wall frame system) Exterior cum Interior confirming to IS 14862:2000 & Type A Category IV of ISO 8336:1993 | व.फि | ३४०.०० | ३४०.०० | ३४०.०० |
| | False Floor / Cavity Floor (With 15mm thick Heavy Duty Fiber Cement / 20mm Standard FCB Floor Board and Specified M.S frame system for design load) confirming to IS 14862 : 2000 | व.फि | ३८२.०० | ३८२.०० | ३८२.०० |
| 5 | EPS ( Expanded Polystyrene) and Cement Base Light Weight Sandwitch Panel with 4.5mm thick Calcium Silicate Board (Non Asbestos ) as face board on both sides (Size 2270*610mm)- excluding installation | | | | |
| | 50mm thickness | व.फि | १९१.०० | १९१.०० | १९१.०० |
| | 60mm thickness | व.फि | २९३.०० | २९३.०० | २९३.०० |
| | 75mm thickness | व.फि | ३५१.०० | ३५१.०० | ३५१.०० |
| | 90mm thickness | व.फि | ४१०.०० | ४१०.०० | ४१०.०० |
| | 120mm thickness | व.फि | ४९५.०० | ४९५.०० | ४९५.०० |
| | Installation charge | व.फि | २६.०० | २६.०० | २६.०० |
| | Other Accessories | व.फि | ४७.०० | ४७.०० | ४७.०० |
| 6 | Precast boundary wall, Precast slab, Precast Beam | | | | |
| | H-beam | र.फि | १९७.०० | १९७.०० | १९७.०० |
| | 50 mm wall slab | व.फि | १७०.०० | १७०.०० | १७०.०० |
| | 120 mm floor slab (with installation) | व.फि | ३७३.०० | ३७३.०० | ३७३.०० |
| | 70 mm water permeable | | | 0.00 | 0.00 |
| | Color Block | व.फि | १४३.०० | १४३.०० | १४३.०० |
| | Non Color Block | व.फि | १२७.०० | १२७.०० | १२७.०० |
| 7 | PUF रुफिङ्ग प्यानल | | | | |
| | ३० मि.मि.मोटाई,रङ्गिन | व.फि | २५०.०० | २५०.०० | २५०.०० |
| | ४० मि.मि.मोटाई,रङ्गिन | व.फि | २७१.०० | २७१.०० | २७१.०० |
| | ५० मि.मि.मोटाई,रङ्गिन | व.फि | २९९.०० | २९९.०० | २९९.०० |
| | ६० मि.मि.मोटाई,रङ्गिन | | ३४५.०० | ३४५.०० | ३४५.०० |
| 8 | PUF वाल प्यानल | | | | |
| | ४० मि.मि.मोटाई,रङ्ग किम | व.फि | २५५.०० | २५५.०० | २५५.०० |
| | ५० मि.मि.मोटाई,रङ्ग किम | व.फि | २७६.०० | २७६.०० | २७६.०० |

# Prefab Panel for wall Partition

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | ६० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ३४५.०० | ३४५.०० | ३४५.०० |
| | ७५ मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ३५८.०० | ३५८.०० | ३५८.०० |
| | ८० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ४००.०० | ४००.०० | ४००.०० |
| | १०० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ४२५.०० | ४२५.०० | ४२५.०० |
| | १२५ मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ५३८.०० | ५३८.०० | ५३८.०० |
| | १५० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ५२२.०० | ५२२.०० | ५२२.०० |
| 9 | पफ स्लेब सिट | | | | |
| | ४० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | १७५.०० | १७५.०० | १७५.०० |
| | ५० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | २००.०० | २००.०० | २००.०० |
| | ६० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | २२५.०० | २२५.०० | २२५.०० |
| | ८० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | २८५.०० | २८५.०० | २८५.०० |
| | १०० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ३४०.०० | ३४०.०० | ३४०.०० |
| 10 | EPE Sandwich Pannel (Puff Density=20kg±2) | | | | |
| | ४० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | २४५.०० | २४५.०० | २४५.०० |
| | ५० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | २८०.०० | २८०.०० | २८०.०० |
| | ६० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ३१५.०० | ३१५.०० | ३१५.०० |
| | ८० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ३७०.०० | ३७०.०० | ३७०.०० |
| | १०० मि.मि.मोटाई,रङ्ग क्रिम | व.फि | ४३०.०० | ४३०.०० | ४३०.०० |
| 11 | PUF ब्रिक वाल प्यानल | | | | |
| | ४० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इट्टा) | व.फि | २९८.०० | २९८.०० | २९८.०० |
| | ५० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इट्टा) | व.फि | ३१९.०० | ३१९.०० | ३१९.०० |
| | ७५ मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इट्टा) | व.फि | ३९९.०० | ३९९.०० | ३९९.०० |
| | १०० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इट्टा) | व.फि | ४९०.०० | ४९०.०० | ४९०.०० |
| | १५० मि.मि.मोटाई,रङ्ग दुवै तर्फ ब्रिक(इट्टा) | व.फि | ५७०.०० | ५७०.०० | ५७०.०० |
| 12 | PUF ब्रिक वाल प्यानल | | | | |
| | ४० मि.मि.मोटाई,रङ्ग एक तर्फ ब्रिक(इट्टा) अर्को तर्फ क्रिम | व.फि | २७१.०० | २७१.०० | २७१.०० |
| | ५० मि.मि.मोटाई,रङ्ग एक तर्फ ब्रिक(इट्टा) अर्को तर्फ क्रिम | व.फि | २९३.०० | २९३.०० | २९३.०० |
| | ७५ मि.मि.मोटाई,रङ्ग एक तर्फ ब्रिक(इट्टा) अर्को तर्फ क्रिम | व.फि | ३७३.०० | ३७३.०० | ३७३.०० |
| | १०० मि.मि.मोटाई,रङ्ग एक तर्फ ब्रिक(इट्टा) अर्को तर्फ क्रिम | व.फि | ४६३.०० | ४६३.०० | ४६३.०० |
| | १५० मि.मि.मोटाई,रङ्ग एक तर्फ ब्रिक(इट्टा) अर्को तर्फ क्रिम | व.फि | ५४९.०० | ५४९.०० | ५४९.०० |
| | | | | | |
| 13 | पोलिकार्बोनेट रुफिङ्ग सिट | | | | |
| | नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ ०.८ मि.मि चौडाई ३२ इन्च | व.फि | १२६.०० | १२६.०० | १२६.०० |
| | नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १ मि.मि चौडाइ ३२ इन्च | व.फि | १५८.०० | १५८.०० | १५८.०० |
| | नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.२ मि.मि चौडाइ ४२ इन्च | व.फि | १८८.०० | १८८.०० | १८८.०० |

# Prefab Panel for wall Partition

| सि.न. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | नर्मल कारोगेटेड (सादा,हरियो,निलो,सेतो)मोटाइ १.५ मि.मि चौडाइ ४३ इन्च | व.फि | २३८.०० | २३८.०० | २३८.०० |
| 14 | पोलिकार्बोनेट प्लेन तथा किस्टल सिट | | | | |
| | नर्मल तथा किस्टल सिट मोटाइ १.५ मि.मि चौडाई ३२ इन्च | व.फि | १९७.०० | १९७.०० | १९७.०० |
| | नर्मल तथा किस्टल सिट मोटाइ २ मि.मि चौडाई ३२ इन्च | व.फि | २६३.०० | २६३.०० | २६३.०० |
| | नर्मल तथा किस्टल सिट मोटाइ १ मि.मि चौडाई ३२ इन्च | व.फि | १६५.०० | १६५.०० | १६५.०० |
| | टायल प्रोफायल मेटल रुफिङ सिट सिट मोटाइ ०.५ मि.मि चौडाई ३२ इन्च | व.फि | १२७.०० | १२७.०० | १२७.०० |
| 15 | सि एण्ड जेड पर्लिन | | | | |
| | सि एण्ड जेड पर्लिन(२१० मि.मि. सिट),मोटाइ १.८ मि.मि ग्याल्भनाइज्ड | प्रति केजी | १५८.०० | १५८.०० | १५८.०० |
| | सि एण्ड जेड पर्लिन(३२०/३६०/४१० मि.मि. सिट),मोटाइ २ मि.मि ग्याल्भनाइज्ड | प्रति केजी | १५६.०० | १५६.०० | १५६.०० |
| 16 | अल्मुनियम | | | | |
| | पेन्टेडअल्मुनियम एस स्पान सिट मोटाइ ०.६ मि.मि | प्रति वण्डल | १९२४०.०० | १९२४०.०० | १९२४०.०० |
| | पेन्टेड अल्मुनियम एस स्पान सिट नर्मल मोटाई ०.६ मि.मि | प्रति वण्डल | १५०८०.०० | १५०८०.०० | १५०८०.०० |
| | पेन्टेडअल्मुनियम एस स्पान सिट मोटाइ ०.५ मि.मि | प्रति वण्डल | १७१६०.०० | १७१६०.०० | १७१६०.०० |
| | पेन्टेड अल्मुनियम नर्मल सिट मोटाइ ०.५ मि.मि | प्रति वण्डल | १३०००.०० | १३०००.०० | १३०००.०० |
| 17 | **Metal Tile Roofing Sheet** | | ०.०० | | |
| | 0.45 Thickness - (Red, Green, Blue) | वन्डल | २३०३६.०० | २३०३६.०० | २३०३६.०० |
| | 0.5 Thickness - (Chocolate) | वन्डल | २५५३२.०० | २५५३२.०० | २५५३२.०० |
| 18 | **Ridge Cap**(0.4 Thickness) | र फि | २००.०० | २००.०० | २००.०० |
| | **Gutter** | | | | |
| | 0.50 mm Thickness (Size- 12") | र फि | १०१.०० | १०१.०० | १०१.०० |
| | 0.50 mm Thickness (Size- 16") | र फि | १२५.०० | १२५.०० | १२५.०० |
| | 0.50 mm Thickness (Size- 18") | र फि | १७५.०० | १७५.०० | १७५.०० |
| | 0.40 mm Thickness (Size- 12") | र फि | १२२.०० | १२२.०० | १२२.०० |
| | 0.40 mm Thickness (Size- 16") | र फि | १३०.०० | १३०.०० | १३०.०० |
| | 0.40 mm Thickness (Size- 12") | र फि | १७५.०० | १७५.०० | १७५.०० |
| 19 | **Polycarbonate Corrugated Sheet** | | | | |
| | 0.8 mm Thickness | व.फि | १०५.०० | १०५.०० | १०५.०० |
| | 1 mm Thickness | व.फि | १०८.०० | १०८.०० | १०८.०० |
| | 1.25mm Thickness | व.फि | १३०.०० | १३०.०० | १३०.०० |
| | 1.5 mm Thickness | व.फि | १५७.०० | १५७.०० | १५७.०० |
| | 1.75mm Thickness | व.फि | १७९.०० | १७९.०० | १७९.०० |
| | 2mm Thickness | व.फि | २०६.०० | २०६.०० | २०६.०० |
| | 2.5 mm Thickness | व.फि | २५०.०० | २५०.०० | २५०.०० |
| | 3 mm Thickness | व.फि | ३८५.०० | ३८५.०० | ३८५.०० |
| 20 | **Polycarbonate Plain Sheet** | | | | |
| | 1 mm Thickness | व.फि | ८७.०० | ९०.०० | ९०.०० |
| | 1.5 mm Thickness | व.फि | १३८.०० | १३८.०० | १३८.०० |

# Prefab Panel for wall Partition

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 2 mm Thickness | व.फि | १९०.०० | १९०.०० | १९०.०० |
| | 2.5 mm Thickness | व.फि | २२१.०० | २२१.०० | २२१.०० |
| | 3 mm Thickness | व.फि | २५५.०० | २५५.०० | २५५.०० |
| | 4 mm Thickness | व.फि | ३६०.०० | ३६०.०० | ३६०.०० |
| | 5 mm Thickness | व.फि | ४२०.३५ | ४२०.३५ | ४२०.३५ |
| | 6 mm Thickness | व.फि | ५०८.८५ | ५०८.८५ | ५०८.८५ |
| | 7 mm Thickness | व.फि | ६०६.१९ | ६०६.१९ | ६०६.१९ |
| | 8 mm Thickness | व.फि | ७६१.०० | ७६१.०० | ७६१.०० |
| | 9 mm Thickness | व.फि | ८२१.०० | ८२१.०० | ८२१.०० |
| | 10 mm Thickness | व.फि | ९५७.०० | ९५७.०० | ९५७.०० |
| | 12 mm Thickness | व.फि | ११२९.०० | ११२९.०० | ११२९.०० |
| 21 | Angle & U channel | | | | |
| | CZU Non Galvanized 2mm thickness | के जी | १५९.०० | १५९.०० | १५९.०० |
| | CZU Galvanized 2mm thickness | के जी | २३८.०० | २३८.०० | २३८.०० |
| | Angle 0.5 mm thickness | र फि | ९.०० | ९.०० | ९.०० |
| 22 | **False Ceiling boards and zinc coated metal profile 120 GSM** | | | | |
| | Standard plaster board plain 12.5 mm thick | व.मि. | २९८.०० | २९८.०० | २९८.०० |
| | Metal ceiling section 80x26x51x0.5x3660 mm | गोटा | ३२७.०० | ३२७.०० | ३२७.०० |
| | Intermediate Channel 45x15x15x0.9x3660 mm | गोटा | ३१४.०० | ३१४.०० | ३१४.०० |
| | Perimeter channel 20x28x30x0.5x3660 mm | गोटा | १९५.०० | १९५.०० | १९५.०० |
| | Ceiling Angle 25x10x0.5x3660 mm | गोटा | १०९.०० | १०९.०० | १०९.०० |
| 23 | **Thermal and Acoustic Insulation for roofing & Drywall** | | | | |
| | Roofing Insulation | | | | |
| | Glass wool 50 mm thickness | व.फि | ५०.०० | ५०.०० | ५०.०० |
| | Stone wool 50mm thickness | व.फि | ६५.०० | ६५.०० | ६५.०० |
| | Stone wool 100mm thickness | व.फि | ११५.०० | ११५.०० | ११५.०० |
| | Drywall Insulation | | | | |
| | Stone wool 50mm thickness | व.फि | ६०.०० | ६०.०० | ६०.०० |
| | Stone wool 75mm thickness | व.फि | १००.०० | १००.०० | १००.०० |
| | Stone wool 100mm thickness | व.फि | १२०.०० | १२०.०० | १२०.०० |

प्रमुख जिल्ला अधिकारी

# झ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | फलामको कब्जा | | | | |
| | (क) ३" साइज | गोटा | १५.०० | १५.०० | १५.०० |
| | (ख) ४" साइज | गोटा | २९.०० | २९.०० | २९.०० |
| | (ग) ५" साइज | गोटा | ४५.०० | ४५.०० | ४५.०० |
| | (घ) ६" साइज | गोटा | ५९.०० | ५९.०० | ५९.०० |
| २ | Locking Set (L-drop) | | | | |
| | 300 mm | गोटा | २७७.०० | २७७.०० | २७७.०० |
| | 225 mm | गोटा | २४२.०० | २४२.०० | २४२.०० |
| | 150 mm | गोटा | २०७.०० | २०७.०० | २०७.०० |
| ३ | Aluminum Towerbolt (छेस्कीनी) | | | | |
| | (क) ३" लामो | गोटा | २१.०० | २१.०० | २१.०० |
| | (ख) ४" लामो | गोटा | ४२.०० | ४२.०० | ४२.०० |
| | (ग) ६" लामो | गोटा | ७१.०० | ७१.०० | ७१.०० |
| | (घ) ८" लामो | गोटा | ८५.०० | ८५.०० | ८५.०० |
| | (ङ) १०" लामो | गोटा | १००.०० | १००.०० | १००.०० |
| | (च) १२" लामो | गोटा | ११४.०० | ११४.०० | ११४.०० |
| ४ | Aluminum Handle (हतकल) | | | | |
| | Ordinary | गोटा | ३४.०० | ३४.०० | ३४.०० |
| | Special | गोटा | ५०.०० | ५०.०० | ५०.०० |
| ५ | ब्रासको कब्जा | | | | |
| | 2"× $^1/_2$" | गोटा | ६७.०० | ६७.०० | ६७.०० |
| | $2^1/_2$×$^3/_4$" | गोटा | ७५.०० | ७५.०० | ७५.०० |
| | 3" × $^3/_4$" | गोटा | ९२.०० | ९२.०० | ९२.०० |
| | 2" ×$^3/_4$" | गोटा | ७५.०० | ७५.०० | ७५.०० |
| | $2^1/_2$"×$^3/_4$" | गोटा | ८४.०० | ८४.०० | ८४.०० |
| | 3"×$^3/_4$" | गोटा | ९२.०० | ९२.०० | ९२.०० |
| | 3"×1" | गोटा | २०१.०० | २०१.०० | २०१.०० |
| | 4"×1" | गोटा | ३०२.०० | ३०२.०० | ३०२.०० |
| | 5"×1" | गोटा | ४०४.०० | ४०४.०० | ४०४.०० |
| | 6"×1" | गोटा | ४८८.०० | ४८८.०० | ४८८.०० |
| ६ | BrassTowerbolt (छेस्कीनी) | | | | |
| | (क) ३" लामो | गोटा | १५१.०० | १५१.०० | १५१.०० |
| | (ख) ४" लामो | गोटा | २०१.०० | २०१.०० | २०१.०० |
| | (ग) ६" लामो | गोटा | ३०२.०० | ३०२.०० | ३०२.०० |
| | (घ) ८" लामो | गोटा | ४०४.०० | ४०४.०० | ४०४.०० |

# झ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | (ङ) १०" लामो | गोटा | ५०४.०० | ५०४.०० | ५०४.०० |
| | (च) १२" लामो | गोटा | ६०५.०० | ६०५.०० | ६०५.०० |
| ७ | **Brass Handle (हतकल)** | | | | |
| | 6" Brass handle | गोटा | १५९.०० | १५९.०० | १५९.०० |
| | 8" Brass handle | गोटा | ४८८.०० | ४८८.०० | ४८८.०० |
| | 10" Brass handle | गोटा | १००९.०० | १००९.०० | १००९.०० |
| ८ | **Brass Locking Set (L-drop)** | | | | |
| | (क) ८" लामो | गोटा | १००९.०० | १००९.०० | १००९.०० |
| | (ख) १०" लामो | गोटा | १६४०.०० | १६४०.०० | १६४०.०० |
| | (ग) १२" लामो | गोटा | १८२१.०० | १८२१.०० | १८२१.०० |
| | **Special Fittings** | | | | |
| ९ | एल डुप | | | | |
| | ८" लामो | गोटा | १११५.०० | १११५.०० | १११५.०० |
| | १०" लामो | गोटा | १२५८.०० | १२५८.०० | १२५८.०० |
| | १२" लामो | गोटा | १३११.०० | १३११.०० | १३११.०० |
| १० | ह्याण्डल ८" लामो | गोटा | १३११.०० | १३११.०० | १३११.०० |
| ११ | टावर बोल्ट | | | | |
| | ६" लामो | गोटा | २३९.०० | २३९.०० | २३९.०० |
| | ८" लामो | गोटा | ३१९.०० | ३१९.०० | ३१९.०० |
| | १०" लामो | गोटा | ३९९.०० | ३९९.०० | ३९९.०० |
| १२ | डबल कलर (गोल्ड सिल्भर/ब्ल्याक सिल्भर) | | | | |
| | एल डुप | | | | |
| | ८" लामो | गोटा | ९५१.०० | ९५१.०० | ९५१.०० |
| | १०" लामो | गोटा | ११८६.०० | ११८६.०० | ११८६.०० |
| | १२" लामो | गोटा | १३११.०० | १३११.०० | १३११.०० |
| | ह्याण्डल | | | | |
| | ६" लामो | गोटा | २६६.०० | २६६.०० | २६६.०० |
| | ८" लामो | गोटा | ३९९.०० | ३९९.०० | ३९९.०० |
| | मोर्टिस लक | | | | |
| | Ordinary | गोटा | ६६६.०० | ६६६.०० | ६६६.०० |
| | Chinese | गोटा | ४४३.०० | ४४३.०० | ४४३.०० |
| | Indian Godrej Company | गोटा | २६८४.०० | २६८४.०० | २६८४.०० |
| | Brass | | ११८६.०० | ११८६.०० | ११८६.०० |
| १३ | **Door Spring (Door Closer)** | | | | |
| | Ordinary | गोटा | १८९.०० | १८९.०० | १८९.०० |

# झ्याल ढोकामा प्रयोगहुने फिक्सचरहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | hydraulic | गोटा | १९६७.०० | १९६७.०० | १९६७.०० |
| | Window I-hook | गोटा | १९.०० | १९.०० | १९.०० |
| १४ | **Gate Hook** | | | | |
| | 4" Gate hook | गोटा | ३३.०० | ३३.०० | ३३.०० |
| | 5" Gate hook | गोटा | ३७.०० | ३७.०० | ३७.०० |
| | 6" Gate hook | गोटा | ४४.०० | ४४.०० | ४४.०० |
| | Brass Gate hook | गोटा | ७९.०० | ७९.०० | ७९.०० |
| १५ | **Door stopper** | | | | |
| | Butterfly | गोटा | १५७.०० | १५७.०० | १५७.०० |
| | Bell catch 2" size | गोटा | २०८.०० | २०८.०० | २०८.०० |
| | C.P. handle | गोटा | ४५३.०० | ४५३.०० | ४५३.०० |
| | Power coated handle | गोटा | ४३२.०० | ४३२.०० | ४३२.०० |
| | Brass coated handle | गोटा | ९३१.०० | ९३१.०० | ९३१.०० |
| | Door stopper, single brass stopper | गोटा | १०६.०० | १०६.०० | १०६.०० |
| | Door stopper double brass stopper | गोटा | १८९.०० | १८९.०० | १८९.०० |
| १६ | **Screw Brass** | | | | |
| | 20mm | गोटा | २.०० | २.०० | २.०० |
| | 25mm | गोटा | २.०० | २.०० | २.०० |
| | 35mm | गोटा | ४.०० | ४.०० | ४.०० |
| | 50mm | गोटा | १२.०० | १२.०० | १२.०० |
| | 75mm | गोटा | १६.०० | १६.०० | १६.०० |
| १७ | **Screw Steel** | | | | |
| | 20mm | गोटा | १.०० | १.०० | १.०० |
| | 25mm | गोटा | २.०० | २.०० | २.०० |
| | 35mm | गोटा | २.०० | २.०० | २.०० |
| | 50mm | गोटा | ७.०० | ७.०० | ७.०० |
| | 75mm | गोटा | ८.०० | ८.०० | ८.०० |
| १८ | Staircase को 3/4" x 3/4" square pipe मा लगाउने Brass cap | गोटा | ९८.०० | ९८.०० | ९८.०० |
| १९ | Staircase को 1" x 1" square pipe मा लगाउने Brass cap | गोटा | १०४.०० | १०४.०० | १०४.०० |

# रंगरोगन तथा पुटिका सामानहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | सिमेन्ट पेन्ट | के.जि. | ६९.०० | ६९.०० | ६९.०० |
| २ | सिमेन्ट प्राइमर सेतो | के.जि. | २८८.०० | २८८.०० | २८८.०० |
| ३ | उड प्राइमर | लिटर | ३८९.०० | ३८९.०० | ३८९.०० |
| ४ | सेन्थेटिक इनामेल पेन्ट | लिटर | ५४२.०० | ५४२.०० | ५४२.०० |
| ५ | नेपाल रेडको म्याट फिनिसिङ्ग | लिटर | ५२३.०० | ५२३.०० | ५२३.०० |
| ६ | कोरुगेटेड रुफ पेन्ट | लिटर | ४९२.०० | ४९२.०० | ४९२.०० |
| ७ | तयारी अल्मुनियम पेन्ट | लिटर | ५६५.०० | ५६५.०० | ५६५.०० |
| ८ | तयारी वार्नेस | लिटर | ४५५.०० | ४५५.०० | ४५५.०० |
| ९ | तयारी वार्नेर सेन्थेटिक | लिटर | ३५१.०० | ३५१.०० | ३५१.०० |
| १० | भारतिय थिनर | लिटर | २३८.०० | २३८.०० | २३८.०० |
| ११ | उड एण्ड प्लास पुटिन | के.जी | १३६.०० | १३६.०० | १३६.०० |
| १२ | मेटल पुटिन | के.जी | १६०.०० | १६०.०० | १६०.०० |
| १३ | चुना पेन्ट गर्न राख्ने गम | के.जी | २१०.०० | २१०.०० | २१०.०० |
| १४ | नेपाली थिनर | लिटर | २२४.०० | २२४.०० | २२४.०० |
| १५ | तारपिन तेल | लिटर | २२१.०० | २२१.०० | २२१.०० |
| १६ | रेड अकसाइड पेन्ट | लिटर | २७०.०० | २७०.०० | २७०.०० |
| १७ | उड प्रिजरभेटिव पेन्ट | लिटर | २३६.०० | २३६.०० | २३६.०० |
| १८ | ब्याक जामान | लिटर | ४९६.०० | ४९६.०० | ४९६.०० |
| १९ | राम तिलक | के.जि. | ५७.०० | ५७.०० | ५७.०० |
| २० | गेरु रंग | के.जि. | १४१.०० | १४१.०० | १४१.०० |
| २१ | चप्पा | के.जि. | १३४४.०० | १३४४.०० | १३४४.०० |
| २२ | स्प्रिट | लिटर | ९२.०० | ९२.०० | ९२.०० |
| २३ | वासेवल डिस्टेम्पर | लिटर | २३१.०० | २३१.०० | २३१.०० |
| २४ | प्लास्टिक्स इमल्सन पेन्ट (interior) | लिटर | ५४४.०० | ५४४.०० | ५४४.०० |
| २५ | वेदरकोट पेन्ट (exterior) | लिटर | ६५२.०० | ६५२.०० | ६५२.०० |
| २६ | प्लास्टिक ईमल्सन पेन्ट | लिटर | ६९३.०० | ६९३.०० | ६९३.०० |
| २७ | लिनसिड आयल | लिटर | २०३.०० | २०३.०० | २०३.०० |
| २८ | स्थानीय स्प्रीट | लिटर | १२१.०० | १२१.०० | १२१.०० |
| २९ | मोविकल/फेविकल | के.जि. | २७१.०० | २७१.०० | २७१.०० |
| ३० | मैन पालिस | के.जि. | ३६७.०० | ३६७.०० | ३६७.०० |
| ३१ | अक्जालिक एसिड | के.जि. | १२५.०० | १२५.०० | १२५.०० |
| ३२ | 1" चौडा पेन्ट ब्रस | गोटा | ७४.०० | ७४.०० | ७४.०० |
| ३३ | 2" चौडा पेन्ट ब्रस | गोटा | १४९.०० | १४९.०० | १४९.०० |
| ३४ | 3" चौडा पेन्ट ब्रस | गोटा | २२३.०० | २२३.०० | २२३.०० |
| ३५ | 4" चौडा पेन्ट ब्रस | गोटा | २९८.०० | २९८.०० | २९८.०० |
| ३६ | रङ्ग लगाउने रोलर | गोटा | ४२६.०० | ४२६.०० | ४२६.०० |
| ३७ | Sand paper | गोटा | ६.०० | ६.०० | ६.०० |
| ३८ | Wall putty plain | के.जि. | ३८.०० | ३८.०० | ३८.०० |

# रंगरोगन तथा पुटिका सामानहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ३९ | Wall putty- water Proof | के.जि. | ६३.०० | ६३.०० | ६३.०० |
| ४० | Plaster of Parish (POP) | के.जि. | २३.०० | २३.०० | २३.०० |
| ४१ | Redoxide zink cromate primer For Bridge | लिटर | ४७९.०० | ४७९.०० | ४७९.०० |
| ४३ | Epoxy Paint for Operation theater | व.मी. | १२१७४.०० | १२१७४.०० | १२१७४.०० |
| ४४ | Exterior Primer | लिटर | २४८.०० | २४८.०० | २४८.०० |
| ४५ | Interior Primer | लिटर | १७९.०० | १७९.०० | १७९.०० |
| ४६ | Enamel Paints | लिटर | ५३४.०० | ५३४.०० | ५३४.०० |
| | **Decorative Painting Material** | | | | |
| **A** | **Specialized paints** | | | | |
| १ | Anti bacterial Hospital Paint | लिटर | ११५३.०० | ११५३.०० | ११५३.०० |
| २ | Anti carbonisation paint | लिटर | ८१२.०० | ८१२.०० | ८१२.०० |
| ३ | Heat Reflecting Energy Saving Insulation Paint | लिटर | ११८६.०० | ११८६.०० | ११८६.०० |
| ४ | Instumescent weather resistant chlorinated rubber fire resistant retardant coating | लिटर | ११६६.०० | ११६६.०० | ११६६.०० |
| ५ | Silver Ion higeinic Coating Paint | के.जि. | ९७.३५ | ९७०.०० | ९७०.०० |
| ६ | Self Sanitizing Silver Ion Higienic Coating | लिटर | ९७०.०० | ९७०.०० | ९७०.०० |
| **B** | **Texture paints** | | | | |
| १ | Mediterrano | के.जि. | १८७.०० | १८७.०० | |
| २ | Stucco Veneziano | के.जि. | १३१६.०० | १३१६.०० | |
| ३ | Velvetino | के.जि. | ४५२०.०० | ४५२०.०० | |
| ४ | Travertino | के.जि. | ३६२.०० | ३६२.०० | |
| ५ | Gtone plaster | के.जि. | १२९.०० | १२९.०० | |
| ६ | Colorato (Multi color) | के.जि. | ९५०.०० | ९५०.०० | |
| ७ | Pearl skin texture | के.जि. | १५८.०० | १५८.०० | |
| ८ | TS 52 Spray white | के.जि. | २१२.०० | २१२.०० | |
| ९ | Rustic | के.जि. | १९९.०० | १९९.०० | |
| १० | Rockart | लिटर | १९६.०० | १९६.०० | |
| ११ | Manhattan | के.जि. | २४०.०० | २४०.०० | |
| १२ | Sabbia | के.जि. | २४०.०० | २४०.०० | |
| १३ | Sandy Stone | के.जि. | १८५.०० | १८५.०० | |
| १४ | Insulplast | के.जि. | २३७.०० | २३७.०० | |
| १५ | Poly Under White | के.जि. | २८१.०० | २८१.०० | |
| १६ | Antica(Top coat) | के.जि. | १३३०.०० | १३३०.०० | |
| १७ | T.C 100(Top coat) | के.जि. | ७६४.०० | ७६४.०० | |
| १८ | Dekorica White | के.जि. | २७५७.०० | २७५७.०० | |
| १९ | Poly Plaster | के.जि. | ११२.३५ | ११२.३५ | |
| २० | Granite tone | के.जि. | १७०.०० | १७०.०० | |
| २१ | Graffiato | के.जि. | १६५.०० | १६५.०० | |
| २२ | Elligance stone | के.जि. | १९२.०० | १९२.०० | |

# रंगरोगन तथा पुटिका सामानहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| २३ | Marmorino Base | के.जि. | ४१२.०० | ४१२.०० | |
| २४ | Acro fine | लिटर | १८६.०० | १८६.०० | |
| २५ | Marmocastro base | के.जि. | १४६.०० | १४६.०० | |
| २६ | Selva Granite | के.जि. | २१५.०० | २१५.०० | |
| २७ | Romart | के.जि. | २३९.०० | २३९.०० | |
| २८ | Renstu plaster putty | के.जि. | ९१.०० | ९१.०० | |
| २९ | Hyperion base putty | के.जि. | ५०७.०० | ५०७.०० | |
| ३० | Cementzio base putty | के.जि. | २४५.०० | २४५.०० | |
| ३१ | Helios base putty | के.जि. | ४९७.०० | ४९७.०० | |
| ३२ | Cratere base putty | के.जि. | ४८८.०० | ४८८.०० | |
| ३३ | Cerrotta base putty | के.जि. | ४८८.०० | ४८८.०० | |
| ३४ | Coppotto Di cemento | के.जि. | १७०८.०० | १७०८.०० | |
| ३५ | Muroplast putty | के.जि. | ७५.०० | ७५.०० | |
| ३६ | Acro pure ( PU top coat) | के.जि. | ११४५.०० | ११४५.०० | |
| ३७ | Satenatto emulsion | लिटर | ६३०.०० | ६३०.०० | |
| ३८ | StuccoPlaster | लिटर | २८९.०० | २८९.०० | |
| ३९ | Elegantile | के.जि. | १९९.५० | १९९.५० | |
| ४० | Multi Granite | के.जि. | १९९.५० | १९९.५० | |
| ४१ | Hermes Base | के.जि. | २४६.७५ | २४६.७५ | |
| ४२ | Botticelli Base | के.जि. | २९६.१० | २९६.१० | |
| ४३ | Granito Wall | के.जि. | १५५.०० | १६०.०० | |
| **C** | **Weather coat paints** | | | | |
| १ | Guard | लिटर | ५३६.०० | ५३६.०० | |
| २ | Guard -3x | लिटर | ६२६.०० | ६२६.०० | |
| ३ | Shield | लिटर | ३४३.०० | ३४३.०० | |
| ४ | Acrotex matt | लिटर | ५२०.०० | ५२०.०० | |
| ५ | Ext wall Primer | लिटर | २५३.०० | २५३.०० | |
| ६ | SPC ExterShield Premium | लिटर | ६१४.०० | ६१४.०० | |
| ७ | SPC ExterShield Smooth | लिटर | ५२५.०० | ५२५.०० | |
| ८ | SPC ExterShield Standard | लिटर | ३३६.०० | ३३६.०० | |
| **D** | **Emulsion Paints/Distemper** | | | | |
| १ | silk Emulsion paints | लिटर | ५५६.०० | ५५६.०० | |
| २ | Aqualin Int.Emulsion | लिटर | २९८.०० | २९८.०० | |
| ३ | pearl Emulsion paints | लिटर | ८२३.०० | ८२३.०० | |
| ४ | int. wall Primer | लिटर | १८३.०० | १८३.०० | |
| ५ | Acrylic Washable Distemper | लिटर | १५१.०० | १५१.०० | |
| ६ | Gold Enamel | लिटर | ५४५.०० | ५४५.०० | |
| ७ | Universal primer ( wood primer) | लिटर | ३३३.०० | ३३३.०० | |
| ८ | Red oxide metal primer | लिटर | २९४.०० | २९४.०० | |
| ९ | Water seal stretch (Damp coat) | लिटर | ५२७.०० | ५२७.०० | |
| १० | Construction Chemical / waterproof coating system | | | | |
| | crack sill | लिटर | ४१२.०० | ४१२.०० | |

# रंगरोगन तथा पुटिका सामानहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | crack fill A+B | लिटर | १८१.०० | १८१.०० | |
| १० | Silicon Bases water repellent impregnation | | | | |
| | Acropreg | लिटर | ४९६.०० | ४९६.०० | |
| | Acropreg W | लिटर | ६५९.०० | ६५९.०० | |
| | Wall putty | के.जि. | ४०.०० | ४०.०० | |
| ११ | Premium Emulsion | लिटर | ७५४.०० | ७५४.०० | |
| १२ | Smooth Emulsion | लिटर | ५४५.०० | ५४५.०० | |
| १३ | Standard Emulsion | लिटर | २९२.०० | २९२.०० | |
| E | **Wall Paper** | | | | |
| | Wall paper (10m.x 0.53m) | रोल | १३१७.०० | १३१७.०० | १३१७.०० |
| | Fittings for wall paper | व.फि | ७.०० | ७.०० | ७.०० |
| | White glue for wall paper | लि. | ११५.०० | ११५.०० | ११५.०० |
| F | **Pro_Plaster Material** | के.जी | ३४.०० | ३४.०० | ३४.०० |
| | **Environment Friendly Paints** | | | | |
| 1 | Eco - Friendly High glossy Exterior Wall Paint | 20 L | २१५०६.०० | २१५०६.०० | २१५०६.०० |
| | | 10 L | ११७८३.०० | ११७८३.०० | ११७८३.०० |
| | | 4 L | ४७१७.०० | ४७१७.०० | ४७१७.०० |
| | | 1 L | ११८४.०० | ११८४.०० | ११८४.०० |
| | | | | | |
| 2 | Environmentally Friendly Natural Exterior Paint | | | | |
| | | 20 L | १४२१४.०० | १४२१४.०० | १४२१४.०० |
| | | 10 L | ७३१३.०० | ७३१३.०० | ७३१३.०० |
| | | 4 L | ३०६९.०० | ३०६९.०० | ३०६९.०० |
| | | 1 L | ८४४.०० | ८४४.०० | ८४४.०० |
| 3 | Environmentally Friendly Constant Color Exterior Paint | | | | |
| | | 20 L | ११२०६.०० | ११२०६.०० | ११२०६.०० |
| | | 10 L | ६११८.०० | ६११८.०० | ६११८.०० |
| | | 4 L | २६५७.०० | २६५७.०० | २६५७.०० |
| | | 1 L | ६६९.०० | ६६९.०० | ६६९.०० |
| 4 | Eco - Friendly Dark Color Interior and Exterior Wall Paint | | | | |
| | | 20 L | १२१५४.०० | १२१५४.०० | १२१५४.०० |
| | | 10 L | ६५९२.०० | ६५९२.०० | ६५९२.०० |
| | | 4 L | २८४२.०० | २८४२.०० | २८४२.०० |
| | | 1 L | ७२१.०० | ७२१.०० | ७२१.०० |
| 5 | Eco - Friendly High glossy Interior Wall Paint | | | | |
| | | 20 L | १९३६४.०० | १९३६४.०० | १९३६४.०० |
| | | 10 L | १०१९७.०० | १०१९७.०० | १०१९७.०० |
| | | 4 L | ४०७८.०० | ४०७८.०० | ४०७८.०० |
| | | 1 L | १०१९.०० | १०१९.०० | १०१९.०० |
| 6 | Environmentally Friendly Natural Interior Wall paint | | | | |

# रंगरोगन तथा पुटिका सामानहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | | 20 L | १३१८४.०० | १३१८४.०० | १३१८४.०० |
| | | 10 L | ६७९८.०० | ६७९८.०० | ६७९८.०० |
| | | 4 L | २८४२.०० | २८४२.०० | २८४२.०० |
| | | 1 L | ७४१.०० | ७४१.०० | ७४१.०० |
| 7 | Environmentally Friendly Constant Interior wall Paint | | | | |
| | | 20 L | १००९४.०० | १००९४.०० | १००९४.०० |
| | | 10 L | ५२५३.०० | ५२५३.०० | ५२५३.०० |
| | | 4 L | २२२४.०० | २२२४.०० | २२२४.०० |
| | | 1 L | ५९७.०० | ५९७.०० | ५९७.०० |
| 8 | Eco Friendly Interior Wall Paint | | | | |
| | | 20 L | ६०७७.०० | ६०७७.०० | ६०७७.०० |
| | | 10 L | ३२४४.०० | ३२४४.०० | ३२४४.०० |
| | | 4 L | १४२१.०० | १४२१.०० | १४२१.०० |
| | | 1 L | ४१२.०० | ४१२.०० | ४१२.०० |
| 9 | Environmentally Efficient Exterior Wall Primer | | | | |
| | | 20 L | १११२४.०० | १११२४.०० | १११२४.०० |
| | | 10 L | ६७९८.०० | ६७९८.०० | ६७९८.०० |
| | | 4 L | ४०७८.०० | ४०७८.०० | ४०७८.०० |
| | | 1 L | १२७७.०० | १२७७.०० | १२७७.०० |
| 10 | Environmentally Friendly Alkali Resistant wall primer interior | | | | |
| | | 20 L | ८६५२.०० | ८६५२.०० | ८६५२.०० |
| | | 10 L | ५३५६.०० | ५३५६.०० | ५३५६.०० |
| | | 4 L | २६३६.०० | २६३६.०० | २६३६.०० |
| | | 1 L | १११२.०० | १११२.०० | १११२.०० |
| 11 | Eco Friendly Primer | | | | |
| | | 20 L | ६५९२.०० | ६५९२.०० | ६५९२.०० |
| | | 10 L | ४४२९.०० | ४४२९.०० | ४४२९.०० |
| | | 4 L | २२६६.०० | २२६६.०० | २२६६.०० |
| | | 1 L | ९०६.०० | ९०६.०० | ९०६.०० |
| 12 | Granite texture Spray / Imitation Stone Paint | | | | |
| | | 1 sq ft | १४९.०० | १४९.०० | १४९.०० |
| 13 | Water in Water Colorfull Paint Four in one | | | | |
| | Granite Primer | 6 kg | ५९९४.०० | ५९९४.०० | ५९९४.०० |
| | Intermediate Coating Paint | 7 Kg | ७२१०.०० | ७२१०.०० | ७२१०.०० |
| | Granite Surface Paint | 9 kg | १५४५०.०० | १५४५०.०० | १५४५०.०० |
| | Dust proof Surface Paint | 3 kg | ५१२९.०० | ५१२९.०० | ५१२९.०० |

# Water Proofing Chemicals & Treatment works

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.म.क. बाहिरको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| **A** | **CONCRETE ADMIXTURES (Chemical)** | | | | |
| १ | Form Oil | लिटर | १०६.०० | १०६.०० | १०६.०० |
| २ | Polymer for M35, M 40 or higher concrete | लिटर | ३७३.०० | ३७३.०० | ३७३.०० |
| ३ | Epoxy Bonding agent for old and new construction | लिटर | २१००.०० | २१००.०० | २१००.०० |
| ४ | [illegible] | लिटर | २५०.०० | २५०.०० | २५०.०० |
| ५ | (Damp proof, Anti Termite , Anti Fungal,Anti Saltpetre and benefit of High Compressive Strength) | | | | |
| | Waterproof Coating With Latex | के.जी. | ३७३.०० | ३७३.०० | ३७३.०० |
| | Waterproof Coating with Polymer | के.जी. | ४७९.०० | ४७९.०० | ४७९.०० |
| ६ | Water Reducing Admixture Concrete & Mortar [ Lignosulphonate Based] ASTM C 494 -( Type A,B&D) IS 9103/2645 /1981 | के.जी. | १५९.०० | १५९.०० | १५९.०० |
| ७ | High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Napthalene Formladehyde Based] ASTM C 494 -( Type A,C,E & F) IS 9103-79 /1999 Dose 0.2 to 3% by wt of | के.जी. | २६६.०० | २६६.०० | २६६.०० |
| ८ | Ultra High Range Water Reducing Super Plasticizer for Concrete & Mortar [ Polycarboxylate Ether Based] ASTM C 494 -( Type A,F& G) IS 9103-1999 /1981 | के.जी. | ४७९.०० | ४७९.०० | ४७९.०० |
| ९ | Integral Waterproofing Additive for Concrete & Plaster ASTM C 494 IS 2645-75 ( Type G) , IS 9103-2007 / IS 2645 | के.जी. | ३१९.०० | ३१९.०० | ३१९.०० |
| १० | Integral Crystalline Waterproofing Powder Admixture STD . Conformane : ASTM C 494, IS 3085-1997, DIN 1048 -1991 | के.जी. | १०५०.०० | १०५०.०० | १०५०.०० |
| ११ | Integral Crystalline Waterproofing Liquid Admixture STD Conformance : ASTM C 494 IS 3085 -1997 , DIN 1048-1991 | के.जी. | १०५०.०० | १०५०.०० | १०५०.०० |
| १२ | Integral Crystalline Waterproofing Powder Admixture STD . Conformane : ASTM C 494, IS 3085-1997, DIN 1048 -1991 | के.जी. | १३१२.०० | १३१२.०० | १३१२.०० |
| १३ | Integral Waterproofing Powder Admixture for Mortars Std. Coformance : ASTM C 494, IS 3085-1997, DIN 1048-1991 Part | के.जी. | १९१.०० | १९१.०० | १९१.०० |
| १४ | Accelerator & Spray Shotcrete / Concrete Plasticizer [ Silicate Based] | के.जी. | २६६.०० | २६६.०० | २६६.०० |
| १५ | Accelerator & Spray Shotcrete / Concrete Liquid Plasticizer [ Alkali Free] | के.जी. | ३७३.०० | ३७३.०० | ३७३.०० |
| १६ | Accelerator & Spray Shotcrete / Concrete Powder Plasticizer [ Alkali Free] ASTM C 1240, IS 15388-2003 | के.जी. | ३७३.०० | ३७३.०० | ३७३.०० |
| १७ | Retarding Superplasticiczer for Concrete [ Napthalene Based] ASTM C 494-1981 ( TYPE G/D), IS 9103-2007 | के.जी. | २६६.०० | २६६.०० | २६६.०० |
| १८ | Retarding Superplasticiczer for Concrete [ Polycarboxylate Ether Based] ASTM C 494-1981 ( Type G ) | के.जी. | ४७९.०० | ४७९.०० | ४७९.०० |
| **B** | **CONCRETE ADMIXTURES (Mineral)** | | | | |
| १ | Silica Cement Admixture (Volcanic Product Inorganic) | के.जी. | ३५१.०० | ३५१.०० | ३५१.०० |
| २ | Micro Silica for High Performance Concrete ASTM C 1240 - 2005 , IS 15388-2003. | के.जी. | ११७.०० | ११७.०० | ११७.०० |
| ३ | Processed FA Based Mineral Additives | के.जी. | ९०.०० | ९०.०० | ९०.०० |
| **C** | **FOR JOINT SEALANTS & SYSTEMS** | | | | |
| १ | Two Component Gun Grade Polysulphide Sealant for Vertical Surfaces | के.जी. | १८९०.०० | १८९०.०० | १८९०.०० |
| २ | Two Component Pour Grade Polysulfide Sealant for Horizontal Surfaces | के.जी. | १८९०.०० | १८९०.०० | १८९०.०० |
| ३ | One Component Low Viscosity Primer For Polysulfide Sealant | के.जी. | ३१५०.०० | ३१५०.०० | ३१५०.०० |
| ४ | Two Component Pour Grade Polyurethane Sealant for Joints | के.जी. | २१००.०० | २१००.०० | २१००.०० |
| ५ | Low Viscosity Primer For Polyurethane Sealant | के.जी. | ३१५०.०० | ३१५०.०० | ३१५०.०० |

# Water Proofing Chemicals & Treatment works

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ६ | High Perfomance Hybrid Silyl Sealant (290 ml per set) | सेट | १२६०.०० | १२६०.०० | १२६०.०० |
| ७ | HOT APPLIED Bituminous Sealing Compound Sealent [TYPE A] | के.जी. | ३७३.०० | ३७३.०० | ३७३.०० |
| ८ | HOT APPLIED Bituminous Sealing Compound Sealent [TYPE B] | के.जी. | ४७९.०० | ४७९.०० | ४७९.०० |
| ९ | Butyl Tape for various Applications | र. मि. | १३३.०० | १३३.०० | १३३.०० |
| १० | Waterproofing Joint Tape [ 120 mm] | र. मि. | ५८६.०० | ५८६.०० | ५८६.०० |
| ११ | Waterproofing Joint Tape [ 200 mm] | र. मि. | ७९९.०० | ७९९.०० | ७९९.०० |
| १२ | NBR based Waterproofing Joint Tape [ 200 mm] | र. मि. | ४२००.०० | ४२००.०० | ४२००.०० |
| १३ | Joint Tape Epoxy Adhesive | के.जी. | ३१५०.०० | ३१५०.०० | ३१५०.०० |
| १४ | Glass Fiber Joint Tape | र. मि. | २९३.०० | २९३.०० | २९३.०० |
| १५ | Waterproofing / Expansion Joint Tape [100 mm] | र. मि. | १५७५.०० | १५७५.०० | १५७५.०० |
| १६ | Waterproofing / Expansion Joint Tape [200 mm] | र. मि. | २८३५.०० | २८३५.०० | २८३५.०० |
| १७ | Construction Joint Tape [ 100 mm] | र. मि. | ८५२.०० | ८५२.०० | ८५२.०० |
| १८ | Cross Linked Premoulded Compressive Joint Filler [25 mm] | ब. मि. | २५७२.०० | २५७२.०० | २५७२.०० |
| १९ | Cross Linked Premoulded Compressive Joint Filler [50 mm] | ब. मि. | ५०९२.०० | ५०९२.०० | ५०९२.०० |
| २० | Closed Cell Polymerbased Joint Filler [25 mm] | ब. मि. | ८५२.०० | ८५२.०० | ८५२.०० |
| २१ | Closed Cell Polymerbased Joint Filler [50 mm] | ब. मि. | १५७५.०० | १५७५.०० | १५७५.०० |
| २२ | Compressable Resilint Non- Extrudible Joint EXJO FILLER [12 mm {4' X 4'}] | ब. मि. | २६२५.०० | २६२५.०० | २६२५.०० |
| २३ | Compressable Resilint Non- Extrudible Joint EXJO FILLER [18 mm {4' X 4'}] | ब. मि. | ३६७५.०० | ३६७५.०० | ३६७५.०० |
| २४ | Compressable Resilint Non- Extrudible Joint EXJO FILLER [25 mm {4' X 4'}] | ब. मि. | ४७२५.०० | ४७२५.०० | ४७२५.०० |
| **D** | **INDUSTRIAL FLOORING SOLUTIONS** | | | | |
| १ | Hardwearing, abrasion resistant monolithic industrial flooring compound [ Metallic] | के.जी. | १२७.०० | १२७.०० | १२७.०० |
| २ | Liquid Concrete Hardener & Dust Proofer | के.जी. | ४७९.०० | ४७९.०० | ४७९.०० |
| ३ | Anti Bacterial Wall Coating [Walgard WBA] | के.जी. | ७४६.०० | ७४६.०० | ७४६.०० |
| ४ | Anti Bacterial Wall Coating [ Polyurethane] Walgard WBA | के.जी. | १०९७.०० | १०९७.०० | १०९७.०० |
| ५ | Anti bacterial Wall Coating Clearseal | के.जी. | ८३६.०० | ८३६.०० | ८३६.०० |
| ६ | Self Levelling Flooring System [ Epoxy] Florgard SL | के.जी. | १३७०.०० | १३७०.०० | १३७०.०० |
| ७ | Flooring System [ Polyurethane] Florthane | के.जी. | १३७०.०० | १३७०.०० | १३७०.०० |
| ३ | Anti Bacterial Floor & Wall Coating [ Epoxy] | के.जी. | २६२५.०० | २६२५.०० | २६२५.०० |
| ४ | Anti Bacterial Floor & Wall Coating [ Polyurethane] | के.जी. | ३१५०.०० | ३१५०.०० | ३१५०.०० |
| ५ | Anti bacterial Floor & Wall Coating [ Acrylic] | के.जी. | २१००.०० | २१००.०० | २१००.०० |
| ६ | Self Levelling Flooring System [ Epoxy] | के.जी. | २२००.०० | २२००.०० | २२००.०० |
| ७ | Self Levelling Flooring System [ Polyurethane] | के.जी. | ३०००.०० | ३०००.०० | ३०००.०० |
| ८ | Self Levelling Cementitious Flooring System | के.जी. | ५००.०० | ५००.०० | ५००.०० |
| **E** | **ENGINEERING GROUTS** | | | | |
| १ | General Purpose High Strength Free Flowing, Non Shrink Cementitious Grout [ M40] | के.जी. | ११७.०० | ११७.०० | ११७.०० |
| २ | Ultra High Strength Free Flowing, Non Shrink Cementitious Grout [M60] | के.जी. | १३३.०० | १३३.०० | १३३.०० |
| ३ | Hard wearing cementitious tile grout | के.जी. | १७०.०० | १७०.०० | १७०.०० |
| ४ | Hard wearing epoxy based tile grout | के.जी. | १०५०.०० | १०५०.०० | १०५०.०० |
| ५ | Super Plasticizer, Shrinkage Compensating Grout Admixture | के.जी. | ५३३.०० | ५३३.०० | ५३३.०० |

# Water Proofing Chemicals & Treatment works

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ६ | High Strength Precision Grade, Non Shrink Structural Epoxy Anchor Grout | के.जी. | २६२५.०० | २६२५.०० | २६२५.०० |
| ७ | Epoxy Acrylate High Strength Precision Grade, Non Shrink Structural Grout [ 400 Ml Cartridge] | मिलि लिटर | ४७२५.०० | ४७२५.०० | ४७२५.०० |
| ८ | Low Viscosity Injection Epoxy Grout | के.जी. | ७८७५.०० | ७८७५.०० | ७८७५.०० |
| ९ | Low Viscosity Polyurethane Injection Grout | के.जी. | १३०००.०० | १३०००.०० | १३०००.०० |
| १० | Low Viscosity Acrylate Gel Injection Grout | के.जी. | ८९२५.०० | ८९२५.०० | ८९२५.०० |
| ११ | Low Viscosity Soil Stabilization Hydrophobic one component Injection Grout | के.जी. | १४५६०.०० | १४५६०.०० | १४५६०.०० |
| १२ | Low Viscosity Soil Stabilization Hydrophobic, water reactive, solvent and phthalate free Injection Grout | के.जी. | ९९७५.०० | ९९७५.०० | ९९७५.०० |
| १३ | Resin Capsule (32*300mm) | पिस | १३८.०० | १३८.०० | १३८.०० |
| १४ | Cement Capsule(32*300mm) | पिस | ६३.०० | ६३.०० | ६३.०० |
| १५ | Microfine Cement (MFC) | के.जी. | २६६.०० | २६६.०० | २६६.०० |
| १६ | Durasport (Sport court coating) | | १३७०.०० | १३७०.०० | १३७०.०० |
| १७ | Eposeal (for water storage tanks) | | १३७०.०० | १३७०.०० | १३७०.०० |
| १८ | Duraseal WB (Water Base/Weather proofing & decorative coating for buildings) | | ७४२.०० | ७४२.०० | ७४२.०० |
| १९ | Duraseal SB (Solvent Base/Weather proofing & decorative coating for buildings exteriors) | | ७४२.०० | ७४२.०० | ७४२.०० |
| २० | K10 Sovacryl (Waterproofs external surfaces) | | १०९७.०० | १०९७.०० | १०९७.०० |
| २१ | Zinc Rich Primer (Cathodic protection to the base metal) | | ८३६.०० | ८३६.०० | ८३६.०० |
| २२ | Coaltar Epoxy ( Excellent resistance to water and alkali in steel surface) | | ४१७.०० | ४१७.०० | ४१७.०० |
| २३ | Epilux 44 Enamel (Suitable for protection of metallic objects and structures in oil refineries, paper, etc) | | ८३६.०० | ८३६.०० | ८३६.०० |
| २४ | Epilux 610 prime (anti-corrosive nature suitable for steel surfaces) | | ७४२.०० | ७४२.०० | ७४२.०० |
| २५ | Ferrotol HR Aluminium paints (Excellent durability and weather resistant properties) | | ७४२.०० | ७४२.०० | ७४२.०० |
| २६ | ROZC Primer (Exterior and interior surfaces subjected to humidity condensation and industrial environments) | | ३७१.०० | ३७१.०० | ३७१.०० |
| **F** | **BONDING ADHESIVES FOR CONCRETE & MORTAR (Polymer & Epoxy Resin)** | | | | |
| १ | Acrylic Bonding Agent For Concrete & Mortar | के.जी. | ७९९.०० | ७९९.०० | ७९९.०० |
| २ | Versatile SBR Latex for Bonding, Grouting & Repair Mortars | के.जी. | १०१२.०० | १०१२.०० | १०१२.०० |
| ३ | High Perfomanance Pure Acrylic Polymer for Concrete & Mortar Modification' & Bonding Adhesive | के.जी. | १२६०.०० | १२६०.०० | १२६०.०० |
| ४ | Two Component Epoxy Resin Bonding Agent [ For bonding new to old concrete] | के.जी. | १८९०.०० | १८९०.०० | १८९०.०० |
| **G** | **FIBERS (Steel & Polypropylene)** | | | | |
| १ | FIBERMESH MF [Monofilament PP Fibers] | के.जी. | १२६०.०० | १२६०.०० | १२६०.०० |
| २ | FIBERMESH FB [Collated PP Fibers] | के.जी. | १५७५.०० | १५७५.०० | १५७५.०० |
| ३ | FIBERMESH MACRO [Structural PP Fibers] | के.जी. | २१००.०० | २१००.०० | २१००.०० |
| ४ | Loose steel Fibers | के.जी. | २६६.०० | २६६.०० | २६६.०० |
| ५ | Glued Steel Fibers | के.जी. | ३७३.०० | ३७३.०० | ३७३.०० |
| ६ | Crimped Steel Fibers | के.जी. | २६६.०० | २६६.०० | २६६.०० |
| **H** | **SURFACE TREATMENT** | | | | |

# Water Proofing Chemicals & Treatment works

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | Protective, Decorative Anti Carbonation Coating | के.जी. | १२६०.०० | १२६०.०० | १२६०.०० |
| २ | Protective, Decorative Insulating Anti Carbonation Coating | के.जी. | १४१७.०० | १४१७.०० | १४१७.०० |
| ३ | Concrete Penetrating Corrosion Inhibitor | के.जी. | ४७२५.०० | ४७२५.०० | ४७२५.०० |
| ४ | Protective Acrylic Sealer | के.जी. | १५७५.०० | १५७५.०० | १५७५.०० |
| ५ | Protective Polyurethane Sealer | के.जी. | १८९०.०० | १८९०.०० | १८९०.०० |
| ६ | Water Based Fire Retardant Coating | के.जी. | १५७५.०० | १५७५.०० | १५७५.०० |
| ७ | High Performance Water Repellent Paint | लिटर | ९५९.०० | ९५९.०० | ९५९.०० |
| ८ | Concentrated & Emulsified Chemical Mould Release Agent | लिटर | ५३३.०० | ५३३.०० | ५३३.०० |
| ९ | Ready to use Chemical Mould Release Agent | लिटर | ५३३.०० | ५३३.०० | ५३३.०० |
| १० | Concrete Curing Aid | के.जी. | ४७९.०० | ४७९.०० | ४७९.०० |
| I | **CONCRETE REPAIRS** | | | | |
| १ | Rust Remover & Passivator | लिटर | १०५०.०० | १०५०.०० | १०५०.०० |
| २ | Corrosion Inhibitor | के.जी. | १२६०.०० | १२६०.०० | १२६०.०० |
| ३ | Micro Concrete [ M60] for Permanant Repairs | के.जी. | १४९.०० | १४९.०० | १४९.०० |
| ४ | Single Component Polymer Modified Cementitious Repair Mortar | के.जी. | १८६.०० | १८६.०० | १८६.०० |
| ५ | Two Component Polymer Modified Cementitious Repair Mortar | के.जी. | २६६.०० | २६६.०० | २६६.०० |
| ६ | Cementitious, Waterproof Crack Repair Mortar | के.जी. | २१३.०० | २१३.०० | २१३.०० |
| ७ | Acrylic Based Crack Filling Putty | के.जी. | १२६०.०० | १२६०.०० | १२६०.०० |
| J | **PREPACKED MORTARS** | | | | |
| १ | Tile, Marble, Granite etc. Adhesive | के.जी. | ९०.०० | ९०.०० | ९०.०० |
| २ | Marble & Granite etc. Adhesive | के.जी. | ३७३.०० | ३७३.०० | ३७३.०० |
| ३ | Coarse and water resistant Readymix plastring Mortar | के.जी. | ९०.०० | ९०.०० | ९०.०० |
| ४ | High Performanance Polymer Based Wall Putty (Skim Coat) | के.जी. | ९०.०० | ९०.०० | ९०.०० |
| ५ | High Performanance Polymer Based Insulting Wall Putty (Skim Coat) | के.जी. | ९५.०० | ९५.०० | ९५.०० |
| K | **WATERPROOFING SYSTEMS** | | | | |
| | **INTEGRAL** | | | | |
| १ | Integral Waterproofing Additive for Concrete & Plaster | के.जी. | २९३.०० | २९३.०० | २९३.०० |
| २ | High Performance Sodium Silicate CWS 100 Based Deep Penetrating Sealer Waterproofing System | के.जी. | ७८७५.०० | ७८७५.०० | ७८७५.०० |
| L | **LIQUID APPLIED** | | | | |
| १ | Single Pack Polymer Modified Flexible Waterproof Coating System Dose : Cover area 30 sqft. -45 sqft /kg 2 coat . | के.जी. | ७४६.०० | ७४६.०० | ७४६.०० |
| २ | Two Component Polymer Modified Flexible Elastomeric Waterproof Coating System Dose : Cover area 5 sqft. - 7 sqft /kg 2 coat . | के.जी. | ५३३.०० | ५३३.०० | ५३३.०० |
| ३ | Two Component Polymer Modified Flexible Elastomeric Waterproof & Thermal Insulating Coating System Dose : consumption : 1:kg/m2. | के.जी. | ७९९.०० | ७९९.०० | ७९९.०० |
| ४ | Heavy duty reinforced elastomeric acrylic water proof coating for terrace Dose : cover area : 6 sqft/litre 3 coat. | के.जी. | ९०६.०० | ९०६.०० | ९०६.०० |
| ५ | Acrylic elastomeric exterior water proof coating for exterior wall Dose : 35 sqft / litre 2 cost . | के.जी. | ७९९.०० | ७९९.०० | ७९९.०० |
| ६ | Crystalline Based Waterproofing System | के.जी. | ३७३.०० | ३७३.०० | ३७३.०० |
| ७ | Fast setting plugging compound for stopping running water system | के.जी. | ४२६.०० | ४२६.०० | ४२६.०० |
| ८ | Polyurethane based waterproof coating system | के.जी. | १७३२.०० | १७३२.०० | १७३२.०० |

# Water Proofing Chemicals & Treatment works

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ९ | Polymer modified Bitumen Based Water Proofing Coating System | के.जी. | १३१२.०० | १३१२.०० | १३१२.०० |
| १० | Efflorescence Resistance Penetrating primer Dose : Cover Area: 8Csqft/ltr 1 coat | के.जी. | ६३९.०० | ६३९.०० | ६३९.०० |
| M | **PREFORMED** | | | | |
| १ | Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Plain] | व. मि. | १८९०.०० | १८९०.०० | १८९०.०० |
| २ | Fiber Reinforced Polymer Modified Bituminous Membranes [3mm Mineral / Sand Finish] | व. मि. | २१००.०० | २१००.०० | २१००.०० |
| ३ | Polymer Modified Self Adhesive Bituminous Membranes [1mm] | व. मि. | ११०२.०० | ११०२.०० | ११०२.०० |
| ४ | Polymer Modified Self Adhesive Bituminous Membranes [ 2mm] | व. मि. | १५७५.०० | १५७५.०० | १५७५.०० |
| ५ | Polymer Modified Self Adhesive Bituminous Membranes with Aluminium Cover | व. मि. | १५७५.०० | १५७५.०० | १५७५.०० |
| ६ | 1.2 mm High Polymer PVC Membranes | व. मि. | २१००.०० | २१००.०० | २१००.०० |
| ७ | PVC Adhesive | के.जी. | २६२५.०० | २६२५.०० | २६२५.०० |
| ८ | 1.2 mm EPDM Membranes | व. मि. | २६२५.०० | २६२५.०० | २६२५.०० |
| ९ | EPDM Adhesive | के.जी. | २६२५.०० | २६२५.०० | २६२५.०० |
| १० | EPDM Primer | के.जी. | ३१५०.०० | ३१५०.०० | ३१५०.०० |
| ११ | 2mm TPO Membranes | व. मि. | ३६७५.०० | ३६७५.०० | ३६७५.०० |
| १२ | Polythene & Polypropylene Polymer Compound Waterproof Membrane | व. मि. | ८५२.०० | ८५२.०० | ८५२.०० |
| १३ | 100% Synthetic Rubber Roof Coating | के.जी. | ४७२५.०० | ४७२५.०० | ४७२५.०० |
| N | **SPECIALTY** | | | | |
| १ | Antistripping Agent for Bitumen | के.जी. | ५८६.०० | ५८६.०० | ५८६.०० |
| २ | Cold Applied Multi Purpose Modified Bituminous Compound in semi Liquid Creamy for Bonding | के.जी. | २३९.०० | २३९.०० | २३९.०० |
| ३ | Cold Applied Viscous Heavy Duty Modified Bituminous Protective water Barrier Coating for Below Ground Structures (Raft / Pile / Footings etc) | के.जी. | ५५९.०० | ५५९.०० | ५५९.०० |
| ४ | Bituminous based Aluminized Heat Reflective Paint | के.जी. | ६९३.०० | ६९३.०० | ६९३.०० |
| ५ | Cold Applied Sealing & Calking Compound | के.जी. | १३१२.०० | १३१२.०० | १३१२.०० |
| ६ | ROAD REPAIR PRE-MIX | के.जी. | १०५०.०० | १०५०.०० | १०५०.०० |
| ७ | ANTI CORROSIVE PIPE WRAP 2 mm | के.जी. | ७९९.०० | ७९९.०० | ७९९.०० |
| ८ | ANTI CORROSIVE PIPE WRAP 4 mm | के.जी. | १०५०.०० | १०५०.०० | १०५०.०० |
| ९ | Anti Termite [ Imidacloprid 30.5% ] | के.जी. | १२०००.०० | १२०००.०० | १२०००.०० |
| १० | Expanding Concrete Joint WATERSTOP | र. मि. | २६२५.०० | २६२५.०० | २६२५.०० |
| ११ | WB ADHESIVE Primer for Expanding Waterstop | लिटर | ७८७५.०० | ७८७५.०० | ७८७५.०० |
| १२ | Swellable WATERSTOP | र. मि. | २६२५.०० | २६२५.०० | २६२५.०० |
| १३ | SEALGUARD PVC WATERSTOP - PVC Waterstops | र. मि. | २६२५.०० | २६२५.०० | २६२५.०० |
| १४ | Nodular Drain with Geotextile Roof Garden | व. मि. | २६२५.०० | २६२५.०० | २६२५.०० |
| १५ | SEALGUARD GEOTEX [P] -Polyester Geotextile | व. मि. | ११७.०० | ११७.०० | ११७.०० |
| १६ | XPS - Extruded Polystyrene Boards [ 25 mm] | व. मि. | २८००.०० | २८००.०० | २८००.०० |
| १७ | XPS - Extruded Polystyrene Boards [ 50 mm] | व. मि. | ३६७५.०० | ३६७५.०० | ३६७५.०० |
| | **Water Treatment Components** | | | | |
| a | **Pump** | | | | |

# Water Proofing Chemicals & Treatment works

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 1 | Vessel Pump- 5Hp High head(40-55M head) Centrifugal Pump. | गोटा | १००००० | १००००० | १००००० |
| 2 | Vessel Pump- 7.5Hp High head(40-55M head) Centrifugal Pump. | गोटा | १२३००० | १२३००० | १२३००० |
| **b** | **Motorized Actuator Butterfly Valve with CI Materials** | | | | |
| 1 | 6" Dia | गोटा | ११८००० | ११८००० | ११८००० |
| 2 | 4" Dia | गोटा | ६८५०० | ६८५०० | ६८५०० |
| 3 | 3" Dia | गोटा | ५७५०० | ५७५०० | ५७५०० |
| 4 | 2.5" Dia | गोटा | ४२००० | ४२००० | ४२००० |
| 5 | 2" Dia | गोटा | ३७५०० | ३७५०० | ३७५०० |
| **c** | **Vessel Strainer Top and Bottom (2 pieces= 1 set)** | | | | |
| 1 | 40m3/Hour | सेट | २६१२५ | २६१२५ | २६१२५ |
| 2 | 25m3/Hour | सेट | २१३७५ | २१३७५ | २१३७५ |
| 3 | 15m3/Hour | सेट | १४२५० | १४२५० | १४२५० |
| 4 | 9m3/Hour | सेट | ७१२५ | ७१२५ | ७१२५ |
| **d** | **Air Release And Vaccum Breaker valve( 1 unit per Vessel)** | | | | |
| 1 | 1" Small | गोटा | १५०० | १५०० | १५०० |
| 2 | 1" Big | गोटा | ३३२५ | ३३२५ | ३३२५ |
| 3 | 2" Big | गोटा | ८०७५ | ८०७५ | ८०७५ |
| **e** | **Rotameter** | | | | |
| 1 | Small(upto 5m3/h in 3/4" or 1" Male or Female Thread) | गोटा | ७६०० | ७६०० | ७६०० |
| 2 | Medium(upto 10m3/h in 1.5" or 2" Male or Female Thread) | गोटा | १९००० | १९००० | १९००० |
| 3 | Big(40m3-60m3/h in 3" Thread or Flange type) | गोटा | २६१२५ | २६१२५ | २६१२५ |
| **f** | **Pressure Gauze(Glycerenine/Liquid Filled)** | | | | |
| 1 | Pressure Range 0-7Kg or 0-21Kg/ Side or Buttom Thread | गोटा | १२५० | १२५० | १२५० |
| **g** | **Automatic Vessel Control Panel** | | | | |
| 1 | Semi Scada Control Panel with GSM/GPRS-Support features(MASTER) | गोटा | १२०००० | १२०००० | १२०००० |
| 2 | Semi Scada Control Panel (Slave) | गोटा | ७०००० | ७०००० | ७०००० |
| **h** | **FRP Water Filter Vessels** | | | | |
| 1 | 14" Dia x 65" Height T/B 4"/Threaded | गोटा | २१८५० | २१८५० | २१८५० |
| 2 | 16" Dia x 65" Height T/B 4"/ Threaded | गोटा | २२८०० | २२८०० | २२८०० |
| 3 | 18" Dia x 65" Height T/B 4"/ Threaded | गोटा | २६१२५ | २६१२५ | २६१२५ |
| 4 | 24" Dia x 72" Height T/B 4"/ Threaded | गोटा | ५२२५० | ५२२५० | ५२२५० |
| 5 | 30" Dia x 72" Height T/B 4"/ Threaded | गोटा | १०४५०० | १०४५०० | १०४५०० |
| 6 | 36" Dia x 72" Height T/B 4"/ Threaded | गोटा | ११६८५० | ११६८५० | ११६८५० |

# Water Proofing Chemicals & Treatment works

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 7 | 42" Dia x 72" Height T/B 6"/**Flange** | गोटा | १५२०००.०० | १५२०००.०० | १५२०००.०० |
| 8 | 42" Dia x 72" Height T/B 6"/Threaded | गोटा | १९००००.०० | १९००००.०० | १९००००.०० |
| 9 | 48" Dia x 72" Height T/B 6"/ Threaded | गोटा | २१३७५०.०० | २१३७५०.०० | २१३७५०.०० |
| 10 | 48" Dia x 72" Height T/B 6"/**Flange** | गोटा | २४२२५०.०० | २४२२५०.०० | २४२२५०.०० |
| **i** | **Chemical Dosing Pump and Components** | | | | |
| 1 | 4 Liter Per Hour at 4Kg pressure | गोटा | २१३७५.०० | २१३७५.०० | २१३७५.०० |
| 2 | Solenoid Valve 3/4" to 1" Normally open/close 220V AC (plastic, Brass or SS materials) | गोटा | ५२२५.०० | ५२२५.०० | ५२२५.०० |
| 3 | Float switch Heavy with 16A wire/ 3 meter | गोटा | २३७५.०० | २३७५.०० | २३७५.०० |
| 4 | 100Ltrs Poly tank as Chemical tank | गोटा | १४२५.०० | १४२५.०० | १४२५.०० |
| 5 | Zeolite Surb Sand | के.जी. | ६१६.०० | ६१६.०० | ६१६.०० |
| 7 | Mangnese Dioxide(MnO2) | के.जी. | ११८.८० | ११८.८० | ११८.८० |
| 8 | Calcite | के.जी. | ३१५.०० | ३१५.०० | ३१५.०० |
| 9 | Anthracite | के.जी. | २७७.५० | २७७.५० | २७७.५० |
| 10 | Katlox lite | के.जी. | ५०६.२५ | ५०६.२५ | ५०६.२५ |
| 11 | Catalytic Carbon | के.जी. | १८००.०० | १८००.०० | १८००.०० |
| 12 | Titansorb | के.जी. | २७००.०० | २७००.०० | २७००.०० |

प्रमुख जिल्ला अधिकारी

# WATER PROOFING MEMBRANE

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | 1.2 mm thick flexible waterproofing membrane consisting HDPE Carrier sheet | व.मि. | ४६२०.०० | ४६२०.०० | ४६२०.०० |
| २ | Elastomeric cold spray liquid waterproofing system to provide a homogeneous 2mm minimum thick fully bounded membrane. | व.मि. | ३९९०.०० | ३९९०.०० | ३९९०.०० |
| ३ | Supply and installing hydrophilic resin and elastomer based strip Swellseal 3V of 20mm x 10 mm fixed with nailing or adhesive fixer by manufacture approved applicator for construction joint treatment | व.मि. | १२६०.०० | १२६०.०० | १२६०.०० |
| ४ | Waterproofing of Podium Deck(Landscape/Hardscape) with GCP Single component liquid Polyurethane Waterproofing membrane | व.मि. | ४४१०.०० | ४४१०.०० | ४४१०.०० |
| ५ | Waterproofing of elevated Swimming Pools/ Terrace Garden with ESSELAC based Advanced resin system-Integritank @ 2mm thick( No protection required) | व.मि. | २९४०.०० | २९४०.०० | २९४०.०० |
| ६ | Providing and Applying polymer modified arcylic base two component , flexible waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition. Aquafin-2K/M plus or equivalent having Crack-bridging to ASTM C836: > 2.0 mm Elongation, to ASTM D 412-16: ca. 192 % and Water tightness when installed: 2.5 bar meeting the ( ASTM D 412-98 a) over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete. | व.मी. | १०७६.०० | १०७६.०० | १०७६.०० |
| ७ | Providing and Applying crystalline base ,waterproofing coating in two layers applied in horizontal and vertical strokes, when each coat is in tacky condition, Aquafin-IC that can resists 130m from positive and negative side that should match German DVGW worksheets W 347 AND W 270, over the prepared RCC slab and on the vertical surfaces . After 3 days ponding the area with water for 3 days to test water tightness etc. complete. | व.मी | ६२९.०० | ६२९.०० | ६२९.०० |
| ८ | Providing the thermoplastic expansive waterstop having swelling capacity > 700% after 8 days and expansive pressure approx 1.05 N/MM2 for waterproofing construction joints. | र.फि. | १७५.०० | १७५.०० | १७५.०० |
| ९ | Providing the bonding emulsion Aquafin latex having specific gravity 1.05 kg/l based on polymer emulsion styrene butadiene co polymer for additive for screeds and mortars and for new and old concrete joints. | के.जी. | १०५५.०० | १०५५.०० | १०५५.०० |
| १० | Providing the ASO-Joint-Tape-2000 for water proofing works at Corner Joints of wall and floor and also for pipe seal works basis from fleece -membrane - fleece colour in white, showing SCHOMBURG logo and name of thickness 0.3 mm and allow initial movement:max. 30% of the joint width having tension at least 0.5 N/mm 2 | | | | |
| | 12 cm | र.मि. | ४२१.०० | ४२१.०० | ४२१.०० |
| | 20 cm | र.मि. | ६१३.०० | ६१३.०० | ६१३.०० |

## STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| A | STRUCTURAL STRENGTHENING | | | | |
| १ | Carbon Laminate [50 mm Wide 1.4 mm Thick] | र. मि. | ८९२५.०० | ८९२५.०० | ८९२५.०० |
| २ | Carbon Laminate [75 mm Wide 1.4 mm Thick] | र. मि. | १०४००.०० | १०४००.०० | १०४००.०० |
| ३ | Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 230 GSM | ब. मि. | ८४००.०० | ८४००.०० | ८४००.०० |
| ४ | Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 450 GSM | ब. मि. | १२४८०.०० | १२४८०.०० | १२४८०.०० |
| ५ | Fiber Reinforced Polymer] CARBON FiberWRAP Sheet 640 | ब. मि. | १६६४०.०० | १६६४०.०० | १६६४०.०० |
| ६ | Fiber Reinforced Polyer] GLASS FiberWRAP Sheet 900 GSM | ब. मि. | १२४८०.०० | १२४८०.०० | १२४८०.०० |
| ७ | EPOXY PRIMER | के.जी. | ३६७५.०० | ३६७५.०० | ३६७५.०० |
| ८ | SATURANT | के.जी. | ३६७५.०० | ३६७५.०० | ३६७५.०० |
| ९ | LAMINATE ADHESIVE | के.जी. | २६२५.०० | २६२५.०० | २६२५.०० |
| १० | EPOXY TOPCOAT | के.जी. | ३६७५.०० | ३६७५.०० | ३६७५.०० |
| ११ | POLYURETHANE TOPCOAT | के.जी. | ४७२५.०० | ४७२५.०० | ४७२५.०० |
| १२ | Glass Fiber anchor system 5to 10 mm | र. मि. | २६२५.०० | २६२५.०० | २६२५.०० |
| १३ | Carbon Fiber anchor system 5to 10 mm | र. मि. | ३६७५.०० | ३६७५.०० | ३६७५.०० |
| १४ | Carbon Laminate [50 mm Wide 2 mm Thick] | र. मि. | १०४००.०० | १०४००.०० | १०४००.०० |
| १५ | Carbon Laminate [75 mm Wide 2 mm Thick] | र. मि. | १२४८०.०० | १२४८०.०० | १२४८०.०० |
| B | **Horizontal Expansion Joint for Slab** | | | | |
| १ | Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4" | र. मि. | १०९०९.०० | १०९०९.०० | १०९०९.०० |
| २ | Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8" | र. मि. | १२९५८.०० | १२९५८.०० | १२९५८.०० |
| ३ | Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12" | र. मि. | १५३५०.०० | १५३५०.०० | १५३५०.०० |
| ४ | Expansion Joint for Horizontal Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18" | र. मि. | २०४६७.०० | २०४६७.०० | २०४६७.०० |
| C | **Expansion Joint for Basement** | | | | |
| १ | Expansion Joint for Basement Area with 3 to 5mm Different Aluminium Plates and Covering with 20 gauge copper sheet with Joint Gap upto 4" Gap | र. मि. | १८७६१.०० | १८७६१.०० | १८७६१.०० |
| D | **Expansion Joint for Roof** | | | | |
| १ | Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap upto 4" | र. मि. | १३०८३.०० | १३०८३.०० | १३०८३.०० |
| २ | Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 5" to 8" | र. मि. | १५५५३.०० | १५५५३.०० | १५५५३.०० |
| ३ | Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 9" to 12" | र. मि. | १८४१८.०० | १८४१८.०० | १८४१८.०० |
| ४ | Expansion Joint for Roof Slab Area with 3 to 5mm Different Aluminium Plates with Joint Gap from 13" to 18" | र. मि. | २४५५९.०० | २४५५९.०० | २४५५९.०० |
| E | **Inside Vertical Expansion Joint** | | | | |

## STRUCTURAL STRENGTHENING & SEISMIC RETROFITTING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap upto 4" | र. मि. | ६८८८.०० | ६८८८.०० | ६८८८.०० |
| २ | Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8" | र. मि. | ८६१०.०० | ८६१०.०० | ८६१०.०० |
| ३ | Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12" | र. मि. | १०३३२.०० | १०३३२.०० | १०३३२.०० |
| ४ | Expansion Joint for Inside Vertical Wall and Ceiling Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18" | र. मि. | १३६४४.०० | १३६४४.०० | १३६४४.०० |
| **F** | **Outside Vertical Expansion Joint** | | | | |
| १ | Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap upto 4" | र. मि. | ७९१७.०० | ७९१७.०० | ७९१७.०० |
| २ | Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 5" to 8" | र. मि. | ९९०१.०० | ९९०१.०० | ९९०१.०० |
| ३ | Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 9" to 12" | र. मि. | ११७६२.०० | ११७६२.०० | ११७६२.०० |
| ४ | Expansion Joint for Outside Vertical Wall Area with 3mm Different Aluminium Plates with Joint Gap from 13" to 18" | र. मि. | १५६८३.०० | १५६८३.०० | १५६८३.०० |

# Cement Concrete Block

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | **Interlocking Cement Concrete Block ( Not less than M20 concrete** | | | | |
| | Curb stone-Not less than M20 concrete | र.मि | 1103.00 | ११०३.०० | ११०३.०० |
| | **25 mm thick C.C. Tile (Grey color)**-Burfi , Round , Baby Checker | व.मि | 42.00 | ४२.०० | ४२.०० |
| | **25 mm thick C.C. Tile (Red color)**-Burfi , Round , Baby Checker | व.मि | 44.00 | ४४.०० | ४४.०० |
| | **50 mm thick CC Block (Grey color)**-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock | व.मि | 51.00 | ५१.०० | ५१.०० |
| | 50 mm thick CC Block (Red color)-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock | व.मि | 52.00 | ५२.०० | ५२.०० |
| | **60 mm thick CC Block (Grey color)**-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock | व.मि | 53.00 | ५३.०० | ५३.०० |
| | **60 mm thick CC Block (Red color)**-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock , Plus Interlock | व.मि | 55.00 | ५५.०० | ५५.०० |
| | **70 mm thick CC Block (Red color)**-Cosmix , Hexagon , Threehex , Royal tone Interlock , I-Interlock | व.मि | 62.00 | ६२.०० | ६२.०० |
| २ | **60 mm thick CC Block ( Oem or equivalent )** | | | | |
| | Brick type (23*11*6cm)non colour | गोटा | 10.00 | १०.०० | १०.०० |
| | Hexagon (22*22 cm) non colour | गोटा | 23.00 | २३.०० | २३.०० |
| | Hexagon (22*22 cm) colour | गोटा | 25.00 | २५.०० | २५.०० |
| | Squre paver (30*30*4.5cm)non colour | गोटा | 31.00 | ३१.०० | ३१.०० |
| | Squre paver (30*30*4.5cm)colour | गोटा | 35.00 | ३५.०० | ३५.०० |
| | inter block(24*13*6cm) | गोटा | 15.00 | १५.०० | १५.०० |
| | Isave paver (20*16*6cm) | गोटा | 17.00 | १७.०० | १७.०० |
| ३ | **Concrete Block different items** | | | | |
| | Hollow Block ( 16"*8"*6") | गोटा | 79.00 | ७९.०० | ७९.०० |
| | Hollow Block ( 16"*8"*4") | गोटा | 70.00 | ७०.०० | ७०.०० |
| | Corner Hollow Block ( 16"*8"*6") | गोटा | 89.00 | ८९.०० | ८९.०० |
| | Lintel Block ( 16"*8"*6") | गोटा | 89.00 | ८९.०० | ८९.०० |
| | Pavers Block ( fish or other shape ) 60mm thick | गोटा | 20.00 | २०.०० | २०.०० |
| | concrete Brick ( 9"*4"*2.5") | गोटा | 12.00 | १२.०० | १२.०० |
| ४ | **Concrete block** | | | | |
| | Concrete block size (40*15*20 ) cm | गोटा | 40.00 | ४०.०० | ४०.०० |
| | Concrete block size ( 40*10*20 ) cm | गोटा | 35.00 | ३५.०० | ३५.०० |
| | Concrete block size ( 39*14*19 ) cm | गोटा | 55.00 | ५५.०० | ५५.०० |
| ५ | **Cellular light weight concrete(CLC) block** | | | | |
| | Cellular light weight concrete(CLC) block- 24"x8"x4" | गोटा | 124.00 | १२४.०० | १२४.०० |
| | Cellular light weight concrete(CLC) block 24"x8"x6" | गोटा | 187.00 | १८७.०० | १८७.०० |
| | Cellular light weight concrete(CLC) block24"x8"x8" | गोटा | 250.00 | २५०.०० | २५०.०० |
| ७ | **Interlock Concrete Paving Blocks** | | | | |
| | Behaton Interlock I Paver (Grey Color) with Compressive Strength M25 or Above 80MM Thickness. | व.मी | 2391.00 | २३९१.०० | २३९१.०० |
| | Behatone Interlock I Paver (Single Color) with Compressive Strength M25 or Above. 80MM Thickness | व.मी | 2968.00 | २९६८.०० | २९६८.०० |

# Cement Concrete Block

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मू.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Behatoo Interlock I Paver (Multi Color) with Compressive Strength M25 or Above. 80MM Thickness | व.मी | 3639.00 | ३६३९.०० | ३६३९.०० |
| | Hexagon Interlock Pavers (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness | व.मी | 1768.00 | १७६८.०० | १७६८.०० |
| | Interlock Pavers (Single Color) with Compressive Strength M25 or Above. 60MM Thickness | व.मी | 2223.00 | २२२३.०० | २२२३.०० |
| | Hexagon Interlock Pavers (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness | व.मी | 2701.00 | २७०१.०० | २७०१.०० |
| | Rectangular Interlock Paver (Grey Color) with Compressive Strength M25 or Above. 60MM Thickness | व.मी | 1920.00 | १९२०.०० | १९२०.०० |
| | Rectangular Interlock Paver (Single Color) with Compressive Strength M25 or Above. 60MM Thickness | व.मी | 2439.00 | २४३९.०० | २४३९.०० |
| | Rectangular Interlock Paver (Multi Color) with Compressive Strength M25 or Above. 60MM Thickness | व.मी | 2958.00 | २९५८.०० | २९५८.०० |
| | Half Battered Kerb Stone with Compressive Strength M25 or Above | र.मी | 1668.00 | १६६८.०० | १६६८.०० |
| | Bull Nose Kerb Stone with Compressive Strength M25 or Above | र.मी | 1944.00 | १९४४.०० | १९४४.०० |
| | Matrix Slab (Grey Color) with Compressive Strength M25 or Above. 40MM Thickness | व.मी | 1136.00 | ११३६.०० | ११३६.०० |
| | Matrix Slab (Single Color) with Compressive Strength M25 or Above. 40MM Thickness | व.मी | 1362.00 | १३६२.०० | १३६२.०० |
| | Matrix Slab (Multi Color) with Compressive Strength M25 or Above. 40MM Thickness | व.मी | 1768.00 | १७६८.०० | १७६८.०० |
| ८ | **CONCRETE PAVING BLOCKS** | | | | |
| | Behatoo Interlock I Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 | व.मी. | 1656.45 | 1656.45 | 1656.45 |
| | Behatoo Interlock I Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 | व.मी. | 1987.74 | 1987.74 | 1987.74 |
| | Behatoo Interlock I Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 | व.मी. | 2098.17 | 2098.17 | 2098.17 |
| | Behatoo Interlock I Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 | व.मी. | 2080.00 | 2080.00 | 2080.00 |
| | Behatoo Interlock I Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 | व.मी. | 2325.00 | 2325.00 | 2325.00 |
| | Behatoo Interlock I Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 | व.मी. | 2428.00 | 2428.00 | 2428.00 |
| | Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 | व.मी | 1336.39 | 1336.39 | 1336.39 |
| | Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 | व.मी | 1603.67 | 1603.67 | 1603.67 |
| | Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 | व.मी. | 1692.76 | 1692.76 | 1692.76 |
| | Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80 mm) | व.मी. | 1848.00 | 1848.00 | 1848.00 |
| | Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80 mm) | व.मी | 2014.00 | 2014.00 | 2014.00 |
| | Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:226*200*80mm ) | व.मी. | 2097.00 | 2097.00 | 2097.00 |
| | Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 | व.मी. | 1324.00 | 1324.00 | 1324.00 |

# Cement Concrete Block

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 | व.मी. | 1490.00 | 1490.00 | 1490.00 |
| | Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 | व.मी. | 1572.00 | 1572.00 | 1572.00 |
| | Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm) | व.मी. | 1076.00 | 1076.00 | 1076.00 |
| | Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm) | व.मी. | 1296.00 | 1296.00 | 1296.00 |
| | Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:226*200*50 mm) | व.मी. | 1379.00 | 1379.00 | 1379.00 |
| | Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 | व.मी. | 1930.34 | 1930.34 | 1930.34 |
| | Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 | व.मी. | 2138.23 | 2138.23 | 2138.23 |
| | Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 | व.मी. | 2227.32 | 2227.32 | 2227.32 |
| | Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 | व.मी. | 1848.00 | 1848.00 | 1848.00 |
| | Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 | व.मी. | 2014.00 | 2014.00 | 2014.00 |
| | Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 | व.मी. | 2097.00 | 2097.00 | 2097.00 |
| | Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 | व.मी. | 2055.00 | 2055.00 | 2055.00 |
| | Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 | व.मी. | 2349.00 | 2349.00 | 2349.00 |
| | Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 | व.मी. | 2459.00 | 2459.00 | 2459.00 |
| | Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 | व.मी. | 3766.00 | 3766.00 | 3766.00 |
| | Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 | व.मी. | 4051.00 | 4051.00 | 4051.00 |
| | Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 | व.मी. | 4332.00 | 4332.00 | 4332.00 |
| | Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 | व.मी. | 5648.49 | 5648.49 | 5648.49 |
| | Zigzag Interlock Pavers Single Color with compressive strength M55or above. Thickness: 120mm, Dimension:225*112.5*120 | व.मी. | 6043.49 | 6043.49 | 6043.49 |
| | Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 | व.मी. | 6477.99 | 6477.99 | 6477.99 |
| | Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 | व.मी. | 1784.00 | 1784.00 | 1784.00 |
| | Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 | व.मी | 2275.00 | 2275.00 | 2275.00 |

# Cement Concrete Block

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | गु.त्र.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 | व.मी. | 2814.00 | 2814.00 | 2814.00 |
| | Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 | व.मी. | 3921.00 | 3921.00 | 3921.00 |
| | Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 | व.मी. | 4297.00 | 4297.00 | 4297.00 |
| | Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 | व.मी. | 4618.00 | 4618.00 | 4618.00 |
| | Romba 3D interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm) | व.मी. | 1618.00 | 1618.00 | 1618.00 |
| | Romba 3D interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm) | व.मी. | 1782.00 | 1782.00 | 1782.00 |
| | Romba 3D interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:200*173 *60mm) | व.मी. | 1837.00 | 1837.00 | 1837.00 |
| | Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 | व.मी. | 1480.00 | 1480.00 | 1480.00 |
| | Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 | व.मी. | 1706.00 | 1706.00 | 1706.00 |
| | Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 | व.मी. | 1802.00 | 1802.00 | 1802.00 |
| | Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 | व.मी. | 1774.68 | 1774.68 | 1774.68 |
| | Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 | व.मी. | 2249.59 | 2249.59 | 2249.59 |
| | Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 | व.मी. | 2799.49 | 2799.49 | 2799.49 |
| | Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 | व.मी. | 1749.00 | 1749.00 | 1749.00 |
| | Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 | व.मी. | 2060.00 | 2060.00 | 2060.00 |
| | Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 | व.मी. | 2332.00 | 2332.00 | 2332.00 |
| | Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 | व.मी. | 1710.00 | 1710.00 | 1710.00 |
| | Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 | व.मी. | 2022.00 | 2022.00 | 2022.00 |
| | Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 | व.मी. | 2333.00 | 2333.00 | 2333.00 |
| | Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 | व.मी. | 1610.00 | 1610.00 | 1610.00 |
| | Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 | व.मी. | 1783.00 | 1783.00 | 1783.00 |
| | Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 | व.मी. | 1858.00 | 1858.00 | 1858.00 |
| | Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 | व.मी. | 1579.00 | 1579.00 | 1579.00 |

# Cement Concrete Block

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 | व.मी. | 1741.00 | 1741.00 | 1741.00 |
| | Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 | व.मी. | 1834.00 | 1834.00 | 1834.00 |
| | Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm | व.मी. | 1741.00 | 1741.00 | 1741.00 |
| ९ | **CONCRETE PAVING TILES (M35 Grade)** | | | | |
| | Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) | व.मी. | 1361.00 | 1361.00 | 1361.00 |
| | Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) | व.मी. | 1507.00 | 1507.00 | 1507.00 |
| | Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) | व.मी. | 1701.00 | 1701.00 | 1701.00 |
| | Matrix Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) | व.मी. | 2625.66 | 2625.66 | 2625.66 |
| | Matrix Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) | व.मी. | 2938.23 | 2938.23 | 2938.23 |
| | Matrix Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) | व.मी. | 3282.07 | 3282.07 | 3282.07 |
| १० | **CONCRETE KERB-STONES** | | | 0.00 | 0.00 |
| | Half battend Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:300*200*350mm | र.फि. | 350.00 | 350.00 | 350.00 |
| | Half battend Kerbstone Grey Color with compressive strength M20. (Specification: Thickness: 200mm, Dimension:300*200*350mm) | र.फि. | 363.00 | 363.00 | 363.00 |
| | Half battend Kerbstone Grey Color with compressive strength M25. (Specification: Thickness: 200mm, Dimension:300*200*350mm) | र.फि. | 401.00 | 401.00 | 401.00 |
| | Half battend Kerbstone Grey Color with compressive strength M15. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) | र.फि. | 449.00 | 449.00 | 449.00 |
| | Half battend Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) | र.फि. | 465.00 | 465.00 | 465.00 |
| | Half battend Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) | र.फि. | 513.00 | 513.00 | 513.00 |

# Cement Concrete Block

| शि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Bullnose Kerbstone Grey Color with compressive strength M15 (Specification: Thickness: 200mm, Dimension:200*350*300mm) | र.फि. | 391.00 | 391.00 | 391.00 |
| | Bullnose Kerbstone Grey Color with compressive strength M20, Thickness: 200mm, Dimension 300*200*350 (LxBxH) | र.फि. | 447.00 | 447.00 | 447.00 |
| | Bullnose Kerbstone Grey Color with compressive strength M25, Thickness: 200mm, Dimension:300*200*350 (LxBxH) | र.फि. | 477.00 | 477.00 | 477.00 |
| | V Shape Drain Male & Female set with compressive strength M35 Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH) | र.मी. | 1775.00 | 1775.00 | 1775.00 |
| ११ | **CONCRETE ENGINEERED BRICKS AND HOLLOW-BLOCKS** | | | | |
| | Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks) | गोटा | 20.00 | 20.00 | 20.00 |
| | Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks) | गोटा | 22.00 | 22.00 | 22.00 |
| | Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks) | गोटा | 18.00 | 18.00 | 18.00 |
| | Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks) | गोटा | 19.00 | 19.00 | 19.00 |
| | Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made) | गोटा | 152.00 | 152.00 | 152.00 |
| | Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made) | गोटा | 180.00 | 180.00 | 180.00 |
| | Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made) | गोटा | 109.00 | 109.00 | 109.00 |
| | Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made) | गोटा | 125.00 | 125.00 | 125.00 |
| | Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made) | गोटा | 92.00 | 92.00 | 92.00 |
| | Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made) | गोटा | 104.00 | 104.00 | 104.00 |
| १२ | **CONCRETE PAVING BLOCKS** | | | | |
| | Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm) | व.मी. | 1545.00 | 1545.00 | 1545.00 |
| | Hexagon Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm) | व.मी. | 1738.00 | 1738.00 | 1738.00 |
| | Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 70mm, Dimension:226*200*70mm) | व.मी. | 1821.00 | 1821.00 | 1821.00 |
| | Behaton Interlock I Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm) | व.मी. | 1333.00 | 1333.00 | 1333.00 |

प्रमुख जिल्ला अधिकारी

# Cement Concrete Block

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | नु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Behaton Interlock / Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm) | व.मी. | 1590.00 | 1590.00 | 1590.00 |
| | Behaton Interlock / Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 50mm, Dimension:200*165*50mm) | व.मी. | 1675.00 | 1675.00 | 1675.00 |
| | Zigzag Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm) | व.मी. | 2055.00 | 2055.00 | 2055.00 |
| | Zigzag Interlock Pavers Single Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm) | व.मी. | 2349.00 | 2349.00 | 2349.00 |
| | Zigzag Interlock Pavers Blended Color with compressive strength M35 or above. (Specification: Thickness: 80mm, Dimension:225*112.5*80mm) | व.मी. | 2459.00 | 2459.00 | 2459.00 |
| | Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm. Dimension:1140x960x60mm/ Pallet | व.मी. | 2501.00 | 2501.00 | 2501.00 |
| | Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm. Dimension:1140x960x60mm/ Pallet | व.मी. | 2769.00 | 2769.00 | 2769.00 |
| | Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm. Dimension:1140x960x60mm/ Pallet | व.मी. | 2858.00 | 2858.00 | 2858.00 |
| | Grass Interlock Pavers Grey Color with compressive strength M35 or above. (Specification: Thickness: 80mm. Dimension:400x600x80mm) | व.मी. | 1741.00 | 1741.00 | 1741.00 |
| १३ | **CONCRETE PAVING TILES (M35 Grade)** | | | | |
| | Mixed Fusion Slab / Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) | व.मी. | 1481.00 | 1481.00 | 1481.00 |
| | Mixed Fusion Slab / Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) | व.मी. | 1618.00 | 1618.00 | 1618.00 |
| | Mixed Fusion Slab / Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%) | व.मी. | 1803.00 | 1803.00 | 1803.00 |
| १४ | CONCRETE KERB-STONES | | | | |
| | Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 165mm, Dimension:300*165*325mm) | र.फि. | 278.00 | 278.00 | 278.00 |
| | Half batterd Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) | र.फि. | 297.00 | 297.00 | 297.00 |
| | Half batterd Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) | र.फि. | 330.00 | 330.00 | 330.00 |
| | Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) | र.फि. | 451.78 | 451.78 | 451.78 |
| | Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) | र.फि. | 492.39 | 492.39 | 492.39 |

# Cement Concrete Block

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Half batterd Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:380*200*250mm) | र.फि. | 350.00 | 350.00 | 350.00 |
| | Half batterd Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 380*200*250mm (LxBxH) | र.फि. | 363.00 | 363.00 | 363.00 |
| | Half batterd Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 380*200*250mm (LxBxH) | र.फि. | 401.00 | 401.00 | 401.00 |
| | Bullnose Kerbstone Grey Color with compressive strength M15. (Specification: Thickness: 200mm, Dimension:300*200*350mm) | र.फि. | 391.00 | 391.00 | 391.00 |
| | Bullnose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) | र.फि. | 419.00 | 419.00 | 419.00 |
| | Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) | र.फि. | 448.00 | 448.00 | 448.00 |
| | EPS-C(Expanded polystyreneconcrete) Block | | | | |
| १ | EPS-C Blocks 24"x4"x8" **(LxBxH)** | गोटा | 146.00 | 146.00 | 146.00 |
| २ | EPS-C Blocks 24"x6"x8" **(LxBxH)** | गोटा | 219.00 | 219.00 | 219.00 |
| ३ | EPS-C Blocks 24"x8"x8" **(LxBxH)** | गोटा | 292.00 | 292.00 | 292.00 |

# NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | Surface Hardness | Element | १०२७.०० | १०२७.०० | १०२७.०० |
| २ | Cover Survey/ Rebar Orientation | Element | ४१०८.०० | ४१०८.०० | ४१०८.०० |
| ३ | Homogeneity | Element | ५१३५.०० | ५१३५.०० | ५१३५.०० |
| ४ | Crack Depth Measurement | Element | ५१३५.०० | ५१३५.०० | ५१३५.०० |
| ५ | E-Modulus Calculation Test | Element | ५१३५.०० | ५१३५.०० | ५१३५.०० |
| ६ | Resistivity | Element | २५६७.०० | २५६७.०० | २५६७.०० |
| ७ | Curing Efficency Test | Element | २५६७.०० | २५६७.०० | २५६७.०० |
| ८ | Corrosion Mapping | Element | १५४०५.०० | १५४०५.०० | १५४०५.०० |
| ९ | Half Cell Potential | Element | ७१८९.०० | ७१८९.०० | ७१८९.०० |
| १० | Sonic Echo/ Void Detection Test | Element | १०२७०.०० | १०२७०.०० | १०२७०.०० |
| ११ | Pulloff Test/ Bond Test | Element | ७१८९.०० | ७१८९.०० | ७१८९.०० |
| १२ | Concrete Tensile Strength Test | Element | ७१८९.०० | ७१८९.०० | ७१८९.०० |
| १३ | Moisture Content | Element | ४६२१.०० | ४६२१.०० | ४६२१.०० |
| १४ | Core Extraction | | | | |
| | 32 mm Dia | Element | ७७०२.०० | ७७०२.०० | ७७०२.०० |
| | 52 mm Dia | Element | ८२१६.०० | ८२१६.०० | ८२१६.०० |
| | 75 mm Dia | Element | ८७२९.०० | ८७२९.०० | ८७२९.०० |
| | 100 mm Dia | Element | १०२७.०० | १०२७.०० | १०२७.०० |
| | 150 mm Dia | Element | १२८३७.०० | १२८३७.०० | १२८३७.०० |
| | 200 mm Dia | Element | १५४०५.०० | १५४०५.०० | १५४०५.०० |
| | 250 mm Dia | Element | १७९७२.०० | १७९७२.०० | १७९७२.०० |
| | 300 mm Dia | Element | २०५४०.०० | २०५४०.०० | २०५४०.०० |
| | 350 mm Dia | Element | २५६७५.०० | २५६७५.०० | २५६७५.०० |
| १५ | Rapid Chloride Penetration Test | Element | १५४०५.०० | १५४०५.०० | १५४०५.०० |
| १६ | Anchor Pullout Test | Element | २०५४०.०० | २०५४०.०० | २०५४०.०० |
| १७ | Infrared Thermography | Element | ३५९४.०० | ३५९४.०० | ३५९४.०० |
| १८ | Low Strain Pile Integrity Test | Element | ११२९७.०० | ११२२७.०० | ११२९७.०० |
| १९ | High Strain Dynamic Pile Load Test | Element | ५१३५००.०० | ५१३५००.०० | ५१३५००.०० |
| २० | Fresh Concrete Resistivity (Smart Box) | Element | ४१०८.०० | ४१०८.०० | ४१०८.०० |
| २१ | Fine/ Coarse Aggregate Moisture Content | Element | ३५९४.०० | ३५९४.०० | ३५९४.०० |
| २२ | Fresh Concrete Moisture Content (W/C Ratio) | Element | ३५९४.०० | ३५९४.०० | ३५९४.०० |
| २३ | Cross Hole Sonic Logging | Element | १२८३७.०० | १२८३७.०० | १२८३७.०० |
| २४ | Impulse Echo | Element | १०२७०.०० | १०२७०.०० | १०२७०.०० |
| २५ | Maturity Meter Test | Element | ३५९४५.०० | ३५९४५.०० | ३५९४५.०० |
| २६ | Chloride Profile | Element | १२८३७.०० | १२८३७.०० | १२८३७.०० |
| २७ | Carbonation Depth Detection Test | Element | २५६७.०० | २५६७.०० | २५६७.०० |
| २८ | Boroscope | Element | ३५९४५.०० | ३५९४५.०० | ३५९४५.०० |
| २९ | Videoscope | Element | ८७२९५.०० | ८७२९५.०० | ८७२९५.०० |
| ३० | Ground Penetrating Radar | Element | ५१३५०.०० | ५१३५०.०० | ५१३५०.०० |
| ३१ | CAPO Test | Element | १२८३७.०० | १२८३७.०० | १२८३७.०० |
| ३२ | Permeability Test | Element | | | |
| | Air | | ३०८१०.०० | ३०८१०.०० | ३०८१०.०० |
| | Water | | ४१०८०.०० | ४१०८०.०० | ४१०८०.०० |
| ३३ | Concrete Cutting Services | R. M. | ३०८१०.०० | ३०८१०.०० | ३०८१०.०० |
| ३४ | Wall Cutting Services | R. M. | ५१३५०.०० | ५१३५०.०० | ५१३५०.०० |
| ३५ | Impact Echo | Element | १०२७०.०० | १०२७०.०० | १०२७०.०० |
| ३६ | Mortar Strength Test (Penetrometer) | Element | ५१३५.०० | ५१३५.०० | ५१३५.०० |
| ३७ | ASR Detection Test | Element | १०२७०.०० | १०२७०.०० | १०२७०.०० |

## NON DESTRUCTIVE TEST FOR FORENSIC ENGINEERING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ३८ | Moisture Content Test | | | | |
| | Concrete | Element | २०५४.०० | २०५४.०० | २०५४.०० |
| | Brick | Element | २०५४.०० | २०५४.०० | २०५४.०० |
| | Masonry | Element | २०५४.०० | २०५४.०० | २०५४.०० |
| | Wood | Element | २५६७.०० | २५६७.०० | २५६७.०० |

प्रमुख जिल्ला अधिकारी

# Geocell Technology

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Geocell Technology प्रयोग गरि Slope protectionn,Earth retention,channel protection जस्ता Geotechnical काम गर्न | | | | |
| | Small size (opening 330 mm) strength category-B | | | | |
| | cell height-50 mm | व.मि. | ६३०.०० | ६३०.०० | ६३०.०० |
| | cell height-75 mm | व.मि. | ९००.०० | ९००.०० | ९००.०० |
| | cell height-100 mm | व.मि. | १२००.०० | १२००.०० | १२००.०० |
| | cell height-120 mm | व.मि. | १५००.०० | १५००.०० | १५००.०० |
| | cell height-150 mm | व.मि. | १७५०.०० | १७५०.०० | १७५०.०० |
| | cell height-200 mm | व.मि. | २४२५.०० | २४२५.०० | २४२५.०० |
| | Small size (opening 330 mm) strength category-C | | | | |
| | cell height-50 mm | व.मि. | ६५०.०० | ६५०.०० | ६५०.०० |
| | cell height-75 mm | व.मि. | ९२५.०० | ९२५.०० | ९२५.०० |
| | cell height-100 mm | व.मि. | १२५०.०० | १२५०.०० | १२५०.०० |
| | cell height-120 mm | व.मि. | १५५०.०० | १५५०.०० | १५५०.०० |
| | cell height-150 mm | व.मि. | १८००.०० | १८००.०० | १८००.०० |
| | cell height-200 mm | व.मि. | २५००.०० | २५००.०० | २५००.०० |
| | Small size (opening 330 mm) strength category-D | | | | |
| | cell height-50 mm | व.मि. | ९५०.०० | ९५०.०० | ९५०.०० |
| | cell height-75 mm | व.मि. | १३५०.०० | १३५०.०० | १३५०.०० |
| | cell height-100 mm | व.मि. | १८००.०० | १८००.०० | १८००.०० |
| | cell height-120 mm | व.मि. | २३००.०० | २३००.०० | २३००.०० |
| | cell height-150 mm | व.मि. | २६००.०० | २६००.०० | २६००.०० |
| | cell height-200 mm | व.मि. | ३६५०.०० | ३६५०.०० | ३६५०.०० |
| | Small size (opening 356 mm) strength category-B | | | | |
| | cell height-50 mm | व.मि. | ६००.०० | ६००.०० | ६००.०० |
| | cell height-75 mm | व.मि. | ८५०.०० | ८५०.०० | ८५०.०० |
| | cell height-100 mm | व.मि. | ११५०.०० | ११५०.०० | ११५०.०० |
| | cell height-120 mm | व.मि. | १४५०.०० | १४५०.०० | १४५०.०० |
| | cell height-150 mm | व.मि. | १६७५.०० | १६७५.०० | १६७५.०० |
| | cell height-200 mm | व.मि. | २३००.०० | २३००.०० | २३००.०० |
| | Small size (opening 356 mm) strength category-C | | | | |
| | cell height-50 mm | व.मि. | ६००.०० | ६००.०० | ६००.०० |
| | cell height-75 mm | व.मि. | ८५०.०० | ८५०.०० | ८५०.०० |
| | cell height-100 mm | व.मि. | १२००.०० | १२००.०० | १२००.०० |
| | cell height-120 mm | व.मि. | १५००.०० | १५००.०० | १५००.०० |
| | cell height-150 mm | व.मि. | १७००.०० | १७००.०० | १७००.०० |
| | cell height-200 mm | व.मि. | २४००.०० | २४००.०० | २४००.०० |

# Geocell Technology

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Small size (opening 356 mm) strength category-D | | | | |
| | cell height-50 mm | व.मि. | ९००.०० | ९००.०० | ९००.०० |
| | cell height-75 mm | व.मि. | १२५०.०० | १२५०.०० | १२५०.०० |
| | cell height-100 mm | व.मि. | १७००.०० | १७००.०० | १७००.०० |
| | cell height-120 mm | व.मि. | २१५०.०० | २१५०.०० | २१५०.०० |
| | cell height-150 mm | व.मि. | २५००.०० | २५००.०० | २५००.०० |
| | cell height-200 mm | व.मि. | ३४५०.०० | ३४५०.०० | ३४५०.०० |
| | Medium size (opening 445 mm) strength category-B | | | | |
| | cell height-50 mm | व.मि. | ५२५.०० | ५२५.०० | ५२५.०० |
| | cell height-75 mm | व.मि. | ७५०.०० | ७५०.०० | ७५०.०० |
| | cell height-100 mm | व.मि. | १०००.०० | १०००.०० | १०००.०० |
| | cell height-120 mm | व.मि. | १२७५.०० | १२७५.०० | १२७५.०० |
| | cell height-150 mm | व.मि. | १४७५.०० | १४७५.०० | १४७५.०० |
| | cell height-200 mm | व.मि. | २०५०.०० | २०५०.०० | २०५०.०० |
| | Medium size (opening 445 mm) strength category-C | | | | |
| | cell height-50 mm | व.मि. | ५५०.०० | ५५०.०० | ५५०.०० |
| | cell height-75 mm | व.मि. | ७७५.०० | ७७५.०० | ७७५.०० |
| | cell height-100 mm | व.मि. | १०५०.०० | १०५०.०० | १०५०.०० |
| | cell height-120 mm | व.मि. | १३००.०० | १३००.०० | १३००.०० |
| | cell height-150 mm | व.मि. | १५००.०० | १५००.०० | १५००.०० |
| | cell height-200 mm | व.मि. | २१००.०० | २१००.०० | २१००.०० |
| | Medium size (opening 445 mm) strength category-D | | | | |
| | cell height-50 mm | व.मि. | ८००.०० | ८००.०० | ८००.०० |
| | cell height-75 mm | व.मि. | ११००.०० | ११००.०० | ११००.०० |
| | cell height-100 mm | व.मि. | १५००.०० | १५००.०० | १५००.०० |
| | cell height-120 mm | व.मि. | १९५०.०० | १९५०.०० | १९५०.०० |
| | cell height-150 mm | व.मि. | २२००.०० | २२००.०० | २२००.०० |
| | cell height-200 mm | व.मि. | ३१००.०० | ३१००.०० | ३१००.०० |
| | Large size (opening 660 mm) strength category-B | | | | |
| | cell height-50 mm | व.मि. | ३६५.०० | ३६५.०० | ३६५.०० |
| | cell height-75 mm | व.मि. | ५२५.०० | ५२५.०० | ५२५.०० |
| | cell height-100 mm | व.मि. | ७२५.०० | ७२५.०० | ७२५.०० |
| | cell height-120 mm | व.मि. | ९००.०० | ९००.०० | ९००.०० |
| | cell height-150 mm | व.मि. | १०००.०० | १०००.०० | १०००.०० |
| | cell height-200 mm | व.मि. | १४००.०० | १४००.०० | १४००.०० |
| | Large size (opening 660 mm) strength category-C | | | | |
| | cell height-50 mm | व.मि. | ३७५.०० | ३७५.०० | ३७५.०० |

# Geocell Technology

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | cell height-75 mm | व.मि. | ५५०.०० | ५५०.०० | ५५०.०० |
| | cell height-100 mm | व.मि. | ७२५.०० | ७२५.०० | ७२५.०० |
| | cell height-120 mm | व.मि. | ९००.०० | ९००.०० | ९००.०० |
| | cell height-150 mm | व.मि. | १०५०.०० | १०५०.०० | १०५०.०० |
| | cell height-200 mm | व.मि. | १४५०.०० | १४५०.०० | १४५०.०० |
| | Large size (opening 660 mm) strength category-D | | | | |
| | cell height-50 mm | व.मि. | ५५०.०० | ५५०.०० | ५५०.०० |
| | cell height-75 mm | व.मि. | ८००.०० | ८००.०० | ८००.०० |
| | cell height-100 mm | व.मि. | १०५०.०० | १०५०.०० | १०५०.०० |
| | cell height-120 mm | व.मि. | १३२५.०० | १३२५.०० | १३२५.०० |
| | cell height-150 mm | व.मि. | १५५०.०० | १५५०.०० | १५५०.०० |
| | cell height-200 mm | व.मि. | २१००.०० | २१००.०० | २१००.०० |
| | Large size (opening 712 mm) strength category-B | | | | |
| | cell height-50 mm | व.मि. | २९०.०० | २९०.०० | २९०.०० |
| | cell height-75 mm | व.मि. | ४२५.०० | ४२५.०० | ४२५.०० |
| | cell height-100 mm | व.मि. | ५९०.०० | ५९०.०० | ५९०.०० |
| | cell height-120 mm | व.मि. | ७६०.०० | ७६०.०० | ७६०.०० |
| | cell height-150 mm | व.मि. | ८६५.०० | ८६५.०० | ८६५.०० |
| | cell height-200 mm | व.मि. | १२००.०० | १२००.०० | १२००.०० |
| | Large size (opening 712 mm) strength category-C | | | | |
| | cell height-50 mm | व.मि. | ३००.०० | ३००.०० | ३००.०० |
| | cell height-75 mm | व.मि. | ४५०.०० | ४५०.०० | ४५०.०० |
| | cell height-100 mm | व.मि. | ६००.०० | ६००.०० | ६००.०० |
| | cell height-120 mm | व.मि. | ७५०.०० | ७५०.०० | ७५०.०० |
| | cell height-150 mm | व.मि. | ९००.०० | ९००.०० | ९००.०० |
| | cell height-200 mm | व.मि. | १२५०.०० | १२५०.०० | १२५०.०० |
| | Large size (opening 712 mm) strength category-D | | | | |
| | cell height-50 mm | व.मि. | ४५०.०० | ४५०.०० | ४५०.०० |
| | cell height-75 mm | व.मि. | ६२५.०० | ६२५.०० | ६२५.०० |
| | cell height-100 mm | व.मि. | ९००.०० | ९००.०० | ९००.०० |
| | cell height-120 mm | व.मि. | ११००.०० | ११००.०० | ११००.०० |
| | cell height-150 mm | व.मि. | १३००.०० | १३००.०० | १३००.०० |
| | cell height-200 mm | व.मि. | १८००.०० | १८००.०० | १८००.०० |

# WPS/Fibre, Concrete Prefabricated Doors & Windows

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | **WPC Single Hollow Door Board** | | | | |
| | **(Thickness 32±2 mm)** | | | | |
| | Plain Door | व.फि | ७०३.०० | ७०३.०० | ७०३.०० |
| | Colored/Hot Stamping/Printing/Grooving/Embossing | व.फि | ८१५.०० | ८१५.०० | ८१५.०० |
| २ | **WPC Single Room Hollow Door Board** | | | | |
| | **(Thickness 32±2 mm)** | | | | |
| | Plain Door | व.फि | ७०३.०० | ७०३.०० | ७०३.०० |
| | Colored/Hot Stamping/Printing/Grooving/Embossing | व.फि | ८१५.०० | ८१५.०० | ८१५.०० |
| ३ | **FRP Composite Door Frame** | | | | |
| | Thickness: 100 mm | र.फि | ४६३.०० | ४६३.०० | ४६३.०० |
| | Thickness: 110 mm | र.फि | ६००.०० | ६००.०० | ६००.०० |
| ४ | **FRP Composite Window or Ventilation Frame** | | | | |
| | Thickness: 110 mm | र.फि | ५२३.०० | ५२३.०० | ५२३.०० |
| ५ | **FRP Composite Window Net Panel** | | | | |
| | Non-Overlapping (Size: 4.5 sq.ft. to 7.5 sq.ft.) | गोटा | ४९७७.०० | ४९७७.०० | ४९७७.०० |
| ६ | **FRP Composite Window Panel** | | | | |
| | Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , Green | गोटा | ५२२९.०० | ५२२९.०० | ५२२९.०० |
| | Non-Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear | गोटा | ४९७७.०० | ४९७७.०० | ४९७७.०० |
| | Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Blue, Black , | गोटा | ४७१३.०० | ४७१३.०० | ४७१३.०० |
| | Overlapping (Size: 4.5 sq. ft. to 7.5 sq. ft.)-Clear | गोटा | ३७१७.०० | ३७१७.०० | ३७१७.०० |
| ७ | **FRP Composite Ventilation Panel** | | | | |
| | (Size: 3 Sq.ft. to 4.5 sq.ft.)- Blue, Black, Green | गोटा | ४०००.०० | ४०००.०० | ४०००.०० |
| | (Size: 3 Sq.ft. to 4.5 sq.ft.)- Clear | गोटा | ३५२८.०० | ३५२८.०० | ३५२८.०० |
| ८ | **FRP Composite Ventilation Net Panel** | | | | |
| | (Size: 3 Sq.ft. to 4.5 sq.ft.) | गोटा | ३५२८.०० | ३५२८.०० | ३५२८.०० |
| ९ | **Fiber Door Panel** | | | | |
| | Single Fiber Door | व.फि | १०१०.०० | १०१०.०० | १०१०.०० |
| | Double Fiber Door | व.फि | १३१०.०० | १३१०.०० | १३१०.०० |
| | Double Fiber Door | व.फि | १९५०.०० | १९५०.०० | |

प्रमुख जिल्ला अधिकारी

# FLOORING AND CEILING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | **Vinyl Flooring** | | | | |
| १ | Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3000 g/m2, XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m3).Phthalate Free. Multicolor welding rods. Non Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor. | व.मी | ४८००.०० | ४८००.०० | ४८००.०० |
| २ | Providing & Fixing 2 mm thick homogeneous Phthalate free, PVC Vinyl flooring with a single layer of PVC, total weight is 3150g/m2, XR PUR (polyurethane reinforced, Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%,static electrical charge < 2kv, impact sound reduction approx +4db, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean Room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10µg/m3).Phthalate Free.Directional in Design. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor. | व.मी | ३७००.०० | ३७००.०० | ३७००.०० |
| ३ | Providing and fixing 1.3 mm thick homogeneous PVC Vinyl wall-covering with total weight 2210 g/m2 ,polyurethane reinforced (PUR) , dimensional stability ≤0.40%, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. Clean room class A certified. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤100µg/m3). The laid flooring should be included of Self leveling base course all complete as per the specification. | व.मी | ३५००.०० | ३५००.०० | ३५००.०० |

# FLOORING AND CEILING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ४ | Providing & Fixing of 6.5mm thick Vinyl Flooring. 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 heterogeneous compact indoor floor covering of approved manufacturer, having total weight 4080 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.16mm confirming to EN 1516 and shock absorption ≥ 17% as per EN 14808; Vertical deformation ≤ 5mm confirming to EN 14809 with Vertical ball behavior ≥ 90% as per EN 12235; Friction should be 80-110 as per EN 13036-4 standard. Vinyl flooring must be follow the fire rating of EN 13501-1 class CfFs1 with slip resistance to rolling load ≤0.50mm on EN 1569. NFS 31-074 certified Class A ≤ 65db noise reduction with Thermal resistance Approx. 0.07m2 K/W as per EN IOS 10456. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Generally is a sustainable loose-lay installation method – only 2% of the surface is glued – offering an economical and easy installation solution. This unique method is made possible by:- The Product's Exceptional Dimensional Stability (0.10%) ; Omnisports Reference, Excel, & Pure Play's Weight ; The honeycomb backing, creating a suction effect. | व.मी | ६२००.०० | ६२००.०० | ६२००.०० |
| ५ | Providing & Fixing 3.25 mm thickness having wear layer of 0.80mm hetrogenious Accoustic PVC Vinyl Phthalate free, flooring Tarkett/Mohawk/Polyflor or euqivalent brand, total weight is 3250g/m2, PUR, No wax no polish for life (. Abrasion group T: ≤2.00 mm, residual indentation approx.0.03 mm, castor wheel test qualified, dimensional stability ≤0.40%, impact sound reduction approx –19db with accoustic improvement <65Db class A.Slip Resistance R9/R10woods, good resistance of scratch, slip, chemical and fire, doesn't favor in growth of fungi & bacteria. 100% recyclable. Low VOC emissions after 28days of installation (lower than ≤10μg/m3) in roll form 23running meterx200cm. Phthalate Free,Design & shades to be as per Engineer in charge on zero level floor OR after self leveling on floor till 3-3.5mm thickness of Selfleveling material of low VOC. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot | व.मी | ५०००.०० | ५०००.०० | ५०००.०० |

# FLOORING AND CEILING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 6 | Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 (after 28 days) permanently static dissiparive pressed homogenenus Vinyl (IQ Granit) indoor floor covering of approved manufacturer, having total weight 2950 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface trestment. IQ Granit is coordinated with the extended Granit family of acoustic, conductive and slip resistance flooring solution and no wax no polish over the life time. Vinyl flooring must be follow the fire rating of EN 13501-1 class Bfls1. Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846.Part C ; ease of decontamination good by ISO 8690. Vinyl flooring should follow excellence dry buffing system to prevent any kind of scratches.Thermal resistance Approx. 0.01m2 K/W as per EN 12667. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions of engineer. Hot welded joint gives exclusively seamless finish on the floor. | व.मी | ५८००.०० | ५८००.०० | ५८००.०० |
| 7 | Providing & Fixing of 2mm thick Vinyl Flooring, 100% recycled flexible, Phthalate free Certificate, TVOC less than 10 ug/m2 (after 28 days) permanently static conductive pressed homogeneous compact (IQ Toro SC) indoor floor covering of approved manufacturer, having total weight 2950 g/m2 in sheet of size 2mtrs. X 23 mtrs. In approved pattern & color combination with PUR Reinforced – patented polyurethane surface treatment. **As Carbon coated on the top of the floor it will prevent any kind of electric shock.** The vinyl flooring having wear resistance of ≤ 1g as per EN ISO 5470-1; Resistance to indentation should be ≤ 0.10mm confirming to ISO 24343-1-EN433. Vinyl flooring must be follow the fire rating of EN 13501-1 class CflFs1 with surface treatment new IQ PUR. **Flooring follows excellent dry buffing system which always give new looks to the floor.** Flooring have binder content Type I confirmed by ISO 10581 and effect of castor chair suitable with standard ISO 4918-EN 425.Flooring containing Electrical insulation Ri≥5x104 Ohm; Electrical resistance R ≤ 109 Ohms with having Clean room test Class A ; Chemical resistance good confirmed by ISO 26987 – EN 423 ; Bacteria resistance does not favor growth by ISO 846:Part C ; ease of decontamination good by ISO 8690. Thermal resistance Approx. 0.01m2 K/W as per EN 12667. Hot welded joints provide exclusively seamless finishing. The laid flooring should be included of Self leveling base course all complete as per the specification and instructions. | व.मी | ५८००.०० | ५८००.०० | ५८००.०० |
| | **False Ceiling** | | | 0.00 | |

प्रमुख जिल्ला अधिकारी

# FLOORING AND CEILING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 1 | Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead. | व.मी | २१५२.०० | २१५२.०० | २१५२.०० |
| 2 | Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead. | व.मी | ४७५०.०० | ४७५०.०० | ४७५०.०० |
| 3 | Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead. | व.मी | ४८४२.०० | ४८४२.०० | ४८४२.०० |

# FLOORING AND CEILING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 4 | Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead. | व.मी | ४६२६.०० | ४६२६.०० | ४६२६.०० |
| 5 | Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead. | व.मी | ४६२६.०० | ४६२६.०० | ४६२६.०० |
| 6 | Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead. | व.मी | ११८३६.०० | ११८३६.०० | ११८३६.०० |

# FLOORING AND CEILING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 7 | Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead. | ब.मी | १२३७४.०० | १२३७४.०० | १२३७४.०० |
| 8 | Providing and fixing mineral fiber false ceiling Scala board, size 600 X 600 MM & 12 MM Thickness of approved texture, design and pattern. The board should have Noise Reduction Coefficient (NRC value) = 0.50 , Humidity Resistance (RH) of 70%, Light Reflectance - 84%, Thermal conductivity k = 0.06 w/m K, Weight 2.5kgs/m2, Fire Performance as per B-S2,d0 in true horizontal level suspended on interlocking T-Grid all round galvanized iron section of 0.33 MM thick (galvanized @120gsm) comprising of prelude. The tile shall be laid on Prelude 32 with 24 mm wide T - section flanges color white having rotary stitching on all T sections i.e. the Main Runner, 1200 mm & 600 mm Cross Tees with a web height of 32mm and a load carrying capacity of 14 Kgs/M2 with a minimum pull out strength of 100 Kgs. Product test certificates required for items mentioned in the boq from the manufacturer's letterhead. | ब.मी | १२९१२.०० | १२९१२.०० | १२९१२.०० |
| | **Levelling Compund for Vinyl Flooring** | | | | |
| 1 | All substrate must be structurally sound, dust free, dry, solid and stable, grease OR wax free, Ph 5-11 and turn off radiant heat system before 48 hrs of installation of self levelling compund. In case of uneven sub floor the same should be levelled using self levelling compund. IPS/Vitrified/ceramic/mosaic tiles do not provide zero leveled sub floor. self levelling compund to be poured in two layer with drying time gap and a primer coat between two layer as per manufacturer PDS to achieve desired thickness. Self levelling material must be fully dried at least 72 hrs or more as per climatic condition and moisture level shoild be less than 8% before application for Vinyl flooring. | ब.मी | ५९२.०० | ५९२.०० | ५९२.०० |
| 2 | Providing and fixing 4mm thick curve shape UPVC Cove former. Cove former to be laid on the corner of floor before applying the flooring. For the skirting solution cove former plays as support for the flooring | ब.मी | २९५.०० | २९५.०० | २९५.०० |
| | **WPC Items** | | | | |

# FLOORING AND CEILING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 1 | Providing and installing WPC Baffle Ceiling with the size of 40mm x 100 mm (W x H) & "100mm" Gap, standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. Baffle must comply with Including all accessories such as hanging arrangement, screws and other accessories required to complete the job. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%. | व.मी | १४६९.०० | १४६९.०० | १४६९.०० |
| 2 | Providing and installing WPC Wall panel cladding in pre- painted finish color with the size of 8" x 9' (W x H) & 16mm thick , Including all accessories screws and other accessories required to complete the job. Flame tested and smoke developed is tested accordance to ASTM E84 - 13a with standards need to be conformed as per CB/T19001 - 2008 idt ISO9001 : 2008. The material should conform the following tests, like - Thicking swelling - less than 1%, Dimension changing ratio after heating Less or equal to 2.5%, Bending elastic modulus should be more than 1800 MPa, Bending Strength > than 20 MPa, Superficial Rockwell hardness should be more than 58, Moisture resistant - less than 2%, Water absorption - Less than 1%. | व.मी | ६५१०.०० | ६५१०.०० | ६५१०.०० |
| | **Ceiling** | | | | |

प्रमुख जिल्ला अधिकारी

# FLOORING AND CEILING

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| 1 | Supply & Fixing of **U-Baffle Ceiling** System using Hat type carrier & torsion spring, comprising of baffle width of 30 mm and height of 100 mm manufactured out of 0.7 mm thick Coil Coated Aluminium of alloy AA 3105 at a module of 200 mm. The coil is coated on a continuous paint line double baked and shall be stove enamelled in a continuous coil coating process with the approved colour on the exposed side and the reverse side with polyester primer. The Linear Aluminium ceiling system should meet the required standards for Green Pro certification and should qualify as green product as per CII green products and services council. The manufacturer should be ISO 9001:2015 Quality Management System Certifications compliant with in house testing facility and should have their own manufacturing plant in India. The coated coil is passed thru Six Hi configuration roller levelling process to ensure the flatness of the coil. The U-Baffle shall be manufactured on an integrated high speed, high precision Roll forming machine to avoid micro-cracking of metal corners which occurs while bending on press brake machines. The U Baffle ceiling panels shall be mounted on coil coated customized Hat type aluminium alloy AA 3005carrier of size 60mm X 30mm X 0.9 mm. The customized carrier shall be manufactured in-house on a high press PLC controlled roll forming machine line. The carrier suitable, for torsion springs based & standard fixed Baffle panels. The carrier shall be suspended with M6 Threaded rod hangers spaced at 1200mm c/c. Up to 20% of the total ceiling area, based on client requirement, shall be demountable torsion spring-based panels. | व.मी | १४५२६.०० | १४५२६.०० | १४५२६.०० |

# Slope Stabilizing Structures

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | Reinforced Soil Wall withusing precast RCC facia panels of minimum 160mm thickness and 50mm \| 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories. | | | | |
| | Upto 5 Height (in Metre) | व.मी | १८२९५.०० | १८२९५.०० | १८२९५.०० |
| | 10 Height (in Metre) | व.मी | २३०२९.०० | २३०२९.०० | २३०२९.०० |
| | 15 Height (in Metre) | व.मी | २७९४४.०० | २७९४४.०० | २७९४४.०० |
| | 20 Height (in Metre) | व.मी | ३५९४४.०० | ३५९४४.०० | ३५९४४.०० |
| | 25 Height (in Metre) | व.मी | ४८९८९.०० | ४८९८९.०० | ४८९८९.०० |
| | 30 Height (in Metre) | व.मी | ६१८५८.०० | ६१८५८.०० | ६१८५८.०० |
| २ | Reinforced Soil structure using prefabricated flexible galvanized steel mesh (minimum diameter of bar 8mm and galvanization is 500 grams/sqm) and 50mm \| 70mm wide geosynthetic strap soil reinforcement made of polyester yarns and encapsulated in LLDPE sheathing with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories. | | | | |
| | 10 Height (in meter) | व.मी | २९०४९.०० | २९०४९.०० | २९०४९.०० |
| | 20 Height (in meter) | व.मी | ३९५८६.०० | ३९५८६.०० | ३९५८६.०० |
| | 30 Height (in meter) | व.मी | ५७४१०.०० | ५७४१०.०० | ५७४१०.०० |
| ३ | Reinforced Soil pure abutment structure, where the bridge deck is directly supported on a beam seat placed over Reinforced Soil Structure using precast RCC facia panels of minimum 160mm thickness and 50mm \| 70mm wide geosynthetic strap soil reinforcement made of PVA (Polyvinyl Alcohol) yarns and encapsulated in LLDPE sheathing and having elongation less than 7%, with top three layers of soil reinforcement having high coefficient of apparent friction (using trapezoidal grooves on both sides of the geosynthetic strap) and the minimum coefficient of apparent friction at the top most layer shall be 1.5, using active connectors between fascia and soil reinforcement as per recommendation of BS-8006 for high seismic zone along with the all necessary accessories. | | | | |
| | 10 Height (in meter) | व.मी | ३६३५२.०० | ३६३५२.०० | ३६३५२.०० |
| ४ | Geo-composite Drainage with mini pipes | | | | |

प्रमुख प्रशासकीय अधिकृत

# Slope Stabilizing Structures

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metrewidhtways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 300 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 362 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours. | ब.मी | ९९१.०० | ९९१.०० | ९९१.०० |
| | Geocomposite drainage consisting of a filter layer, draining mat and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metrewidhtways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of geotextile as 400 grams/sqm and minimum unit weight of the total geocomposite including mini pipes as 462 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours. | ब.मी | १२८०.०० | १२८०.०० | १२८०.०० |
| | Geocomposite drainage consisting of two filter layers, draining mat 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metrewidhtways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, embedded within two layers of filters and draining mat having minimum unit weight of geotextile as 550 grams/sqm and total geocomposite minimum unit weight including mini pipes as 612 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours. | ब.मी | १५२४.०० | १५२४.०० | १५२४.०० |
| | Geocomposite drainage consisting of a filter layer, draining mat, one 0.5mm thick polyethylene membrane layer and 20mm diameter (OD) perforated mini-pipes made of polypropylene (one mini-drain pipe every one metrewidhtways) having stiffness of 4000 kPa at 5% deflection as per ASTM D2412, with minimum unit weight of the total geocomposite including mini pipes as 962 grams/sqm and having in-plane flow capacity (mini pipes) of 1.0 l/s/m at gradient i=1 under 400 kPa during 100hours. | ब.मी | २१९२.०० | २१९२.०० | २१९२.०० |
| ५ | Rockfall Protection Barrier | | | | |
| | Supply and installation of flexible rockfall protection barrier with an European Technical Approval (ETA), CE-certificate and complying as per ONR 24810 standard, having an omega shaped primary net structure made out of steel wire cable nets, 1x7 spiral, with a minimum rope diameter of 6.0 mm and a tensile strength of minimum of 1770 N/mm², zinc coating class A according to EN 10244-2 for the primary net and hot-dip galvanization for all other accessories such as brake elements, posts, base plate, bearing ropes, second mesh layer (if required), anchors, fixtures including men, machinery, tools, plants, all complete. | | | | |
| | Capacity 500 KJ and height 3.5m | र.मी. | १४९८६५.०० | १४९८६५.०० | १४९८६५.०० |
| | Capacity 1000 KJ and height 5m | र.मी. | २९९५२४.०० | २९९५२४.०० | २९९५२४.०० |
| | Capacity 1500 KJ and height 5m | र.मी. | ३४९१५६.०० | ३४९१५६.०० | ३४९१५६.०० |
| | Capacity 2000 KJ and height 5m | र.मी. | ४३२४३४.०० | ४३२४३४.०० | ४३२४३४.०० |
| | Capacity 3000 KJ and height 5m | र.मी. | ५०९४६५.०० | ५०९४६५.०० | ५०९४६५.०० |

# Slope Stabilizing Structures

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Capacity 5000 KJ and height 7m | र.मी. | ९३०२१२.०० | ९३०२१२.०० | ९३०२१२.०० |
| ६ | High Tensile Wire mesh (wire strength≥1770N/mm2) | | | | |
| | Supply and installation of European technical approval (ETA) certified rectangular shape high tensile wire mesh having minimum aperture size of 50mm x 50mm and made from minimum 3.2mm diameter wire (wire strength ≥ 1770 N/mm²) for active slope protection against both rock fall and landslide stabilization manufactured in accordance with EN 10223-6, having Zn-Al corrosion protection with class B (150 g/m² coating) according to EN 10244-2, tensile strength greater than equal to 150 kN/m in both direction. | व.मी | १३६९७.०० | १३६९७.०० | १३६९७.०० |
| ७ | High Strength Geogrid coated with linear low-density polyethylene (LLDPE) | | | | |
| | Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (±1mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure | व.मी | २१९२.०० | २१९२.०० | २१९२.०० |
| | Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (±1mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Alcohol (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath with smooth edges and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure | व.मी | ९४६९.०० | ९४६९.०० | ९४६९.०० |
| | Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (±1mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity polyester (PET) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure | व.मी | २८२४.०० | २८२४.०० | २८२४.०० |
| | Supply and laying of bi-planer anisotropic soil reinforcement geosynthetics having tensile strength of 600 kN/m and made from 50mm/70mm/90mm (±1mm tolerance) co-extruded high tensile polymeric strap soil reinforcement consisting discrete channels of closely packed high tenacity Polyvinyl Acetate (PVA) yarns encased in Linear Low-Density Polyethylene (LLDPE) sheath having trapezoidal groove like rib (lateral teeth) on both sides of the strap to generate high coefficient of friction and together weft welded to cross strips made from low shrinkage yarns to generate an orthogonal structure | व.मी | १२१६५.०० | १२१६५.०० | १२१६५.०० |
| ८ | Fabric formed erosion and scour protection concrete mattresses | | | | |

# Slope Stabilizing Structures

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD \| TD ) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on one direction. Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN. | व.मी | ६११७.०० | ६११७.०० | ६११७.०० |
| | Supplying and placing of Articulating Block fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD \| TD) not less than 50kN/m as per ASTM D 4595 with reinforcing galvanized steel cables laid on both directions Cables shall be of minimum 6mm diameter and the breaking strength of the cable shall not be less than 30kN. | व.मी | ७१२१.०० | ७१२१.०० | ७१२१.०० |
| | Supplying and placing of fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer as per ASTM D 5261 and the wide width tensile strength (MD \| TD ) not less than 50kN/m as per ASTM D 4595 having filtration points as per the detailed design, thickness and technical specifications. | व.मी | ३९२०.०० | ३९२०.०० | ३९२०.०० |
| | Supplying and placing of woven geotextile fabric form concrete mattress made from double layers of Polyester Woven geotextile fabric form stitched together having minimum composite mass of 400 grams per sqm (for double layer) as per ASTM D 5261 and the wide width tensile strength (MD \| TD) not less than 50kN/m as per ASTM D 4595 having uniform cross section as per the detailed design, thickness and technical specifications. | व.मी | ४२७२.०० | ४२७२.०० | ४२७२.०० |
| | Supply of 3m long high tensile soil anchor of 2T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum) | गोटा | ८४९१.०० | ८४९१.०० | ८४९१.०० |
| | Supply of 3m long high tensile soil anchor of 4T capacity with galvanisation of minimum 500gsm for the anchoring of Fabric Form Mattress having anchor strand wire of diameter 8mm (minimum) | गोटा | १९९०२.०० | १९९०२.०० | १९९०२.०० |

प्रमुख जिल्ला अधिकारी

# Railway

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | Bore Pile Machine for Railway bridge for = >1.5m diameter with piling ring and assories. | प्रति घण्टा | ८३७९.०० | ८३७९.०० | ८३७९.०० |
| २ | Spherical bearing = > 2250 KN Fixed type | गोटा | १३३३७२.०० | १३३३७२.०० | १३३३७२.०० |
| ३ | Spherical bearing = >2250 KN Free type | गोटा | १४८५३०.०० | १४८५३०.०० | १४८५३०.०० |
| ४ | Elastomeric slab seal expansion joint assembly manufactured by using chloroprene, elastomer for elastomeric slab for railway bridge. | र.मि | १५७०८.०० | १५७०८.०० | १५७०८.०० |
| ५ | Crane = >100 tonne capacity for lifting of railway PSC / IPC girder. | प्रति घण्टा | १४५३८.०० | १४५३८.०० | १४५३८.०० |
| ६ | Ultra sonic cross-hole test Machine hire | गोटा | २३४१.०० | २३४१.०० | २३४१.०० |
| ७ | Sheath tube, D75mm (Mild steel ) | र.मि | ३७७.०० | ३७७.०० | ३७७.०० |
| ८ | Carrying out Dynamic pile load test | गोटा | २९४४६५.०० | २९४४६५.०० | २९४४६५.०० |
| ९ | Earthing cable(GV70) | र.मि | ६१५.०० | ६१५.०० | ६१५.०० |
| १० | Cad Mold(Medium) for earthing job in bridge | गोटा | ४४३१.०० | ४४३१.०० | ४४३१.०० |
| ११ | Unbonded Pre stressed concrete strand | के.जी. | १६२.०० | १६२.०० | १६२.०० |

# Flooring Room Heating System

| शि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | Electric Hot Film | व.मी. | ११५०.०० | ११५०.०० | ११५०.०० |
| २ | Thermostat UTH-200/Sensor | गोटा | ५५००.०० | ५५००.०० | ५५००.०० |
| ३ | Insulation Pad | व.मी. | ३५०.०० | ३५०.०० | ३५०.०० |
| ४ | Eye Clip | गोटा | ५०.०० | ५०.०० | ५०.०० |
| ५ | 2.5 mm Multi Strand wire | र.मि | ६०.०० | ६०.०० | ६०.०० |
| ६ | Installation Charge | व.मी. | ३००.०० | ३००.०० | ३००.०० |
| ७ | Parqueting | व.फि. | १७०.०० | १७०.०० | १७०.०० |
| ८ | Scoting readymade | र.फि. | १७०.०० | १७०.०० | १७०.०० |
| ९ | Scoting Local mare | र.फि. | १३०.०० | १३०.०० | १३०.०० |
| १० | Protected Mat | व.मी. | ३००.०० | ३००.०० | ३००.०० |
| ११ | Special Tape | र.फि. | १००.०० | १००.०० | १००.०० |

प्रमुख जिल्ला अधिकारी

# वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | हेज ८ इन्च पोली | गोटा | ४४.०० | ४४.०० | ४४.०० |
| २ | कार्पेट दुबो | व.फि | ३८.०० | ३८.०० | ३८.०० |
| ३ | कार्पेट दुबोको लागि टाप्ने कार्ने ज्याला | व.फि | २९.०० | २९.०० | २९.०० |
| ४ | निगालो (जरा सहित) | गोटा | १४.०० | १४.०० | १४.०० |
| ५ | स्थानीय स्तरमा उत्पादित विरुवा फलफूल बाहेक | गोटा | १२.०० | १२.०० | १२.०० |
| ६ | गाई भैंसीको मल/गोठे मल | के.जी. | ६.०० | ६.०० | ६.०० |
| ७ | लेयर्स कुखुराको मल | के.जी | ७.०० | ७.०० | ७.०० |
| ८ | ब्रोईलर कुखुराको मल | के.जी. | ५.०० | ५.०० | ५.०० |
| ९ | तोरीको पिना | के.जी. | ४८.०० | ४८.०० | ४८.०० |
| १० | नरिवल डोरी | के.जी. | १७२.०० | १७२.०० | १७२.०० |
| ११ | नाइलन डोरी | के.जी. | ३३२.०० | ३३२.०० | ३३२.०० |
| १२ | ठुलो साइजको बोसको विरुवा विउबाट उत्पादित | गोटा | २६१.०० | २६१.०० | २६१.०० |
| | **वन कार्यालयबाट सम्पादन गरिने कार्यहरु** | | | | |
| १ | पोलिथीन टयुब ४ प्वाल भएको २०० गेजको विभिन्न साइज | के.जी. | ४४४.०० | ४४४.०० | ४४४.०० |
| २ | ठूला विरुवा रोपन ४ फिट सम्म | प्रति विरुवा | १६२.०० | १६२.०० | १६२.०० |
| ३ | ठूला विरुवा रोपन ४ फिट देखि ६ फिट सम्म | प्रति विरुवा | १८२.०० | १८२.०० | १८२.०० |
| ४ | अग्ला विरुवा रोपन ६ फिट देखि ८ फिट सम्म | प्रति विरुवा | २७४.०० | २७४.०० | २७४.०० |
| ५ | बाउरा लोड | चट्टा | ३५६०.०० | ३५६०.०० | ३५६०.०० |
| ७ | बाउरा अनलोड | चट्टा | १३०७.०० | १३०७.०० | १३०७.०० |
| ८ | सकलन कटान , मुछान | चट्टा | ४७४७.०० | ४७४७.०० | ४७४७.०० |
| ९ | ढुवानी (५ कि.मी.सम्म) | चट्टा | ४७४७.०० | ४७४७.०० | ४७४७.०० |
| १० | अनलोडिङ्ग | चट्टा | १६६१.०० | १६६१.०० | १६६१.०० |
| ११ | चट्टा निर्माण | चट्टा | १७८०.०० | १७८०.०० | १७८०.०० |
| १२ | ठुटा उखेली घाटगद्दी स्थल १०० मी. सम्म लैजाने कार्य | गोटा | ३२.०० | ३२.०० | ३२.०० |
| १३ | वन सुपारी | प्रति विरुवा | ४७.०० | ४७.०० | ४७.०० |
| | **शहरी वृक्षारोपणकार्य** | | | | |
| १ | ४ फिट सम्मको विरुवा | प्रति विरुवा | १६६.०० | १६६.०० | |
| २ | ५ फिट सम्मको विरुवा | प्रति विरुवा | १८३.०० | १८३.०० | |
| ३ | ६ फिट सम्मको विरुवा | प्रति विरुवा | १८३.०० | १८३.०० | |
| ४ | ८ फिट सम्मको विरुवा | प्रति विरुवा | २८४.०० | २८४.०० | |
| ५ | ४ फिट गोलाइ ४ फिट उचाईको | प्रति विरुवा | ४३१६.०० | ४३१६.०० | |
| ६ | ५ फिट गोलाइ ५ फिट उचाईको | प्रति विरुवा | ५१७९.०० | ५१७९.०० | |
| | **४ फिट सम्मको विरुवाको मुल्य** | | | | |
| १ | कपूर | प्रति विरुवा | ९१३.०० | ९१३.०० | ९१३.०० |
| २ | रुद्राक्ष | प्रति विरुवा | ११२७.०० | ११२७.०० | ११२७.०० |
| ३ | कल्की बोटल ब्रस | प्रति विरुवा | ७८३.०० | ७८३.०० | ७८३.०० |
| ४ | ज्याकारण्डा गोल्डमोहोर | प्रति विरुवा | ७८३.०० | ७८३.०० | ७८३.०० |
| ५ | असारे | प्रति विरुवा | ७८३.०० | ७८३.०० | ७८३.०० |

# वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ९ | वैयू | प्रति विरुवा | ५२२.०० | ५२२.०० | ५२२.०० |
| १० | लप्सी | प्रति विरुवा | ५२२.०० | ५२२.०० | ५२२.०० |
| ११ | धूपी | प्रति विरुवा | ५८६.०० | ५८६.०० | ५८६.०० |
| १२ | बगमबेली | प्रति विरुवा | ७८३.०० | ७८३.०० | ७८३.०० |
| १३ | काइपो | प्रति विरुवा | ७८३.०० | ७८३.०० | ७८३.०० |
| १४ | रक्ताकमल | प्रति विरुवा | १४९५.०० | १४९५.०० | १४९५.०० |
| १५ | सगी | प्रति विरुवा | ११५६.०० | ११५६.०० | ११५६.०० |
| १६ | वर | प्रति विरुवा | १४९५.०० | १४९५.०० | १४९५.०० |
| १७ | पिपल | प्रति विरुवा | १४९५.०० | १४९५.०० | १४९५.०० |
| १८ | ५ फिट सम्मको करविर विरुवा | प्रति विरुवा | १४२४.०० | १४२४.०० | १४२४.०० |
| १९ | ५ फिट सम्मको तिकोमा विरुवा | प्रति विरुवा | १४२४.०० | १४२४.०० | १४२४.०० |
| २० | ५ फिट सम्मको चापको विरुवा | प्रति विरुवा | १५४२.०० | १५४२.०० | १५४२.०० |
| | **४ फिट देखि ६ फिट सम्मको विरुवाको मुल्य** | | | | |
| १ | तिकोमा | प्रति विरुवा | १८३४.०० | १८३४.०० | |
| | **वायो ईन्जिनियरिङ सम्वन्धि काम** | | | | |
| | **घासको विउ** | | | | |
| १ | जई | कि.ग्रा | ८८.०० | ८८.०० | ८८.०० |
| २ | भेंच | कि.ग्रा | २०१.०० | २०१.०० | २०१.०० |
| ३ | नेपियर | सेट | ३.०० | ३.०० | ३.०० |
| ४ | वर्सिम | कि.ग्रा | २०७.०० | २०७.०० | २०७.०० |
| ५ | घासको विउ र औषधि गिल्ला नित्र डुवानी गर्दा | कि.ग्रा | १८९.०० | १८९.०० | १८९.०० |
| ६ | घासको विउ गिल्ला बाहिरबाट डुवानी गर्दा | कि.ग्रा | १.०० | १.०० | १.०० |
| ७ | माटो भर्ने खाली बोरा | गोटा | ३.०० | ३.०० | ३.०० |
| ८ | बास काटेको सिंगो घाना | घाना | ४१५.०० | ४१५.०० | ४१५.०० |
| ९ | बासको कटिंग स्टम्प विरुवा(१५ महिने नर्सरीमा राखेको) १५ फिट देखि २ फिट लामो | प्रति कटिंग | ६४.०० | ६४.०० | ६४.०० |
| | **Vegitation/Shrubs Cuttings/Slip/Plants/etc.** | | | | |
| १ | अग्रिलो(राइजोम) | प्रति विरुवा | ७.०० | ७.०० | ७.०० |
| २ | अलैंची गानो | प्रति विरुवा | १२.०० | १२.०० | १२.०० |
| ३ | अलैची विरुवा | प्रति विरुवा | ११.०० | ११.०० | ११.०० |
| ४ | हार्डवुड कटिङ्स् (बैंस) पेन्सिल साइज | प्रति विरुवा | ६.०० | ६.०० | ६.०० |
| ५ | नेपियर कटिङ्स् | प्रति विरुवा | २.०० | २.०० | २.०० |
| ६ | $NB_{21}$ घाँस | प्रति विरुवा | २.०० | २.०० | २.०० |
| ७ | निगालो राईजोम | प्रति विरुवा | ५९.०० | ५९.०० | ५९.०० |
| ८ | बासको बेनां (कटीग राईजोम) | प्रति विरुवा | ४१५.०० | ४१५.०० | ४१५.०० |
| ९ | बाबियो ताइबानी दुबो | प्रति विरुवा | ३.०० | ३.०० | ३.०० |
| १० | सिजनल फुल ८ इन्च पोली | गोटा | २९.०० | २९.०० | २९.०० |
| ११ | गुलाफ फुल ८ इन्च पोली | गोटा | १७८.०० | १७८.०० | १७८.०० |

# वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १२ | कार्पेट दुबो | व.फी. | ३८.०० | ३८.०० | ३८.०० |
| १३ | कार्पेट दुबो को लागी छाप्ने कार्यको ज्याला | व.फी. | २९.०० | २९.०० | २९.०० |
| १४ | निगाली (जरा सहीत) | गोटा | १४.०० | १४.०० | १४.०० |
| १५ | स्थानीय स्तरमा उत्पादीत बिरुवा फलफुल बाहेक | गोटा | १२.०० | १२.०० | १२.०० |
| १६ | डाले घासको बिरुवा | गोटा | १२.०० | १२.०० | १२.०० |
| १७ | मोलाटो बिरुवा | गोटा | २.०० | २.०० | २.०० |
| १८ | लौठ सल्ला नेपाली | गोटा | १५६.०० | १५६.०० | १५६.०० |
| १९ | लौठ सल्ला अमेरिकन | गोटा | ३३२.०० | ३३२.०० | ३३२.०० |
| २० | खर | गोटा | ९१.०० | ९१.०० | ९१.०० |
| २१ | अम्बा | प्रति बिरुवा | १४२.०० | १४२.०० | १४२.०० |
| २२ | उतिस ,धयेरो,असुरो,बकाइनो,निम आदी | गोटा | ४४२.०० | ४४२.०० | ४४२.०० |
| २३ | सुजेत्रो | के.जी. | १६७२.०० | १६७२.०० | १६७२.०० |
| २४ | खर,फुकें सिटो आदिको बिउ | के.जी. | १५६४.०० | १५६४.०० | १५६४.०० |
| २५ | जुट नेट | व.मी. | ५२३.०० | ५२३.०० | ५२३.०० |
| | **द टिम्बर कर्पोरेशनबाट सम्पादन गरिने कार्यहरु** | | | | |
| १ | चिरान उत्पादन(बाकल,भुष,फाल्ने क्रस कटिंग समेत) | क्यू.फि. | ७६.०० | ७६.०० | ७६.०० |
| २ | चिरान लोड | क्यू.फि. | २५.०० | २५.०० | २५.०० |
| ३ | चिरान पाइलिंग | क्यू.फि. | ८.०० | ८.०० | ८.०० |
| ४ | चिरान अनलोड | क्यू.फि. | ९.०० | ९.०० | ९.०० |
| ५ | मिल सिपमेन्टको गोलिया अनलोड | क्यू.फि. | १२.०० | १२.०० | १२.०० |
| ६ | भाडाको स.मिलबाट गोलिया चिरान ज्याला(गोलियामा) | क्यू.फि. | १०६.०० | १०६.०० | १०६.०० |
| ७ | दाउरा लोड | क्वीन्टल | ५९.०० | ५९.०० | ५९.०० |
| ८ | दाउरा अनलोड | क्वीन्टल | १९.०० | १९.०० | १९.०० |
| ९ | पोल लोड | प्रति गोटा | ७१.०० | ७१.०० | ७१.०० |
| १० | पोल अनलोड | प्रति गोटा | ३५.०० | ३५.०० | ३५.०० |
| | **पाल्मका प्रजाति** | | | | |
| १ | फिस्टेल पाल्म | प्रति गोटा | १६१८.०० | १६१८.०० | १६१८.०० |
| २ | रोयल पाल्म | प्रति गोटा | १९४२.०० | १९४२.०० | १९४२.०० |
| ३ | बोटल पाल्म | प्रति गोटा | १०२५.०० | १०२५.०० | १०२५.०० |
| ४ | किं पाल्म | प्रति गोटा | १९४२.०० | १९४२.०० | १९४२.०० |
| ५ | हवाई पाल्म | प्रति गोटा | २५८९.०० | २५८९.०० | २५८९.०० |
| ६ | होचो हुने प्रजाति १ देखि २ फिट सम्म | प्रति गोटा | | | |
| ७ | साइकस पाल्म | प्रति गोटा | १२९४.०० | १२९४.०० | १२९४.०० |
| ८ | स्याविस पाल्म | प्रति गोटा | १०२५.०० | १०२५.०० | १०२५.०० |
| ९ | रेक्सोन पाल्म | प्रति गोटा | १२९४.०० | १२९४.०० | १२९४.०० |
| १० | फोनिक्स पाल्म | प्रति गोटा | ७५५.०० | ७५५.०० | ७५५.०० |
| ११ | च्यामडोरा पाल्म | प्रति गोटा | ७५५.०० | ७५५.०० | ७५५.०० |
| १२ | लिपेरिया पाल्म | प्रति गोटा | ५३९.०० | ५३९.०० | ५३९.०० |
| १३ | फयान पाल्म | प्रति गोटा | ८०९.०० | ८०९.०० | ८०९.०० |

# वनजंगल संग सम्वन्धित बिउ तथा बिरुवाहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १४ | एरिका पाल्म | प्रति गोटा | ८०९.०० | ८०९.०० | ८०९.०० |
| | ४ देखि ५ फिट उचाई सम्म | | | | |
| १ | ईवि यकस | प्रति गोटा | १०७.०० | १०७.०० | १०७.०० |
| २ | एजेलिया | प्रति गोटा | १९४२.०० | १९४२.०० | १९४२.०० |
| ३ | क्यामेलिया | प्रति गोटा | १९४२.०० | १९४२.०० | १९४२.०० |
| ४ | याउण्ड फ्लर | प्रति गोटा | ३२३.०० | ३२३.०० | ३२३.०० |
| | स्थानिय वास्नादार प्रजाति ४ देखि ६ फिट | | | | |
| १ | पारिजात | प्रति गोटा | १५१०.०० | १५१०.०० | १५१०.०० |
| २ | चमेली | प्रति गोटा | १२९४.०० | १२९४.०० | १२९४.०० |
| ३ | जाई | प्रति गोटा | १०२५.०० | १०२५.०० | १०२५.०० |
| ४ | बेलपत्र | प्रति गोटा | १०२५.०० | १०२५.०० | १०२५.०० |
| | स्थानिय प्रजाति २ देखि ४ फिट | | | | |
| १ | मालती | प्रति गोटा | ५३९.०० | ५३९.०० | ५३९.०० |
| २ | बगमबेली | प्रति गोटा | ६४७.०० | ६४७.०० | ६४७.०० |
| ३ | बेली | प्रति गोटा | ६४७.०० | ६४७.०० | ६४७.०० |
| ४ | पेशन फ्लावर | प्रति गोटा | ७५५.०० | ७५५.०० | ७५५.०० |
| ५ | मान्डोमिल्ला | प्रति गोटा | १२९४.०० | १२९४.०० | १२९४.०० |
| ६ | फाइकस पुमिला | प्रति गोटा | २१५.०० | २१५.०० | २१५.०० |
| ७ | आइीम प्लाण्ट | प्रति गोटा | ३२३.०० | ३२३.०० | ३२३.०० |
| ८ | कपुर | प्रति गोटा | ८७१.०० | ८७१.०० | ८७१.०० |
| ९ | रुद्राक्ष | प्रति गोटा | १०७५.०० | १०७५.०० | १०७५.०० |
| १० | फल्की | प्रति गोटा | ७४७.०० | ७४७.०० | ७४७.०० |
| ११ | जाकारन्डा | प्रति गोटा | ७४७.०० | ७४७.०० | ७४७.०० |
| १२ | असारे | प्रति गोटा | ७४७.०० | ७४७.०० | ७४७.०० |
| १३ | शिरिस | प्रति गोटा | ८०९.०० | ८०९.०० | ८०९.०० |
| १४ | पैपू | प्रति गोटा | ४९८.०० | ४९८.०० | ४९८.०० |
| १५ | लन्सी | प्रति गोटा | ४९८.०० | ४९८.०० | ४९८.०० |
| १६ | धुपी | प्रति गोटा | ५६०.०० | ५६०.०० | ५६०.०० |
| १७ | बगनबेली | प्रति गोटा | ७४७.०० | ७४७.०० | ७४७.०० |
| १८ | काईपो | प्रति गोटा | ७४७.०० | ७४७.०० | ७४७.०० |
| १९ | अब्रीसो(सानो बिरुवा) | प्रति गोटा | ६.०० | ६.०० | ६.०० |
| २० | तेजपात | प्रति गोटा | १०७९.०० | १०७९.०० | १०७९.०० |
| २१ | अमला | प्रति गोटा | ८४१.०० | ८४१.०० | ८४१.०० |
| २२ | हरी | प्रति गोटा | ९१७.०० | ९१७.०० | ९१७.०० |
| २३ | बरो | प्रति गोटा | ९१७.०० | ९१७.०० | ९१७.०० |
| २४ | बकाईनो | प्रति गोटा | ९१७.०० | ९१७.०० | ९१७.०० |
| २५ | इन्द्रकमल | प्रति गोटा | १९४२.०० | १९४२.०० | १९४२.०० |

# वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| २६ | लालीगुरास | प्रति गोटा | १७८०.०० | १७८०.०० | १७८०.०० |
| २७ | स्यालफुसरे | प्रति गोटा | १७८०.०० | १७८०.०० | १७८०.०० |
| २८ | एवाले | प्रति गोटा | १७८०.०० | १७८०.०० | १७८०.०० |
| २९ | देवदार | प्रति गोटा | २८५९.०० | २८५९.०० | २८५९.०० |
| ३० | क्रिसमस | प्रति बिरुवा | ३२३७.०० | ३२३७.०० | ३२३७.०० |
| ३१ | गोल्डेन धुपि | प्रति बिरुवा | २५८९.०० | २५८९.०० | २५८९.०० |
| ३२ | तुल्सी | प्रति बिरुवा | २१०४.०० | २१०४.०० | २१०४.०० |
| ३३ | अन्य | प्रति बिरुवा | १७८०.०० | १७८०.०० | १७८०.०० |
| | बस्ती क्षेत्र भित्रका रुख कटान मुछान गरी गिण्डा पार्ने | | | | |
| १ | सामान्य जोखिम भएको | प्रति गोटा | ८४.०० | ८४.०० | ८४.०० |
| २ | मध्यम | प्रति गोटा | १४१.०० | १४१.०० | १४१.०० |
| ३ | अति जोखिम | प्रति गोटा | २२६.०० | २२६.०० | २२६.०० |
| | वन पैदावर संकलन तथा घाटगद्दी खर्च | | | | |
| १ | रुख नम्बरीङ्ग/छपान/ब्लेजीङ्ग गर्न (०००२ जना प्रति क्यू.फि.) | क्यू.फि. | २.०० | २.०० | २.०० |
| २ | ढलापडा रुख कटान मुछान | क्यू.फि. | ४३.०० | ४३.०० | ४३.०० |
| ३ | गोलिया काठ नम्बरिङ्ग तथा नाप पैमाइस (०।००८ जना प्रति क्यू.फि. | क्यू.फि. | ६४.०० | ६४.०० | ६४.०० |
| ४ | लोका ताछने (आवश्यकता अनुसार) (०।००८ जना प्रति क्यू.फि | क्यू.फि. | ६.०० | ६.०० | ६.०० |
| ५ | पार्डिङ्ग गर्ने (निराको भौगोलिक अवस्थामा मात्र) (०।१६७ जना प्रति क्यू.फि.) | क्यू.फि. | १२४.०० | १२४.०० | १२४.०० |
| ६ | गोलिया काठ लोड गर्ने (०।०३२ जना प्रति क्यू.फि. | क्यू.फि. | २१.०० | २१.०० | २१.०० |
| ७ | गोलिया काठ ढुवानी घाटगद्दी सम्म (५ कि.मी दुरीसम्म) (०।०६७ जना प्रति क्यू.फि. | क्यू.फि. | ४८.०० | ४८.०० | ४८.०० |
| ८ | गोलिया काठ अनलोड गर्ने (०।०२१ जना प्रति क्यू.फि.) | क्यू.फि. | १९.०० | १९.०० | १९.०० |
| ९ | ग्रेडिङ्ग अनुसार घाटगद्दी गर्ने (०।०२७ जना प्रति क्यू.फि.) | क्यू.फि. | २६.०० | २६.०० | २६.०० |
| १० | कुल संकलन खर्च (०।३७१ जना प्रति क्यू.फि. | क्यू.फि. | २४८.०० | २४८.०० | २४८.०० |

प्रमुख जिल्ला अधिकारी

# वनजंगल संग सम्वन्धित विउ तथा विरुवाहरु

| सि.नं. | निर्माण सामग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| क | मूल्य | | | | |
| १ | टिमुर | गोटा | ५९.०० | ५९.०० | ५९.०० |
| २ | सतुवा | गोटा | १४०.०० | १४०.०० | १४०.०० |
| ३ | ओखर | गोटा | २६९.०० | २६९.०० | २६९.०० |
| ४ | मकलर | गोटा | ७५.०० | ७५.०० | ७५.०० |
| ५ | कटहर | गोटा | ७५.०० | ७५.०० | ७५.०० |
| ६ | सुपारी | गोटा | २८०.०० | २८०.०० | २८०.०० |
| ७ | नरियल | गोटा | २८०.०० | २८०.०० | २८०.०० |
| ८ | अर्गेलि कटिंग | गोटा | ४३.०० | ४३.०० | ४३.०० |
| ९ | चिराइतो | गोटा | ४३.०० | ४३.०० | ४३.०० |
| १० | सल्ली | गोटा | ४३.०० | ४३.०० | ४३.०० |
| ११ | बकाइनो | गोटा | २६.०० | २६.०० | २६.०० |
| १२ | खयर | गोटा | १७२.०० | १७२.०० | १७२.०० |
| १३ | सिमल | गोटा | ३२.०० | ३२.०० | ३२.०० |
| १४ | सुगन्धकोकिला | गोटा | ५२.०० | ५२.०० | ५२.०० |
| १५ | कलिफुल | गोटा | ७५.०० | ७५.०० | ७५.०० |
| १६ | दालचिनी | गोटा | ३७.०० | ३७.०० | |
| १७ | बाँस विउवाट एक वर्षे | गोटा | ९१.०० | ९१.०० | ९१.०० |
| १९ | वन सुपारी | प्रति विरुवा | ५३.०० | ५३.०० | ५३.०० |
| २० | आर डड | प्रति विरुवा | २९६.०० | २९६.०० | २९६.०० |
| २२ | करविर फुल | प्रति विरुवा | १०४६.०० | १०४६.०० | १०४६.०० |
| २३ | चाँप | प्रति विरुवा | १८३४.०० | १८३४.०० | १८३४.०० |
| २५ | ठूली साइजको बाँसको विरुवा (विउवाट उत्पादित) | गोटा | ३२३.०० | ३२३.०० | ३२३.०० |
| २६ | बोधिचित्त | गोटा | १३५.०० | १३५.०० | |
| २७ | दाते ओखर | गोटा | २१५.०० | २१५.०० | २१५.०० |
| २८ | रिटठ | गोटा | ५३.०० | ५३.०० | ५३.०० |
| २९ | निम | गोटा | ८६.०० | ८६.०० | ८६.०० |
| ३० | चिउरी | गोटा | ७५.०० | ७५.०० | ७५.०० |
| ३१ | श्रीखण्ड | गोटा | ३९९.०० | ३९९.०० | ३९९.०० |
| ३२ | रक्तचन्दन | गोटा | २९१.०० | २९१.०० | २९१.०० |
| ३३ | खयर | गोटा | ७५.०० | ७५.०० | ७५.०० |
| ख | खाली एलानी पर्ति जग्गामा लगाउन आवश्यक फलफूल विरुवा | | | | |
| १ | कागती | प्रति विरुवा | २३७.०० | २३७.०० | २३७.०० |
| २ | सुन्तला | प्रति विरुवा | २३७.०० | २३७.०० | २३७.०० |
| ३ | जुनार | प्रति विरुवा | २३७.०० | २३७.०० | २३७.०० |
| ४ | हलुवाबेद | प्रति विरुवा | २३७.०० | २३७.०० | २३७.०० |
| ५ | आँप | प्रति विरुवा | २३७.०० | २३७.०० | २३७.०० |
| ६ | कागति विजु | गोटा | ५३.०० | ५३.०० | ५३.०० |
| ७ | सुन्तला विजु | गोटा | ५३.०० | ५३.०० | ५३.०० |
| ८ | गिवुवा | गोटा | ५३.०० | ५३.०० | ५३.०० |
| ९ | नास्पाति | गोटा | २३७.०० | २३७.०० | २३७.०० |
| १० | एभोकाडो | गोटा | २८०.०० | २८०.०० | २८०.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १ | High Density Polythene Pipe NS-40 | के. जी. | २८७.०० | २८७.०० | २८७.०० |
| २ | G.I Pipe threaded - Light class | | | | |
| | 15mm | र.मी | १७०.०० | १७०.०० | १८७.०० |
| | 20mm | र.मी | २३२.०० | २३२.०० | २५५.०० |
| | 25mm | र.मी | ३२२.०० | ३२२.०० | ३५४.०० |
| | 32mm | र.मी | ४११.०० | ४११.०० | ४५२.०० |
| | 40mm | र.मी | ५०८.०० | ५०८.०० | ५५९.०० |
| | 50mm | र.मी | ६४१.०० | ६४१.०० | ७०५.०० |
| | 65mm | र.मी | ८८५.०० | ८८५.०० | ९७४.०० |
| | 80mm | र.मी | १०३८.०० | १०३८.०० | ११४२.०० |
| | 100mm | र.मी | १४८५.०० | १४८५.०० | १५२६.०० |
| | 125mm | र.मी | २३७७.०० | २३७७.०० | २४१५.०० |
| | 150mm | र.मी | २८२३.०० | २८२३.०० | ३०५०.०० |
| | 200mm | र.मी | ४०५१.०० | ४०५१.०० | ४४५६.०० |
| ३ | MS PIPE SEAMLESS SIZE OD (MM)-ASTM-A-106 | | | | |
| | 21.3 mm OD 1/2" SCH.40, 2.77 mm thickness | र.मी | ५१९.०० | ५१९.०० | ५१९.०० |
| | 26.7mm OD 3/4" SCH.40, 2.87 mm thickness | र.मी | ६२३.०० | ६२३.०० | ६२३.०० |
| | 33.4 mm OD 1" SCH.40, 3.38mm thickness | र.मी | ७८२.०० | ७८२.०० | ७८२.०० |
| | 42.2mm OD 1.1/4" SCH.40, 3.56mm thickness | र.मी | ९६४.०० | ९६४.०० | ९६४.०० |
| | 48.3 mm OD 1.5" SCH.40, 3.68 mm thickness | र.मी | ११०४.०० | ११०४.०० | ११०४.०० |
| | 60.3mm OD 2" SCH.40, 3.91 mm thickness | र.मी | १४१७.०० | १४१७.०० | १४१७.०० |
| | 73mm OD 3" SCH.40,5.16 .mm thickness | र.मी | २१७९.०० | २१७९.०० | २१७९.०० |
| | 88.9mm OD 3.5" SCH.40, 5.49 mm thickness | र.मी | २३००.०० | २३००.०० | २३००.०० |
| | 101.6mm OD 4" SCH.40, 5.74 mm thickness | र.मी | ३३१२.०० | ३३१२.०० | ३३१२.०० |
| | 114.3mm OD 5" SCH.40, 6.02 mm thickness | र.मी | ४०६०.०० | ४०६०.०० | ४०६०.०० |
| | 141.3mm OD 6" SCH.40, 6.557 mm thickness | र.मी | ५४९९.०० | ५४९९.०० | ५४९९.०० |
| | 168.3mm OD 4" SCH.40, 7.11 mm thickness | र.मी | ७१३८.०० | ७१३८.०० | ७१३८.०० |
| | 65 mm ID SCH.40 | र.मी | २१८५.०० | २१८५.०० | २१८५.०० |
| | 80 mm ID SCH.40 | र.मी | २६४५.०० | २६४५.०० | २६४५.०० |
| | 125 mm ID SCH.40 | र.मी | ४३७०.०० | ४३७०.०० | ४३७०.०० |
| | 150 mm ID SCH.40 | र.मी | ५०९४.०० | ५०९४.०० | ५०९४.०० |
| | 200 mm ID SCH.40 | र.मी | ६३४८.०० | ६३४८.०० | ६३४८.०० |
| | 250mm ID SCH.40 | र.मी | ८१९९.०० | ८१९९.०० | ८१९९.०० |
| | 300 mm ID SCH.40 | र.मी | ११२४७.०० | ११२४७.०० | ११२४७.०० |
| | 350 mm ID SCH.40 | र.मी | २११६०.०० | २११६०.०० | २११६०.०० |
| | 400 mm ID SCH.40 | र.मी | २७६००.०० | २७६००.०० | २७६००.०० |
| | 450 mm ID SCH.40 | र.मी | ३४८७९.०० | ३४८७९.०० | ३४८७९.०० |
| | 500 mm ID SCH.40 | र.मी | ४१०५५.०० | ४१०५५.०० | ४१०५५.०० |
| ४ | G.I Pipe threaded -Medium class | | | | |
| | 15mm | र.मी | १८१.०० | १८१.०० | १९९.०० |
| | 20mm | र.मी | २२५.०० | २२५.०० | २४८.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 25mm | र.मी | ३४४.०० | ३४४.०० | ३७८.०० |
| | 32mm | र.मी | ४४७.०० | ४४७.०० | ४९२.०० |
| | 40mm | र.मी | ५१४.०० | ५१४.०० | ५६५.०० |
| | 50mm | र.मी | ७०६.०० | ७०६.०० | ७७७.०० |
| | 65mm | र.मी | ९०१.०० | ९०१.०० | ९९१.०० |
| | 80mm | र.मी | ११२२.०० | ११२२.०० | १२३४.०० |
| | 100mm | र.मी | १६८०.०० | १६८०.०० | १८४८.०० |
| | 125mm | र.मी | २१९६.०० | २१९६.०० | २४१६.०० |
| | 150mm | र.मी | २६५६.०० | २६५६.०० | २९२२.०० |
| | 200mm | र.मी | ४५९६.०० | ४५९६.०० | ५०५६.०० |
| ५ | G.I Pipe threaded - Heavy duty | | | | |
| | 15mm | र.मी | २१२.०० | २१२.०० | २३३.०० |
| | 20mm | र.मी | २६५.०० | २६५.०० | २९२.०० |
| | 25mm | र.मी | ३९६.०० | ३९६.०० | ४३६.०० |
| | 32mm | र.मी | ४६८.०० | ४६८.०० | ५१५.०० |
| | 40mm | र.मी | ५९३.०० | ५९३.०० | ६५२.०० |
| | 50mm | र.मी | ८७२.०० | ८७२.०० | ९५९.०० |
| | 65mm | र.मी | ९९२.०० | ९९२.०० | १०९१.०० |
| | 80mm | र.मी | १२८५.०० | १२८५.०० | १४१४.०० |
| | 100mm | र.मी | २२०८.०० | २२०८.०० | २३५०.०० |
| | 125mm | र.मी | २५०३.०० | २५०३.०० | २७५३.०० |
| | 150mm | र.मी | २८३३.०० | २८३३.०० | ३११६.०० |
| | 200mm | र.मी | ५०८३.०० | ५०८३.०० | ५४००.०० |
| ६ | G.M. Gate valve | | | | |
| | 15mm | र.मी | ७५१.०० | ७५१.०० | ७५१.०० |
| | 20mm | र.मी | १०५०.०० | १०५०.०० | १०५०.०० |
| | 25mm | र.मी | १६००.०० | १६००.०० | १६००.०० |
| | 32mm | र.मी | २३५०.०० | २३५०.०० | २३५०.०० |
| | 40mm | र.मी | ३१३३.०० | ३१३३.०० | ३१३३.०० |
| | 50mm | र.मी | ४८८३.०० | ४८८३.०० | ४८८३.०० |
| | 65mm | र.मी | ८७७२.०० | ८७७२.०० | ८७७२.०० |
| | 80mm | र.मी | १२०५०.०० | १२०५०.०० | १२०५०.०० |
| | 100mm | र.मी | २०५९०.०० | २०५९०.०० | २०५९०.०० |
| ७ | G.M Check valve | | | | |
| | 15mm | गोटा | ८९३.०० | ८९३.०० | ८९३.०० |
| | 20mm | गोटा | १२००.०० | १२००.०० | १२००.०० |
| | 25mm | गोटा | १७७५.०० | १७७५.०० | १७७५.०० |
| | 32mm | गोटा | २६२३.०० | २६२३.०० | २६२३.०० |
| | 40mm | गोटा | ३०३५.०० | ३०३५.०० | ३०३५.०० |
| | 50mm | गोटा | ५०३३.०० | ५०३३.०० | ५०३३.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 65mm | गोटा | १०२२५.०० | १०२२५.०० | १०२२५.०० |
| | 80mm | गोटा | १३६५७.०० | १३६५७.०० | १३६५७.०० |
| | 100mm | गोटा | १९३०१.०० | १९३०१.०० | १९३०१.०० |
| ८ | G.I. Elbow | | | | |
| | 15mm | गोटा | ४२.०० | ४२.०० | ४२.०० |
| | 20mm | गोटा | ६६.०० | ६६.०० | ६६.०० |
| | 25mm | गोटा | १०५.०० | १०५.०० | १०५.०० |
| | 32mm | गोटा | १६२.०० | १६२.०० | १६२.०० |
| | 40mm | गोटा | २२३.०० | २२३.०० | २२३.०० |
| | 50mm | गोटा | ३४४.०० | ३४४.०० | ३४४.०० |
| | 65mm | गोटा | ६५३.०० | ६५३.०० | ६५३.०० |
| | 80mm | गोटा | ८८०.०० | ८८०.०० | ८८०.०० |
| | 100mm | गोटा | १५७०.०० | १५७०.०० | १५७०.०० |
| | 125mm | गोटा | २१०३.६० | २१०३.६० | २१०३.६० |
| | 150mm | गोटा | २५२४.३२ | २५२४.३२ | २५२४.३२ |
| ९ | G.I. Tee | | | | |
| | 15mm | गोटा | ६६.०० | ६६.०० | ६६.०० |
| | 20mm | गोटा | १०४.०० | १०४.०० | १०४.०० |
| | 25mm | गोटा | १४२.०० | १४२.०० | १४२.०० |
| | 32mm | गोटा | २१९.०० | २१९.०० | २१९.०० |
| | 40mm | गोटा | २८२.०० | २८२.०० | २८२.०० |
| | 50mm | गोटा | ४९२.०० | ४९२.०० | ४९२.०० |
| | 65mm | गोटा | ८२८.०० | ८२८.०० | ८२८.०० |
| | 80mm | गोटा | ११८७.०० | ११८७.०० | ११८७.०० |
| | 100mm | गोटा | १९५३.०० | १९५३.०० | १९५३.०० |
| | 125mm | गोटा | २४६५.०० | २४६५.०० | २४६५.०० |
| | 150mm | गोटा | २९६०.०० | २९६०.०० | २९६०.०० |
| १० | G.I Union | | | | |
| | 15mm | गोटा | ११३.०० | ११३.०० | ११३.०० |
| | 20mm | गोटा | १५३.०० | १५३.०० | १५३.०० |
| | 25mm | गोटा | २१०.०० | २१०.०० | २१०.०० |
| | 32mm | गोटा | ३२९.०० | ३२९.०० | ३२९.०० |
| | 40mm | गोटा | ४०१.०० | ४०१.०० | ४०१.०० |
| | 50mm | गोटा | ६११.०० | ६११.०० | ६११.०० |
| | 65mm | गोटा | ११३८.०० | ११३८.०० | ११३८.०० |
| | 80mm | गोटा | १५८६.०० | १५८६.०० | १५८६.०० |
| | 100mm | गोटा | २२०५.०० | २२०५.०० | २२०५.०० |
| | 125mm | गोटा | २७७०.०० | २७७०.०० | २७७०.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 150mm | गोटा | ३३२४.०० | ३३२४.०० | ३३२४.०० |
| ११ | G.I. Socket | | | | |
| | 15mm | गोटा | ३८.०० | ३८.०० | ३८.०० |
| | 20mm | गोटा | ५७.०० | ५७.०० | ५७.०० |
| | 25mm | गोटा | ७५.०० | ७५.०० | ७५.०० |
| | 32mm | गोटा | ११५.०० | ११५.०० | ११५.०० |
| | 40mm | गोटा | १४४.०० | १४४.०० | १४४.०० |
| | 50mm | गोटा | २४१.०० | २४१.०० | २४१.०० |
| | 65mm | गोटा | ३९१.०० | ३७५.०० | ३७५.०० |
| | 80mm | गोटा | ५८६.०० | ५८६.०० | ५८६.०० |
| | 100mm | गोटा | ९५१.०० | ९५१.०० | ९५१.०० |
| | 125mm | गोटा | ११४०.०० | ११४०.०० | ११४०.०० |
| | 150mm | गोटा | १३६८.०० | १३६८.०० | १३६८.०० |
| १२ | C.I. Plug | | | | |
| | 15mm | गोटा | ३०.०० | ३०.०० | ३०.०० |
| | 20mm | गोटा | ४०.०० | ४०.०० | ४०.०० |
| | 25mm | गोटा | ४९.०० | ४९.०० | ४९.०० |
| | 32mm | गोटा | ९८.०० | ९८.०० | ९८.०० |
| | 40mm | गोटा | १२४.०० | १२४.०० | १२४.०० |
| | 50mm | गोटा | १४९.०० | १४९.०० | १४९.०० |
| | 65mm | गोटा | २१४.०० | २१४.०० | २१४.०० |
| | 80mm | गोटा | ४३७.०० | ४३७.०० | ४३७.०० |
| | 100mm | गोटा | ८३८.०० | ८३८.०० | ८३८.०० |
| १३ | Hex Nipple | | | | |
| | 15mm | गोटा | ५६.०० | ५६.०० | ५६.०० |
| | 20mm | गोटा | ८६.०० | ८६.०० | ८६.०० |
| | 25mm | गोटा | १३९.०० | १३९.०० | १३९.०० |
| | 32mm | गोटा | २१७.०० | २१७.०० | २१७.०० |
| | 40mm | गोटा | २७५.०० | २७५.०० | २७५.०० |
| | 50mm | गोटा | ४०९.०० | ४०९.०० | ४०९.०० |
| | 65mm | गोटा | ७५०.०० | ७५०.०० | ७५०.०० |
| | 80mm | गोटा | ९६८.०० | ९६८.०० | ९६८.०० |
| | 100mm | गोटा | १४८४.०० | १४८४.०० | १४८४.०० |
| १४ | Reducing Tee | | | | |
| | 20mm | गोटा | १२०.०० | १२०.०० | १२०.०० |
| | 25mm | गोटा | १४८.०० | १४८.०० | १४८.०० |
| | 32mm | गोटा | १६२.०० | १६२.०० | १६२.०० |
| | 40mm | गोटा | ३२५.०० | ३२५.०० | ३२५.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 50mm | गोटा | ५१७.०० | ५१७.०० | ५१७.०० |
| | 65mm | गोटा | ९१८.०० | ९१८.०० | ९१८.०० |
| | 80mm | गोटा | १४५०.०० | १४५०.०० | १४५०.०० |
| | 100mm | गोटा | २७५०.०० | २७५०.०० | २७५०.०० |
| | 125mm | गोटा | ३३००.०० | ३३००.०० | ३३००.०० |
| | 150mm | गोटा | ३९६०.०० | ३९६०.०० | ३९६०.०० |
| १५ | Reducing Elbow | | | | |
| | 20mm | गोटा | १०३.०० | १०३.०० | १०३.०० |
| | 25mm | गोटा | १६०.०० | १६०.०० | १६०.०० |
| | 32mm | गोटा | २४४.०० | २४४.०० | २४४.०० |
| | 40mm | गोटा | ३४२.०० | ३४२.०० | ३४२.०० |
| | 50mm | गोटा | ५११.०० | ५११.०० | ५११.०० |
| | 65mm | गोटा | ८८३.०० | ८८३.०० | ८८३.०० |
| | 80mm | गोटा | १३६१.०० | १३६१.०० | १३६१.०० |
| | 100mm | गोटा | २४१०.०० | २४१०.०० | २४१०.०० |
| | 125mm | गोटा | ५८७८.०० | ५८७८.०० | ५८७८.०० |
| | 150mm | गोटा | ७०७३.०० | ७०७३.०० | ७०७३.०० |
| १६ | Reducing socket | | | | |
| | 15mm(1/2") | गोटा | | ५०.०० | ५०.०० |
| | 20mm | गोटा | ८०.०० | ८०.०० | ८०.०० |
| | 25mm | गोटा | १००.०० | १००.०० | १००.०० |
| | 32mm | गोटा | १५०.०० | १५०.०० | १५०.०० |
| | 40mm | गोटा | २१०.०० | २१०.०० | २१०.०० |
| | 50mm | गोटा | ३२०.०० | ३२०.०० | ३२०.०० |
| | 65mm | गोटा | ४५०.०० | ४५०.०० | ४५०.०० |
| | 80mm | गोटा | ७२०.०० | ७२०.०० | ७२०.०० |
| | 100mm | गोटा | ११४०.०० | ११४०.०० | ११४०.०० |
| | 125mm | गोटा | १३६८.०० | १३६८.०० | १३६८.०० |
| | 150mm | गोटा | १४८२.०० | १४८२.०० | १४८२.०० |
| १७ | Short bend | | | | |
| | 15mm | गोटा | १३०.०० | १३०.०० | १३०.०० |
| | 20mm | गोटा | १५०.०० | १५०.०० | १५०.०० |
| | 25mm | गोटा | १९०.०० | १९०.०० | १९०.०० |
| | 32mm | गोटा | २९०.०० | २९०.०० | २९०.०० |
| | 40mm | गोटा | ४००.०० | ४००.०० | ४००.०० |
| | 50mm | गोटा | ५९०.०० | ५९०.०० | ५९०.०० |
| | 65mm | गोटा | १५००.०० | १५००.०० | १५००.०० |
| | 80mm | गोटा | १८००.०० | १८००.०० | १८००.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 100mm | गोटा | २५००.०० | २५००.०० | २५००.०० |
| १८ | Cross Tee | | | | |
| | 15mm | गोटा | १३१.०० | १३१.०० | १३१.०० |
| | 20mm | गोटा | १८६.०० | १८६.०० | १८६.०० |
| | 25mm | गोटा | २९३.०० | २९३.०० | २९३.०० |
| | 32mm | गोटा | ५०९.०० | ५०९.०० | ५०९.०० |
| | 40mm | गोटा | ६११.०० | ६११.०० | ६११.०० |
| | 50mm | गोटा | ९९०.०० | ९९०.०० | ९९०.०० |
| | 65mm | गोटा | १६७०.०० | १६७०.०० | १६७०.०० |
| | 80mm | गोटा | २४२०.०० | २४२०.०० | २४२०.०० |
| | 100mm | गोटा | ३२६८.०० | ३२६८.०० | ३२६८.०० |
| १९ | Tank Nipple | | | | |
| | 15mm | गोटा | १५४.०० | १५४.०० | १५४.०० |
| | 20mm | गोटा | २१४.०० | २१४.०० | २१४.०० |
| | 25mm | गोटा | ३९९.०० | ३९९.०० | ३९९.०० |
| | 32mm | गोटा | ४८०.०० | ४८०.०० | ४८०.०० |
| | 40mm | गोटा | ६११.०० | ६११.०० | ६११.०० |
| | 50mm | गोटा | ९९०.०० | ९९०.०० | ९९०.०० |
| | 65mm | गोटा | १९०६.०० | १९०६.०० | १९०६.०० |
| | 80mm | गोटा | २५३८.०० | २५३८.०० | २५३८.०० |
| | 100mm | गोटा | ३३६७.०० | ३३६७.०० | ३३६७.०० |
| २० | G.I. Nipple Medium Class - 2" Long | | | | |
| | 15mm | गोटा | २२.०० | २२.०० | २२.०० |
| | 20mm | गोटा | ३४.०० | ३४.०० | ३४.०० |
| | 25mm | गोटा | ४४.०० | ४४.०० | ४४.०० |
| | 32mm | गोटा | ५७.०० | ५७.०० | ५७.०० |
| | 40mm | गोटा | ७१.०० | ७१.०० | ७१.०० |
| | 50mm | गोटा | १२७.०० | १२७.०० | |
| २१ | G.I. Nipple Medium Class -3" Long | | | | |
| | 15mm | गोटा | ३४.०० | ३४.०० | ३४.०० |
| | 20mm | गोटा | ४७.०० | ४७.०० | ४७.०० |
| | 25mm | गोटा | ६६.०० | ६६.०० | ६६.०० |
| | 32mm | गोटा | ८५.०० | ८५.०० | ८५.०० |
| | 40mm | गोटा | १०६.०० | १०६.०० | १०६.०० |
| | 50mm | गोटा | १३४.०० | १३४.०० | १३४.०० |
| | 65mm | गोटा | १८६.०० | १८६.०० | १८६.०० |
| | 80mm | गोटा | २२०.०० | २२०.०० | २२०.०० |
| २२ | G.I. Nipple Medium Class -4" Long | | | | |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 15mm | गोटा | ४५.०० | ४५.०० | ४५.०० |
| | 20mm | गोटा | ६३.०० | ६३.०० | ६३.०० |
| | 25mm | गोटा | ८८.०० | ८८.०० | ८८.०० |
| | 32mm | गोटा | ११३.०० | ११३.०० | ११३.०० |
| | 40mm | गोटा | १४२.०० | १४२.०० | १४२.०० |
| | 50mm | गोटा | १७९.०० | १७९.०० | १७९.०० |
| | 65mm | गोटा | २४८.०० | २४८.०० | २४८.०० |
| | 80mm | गोटा | २०४.०० | २०४.०० | २०४.०० |
| | 100mm | गोटा | ४२२.०० | ४२२.०० | ४२२.०० |
| | 125mm | गोटा | ६४३.०० | ६४३.०० | ६४३.०० |
| | 150mm | गोटा | ७६३.०० | ७६३.०० | ७६३.०० |
| २३ | G.I. Nipple Medium Class -6" Long | | | | |
| | 15mm | गोटा | ६८.०० | ६८.०० | ६८.०० |
| | 20mm | गोटा | ९४.०० | ९४.०० | ९४.०० |
| | 25mm | गोटा | १२२.०० | १२२.०० | १२२.०० |
| | 32mm | गोटा | १३२.०० | १३२.०० | १३२.०० |
| | 40mm | गोटा | १४०.०० | १४०.०० | |
| | 50mm | गोटा | २६९.०० | २६९.०० | २६९.०० |
| | 65mm | गोटा | ३७३.०० | ३७३.०० | ३७३.०० |
| | 80mm | गोटा | ४३९.०० | ४३९.०० | ४३९.०० |
| | 100mm | गोटा | ६३३.०० | ६३३.०० | ६३३.०० |
| | 125mm | गोटा | ९६५.०० | ९६५.०० | ९६५.०० |
| | 150mm | गोटा | ११४६.०० | ११४६.०० | ११४६.०० |
| २४ | G.I. Nipple Medium Class -9" Long | | | | |
| | 15mm | गोटा | १०२.०० | १०२.०० | १०२.०० |
| | 20mm | गोटा | १४२.०० | १४२.०० | १४२.०० |
| | 25mm | गोटा | १९९.०० | १९९.०० | १९९.०० |
| | 32mm | गोटा | २५५.०० | २५५.०० | २५५.०० |
| | 40mm | गोटा | ३१९.०० | ३१९.०० | ३१९.०० |
| | 50mm | गोटा | ४०३.०० | ४०३.०० | ४०३.०० |
| | 65mm | गोटा | ५६०.०० | ५६०.०० | ५६०.०० |
| | 80mm | गोटा | ६५८.०० | ६५८.०० | ६५८.०० |
| | 100mm | गोटा | ९४९.०० | ९४९.०० | ९४९.०० |
| | 125mm | गोटा | १४४८.०० | १४४८.०० | १४४८.०० |
| | 150mm | गोटा | १७१९.०० | १७१९.०० | १७१९.०० |
| २५ | G.I. Nipple Medium Class -12" Long | | | | |
| | 15mm | गोटा | १३६.०० | १३६.०० | १३६.०० |
| | 20mm | गोटा | १८९.०० | १८९.०० | १८९.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 25mm | गोटा | २६५.०० | २६५.०० | २६५.०० |
| | 32mm | गोटा | ३४०.०० | ३४०.०० | ३४०.०० |
| | 40mm | गोटा | ४२५.०० | ४२५.०० | ४२५.०० |
| | 50mm | गोटा | ५३७.०० | ५३७.०० | ५३७.०० |
| | 65mm | गोटा | ७४६.०० | ७४६.०० | ७४६.०० |
| | 80mm | गोटा | ८७७.०० | ८७७.०० | ८७७.०० |
| | 100mm | गोटा | १२६६.०० | १२६६.०० | १२६६.०० |
| | 125mm | गोटा | १९३१.०० | १९३१.०० | १९३१.०० |
| | 150mm | गोटा | २२९१.०० | २२९१.०० | २२९१.०० |
| २६ | G.I. Nipple Medium Class -18" Long | | | | |
| | 15mm | गोटा | २२७.०० | २२७.०० | २२७.०० |
| | 20mm | गोटा | २८०.०० | २८०.०० | २८०.०० |
| | 25mm | गोटा | ३७८.०० | ३७८.०० | ३७८.०० |
| | 32mm | गोटा | ६१४.०० | ६१४.०० | ६१४.०० |
| | 40mm | गोटा | ७५५.०० | ७५५.०० | ७५५.०० |
| | 50mm | गोटा | ११३६.०० | ११३६.०० | ११३६.०० |
| | 65mm | गोटा | १५३६.०० | १५३६.०० | १५३६.०० |
| | 80mm | गोटा | २२४९.०० | २२४९.०० | २२४९.०० |
| | 100mm | गोटा | २७४३.०० | २७४३.०० | २७४३.०० |
| २७ | GI End Cap | | | | |
| | 15mm | गोटा | २५.०० | २५.०० | २५.०० |
| | 20mm | गोटा | ४०.०० | ४०.०० | ४०.०० |
| | 25mm | गोटा | ६५.०० | ६५.०० | ६५.०० |
| | 32mm | गोटा | ८०.०० | ८०.०० | ८०.०० |
| | 40mm | गोटा | १७५.०० | १७५.०० | १७५.०० |
| | 50mm | गोटा | २५०.०० | २५०.०० | २५०.०० |
| २८ | G.I./G.I. Flange | | | | |
| | 32mm | गोटा | ९६४.०० | ९६४.०० | ९६४.०० |
| | 40mm | गोटा | ११८६.०० | ११८६.०० | ११८६.०० |
| | 50mm | गोटा | १४५३.०० | १४५३.०० | १४५३.०० |
| | 65mm | गोटा | १६९९.०० | १६९९.०० | १६९९.०० |
| | 80mm | गोटा | १८९२.०० | १८९२.०० | १८९२.०० |
| | 100mm | गोटा | २३४८.०० | २३४८.०० | २३४८.०० |
| | 125mm | गोटा | ३३५८.०० | ३३५८.०० | ३३५८.०० |
| | 150mm | गोटा | ३४८८.०० | ३४८८.०० | ३४८८.०० |
| | 200mm | गोटा | ६९४८.०० | ६९४८.०० | ६९४८.०० |
| २९ | G.I./ Flange Set | | | | |
| | 32mm(1-1/4") | गोटा | ६६०.०० | ६६०.०० | ६६०.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 40mm(1-1/2") | गोटा | ८८०.०० | ८८०.०० | ८८०.०० |
| | 50mm(2") | गोटा | १३७५.०० | १३७५.०० | १३७५.०० |
| | 65mm(2-1/2") | गोटा | १७७५.०० | १७७५.०० | १७७५.०० |
| | 80mm(3") | गोटा | २३५०.०० | २३५०.०० | २३५०.०० |
| | 100mm(4") | गोटा | २७२०.०० | २७२०.०० | २७२०.०० |
| | 125mm(5") | गोटा | २९९२.०० | २९९२.०० | २९९२.०० |
| | 150mm(6") | गोटा | ३२९१.०० | ३२९१.०० | ३२९१.०० |
| | 200mm(8") | गोटा | ३६२०.०० | ३६२०.०० | ३६२०.०० |
| २० | G.I./HDP Flange | | | | |
| | 32mm | गोटा | १०३८.०० | १०३८.०० | १०३८.०० |
| | 40mm | गोटा | १३२२.०० | १३२२.०० | १३२२.०० |
| | 50mm | गोटा | १५६२.०० | १५६२.०० | १५६२.०० |
| | 65mm | गोटा | १८२४.०० | १८२४.०० | १८२४.०० |
| | 80mm | गोटा | १९५०.०० | १९५०.०० | १९५०.०० |
| | 100mm | गोटा | २४०६.०० | २४०६.०० | २४०६.०० |
| | 125mm | गोटा | ३३५८.०० | ३३५८.०० | ३३५८.०० |
| | 150mm | गोटा | ३५०५.०० | ३५०५.०० | ३५०५.०० |
| | 200mm | गोटा | ७६२७.०० | ७६२७.०० | ७६२७.०० |
| २१ | GI/HDPE Flange set with adaptor | | | | |
| | 50mm(2") | गोटा | १२८०.०० | १२८०.०० | १२८०.०० |
| | 65mm(2-1/2") | गोटा | १९८०.०० | १९८०.०० | १९८०.०० |
| | 80mm(3") | गोटा | २४२०.०० | २४२०.०० | २४२०.०० |
| | 100mm(4") | गोटा | २७७५.०० | २७७५.०० | २७७५.०० |
| | 125mm(5") | गोटा | ३०५३.०० | ३०५३.०० | ३०५३.०० |
| | 150mm(6") | गोटा | ३३५८.०० | ३३५८.०० | ३३५८.०० |
| | 200mm(8") | गोटा | ३६९४.०० | ३६९४.०० | ३६९४.०० |
| २२ | HDP/HDP Flange set with adaptor | | | | |
| | 32mm | गोटा | १०३८.०० | १०३८.०० | १०३८.०० |
| | 40mm | गोटा | १३२२.०० | १३२२.०० | १३२२.०० |
| | 50mm | गोटा | १५६२.०० | १५६२.०० | १५६२.०० |
| | 65mm | गोटा | १८२४.०० | १८२४.०० | १८२४.०० |
| | 80mm | गोटा | १९५०.०० | १९५०.०० | १९५०.०० |
| | 100mm | गोटा | २४०६.०० | २४०६.०० | २४०६.०० |
| | 125mm | गोटा | ३८१४.०० | ३८१४.०० | ३८१४.०० |
| | 150mm | गोटा | ३५०५.०० | ३५०५.०० | ३५०५.०० |
| | 200mm | गोटा | ७६२७.०० | ७६२७.०० | ७६२७.०० |
| २३ | Brass Compression Fittings | | | | |
| | 15mm | गोटा | २१०.०० | २१०.०० | २१०.०० |
| | 20mm | गोटा | ३२०.०० | ३२०.०० | ३२०.०० |
| | 25mm | गोटा | ८१०.०० | ८१०.०० | ८१०.०० |
| | 32mm | गोटा | १३८०.०० | १३८०.०० | १३८०.०० |
| | 40mm | गोटा | १५८०.०० | १५८०.०० | १५८०.०० |
| | 1/2" dia Brass Ferrule (400gm) | गोटा | ३८०.०० | ३८०.०० | ३८०.०० |
| | 1/2"(25-50mm dia) HDPE Saddle | गोटा | १८०.०० | १८०.०० | १८०.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ३४ | Brass tap - ½" | | | | |
| | 15mm 400 gm heavy | गोटा | ७५०.०० | ७५०.०० | ७५०.०० |
| | Ordinary | गोटा | २०५.०० | २०५.०० | २०५.०० |
| ३५ | Globe Valve (GM) | | | | |
| | 15mm | गोटा | ९२४.०० | ९२४.०० | ९२४.०० |
| | 20mm | गोटा | १५०५.०० | १५०५.०० | १५०५.०० |
| | 25mm | गोटा | १८५९.०० | १८५९.०० | १८५९.०० |
| | 32mm | गोटा | २९५३.०० | २९५३.०० | २९५३.०० |
| | 40mm | गोटा | ३७१६.०० | ३७१६.०० | ३७१६.०० |
| | 50mm | गोटा | ४६४०.०० | ४६४०.०० | ४६४०.०० |
| | 65mm | गोटा | ९११४.०० | ९११४.०० | ९११४.०० |
| | 80mm | गोटा | १५०६०.०० | १५०६०.०० | १५०६०.०० |
| | 100mm | गोटा | २४३५०.०० | २४३५०.०० | २४३५०.०० |
| ३६ | Float Valve | | | | |
| | 15mm | गोटा | ११३४.०० | ११३४.०० | ११३४.०० |
| | 20mm | गोटा | १२८३.०० | १२८३.०० | १२८३.०० |
| | 25mm | गोटा | १५५६.०० | १५५६.०० | १५५६.०० |
| | 32mm | गोटा | २६९०.०० | २६९०.०० | २६९०.०० |
| | 40mm | गोटा | ४०४२.०० | ४०४२.०० | ४०४२.०० |
| | 50mm | गोटा | ५३८१.०० | ५३८१.०० | ५३८१.०० |
| | | | | | |
| ३७ | C.I. Air valve (Heavy) | | | | |
| | 15mm | गोटा | २५००.०० | २५००.०० | २५००.०० |
| | 20mm | गोटा | ५१८२.०० | ५१८२.०० | ५१८२.०० |
| | 25mm | गोटा | ५७४६.०० | ५७४६.०० | ५७४६.०० |
| ३८ | Brass Union with Adopter | | | | |
| | 15mm | गोटा | १५०.०० | १५०.०० | १५०.०० |
| | 20mm | गोटा | २७०.०० | २७०.०० | २७०.०० |
| | 25mm | गोटा | ३४५.०० | ३४५.०० | ३४५.०० |
| | 32mm | गोटा | ५३०.०० | ५३०.०० | ५३०.०० |
| | 40mm | गोटा | ६७५.०० | ६७५.०० | ६७५.०० |
| | 50mm | गोटा | ९४०.०० | ९४०.०० | ९४०.०० |
| ३९ | Saddle Ferrule | | | | |
| | 40mm | गोटा | १८५.०० | १८५.०० | १८५.०० |
| | 50mm | गोटा | २४२.०० | २४२.०० | २४२.०० |
| | 65mm | गोटा | २७२.०० | २७२.०० | २७२.०० |
| | 80mm | गोटा | ३०१.०० | ३०१.०० | ३०१.०० |
| | 100mm | गोटा | ४८०.०० | ४८०.०० | ४८०.०० |
| ४० | Flow Regulating Valve (G.M.) | | | | |
| | 15mm | गोटा | १३२२.०० | १३२२.०० | १३२२.०० |
| ४१ | C.I Sluice Valve | | | | |
| | 40mm | गोटा | ६८४६.०० | ६८४६.०० | ६८४६.०० |
| | 50mm | गोटा | ७०००.०० | ७०००.०० | ७०००.०० |
| | 65mm | गोटा | ८४५०.०० | ८४५०.०० | ८४५०.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 50mm | गोटा | १०५००.०० | १०५००.०० | १०५००.०० |
| | 100mm | गोटा | १४०००.०० | १४०००.०० | १४०००.०० |
| | 125mm | गोटा | १७५००.०० | १७५००.०० | १७५००.०० |
| | 10mm | गोटा | २१०००.०० | २१०००.०० | २१०००.०० |
| | 200mm | गोटा | ३००००.०० | ३००००.०० | ३००००.०० |
| | | | | | |
| ४२ | Brass Ferrule Cock | | | | |
| | 15mm | गोटा | ६००.०० | ६००.०० | ६००.०० |
| | 20mm | गोटा | १३७२.०० | १३७२.०० | १३७२.०० |
| | 25mm | गोटा | २०१५.०० | २०१५.०० | २०१५.०० |
| ४३ | Ball valve | | | | |
| | 15mm | गोटा | ५१४.०० | ५१४.०० | ५१४.०० |
| | 20mm | गोटा | ६५०.०० | ६५०.०० | ६५०.०० |
| | 25mm | गोटा | ८७२.०० | ८७२.०० | ८७२.०० |
| | 32mm | गोटा | १०५१.०० | १०५१.०० | १०५१.०० |
| | 40mm | गोटा | २०३५.०० | २०३५.०० | २०३५.०० |
| | 50mm | गोटा | ३३४१.०० | ३३४१.०० | ३३४१.०० |
| ४४ | ASTRAL FOAMCORE UNDER GROUND PIPING SYSTEMS (GOLDEN BROWN) | | | | |
| | Single Socket (R/R) | गोटा | ४५१.०० | ४५१.०० | ४५१.०० |
| | Single Socket (R/R) | गोटा | ८३८.०० | ८३८.०० | ८३८.०० |
| | Single Socket (R/R) | गोटा | १०३.०० | १०३.०० | १०३.०० |
| | Single Socket Self Fit | गोटा | ११६४.०० | ११६४.०० | ११६४.०० |
| | Single Socket Self Fit | गोटा | १४२३.०० | १४२३.०० | १४२३.०० |
| | Single Socket Self Fit | गोटा | १९५६.०० | १९५६.०० | १९५६.०० |
| | Single Socket Self Fit | गोटा | २३०२.०० | २३०२.०० | २३०२.०० |
| | Single Socket Self Fit | गोटा | ३०७५.०० | ३०७५.०० | ३०७५.०० |
| | Single Socket Self Fit | गोटा | ३६६४.०० | ३६६४.०० | ३६६४.०० |
| | Long Radius Bend - 45 Degree | गोटा | ११९१.०० | ११९१.०० | ११९१.०० |
| | Long Radius Bend - 45 Degree | गोटा | २१७५.०० | २१७५.०० | २१७५.०० |
| | Long Radius Bend - 45 Degree | गोटा | ३९२६.०० | ३९२६.०० | ३९२६.०० |
| | Long Radius Bend - 45 Degree | गोटा | ७६१३.०० | ७६१३.०० | ७६१३.०० |
| | Long Radius Bend - 60 Degree | गोटा | १३१२.०० | १३१२.०० | १३१२.०० |
| | Long Radius Bend - 60 Degree | गोटा | २४०५.०० | २४०५.०० | २४०५.०० |
| | Long Radius Bend - 60 Degree | गोटा | ४४११.०० | ४४११.०० | ४४११.०० |
| | Long Radius Bend - 60 Degree | गोटा | ८३५२.०० | ८३५२.०० | ८३५२.०० |
| | Long Radius Bend - 90 Degree | गोटा | ६४४.०० | ६४४.०० | ६४४.०० |
| | Long Radius Bend - 90 Degree | गोटा | १५५४.०० | १५५४.०० | १५५४.०० |
| | Long Radius Bend - 90 Degree | गोटा | २८६७.०० | २८६७.०० | २८६७.०० |
| | Long Radius Bend - 90 Degree | गोटा | ५३६१.०० | ५३६१.०० | ५३६१.०० |
| | Long Radius Bend - 90 Degree | गोटा | ९८७८.०० | ९८७८.०० | ९८७८.०० |
| | Fab. Coupler | गोटा | १८५.०० | १८५.०० | १८५.०० |
| | Fab. Coupler | गोटा | ४४४.०० | ४४४.०० | ४४४.०० |
| | Fab. Coupler | गोटा | ९५६.०० | ९५६.०० | ९५६.०० |
| | Fab. Coupler | गोटा | १८७०.०० | १८७०.०० | १८७०.०० |
| | Fab. Coupler | गोटा | ३४४०.०० | ३४४०.०० | ३४४०.०० |

# पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | End Cap | गोटा | ३९६.०० | ३९६.०० | ३९६.०० |
| | End Cap | गोटा | ६५१.०० | ६५१.०० | ६५१.०० |
| | End Cap | गोटा | १०४०.०० | १०४०.०० | १०४०.०० |
| | End Cap | गोटा | १५१८.०० | १५१८.०० | १५१८.०० |
| | Equal Tee | गोटा | ११३३३.०० | ११३३३.०० | ११३३३.०० |
| | Equal Tee | गोटा | ६५२२.०० | ६५२२.०० | ६५२२.०० |
| | Equal Tee | गोटा | ३६२०.०० | ३६२०.०० | ३६२०.०० |
| | Gully Trap with grating | गोटा | १०५८.०० | १०५८.०० | १०५८.०० |
| | Rodding Point | गोटा | ६२७.०० | ६२७.०० | ६२७.०० |
| | Adjustable Bend 7 Degree to 37.5 Degree | गोटा | ६६९.०० | ६६९.०० | ६६९.०० |
| | Adjustable Bend 7 Degree to 87.5 Degree | गोटा | ९१७.०० | ९१७.०० | ९१७.०० |
| | Inspection Chamber Body | गोटा | ३३००.०० | ३३००.०० | ३३००.०० |
| | Inspection Chamber Riser | गोटा | १६३९.०० | १६३९.०० | १६३९.०० |
| | Inspection Chamber Lid with Cover | गोटा | ३११२.०० | ३११२.०० | ३११२.०० |
| | Inspection Chamber Body | गोटा | ९११२.०० | ९११२.०० | ९११२.०० |
| | Inspection Chamber Riser | गोटा | २८९७.०० | २८९७.०० | २८९७.०० |
| | Inspection Chamber Lid with Cover | गोटा | ४८३५.०० | ४८३५.०० | ४८३५.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Supply of standard length all ductile iron pipes as per ISO 2531:2009 and rubber (ring) as per ISO certification | | | | |
| | The rate shall include for supply and delivery of all DI pipes, specials & fittings including rubber rings, lubricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation | | | | |
| | DI pipes with spigot and socket joints | | | | |
| | DN100 C40 | र.मी | २२९९.०० | २२९९.०० | २२९९.०० |
| | DN150 C40 | र.मी | ३१६०.०० | ३१६०.०० | ३१६०.०० |
| | DN200 C40 | र.मी | ४३४७.०० | ४३४७.०० | ४३४७.०० |
| | DN250 C40 | र.मी | ६०४८.०० | ६०४८.०० | ६०४८.०० |
| | DN300 C40 | र.मी | ७५३९.०० | ७५३९.०० | ७५३९.०० |
| | DN350 C40 | र.मी | ८८०९.०० | ८८०९.०० | ८८०९.०० |
| | DN400 C30 | र.मी | १०४८९.०० | १०४८९.०० | १०४८९.०० |
| | DN450 C30 | र.मी | १२२४०.०० | १२२४०.०० | १२२४०.०० |
| | DN500 C30 | र.मी | १४४६६.०० | १४४६६.०० | १४४६६.०० |
| | DN600 C30 | र.मी | १९६०४.०० | १९६०४.०० | १९६०४.०० |
| | DN700 C25 | र.मी | २५०१२.०० | २५०१२.०० | २५०१२.०० |
| | DN800 C25 | र.मी | ३२११५.०० | ३२११५.०० | ३२११५.०० |
| | DN900 C25 | र.मी | ४२३२८.०० | ४२३२८.०० | ४२३२८.०० |
| | DN1000 C25 | र.मी | ५०९७०.०० | ५०९७०.०० | ५०९७०.०० |
| | DI pipes with flanged end | | | | |
| | Dia 1000mm C25 | र.मी | ६८६०८.०० | ६८६०८.०० | ६८६०८.०० |
| | Dia 900mm C25 | र.मी | ६६५६८.०० | ६६५६८.०० | ६६५६८.०० |
| | Dia 800mm C25 | र.मी | ५५०१२.०० | ५५०१२.०० | ५५०१२.०० |
| | Dia 700mm C25 | र.मी | ४४२५२.०० | ४४२५२.०० | ४४२५२.०० |
| | Dia 600mm C30 | र.मी | ३६२३३.०० | ३६२३३.०० | ३६२३३.०० |
| | Dia 500mm C30 | र.मी | २६७६९.०० | २६७६९.०० | २६७६९.०० |
| | Dia 450mm C30 | र.मी | २२४६४.०० | २२४६४.०० | २२४६४.०० |
| | Dia400mm C30 | र.मी | १८७३०.०० | १८७३०.०० | १८७३०.०० |
| | Dia 350mm C30 | र.मी | १५५१६.०० | १५५१६.०० | १५५१६.०० |
| | Dia 300mm C30 | र.मी | १२२४०.०० | १२२४०.०० | १२२४०.०० |
| | Dia250mm C40 | र.मी | ९८१७.०० | ९८१७.०० | ९८१७.०० |
| | Dia200mm C40 | र.मी | ७३३९.०० | ७३३९.०० | ७३३९.०० |
| | Dia150mm C40 | र.मी | ५४३९.०० | ५४३९.०० | ५४३९.०० |
| | Dia100mm C40 | र.मी | ४०११.०० | ४०११.०० | ४०११.०० |
| | Dia80mm C40 | र.मी | ३४७५.०० | ३४७५.०० | ३४७५.०० |
| | Supply of standard length all ductile iron fitting as per ISO 2531:2009 and rubber ring as per ISO certification | | | | |

# DI पाईप तथा फिटिङ्गहरु

| खि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | The rate shall include for supply and delivery of all DI fittings including rubber rings, luvricant, gaskets, bolts and nuts, Denso or equivalent primer, paste, protection tape and all other associated material required for complete installation | | | | |
| | **DI double socket bends** | | | | |
| | 90 deg bend | | | | |
| | Dia 700mm | गोटा | १०७७१२.०० | १०७७१२.०० | १०७७१२.०० |
| | Dia 600mm | गोटा | ७५२००.०० | ७५२००.०० | ७५२००.०० |
| | Dia 500mm | गोटा | ४८८०७.०० | ४८८०७.०० | ४८८०७.०० |
| | Dia 450mm | गोटा | ४३४३०.०० | ४३४३०.०० | ४३४३०.०० |
| | Dia 300mm | गोटा | १७६०७.०० | १७६०७.०० | १७६०७.०० |
| | Dia250mm | गोटा | १२९०६.०० | १२९०६.०० | १२९०६.०० |
| | Dia200mm | गोटा | ८९५६.०० | ८९५६.०० | ८९५६.०० |
| | Dia150mm | गोटा | ५५४४.०० | ५५४४.०० | ५५४४.०० |
| | Dia100mm | गोटा | ३११८.०० | ३११८.०० | ३११८.०० |
| | 45 deg bend | | | | |
| | Dia 1000mm | गोटा | १८६८४३.०० | १८६८४३.०० | १८६८४३.०० |
| | Dia 700mm | गोटा | ८४६७६.०० | ८४६७६.०० | ८४६७६.०० |
| | Dia 600mm | गोटा | ६२०९८.०० | ६२०९८.०० | ६२०९८.०० |
| | Dia 500mm | गोटा | ४०५२८.०० | ४०५२८.०० | ४०५२८.०० |
| | Dia 450mm | गोटा | ३२९३६.०० | ३२९३६.०० | ३२९३६.०० |
| | Dia400mm | गोटा | २५६४६.०० | २५६४६.०० | २५६४६.०० |
| | Dia 350mm | गोटा | १९३१२.०० | १९३१२.०० | १९३१२.०० |
| | Dia 300mm | गोटा | १४८८२.०० | १४८८२.०० | १४८८२.०० |
| | Dia250mm | गोटा | १०८४७.०० | १०८४७.०० | १०८४७.०० |
| | Dia200mm | गोटा | ७७५९.०० | ७७५९.०० | ७७५९.०० |
| | Dia150mm | गोटा | ४९७७.०० | ४९७७.०० | ४९७७.०० |
| | 22.5 deg bend | | | | |
| | Dia 1000mm | गोटा | १४०८११.०० | १४०८११.०० | १४०८११.०० |
| | Dia 900mm | गोटा | १०९९५६.०० | १०९९५६.०० | १०९९५६.०० |
| | Dia 700mm | गोटा | ६१३२६.०० | ६१३२६.०० | ६१३२६.०० |
| | Dia 600mm | गोटा | ४१९८४.०० | ४१९८४.०० | ४१९८४.०० |
| | Dia 500mm | गोटा | ३०८१५.०० | ३०८१५.०० | ३०८१५.०० |
| | Dia 450mm | गोटा | २४१६९.०० | २४१६९.०० | २४१६९.०० |
| | Dia400mm | गोटा | १८७३०.०० | १८७३०.०० | १८७३०.०० |
| | Dia 350mm | गोटा | १५१००.०० | १५१००.०० | १५१००.०० |
| | Dia 300mm | गोटा | १२०८४.०० | १२०८४.०० | १२०८४.०० |
| | Dia250mm | गोटा | ९१६६.०० | ९१६६.०० | ९१६६.०० |
| | Dia200mm | गोटा | ६६४६.०० | ६६४६.०० | ६६४६.०० |
| | Dia150mm | गोटा | ४३६८.०० | ४३६८.०० | ४३६८.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 11.25 deg bend | | | | |
| | Dia 1000mm | गोटा | ११९८९९.०० | ११९८९९.०० | ११९८९९.०० |
| | Dia 900mm | गोटा | ९४९२४.०० | ९४९२४.०० | ९४९२४.०० |
| | Dia 800mm | गोटा | ७२००७.०० | ७२००७.०० | ७२००७.०० |
| | Dia 700mm | गोटा | ५४६५१.०० | ५४६५१.०० | ५४६५१.०० |
| | Dia 600mm | गोटा | ३६१४०.०० | ३६१४०.०० | ३६१४०.०० |
| | Dia 300mm | गोटा | ११०६५.०० | ११०६५.०० | ११०६५.०० |
| | Dia250mm | गोटा | ८४१०.०० | ८४१०.०० | ८४१०.०० |
| | Dia200mm | गोटा | ६१३२.०० | ६१३२.०० | ६१३२.०० |
| | Dia150mm | गोटा | ४५७८.०० | ४५७८.०० | ४५७८.०० |
| | **DI double flanged bends** | | | | |
| | 90 deg bend | | | | |
| | Dia 900mm | गोटा | २१४४०४.०० | २१४४०४.०० | २१४४०४.०० |
| | Dia 600mm | गोटा | ९१६८०.०० | ९१६८०.०० | ९१६८०.०० |
| | Dia 300mm | गोटा | १९६७६.०० | १९६७६.०० | १९६७६.०० |
| | Dia250mm | गोटा | ९९७५.०० | ९९७५.०० | ९९७५.०० |
| | Dia200mm | गोटा | ८८५१.०० | ८८५१.०० | ८८५१.०० |
| | Dia150mm | गोटा | ५७९६.०० | ५७९६.०० | ५७९६.०० |
| | Dia100mm | गोटा | ३४३३.०० | ३४३३.०० | ३४३३.०० |
| | 45 deg bend | | | | |
| | Dia 900mm | गोटा | १६४७५०.०० | १६४७५०.०० | १६४७५०.०० |
| | Dia 800mm | गोटा | १२७८४६.०० | १२७८४६.०० | १२७८४६.०० |
| | Dia 600mm | गोटा | ७६९४१.०० | ७६९४१.०० | ७६९४१.०० |
| | Dia 300mm | गोटा | २१४५५.०० | २१४५५.०० | २१४५५.०० |
| | Dia250mm | गोटा | १६०८८.०० | १६०८८.०० | १६०८८.०० |
| | Dia200mm | गोटा | १०७२२.०० | १०७२२.०० | १०७२२.०० |
| | Dia150mm | गोटा | ५४०७.०० | ५४०७.०० | ५४०७.०० |
| | Dia100mm | गोटा | ३२८६.०० | ३२८६.०० | ३२८६.०० |
| | 22.5 deg bend | | | | |
| | Dia 900mm | गोटा | १६८९५२.०० | १६८९५२.०० | १६८९५२.०० |
| | Dia 700mm | गोटा | ९५८००.०० | ९५८००.०० | ९५८००.०० |
| | Dia 300mm | गोटा | २१९१२.०० | २१९१२.०० | २१९१२.०० |
| | Dia200mm | गोटा | ८१०६.०० | ८१०६.०० | ८१०६.०० |
| | Dia150mm | गोटा | ५५४४.०० | ५५४४.०० | ५५४४.०० |
| | 11.25 deg bend | | | | |
| | Dia 900mm | गोटा | १६७०७६.०० | १६७०७६.०० | १६७०७६.०० |
| | Dia 600mm | गोटा | ७६६०१.०० | ७६६०१.०० | ७६६०१.०० |
| | Dia 500mm | गोटा | ५१६९८.०० | ५१६९८.०० | ५१६९८.०० |
| | Dia 300mm | गोटा | २१९८५.०० | २१९८५.०० | २१९८५.०० |
| | Dia200mm | गोटा | ८२९५.०० | ८२९५.०० | ८२९५.०० |
| | Dia150mm | गोटा | ५६२८.०० | ५६२८.०० | ५६२८.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | **DI mechanical joint bends** | | | | |
| | 90 deg bend | | | | |
| | Dia 600mm | गोटा | ८२०२९.०० | ८२०२९.०० | ८२०२९.०० |
| | Dia400mm | गोटा | ४१६१०.०० | ४१६१०.०० | ४१६१०.०० |
| | Dia 350mm | गोटा | ३३३६३.०० | ३३३६३.०० | ३३३६३.०० |
| | Dia 300mm | गोटा | २६१८७.०० | २६१८७.०० | २६१८७.०० |
| | Dia250mm | गोटा | १८७९२.०० | १८७९२.०० | १८७९२.०० |
| | Dia200mm | गोटा | १४०४०.०० | १४०४०.०० | १४०४०.०० |
| | Dia150mm | गोटा | १०३५३.०० | १०३५३.०० | १०३५३.०० |
| | Dia100mm | गोटा | ६४५७.०० | ६४५७.०० | ६४५७.०० |
| | Dia80mm | गोटा | ५५१२.०० | ५५१२.०० | ५५१२.०० |
| | **DI Duck Foot 90 deg Bend** | | | | |
| | Dia 80mm | गोटा | ३९९०.०० | ३९९०.०० | ३९९०.०० |
| | Dia100mm | गोटा | ४९८७.०० | ४९८७.०० | ४९८७.०० |
| | Dia150mm | गोटा | ७३५०.०० | ७३५०.०० | ७३५०.०० |
| | Dia200mm | गोटा | १०४०५.०० | १०४०५.०० | १०४०५.०० |
| | Dia250mm | गोटा | १५७६१.०० | १५७६१.०० | १५७६१.०० |
| | Dia300mm | गोटा | २१२१६.०० | २१२१६.०० | २१२१६.०० |
| | **DI long radius bend** | | | | |
| | Dia 100mm | गोटा | ४९८७.०० | ४९८७.०० | ४९८७.०० |
| | Dia 150mm | गोटा | ८४२१.०० | ८४२१.०० | ८४२१.०० |
| | Dia 200m | गोटा | १२५४२.०० | १२५४२.०० | १२५४२.०० |
| | Dia 250mm | गोटा | १८५०१.०० | १८५०१.०० | १८५०१.०० |
| | **DI double socket reducer** | | | | |
| | Dia 1000mmX900mm | गोटा | १००५७९.०० | १००५७९.०० | १००५७९.०० |
| | Dia 900mmx800mm | गोटा | ८११९४.०० | ८११९४.०० | ८११९४.०० |
| | Dia 800mmx700mm | गोटा | ६३३३४.०० | ६३३३४.०० | ६३३३४.०० |
| | Dia 300mmx200mm | गोटा | १०६९१.०० | १०६९१.०० | १०६९१.०० |
| | Dia 200mmx150mm | गोटा | ५७८५.०० | ५७८५.०० | ५७८५.०० |
| | **DI double flanged reducer** | | | | |
| | Dia 900mmx700mm | गोटा | १०५९०६.०० | १०५९०६.०० | १०५९०६.०० |
| | Dia 700mmx600mm | गोटा | ७११५२.०० | ७११५२.०० | ७११५२.०० |
| | Dia 700mmx400mm | गोटा | ६१७८९.०० | ६१७८९.०० | ६१७८९.०० |
| | Dia 600mmx500mm | गोटा | ५७६१८.०० | ५७६१८.०० | ५७६१८.०० |
| | Dia 600mmx400mm | गोटा | ५२६५३.०० | ५२६५३.०० | ५२६५३.०० |
| | Dia 500mmx400mm | गोटा | ३८०३२.०० | ३८०३२.०० | ३८०३२.०० |
| | Dia 400x350mm | गोटा | १९३५४.०० | १९३५४.०० | १९३५४.०० |
| | Dia 400mmx300mm | गोटा | २४७९३.०० | २४७९३.०० | २४७९३.०० |
| | Dia 400mmx250mm | गोटा | २३५८७.०० | २३५८७.०० | २३५८७.०० |
| | Dia 300mmx250mm | गोटा | ११९३९.०० | ११९३९.०० | ११९३९.०० |
| | Dia 300mmx200mm | गोटा | १४९८६.०० | १४९८६.०० | १४९८६.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Dia300mmx150mm | गोटा | १४१५४.०० | १४१५४.०० | १४१५४.०० |
| | Dia250mmx200mm | गोटा | ९०१९.०० | ९०१९.०० | ९०१९.०० |
| | Dia250mmx150mm | गोटा | ८५६८.०० | ८५६८.०० | ८५६८.०० |
| | Dia 200mmx150mm | गोटा | ६३४२.०० | ६३४२.०० | ६३४२.०० |
| | Dia 200mmx100mm | गोटा | ७७७०.०० | ७७७०.०० | ७७७०.०० |
| | Dia 150mmx100mm | गोटा | ४४५२.०० | ४४५२.०० | ४४५२.०० |
| | Dia150mmx80mm | गोटा | ४६०९.०० | ४६०९.०० | ४६०९.०० |
| | Dia150mmx65mm | गोटा | ४६२०.०० | ४६२०.०० | ४६२०.०० |
| | **DI Blank flange** | | | | |
| | Dia 1000mm | गोटा | ११४६५८.०० | ११४६५८.०० | ११४६५८.०० |
| | Dia 900mm | गोटा | ८६३२४.०० | ८६३२४.०० | ८६३२४.०० |
| | Dia 800mm | गोटा | ६५१७८.०० | ६५१७८.०० | ६५१७८.०० |
| | Dia 700mm | गोटा | ४७६९४.०० | ४७६९४.०० | ४७६९४.०० |
| | Dia 600mm | गोटा | ३६७९५.०० | ३६७९५.०० | ३६७९५.०० |
| | Dia 500mm | गोटा | २३४१०.०० | २३४१०.०० | २३४१०.०० |
| | Dia 450mm | गोटा | १८३९७.०० | १८३९७.०० | १८३९७.०० |
| | Dia400mm | गोटा | १३५९२.०० | १३५९२.०० | १३५९२.०० |
| | Dia 350mm | गोटा | १०१६४.०० | १०१६४.०० | १०१६४.०० |
| | Dia 300mm | गोटा | ६९७२.०० | ६९७२.०० | ६९७२.०० |
| | Dia250mm | गोटा | ५२२९.०० | ५२२९.०० | ५२२९.०० |
| | Dia200mm | गोटा | ३३१८.०० | ३३१८.०० | ३३१८.०० |
| | Dia150mm | गोटा | २२४७.०० | २२४७.०० | २२४७.०० |
| | Dia100mm | गोटा | १३३३.०० | १३३३.०० | १३३३.०० |
| | Dia80mm | गोटा | ११८६.०० | ११८६.०० | ११८६.०० |
| | **Double Socket Tee with Flanged Branch** | | | | |
| | Dia 900mmx150mm | गोटा | १०४७५४.०० | १०४७५४.०० | १०४७५४.०० |
| | Dia 800mmx600mm | गोटा | १६४२८१.०० | १६४२८१.०० | १६४२८१.०० |
| | Dia 800mmx400mm | गोटा | ११००७८.०० | ११००७८.०० | ११००७८.०० |
| | Dia 700mmx150mm | गोटा | ६७२८९.०० | ६७२८९.०० | ६७२८९.०० |
| | Dia 600mmx150mm | गोटा | ४७१८४.०० | ४७१८४.०० | ४७१८४.०० |
| | Dia 600mmx100mm | गोटा | ४१८८०.०० | ४१८८०.०० | ४१८८०.०० |
| | Dia 500mmx100mm | गोटा | ३१२३१.०० | ३१२३१.०० | ३१२३१.०० |
| | Dia 400mmx150mm | गोटा | २८७९७.०० | २८७९७.०० | २८७९७.०० |
| | Dia 300mmx100mm | गोटा | १४८६१.०० | १४८६१.०० | १४८६१.०० |
| | Dia 300mmx80mm | गोटा | १४६१२.०० | १४६१२.०० | १४६१२.०० |
| | Dia300mmx65mm | गोटा | १४५३९.०० | १४५३९.०० | १४५३९.०० |
| | Dia250mmx250mm | गोटा | १८३४५.०० | १८३४५.०० | १८३४५.०० |
| | Dia250mmx150mm | गोटा | १५३१९.०० | १५३१९.०० | १५३१९.०० |
| | Dia 250mmx100mm | गोटा | १२०५३.०० | १२०५३.०० | १२०५३.०० |
| | Dia 250mmx80mm | गोटा | ११८४५.०० | ११८४५.०० | ११८४५.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Dia 250mmx65mm | गोटा | ११७२६.०० | ११७२६.०० | ११७२६.०० |
| | Dia 200mmx150mm | गोटा | १०७७४.०० | १०७७४.०० | १०७७४.०० |
| | Dia 200mmx100mm | गोटा | ९३१३.०० | ९३१३.०० | ९३१३.०० |
| | Dia 200mmx80mm | गोटा | ८४००.०० | ८४००.०० | ८४००.०० |
| | Dia 200mmx65mm | गोटा | ८३१६.०० | ८३१६.०० | ८३१६.०० |
| | Dia 150mmx150mm | गोटा | ८२२१.०० | ८२२१.०० | ८२२१.०० |
| | Dia150mmx100mm | गोटा | ६७८३.०० | ६७८३.०० | ६७८३.०० |
| | Dia150mmx80mm | गोटा | ६३२१.०० | ६३२१.०० | ६३२१.०० |
| | Dia150mmx65mm | गोटा | ६२५७.०० | ६२५७.०० | ६२५७.०० |
| | **Mechanical joint Tee with flanged branch** | | | | |
| | Dia 600mmx6000mm | गोटा | १०७३२८.०० | १०७३२८.०० | १०७३२८.०० |
| | Dia 500mmx500mm | गोटा | ७६६४८.०० | ७६६४८.०० | ७६६४८.०० |
| | Dia 400mmx400mm | गोटा | ५१५५२.०० | ५१५५२.०० | ५१५५२.०० |
| | Dia 350mmx350mm | गोटा | ४११८४.०० | ४११८४.०० | ४११८४.०० |
| | Dia 300mmx300mm | गोटा | ३२११५.०० | ३२११५.०० | ३२११५.०० |
| | Dia250mmx250mm | गोटा | २३५७६.०० | २३५७६.०० | २३५७६.०० |
| | Dia200mmx200mm | गोटा | १७८०.०० | १७८०.०० | १७८०.०० |
| | Dia 150mmx150mm | गोटा | १२५००.०० | १२५००.०० | १२५००.०० |
| | Dia100mmx100mm | गोटा | ७९३८.०० | ७९३८.०० | ७९३८.०० |
| | Dia 80mmx80mm | गोटा | ६८३५.०० | ६८३५.०० | ६८३५.०० |
| | **All Socket Tee** | | | | |
| | Dia 300mmx200mm | गोटा | १९१८८.०० | १९१८८.०० | १९१८८.०० |
| | Dia 300mmx150mm | गोटा | १८२७२.०० | १८२७२.०० | १८२७२.०० |
| | Dia 250mmx200mm | गोटा | १६००५.०० | १६००५.०० | १६००५.०० |
| | Dia 250mmx150mm | गोटा | १४६६४.०० | १४६६४.०० | १४६६४.०० |
| | Dia 200mmx200mm | गोटा | १२४०७.०० | १२४०७.०० | १२४०७.०० |
| | Dia 200mmx150mm | गोटा | १०१७४.०० | १०१७४.०० | १०१७४.०० |
| | Dia 150mmx150mm | गोटा | ७६४४.०० | ७६४४.०० | ७६४४.०० |
| | **All Flanged Tee** | | | | |
| | Dia 900mmx900mm | गोटा | २६६७६०.०० | २६६७६०.०० | २६६७६०.०० |
| | Dia 700mmx300mm | गोटा | १०२४५४.०० | १०२४५४.०० | १०२४५४.०० |
| | Dia 600mmx500mm | गोटा | ११८६४६.०० | ११८६४६.०० | ११८६४६.०० |
| | Dia 600mmx400mm | गोटा | १०९५२७.०० | १०९५२७.०० | १०९५२७.०० |
| | Dia 600mmx300mm | गोटा | १०५५५९.०० | १०५५५९.०० | १०५५५९.०० |
| | Dia 500mmx300mm | गोटा | ७४४८९.०० | ७४४८९.०० | ७४४८९.०० |
| | Dia500mmx200mm | गोटा | ६७४४४.०० | ६७४४४.०० | ६७४४४.०० |
| | Dia450mmx150mm | गोटा | ५२७०५.०० | ५२७०५.०० | ५२७०५.०० |
| | Dia400mmx400mm | गोटा | ५४२२९.०० | ५४२२९.०० | ५४२२९.०० |
| | Dia400mmx300mm | गोटा | ४९४८३.०० | ४९४८३.०० | ४९४८३.०० |
| | Dia 400mmx150mm | गोटा | ४७९५.०० | ४७९५.०० | ४७९५.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Dia 350mmx350mm | गोटा | ४४३४५.०० | ४४३४५.०० | ४४३४५.०० |
| | Dia 350mmx300mm | गोटा | ४३३९९.०० | ४३३९९.०० | ४३३९९.०० |
| | Dia 300mmx300mm | गोटा | ३४८४०.०० | ३४८४०.०० | ३४८४०.०० |
| | Dia 300mmx250mm | गोटा | ३०३६८.०० | ३०३६८.०० | ३०३६८.०० |
| | Dia 300mmx200mm | गोटा | २८०८०.०० | २८०८०.०० | २८०८०.०० |
| | Dia 300mmx150mm | गोटा | २७०४०.०० | २७०४०.०० | २७०४०.०० |
| | Dia 300mmx100mm | गोटा | २५५४२.०० | २५५४२.०० | २५५४२.०० |
| | Dia 300mmx80mm | गोटा | २४९३९.०० | २४९३९.०० | २४९३९.०० |
| | Dia250mmx250mm | गोटा | २३४४१.०० | २३४४१.०० | २३४४१.०० |
| | Dia250mmx200mm | गोटा | २१४५५.०० | २१४५५.०० | २१४५५.०० |
| | Dia250mmx150mm | गोटा | २०८४१.०० | २०८४१.०० | २०८४१.०० |
| | Dia250mmx100mm | गोटा | १९१०४.०० | १९१०४.०० | १९१०४.०० |
| | Dia250mmx80mm | गोटा | १८८१३.०० | १८८१३.०० | १८८१३.०० |
| | Dia250mmx65mm | गोटा | १५९४३.०० | १५९४३.०० | १५९४३.०० |
| | Dia200mmx200mm | गोटा | १३९३६.०० | १३९३६.०० | १३९३६.०० |
| | Dia200mmx150mm | गोटा | १२८८५.०० | १२८८५.०० | १२८८५.०० |
| | Dia200mmx100mm | गोटा | ११८५६.०० | ११८५६.०० | ११८५६.०० |
| | Dia200mmx80mm | गोटा | ११६७९.०० | ११६७९.०० | ११६७९.०० |
| | Dia150mmx150mm | गोटा | ९३४५.०० | ९३४५.०० | ९३४५.०० |
| | Dia150mmx100mm | गोटा | ८४६३.०० | ८४६३.०० | ८४६३.०० |
| | Dia150mmx80mm | गोटा | ८२७४.०० | ८२७४.०० | ८२७४.०० |
| | Dia150mmx65mm | गोटा | ८१४८.०० | ८१४८.०० | ८१४८.०० |
| | Dia125mmx125mm | गोटा | ८९७७.०० | ८९७७.०० | ८९७७.०० |
| | Dia125mmx100mm | गोटा | ८४१०.०० | ८४१०.०० | ८४१०.०० |
| | Dia125mmx80mm | गोटा | ८०६४.०० | ८०६४.०० | ८०६४.०० |
| | Dia125mmx65mm | गोटा | ७७१७.०० | ७७१७.०० | ७७१७.०० |
| | Dia100mmx100mm | गोटा | ६९३०.०० | ६९३०.०० | ६९३०.०० |
| | Dia100mmx80mm | गोटा | ६७७२.०० | ६७७२.०० | ६७७२.०० |
| | Dia100mmx65mm | गोटा | ६५१०.०० | ६५१०.०० | ६५१०.०० |
| | | | | | |
| | **Level invert/ Tangential socket Tee with flanged branch** | | | | |
| | Dia 1000mmx200mm | गोटा | १४७०६३.०० | १४७०६३.०० | १४७०६३.०० |
| | Dia 900mmx150mm | गोटा | १२०४८२.०० | १२०४८२.०० | १२०४८२.०० |
| | Dia 700mmx150mm | गोटा | ७५२१०.०० | ७५२१०.०० | ७५२१०.०० |
| | Dia 600mmx100mm | गोटा | ४४६८८.०० | ४४६८८.०० | ४४६८८.०० |
| | Dia 500mmx100mm | गोटा | ३४४९६.०० | ३४४९६.०० | ३४४९६.०० |
| | Dia 400mmx80mm | गोटा | २५२२०.०० | २५२२०.०० | २५२२०.०० |
| | Dia 300mmx80mm | गोटा | १६०६८.०० | १६०६८.०० | १६०६८.०० |
| | Dia 250mm x 80mm | गोटा | १२७८१.०० | १२७८१.०० | १२७८१.०० |
| | Dia 200mmx80mm | गोटा | १००४८.०० | १००४८.०० | १००४८.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Dia 150mmx80mm | गोटा | १०००६.०० | १०००६.०० | १०००६.०० |
| | **DI Flanged Socket (FS)** | | | | |
| | Dia 1400mm | गोटा | ३५५३३७.०० | ३५५३३७.०० | ३५५३३७.०० |
| | Dia 1200mm | गोटा | २५६०६०.०० | २५६०६०.०० | २५६०६०.०० |
| | Dia 1100mm | गोटा | ३३१८७७.०० | ३३१८७७.०० | ३३१८७७.०० |
| | Dia 1000mm | गोटा | १६९४७३.०० | १६९४७३.०० | १६९४७३.०० |
| | Dia 900mm | गोटा | १३२४५७.०० | १३२४५७.०० | १३२४५७.०० |
| | Dia 800mm | गोटा | १०८१२०.०० | १०८१२०.०० | १०८१२०.०० |
| | Dia 700mm | गोटा | ८२३८९.०० | ८२३८९.०० | ८२३८९.०० |
| | Dia 600mm | गोटा | ७३९४३.०० | ७३९४३.०० | ७३९४३.०० |
| | Dia 500mm | गोटा | ४९१०८.०० | ४९१०८.०० | ४९१०८.०० |
| | Dia400mm | गोटा | ३४५८०.०० | ३४५८०.०० | ३४५८०.०० |
| | Dia 350mm | गोटा | ३१३८७.०० | ३१३८७.०० | ३१३८७.०० |
| | Dia 300mm | गोटा | २२३३९.०० | २२३३९.०० | २२३३९.०० |
| | Dia250mm | गोटा | १६६५०.०० | १६६५०.०० | १६६५०.०० |
| | Dia200mm | गोटा | १०८४७.०० | १०८४७.०० | १०८४७.०० |
| | Dia150mm | गोटा | ९१८७.०० | ९१८७.०० | ९१८७.०० |
| | Dia100mm | गोटा | ६८६७.०० | ६८६७.०० | ६८६७.०० |
| | **DI Single Flanged Tail Piece (SFTP)** | | | | |
| | 1400mmdia | गोटा | ३५९७६४.०० | ३५९७६४.०० | ३५९७६४.०० |
| | 1200mmdia | गोटा | ३७००७६.०० | ३७००७६.०० | ३७००७६.०० |
| | 1100mmdia | गोटा | ३३५८६५.०० | ३३५८६५.०० | ३३५८६५.०० |
| | 1000mmdia | गोटा | १८२२३३.०० | १८२२३३.०० | १८२२३३.०० |
| | 900mmdia | गोटा | १४६६७६.०० | १४६६७६.०० | १४६६७६.०० |
| | 800mmdia | गोटा | १२१२८८.०० | १२१२८८.०० | १२१२८८.०० |
| | 700mmdia | गोटा | ९३१९४.०० | ९३१९४.०० | ९३१९४.०० |
| | 600mmdia | गोटा | ७०५०३.०० | ७०५०३.०० | ७०५०३.०० |
| | 500mmdia | गोटा | ४९९०९.०० | ४९९०९.०० | ४९९०९.०० |
| | 450mmdia | गोटा | ४१२६७.०० | ४१२६७.०० | ४१२६७.०० |
| | 400mmdia | गोटा | ३१२६२.०० | ३१२६२.०० | ३१२६२.०० |
| | 350mmdia | गोटा | २३३७९.०० | २३३७९.०० | २३३७९.०० |
| | 300mmdia | गोटा | १८६६८.०० | १८६६८.०० | १८६६८.०० |
| | 250mmdia | गोटा | १३५७२.०० | १३५७२.०० | १३५७२.०० |
| | 200mmdia | गोटा | ९८१७.०० | ९८१७.०० | ९८१७.०० |
| | 150mmdia | गोटा | ६९३०.०० | ६९३०.०० | ६९३०.०० |
| | 100mmdia | गोटा | ४११६.०० | ४११६.०० | ४११६.०० |
| | 80mmdia | गोटा | ३३२८.०० | ३३२८.०० | ३३२८.०० |
| | **DI Double Flanged Tail Piece (DFTP-1m)** | | | | |
| | 1400mmdia | गोटा | ४१४८४४.०० | ४१४८४४.०० | ४१४८४४.०० |
| | 1200mmdia | गोटा | २११८४३.०० | २११८४३.०० | २११८४३.०० |
| | 1000mmdia | गोटा | १६५५७६.०० | १६५५७६.०० | १६५५७६.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 900mmdia | गोटा | १३५१५०.०० | १३५१५०.०० | १३५१५०.०० |
| | 800mmdia | गोटा | १०२९८९.०० | १०२९८९.०० | १०२९८९.०० |
| | 700mmdia | गोटा | ९२४३२.०० | ९२४३२.०० | ९२४३२.०० |
| | 600mmdia | गोटा | ६०८००.०० | ६०८००.०० | ६०८००.०० |
| | 500mmdia | गोटा | ४३२२२.०० | ४३२२२.०० | ४३२२२.०० |
| | 400mmdia | गोटा | ३९२३९.०० | ३९२३९.०० | ३९२३९.०० |
| | 300mmdia | गोटा | २७९२४.०० | २७९२४.०० | २७९२४.०० |
| | 250mmdia | गोटा | २०८१०.०० | २०८१०.०० | २०८१०.०० |
| | 200mmdia | गोटा | १३५६१.०० | १३५६१.०० | १३५६१.०० |
| | 150mmdia | गोटा | ११३७७.०० | ११३७७.०० | ११३७७.०० |
| | 100mmdia | गोटा | ८५८९.०० | ८५८९.०० | ८५८९.०० |
| | 80mmdia | गोटा | ७२१३.०० | ७२१३.०० | ७२१३.०० |
| | **DI all Flanged cross** | | | | |
| | Dia 900mm | गोटा | ३००७४७.०० | ३००७४७.०० | ३००७४७.०० |
| | Dia 800mm | गोटा | २३७४४५.०० | २३७४४५.०० | २३७४४५.०० |
| | Dia 700mm | गोटा | १८७८२२.०० | १८७८२२.०० | १८७८२२.०० |
| | Dia 600mm | गोटा | १५६३७६.०० | १५६३७६.०० | १५६३७६.०० |
| | Dia 500mm | गोटा | १०२६०१.०० | १०२६०१.०० | १०२६०१.०० |
| | Dia400mm | गोटा | ६९४९४.०० | ६९४९४.०० | ६९४९४.०० |
| | Dia 300mm | गोटा | ४१९५३.०० | ४१९५३.०० | ४१९५३.०० |
| | Dia250mm | गोटा | ३०६९०.०० | ३०६९०.०० | ३०६९०.०० |
| | Dia200mm | गोटा | १८२३१.०० | १८२३१.०० | १८२३१.०० |
| | Dia150mm | गोटा | १२१९९.०० | १२१९९.०० | १२१९९.०० |
| | **DI all socket cross** | | | | |
| | Dia 900mm | गोटा | ३२५१५५.०० | ३२५१५५.०० | ३२५१५५.०० |
| | Dia 800mm | गोटा | २४३४८४.०० | २४३४८४.०० | २४३४८४.०० |
| | Dia 700mm | गोटा | १८१२७४.०० | १८१२७४.०० | १८१२७४.०० |
| | Dia 600mm | गोटा | १०९३०३.०० | १०९३०३.०० | १०९३०३.०० |
| | Dia 500mm | गोटा | ७४५४१.०० | ७४५४१.०० | ७४५४१.०० |
| | Dia400mm | गोटा | ४८९३२.०० | ४८९३२.०० | ४८९३२.०० |
| | Dia 300mm | गोटा | २८०४८.०० | २८०४८.०० | २८०४८.०० |
| | Dia250mm | गोटा | २०१९६.०० | २०१९६.०० | २०१९६.०० |
| | Dia200mm | गोटा | १४४४५.०० | १४४४५.०० | १४४४५.०० |
| | Dia150mm | गोटा | ९५५५.०० | ९५५५.०० | ९५५५.०० |
| | Supply of Flange Adaptors to Connect DI/DI pipe/fitting Complete with sets of gaskets, nuts & bolts, fasteners, sealing Rings and required accessories etc as per specification all complete | | | | |
| | Dia 1000mm | गोटा | १०३६११.०० | १०३६११.०० | १०३६११.०० |
| | Dia 900mm | गोटा | ८३९९६.०० | ८३९९६.०० | ८३९९६.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Dia 800mm | गोटा | ६८४२२.०० | ६८४२२.०० | ६८४२२.०० |
| | Dia 700mm | गोटा | ५५५२७.०० | ५५५२७.०० | ५५५२७.०० |
| | Dia 600mm | गोटा | ४२८२७.०० | ४२८२७.०० | ४२८२७.०० |
| | Dia 500mm | गोटा | ३२८९५.०० | ३२८९५.०० | ३२८९५.०० |
| | Dia 450mm | गोटा | २६७२८.०० | २६७२८.०० | २६७२८.०० |
| | Dia 400mm | गोटा | २२२७६.०० | २२२७६.०० | २२२७६.०० |
| | Dia350mm | गोटा | १७५८६.०० | १७५८६.०० | १७५८६.०० |
| | Dia 300mm | गोटा | १३०९३.०० | १३०९३.०० | १३०९३.०० |
| | Dia 250mm | गोटा | १०४४१.०० | १०४४१.०० | १०४४१.०० |
| | Dia 200mm | गोटा | ७६७५.०० | ७६७५.०० | ७६७५.०० |
| | Dia 150mm | गोटा | ५६२८.०० | ५६२८.०० | ५६२८.०० |
| | Dia 100mm | गोटा | ३४६५.०० | ३४६५.०० | ३४६५.०० |
| | Dia 80mm | गोटा | ३१८१.०० | ३१८१.०० | ३१८१.०० |
| | Dia 65mm | गोटा | २२०५.०० | २२०५.०० | २२०५.०० |
| | Supply of Dismantling joints complete with sets of Nut and bolts , fasteners, Sealing Rings and required accessories ets as per specification all complete | | | | |
| | Dia 1000mm | गोटा | २६६५७७.०० | २६६५७७.०० | २६६५७७.०० |
| | Dia 900mm | गोटा | २०८४४७.०० | २०८४४७.०० | २०८४४७.०० |
| | Dia 800mm | गोटा | १६२८०२.०० | १६२८०२.०० | १६२८०२.०० |
| | Dia 700mm | गोटा | १३७१३९.०० | १३७१३९.०० | १३७१३९.०० |
| | Dia 600mm | गोटा | १०९०२७.०० | १०९०२७.०० | १०९०२७.०० |
| | Dia 500mm | गोटा | ८५८७१.०० | ८५८७१.०० | ८५८७१.०० |
| | Dia 450mm | गोटा | ६६४३५.०० | ६६४३५.०० | ६६४३५.०० |
| | Dia 400mm | गोटा | ५४०४४.०० | ५४०४४.०० | ५४०४४.०० |
| | Dia350mm | गोटा | ४१७९७.०० | ४१७९७.०० | ४१७९७.०० |
| | Dia 300mm | गोटा | ३२४२७.०० | ३२४२७.०० | ३२४२७.०० |
| | Dia 250mm | गोटा | २४१२८.०० | २४१२८.०० | २४१२८.०० |
| | Dia 200mm | गोटा | १७४०९.०० | १७४०९.०० | १७४०९.०० |
| | Dia 150mm | गोटा | १३६२४.०० | १३६२४.०० | १३६२४.०० |
| | Dia 100mm | गोटा | ८१०६.०० | ८१०६.०० | ८१०६.०० |
| | Dia 80mm | गोटा | ७०३५.०० | ७०३५.०० | ७०३५.०० |
| | **Supply of DI Mechanical Couplings Complete with sets of Nuts and bolts , fasteners, Sealing Rings and required accessories etc as per specification all complete.** | | | | |
| | Dia 900mm | गोटा | ५०६२७.०० | ५०६२७.०० | ५०६२७.०० |
| | Dia 700mm | गोटा | ३२४२७.०० | ३२४२७.०० | ३२४२७.०० |
| | Dia 600mm | गोटा | २११४३.०० | २११४३.०० | २११४३.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Dia 500mm | गोटा | १६९८३.०० | १६९८३.०० | १६९८३.०० |
| | Dia 450mm | गोटा | १४७०५.०० | १४७०५.०० | १४७०५.०० |
| | Dia 400mm | गोटा | १४३७२.०० | १४३७२.०० | १४३७२.०० |
| | Dia350mm | गोटा | ११२२१.०० | ११२२१.०० | ११२२१.०० |
| | Dia 300mm | गोटा | ७९८०.०० | ७९८०.०० | ७९८०.०० |
| | Dia 250mm | गोटा | ६४४७.०० | ६४४७.०० | ६४४७.०० |
| | Dia 200mm | गोटा | ४५७८.०० | ४५७८.०० | ४५७८.०० |
| | Dia 150mm | गोटा | ३६६४.०० | ३६६४.०० | ३६६४.०० |
| | Dia 100mm | गोटा | २२६८.०० | २२६८.०० | २२६८.०० |
| | Dia 80mm | गोटा | २०५८.०० | २०५८.०० | २०५८.०० |
| | Dia65mm | गोटा | २०५८.०० | २०५८.०० | २०५८.०० |
| | **DI basket type strainer (FE xFE) with all compelte nut,bolt,rubber gasket as per drawing and specification.** | | | | |
| | Dia 400mm | गोटा | १६६९८४.०० | १६६९८४.०० | १६६९८४.०० |
| | Dia350mm | गोटा | १२६१४३.०० | १२६१४३.०० | १२६१४३.०० |
| | Dia 300mm | गोटा | ६९३४९.०० | ६९३४९.०० | ६९३४९.०० |
| | Dia 250mm | गोटा | ४६९२४.०० | ४६९२४.०० | ४६९२४.०० |
| | Dia 200mm | गोटा | २९२४४.०० | २९२४४.०० | २९२४४.०० |
| | Dia 150mm | गोटा | १६८७९.०० | १६८७९.०० | १६८७९.०० |
| | Dia 100mm | गोटा | ८३५८.०० | ८३५८.०० | ८३५८.०० |
| | | | | | |
| | **Double Flanged Tail Piece with puddle Flange (1 mtr long)** | | | | |
| | 1000 mm dia | गोटा | ७५४६८.०० | ७५४६८.०० | ७५४६८.०० |
| | 900 mm dia | गोटा | ७३२२२.०० | ७३२२२.०० | ७३२२२.०० |
| | 800 mm dia | गोटा | ६०५१२.०० | ६०५१२.०० | ६०५१२.०० |
| | 700 mm dia | गोटा | ४८६८२.०० | ४८६८२.०० | ४८६८२.०० |
| | 600 mm dia | गोटा | ३९८५२.०० | ३९८५२.०० | ३९८५२.०० |
| | 500 mm dia | गोटा | २९४४२.०० | २९४४२.०० | २९४४२.०० |
| | 450 mm dia | गोटा | २४७१०.०० | २४७१०.०० | २४७१०.०० |
| | 400 mm dia | गोटा | २०६०२.०० | २०६०२.०० | २०६०२.०० |
| | 350 mm dia | गोटा | १७०६६.०० | १७०६६.०० | १७०६६.०० |
| | 300 mm dia | गोटा | १३४६८.०० | १३४६८.०० | १३४६८.०० |
| | 250 mm dia | गोटा | १०७०१.०० | १०७०१.०० | १०७०१.०० |
| | 200 mm dia | गोटा | ८०७४.०० | ८०७४.०० | ८०७४.०० |
| | 150 mm dia | गोटा | ५९८५.०० | ५९८५.०० | ५९८५.०० |
| | 100 mm dia | गोटा | ४४१०.०० | ४४१०.०० | ४४१०.०० |
| | 80 mm dia | गोटा | ३८२२.०० | ३८२२.०० | ३८२२.०० |
| | **DI Flange Bell Mouth** | | | | |
| | Dia 700mm | गोटा | ७५८२८.०० | ७५८२८.०० | ७५८२८.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Dia 600mm | गोटा | ५४८७८.०० | ५४८७८.०० | ५४८७८.०० |
| | Dia 500mm | गोटा | ३८५५२.०० | ३८५५२.०० | ३८५५२.०० |
| | Dia 450mm | गोटा | १७६४८.०० | १७६४८.०० | १७६४८.०० |
| | Dia 400mm | गोटा | १७२४३.०० | १७२४३.०० | १७२४३.०० |
| | Dia350mm | गोटा | १३४६८.०० | १३४६८.०० | १३४६८.०० |
| | Dia 300mm | गोटा | ९५७६.०० | ९५७६.०० | ९५७६.०० |
| | Dia 250mm | गोटा | ७७३८.०० | ७७३८.०० | ७७३८.०० |
| | Dia 200mm | गोटा | ५४९१.०० | ५४९१.०० | ५४९१.०० |
| | Dia 150mm | गोटा | ४३९९.०० | ४३९९.०० | ४३९९.०० |
| | Dia 100mm | गोटा | २७१९.०० | २७१९.०० | २७१९.०० |
| | Dia 80mm | गोटा | २४६७.०० | २४६७.०० | २४६७.०० |
| | Dia65mm | गोटा | २४६७.०० | २४६७.०० | २४६७.०० |
| | **DI Strainer** | | | | |
| | 1200 mm dia | गोटा | ३७०७२९.०० | ३७०७२९.०० | ३७०७२९.०० |
| | 1100 mm dia | गोटा | २९२००५.०० | २९२००५.०० | २९२००५.०० |
| | 1000 mm dia | गोटा | २१३२७१.०० | २१३२७१.०० | २१३२७१.०० |
| | 900 mm dia | गोटा | १६०१७०.०० | १६०१७०.०० | १६०१७०.०० |
| | Supply of double flanged butterfly valve PN16 as per specification all complete | | | | |
| | Dia 1000mm | गोटा | ७४२१५२.०० | ७४२१५२.०० | ७४२१५२.०० |
| | Dia 900mm | गोटा | ५९२५६९.०० | ५९२५६९.०० | ५९२५६९.०० |
| | Dia 800mm | गोटा | ४२४६४६.०० | ४२४६४६.०० | ४२४६४६.०० |
| | Dia 700mm | गोटा | ३४३७८०.०० | ३४३७८०.०० | ३४३७८०.०० |
| | Dia 600mm | गोटा | २३०२०३.०० | २३०२०३.०० | २३०२०३.०० |
| | Dia 500mm | गोटा | १७३८२८.०० | १७३८२८.०० | १७३८२८.०० |
| | Dia 450mm | गोटा | १३०१४१.०० | १३०१४१.०० | १३०१४१.०० |
| | Dia 400mm | गोटा | १०३७१३.०० | १०३७१३.०० | १०३७१३.०० |
| | Dia350mm | गोटा | ७६८७६.०० | ७६८७६.०० | ७६८७६.०० |
| | Dia 300mm | गोटा | ६३०९६.०० | ६३०९६.०० | ६३०९६.०० |
| | Dia 250mm | गोटा | ४९६७०.०० | ४९६७०.०० | ४९६७०.०० |
| | Dia 200mm | गोटा | ४०८३०.०० | ४०८३०.०० | ४०८३०.०० |
| | Dia 150mm | गोटा | १६०२६.०० | १६०२६.०० | १६०२६.०० |
| | Supply of double flanged Gate valve PN16 as per specification all complete | | | | |
| | Dia 600mm | गोटा | ५२७०८५.०० | ५२७०८५.०० | ५२७०८५.०० |
| | Dia 500mm | गोटा | २९१३८३.०० | २९१३८३.०० | २९१३८३.०० |
| | Dia 450mm | गोटा | २०१७६६.०० | २०१७६६.०० | २०१७६६.०० |
| | Dia 400mm | गोटा | १४२२२८.०० | १४२२२८.०० | १४२२२८.०० |
| | Dia350mm | गोटा | १०४२२३.०० | १०४२२३.०० | १०४२२३.०० |
| | Dia 300mm | गोटा | ६४०८६.०० | ६४०८६.०० | ६४०८६.०० |
| | Dia 250mm | गोटा | ४८१९३.०० | ४८१९३.०० | ४८१९३.०० |

प्रमुख जिल्ला अधिकारी

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Dia 350mm | गोटा | ९५९६०.०० | ९५९६०.०० | ९५९६०.०० |
| | Dia 300mm | गोटा | ५८८२२.०० | ५८८२२.०० | ५८८२२.०० |
| | Dia 250mm | गोटा | ४५०००.०० | ४५०००.०० | ४५०००.०० |
| | Dia 200mm | गोटा | २६८५२.०० | २६८५२.०० | २६८५२.०० |
| | Dia 150mm | गोटा | २०६४४.०० | २०६४४.०० | २०६४४.०० |
| | Dia 125mm | गोटा | १७१६०.०० | १७१६०.०० | १७१६०.०० |
| | Dia 100mm | गोटा | १८५६४.०० | १८५६४.०० | १८५६४.०० |
| | Dia 80mm | गोटा | १३३८०.०० | १३३८०.०० | १३३८०.०० |
| | Dia 65mm | गोटा | १०१५३.०० | १०१५३.०० | १०१५३.०० |
| | Dia 50mm | गोटा | ९०८४.०० | ९०८४.०० | ९०८४.०० |
| | **Fire Hydrant** | | | | |
| | Dia 80mm | गोटा | ११९२८.०० | ११९२८.०० | ११९२८.०० |
| | Dia 100mm | गोटा | २३९६१.०० | २३९६१.०० | २३९६१.०० |
| | **160mm dia CI ROAD SURFACE BOX** | गोटा | ३३०७.०० | ३३०७.०० | ३३०७.०० |
| | **Ball Valve** | | | | |
| | 15mm | गोटा | १९१.०० | १९१.०० | १९१.०० |
| | 25mm | गोटा | ३४१.०० | ३४१.०० | ३४१.०० |
| | 32mm | गोटा | ९०६.०० | ९०६.०० | ९०६.०० |
| | 40mm | गोटा | १४०७.०० | १४०७.०० | १४०७.०० |
| | 50mm | गोटा | २३१०.०० | २३१०.०० | २३१०.०० |
| | **Check valve (Horizontal Flow)** | | | | |
| | 15mm | गोटा | ५५४.०० | ५५४.०० | ५५४.०० |
| | 20mm | गोटा | ८७४.०० | ८७४.०० | ८७४.०० |
| | 25mm | गोटा | १४८०.०० | १४८०.०० | १४८०.०० |
| | **Cheack valve (vertical Flow)** | | | | |
| | 15mm | गोटा | ३४१.०० | ३४१.०० | ३४१.०० |
| | 20mm | गोटा | ४३७.०० | ४३७.०० | ४३७.०० |
| | 25mm | गोटा | ४७९.०० | ४७९.०० | ४७९.०० |
| | **Check valve** | | | | |
| | 150mm | गोटा | १८६८८.०० | १८६८८.०० | १८६८८.०० |
| | 200mm | गोटा | २८०२८.०० | २८०२८.०० | २८०२८.०० |
| | 250mm | गोटा | ४२०४७.०० | ४२०४७.०० | ४२०४७.०० |
| | 300mm | गोटा | ६२४६९.०० | ६२४६९.०० | ६२४६९.०० |
| | **Pressure Gauge (Pressure up to) including Fitting & accessories** | | | | |
| | PN10 | गोटा | २५७२.०० | २५७२.०० | २५७२.०० |
| | PN15 | गोटा | ३३६०.०० | ३३६०.०० | ३३६०.०० |
| | PN30 | गोटा | ४८३०.०० | ४८३०.०० | ४८३०.०० |
| | PN45 | गोटा | ५७७५.०० | ५७७५.०० | ५७७५.०० |
| | **Bulk Water Meter** | | | | |
| | 300mm | गोटा | १५६७१२.०० | १५६७१२.०० | १५६७१२.०० |

# DI पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 200mm | गोटा | १०४४७८.०० | १०४४७८.०० | १०४४७८.०० |
| | 150mm | गोटा | ७८०१२.०० | ७८०१२.०० | ७८०१२.०० |
| | 100mm | गोटा | ४५४४८.०० | ४५४४८.०० | ४५४४८.०० |
| | 80mm | गोटा | ३०२९५.०० | ३०२९५.०० | ३०२९५.०० |
| | 65mm | गोटा | २०१९६.०० | २०१९६.०० | २०१९६.०० |
| | 15mm | गोटा | १५७५.०० | १५७५.०० | १५७५.०० |
| | **Supply of water meter volumetric type including fittings and accessories** | | | | |
| | 15mm | गोटा | १६९०.०० | १६९०.०० | १६९०.०० |
| | 20mm | गोटा | २४०४.०० | २४०४.०० | २४०४.०० |
| | 25mm | गोटा | ६२३७.०० | ६२३७.०० | ६२३७.०० |
| | **Float Valve** | | | | |
| | 15mm | गोटा | ७७८.०० | ७७८.०० | ७७८.०० |
| | 20mm | गोटा | १४८०.०० | १४८०.०० | १४८०.०० |
| | 25mm | गोटा | २४३६.०० | २४३६.०० | २४३६.०० |
| | **GM Gate/ Globe Valve** | | | | |
| | 15mm | गोटा | ८२०.०० | ८२०.०० | ८२०.०० |
| | 20mm | गोटा | ११४४.०० | ११४४.०० | ११४४.०० |
| | 25mm | गोटा | १७६४.०० | १७६४.०० | १७६४.०० |
| | 32mm | गोटा | २३४१.०० | २३४१.०० | २३४१.०० |
| | 40mm | गोटा | २७०९.०० | २७०९.०० | २७०९.०० |
| | 50mm | गोटा | ४४८८.०० | ४४८८.०० | ४४८८.०० |
| | 65mm | गोटा | ९१२४.०० | ९१२४.०० | ९१२४.०० |
| | 80mm | गोटा | १२०६४.०० | १२०६४.०० | १२०६४.०० |
| | 100mm | गोटा | १७०५६.०० | १७०५६.०० | १७०५६.०० |
| | **DI Sluice Valve** | | | | |
| | 65mm(2-1/2") | गोटा | १२७३०.०० | १२७३०.०० | १२७३०.०० |
| | 80mm(3") | गोटा | १७७३०.०० | १७७३०.०० | १७७३०.०० |
| | 100mm(4") | गोटा | २५०००.०० | २५०००.०० | २५०००.०० |
| | 125mm(5") | गोटा | ३०४५०.०० | ३०४५०.०० | ३०४५०.०० |
| | 150mm(6") | गोटा | ३७५००.०० | ३७५००.०० | ३७५००.०० |

# 'E Electro Fusion Fittings and Combination Accessorie

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| १ | Electrofusion (PE100) HDPE Fittings | | | | |
| | **Electrofusion Coupler** | | | | |
| | 20mm | गोटा | १०२.०० | १०२.०० | १०२.०० |
| | 25mm | गोटा | १२७.०० | १२७.०० | १२७.०० |
| | 32mm | गोटा | १३७.०० | १३७.०० | १३७.०० |
| | 40mm | गोटा | २६७.०० | २६७.०० | २६७.०० |
| | 50mm | गोटा | २५४.०० | २५४.०० | २५४.०० |
| | 63mm | गोटा | २६३.०० | २६३.०० | २६३.०० |
| | 75mm | गोटा | ४०५.०० | ४०५.०० | ४०५.०० |
| | 90mm | गोटा | ४७३.०० | ४७३.०० | ४७३.०० |
| | 110mm | गोटा | ६३६.०० | ६३६.०० | ६३६.०० |
| | 125mm | गोटा | ८५५.०० | ८५५.०० | ८५५.०० |
| | 140mm | गोटा | १३२३.०० | १३२३.०० | १३२३.०० |
| | 160mm | गोटा | १४९०.०० | १४९०.०० | १४९०.०० |
| | 180mm | गोटा | २२३६.०० | २२३६.०० | २२३६.०० |
| | 200mm | गोटा | २६४८.०० | २६४८.०० | २६४८.०० |
| | 225mm | गोटा | ३६४३.०० | ३६४३.०० | ३६४३.०० |
| | 250mm | गोटा | ५७९४.०० | ५७९४.०० | ५७९४.०० |
| | 280mm | गोटा | ६९५३.०० | ६९५३.०० | ६९५३.०० |
| | **Electorfusion Reducer** | | | | |
| | 50mm ×40mm | गोटा | २१७.०० | २१७.०० | २१७.०० |
| | 63mm ×50mm | गोटा | २५३.०० | २५३.०० | २५३.०० |
| | 75mm ×63mm | गोटा | ५०४.०० | ५०४.०० | ५०४.०० |
| | 90mm ×75mm | गोटा | ६२७.०० | ६२७.०० | ६२७.०० |
| | 90mm ×63mm | गोटा | ६८७.०० | ६८७.०० | ६८७.०० |
| | 90mm ×50mm | गोटा | ९४१.०० | ९४१.०० | ९४१.०० |
| | 110mm ×63mm | गोटा | ८२७.०० | ८२७.०० | ८२७.०० |
| | 110mm ×75mm | गोटा | १५२१.०० | १५२१.०० | १५२१.०० |
| | 110mm ×90mm | गोटा | ८९५.०० | ८९५.०० | ८९५.०० |
| | 125mm ×63mm | गोटा | १०६९.०० | १०६९.०० | १०६९.०० |
| | 125mm ×75mm | गोटा | १७७८.०० | १७७८.०० | १७७८.०० |
| | 125mm ×90mm | गोटा | ११५१.०० | ११५१.०० | ११५१.०० |
| | 125mm ×110mm | गोटा | ९००.०० | ९००.०० | ९००.०० |
| | 140mm ×90mm | गोटा | ३५६४.०० | ३५६४.०० | ३५६४.०० |
| | 140mm ×110mm | गोटा | ४१७३.०० | ४१७३.०० | ४१७३.०० |
| | 140mm ×125mm | गोटा | ४६४१.०० | ४६४१.०० | ४६४१.०० |
| | 160mm ×90mm | गोटा | ४५३५.०० | ४५३५.०० | ४५३५.०० |
| | 160mm ×110mm | गोटा | ४८१४.०० | ४८१४.०० | ४८१४.०० |
| | 160mm ×125mm | गोटा | ५३६५.०० | ५३६५.०० | ५३६५.०० |
| | 160mm ×140mm | गोटा | ६०७८.०० | ६०७८.०० | ६०७८.०० |
| | 180mm ×90mm | गोटा | ६४३३.०० | ६४३३.०० | ६४३३.०० |

# E Electro Fusion Fittings and Combination Accessorie

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 180mm ×125mm | गोटा | ६७११.०० | ६७११.०० | ६७११.०० |
| | 180mm ×140mm | गोटा | ७६१३.०० | ७६१३.०० | ७६१३.०० |
| | 180mm ×160mm | गोटा | ८४५२.०० | ८४५२.०० | ८४५२.०० |
| | 200mm ×110mm | गोटा | ७००२.०० | ७००२.०० | ७००२.०० |
| | 200mm ×140mm | गोटा | ९०१४.०० | ९०१४.०० | ९०१४.०० |
| | 200mm ×160mm | गोटा | ९४७३.०० | ९४७३.०० | ९४७३.०० |
| | 200mm ×180mm | गोटा | ११०६५.०० | ११०६५.०० | ११०६५.०० |
| | 225mm ×90mm | गोटा | १०१८७.०० | १०१८७.०० | १०१८७.०० |
| | 225mm ×110mm | गोटा | ९९२८.०० | ९९२८.०० | ९९२८.०० |
| | 225mm ×225mm | गोटा | १५६१४.०० | १५६१४.०० | १५६१४.०० |
| | 225mm ×160mm | गोटा | ११७३९.०० | ११७३९.०० | ११७३९.०० |
| | 225mm ×180mm | गोटा | १३६०५.०० | १३६०५.०० | १३६०५.०० |
| | 225mm ×200mm | गोटा | १४९५९.०० | १४९५९.०० | १४९५९.०० |
| | 250mm ×160mm | गोटा | १४९९१.०० | १४९९१.०० | १४९९१.०० |
| | 225mm ×180mm | गोटा | १७३३१.०० | १७३३१.०० | १७३३१.०० |
| | 225mm ×200mm | गोटा | १८२६८.०० | १८२६८.०० | १८२६८.०० |
| | 225mm ×225mm | गोटा | २१०८६.०० | २१०८६.०० | २१०८६.०० |
| | 280mm ×180mm | गोटा | २०६६५.०० | २०६६५.०० | २०६६५.०० |
| | 280mm ×200mm | गोटा | २२०७४.०० | २२०७४.०० | २२०७४.०० |
| | 280mm ×225mm | गोटा | २४१३१.०० | २४१३१.०० | २४१३१.०० |
| | 280mm ×250mm | गोटा | २९२२५.०० | २९२२५.०० | २९२२५.०० |
| | **Electrofusion Elbow 45"** | | | | |
| | 50mm | गोटा | ३१६.०० | ३१६.०० | ३१६.०० |
| | 63mm | गोटा | ४६४.०० | ४६४.०० | ४६४.०० |
| | 75mm | गोटा | १२१६.०० | १२१६.०० | १२१६.०० |
| | 90mm | गोटा | १०४७.०० | १०४७.०० | १०४७.०० |
| | 110mm | गोटा | ३१३३.०० | ३१३३.०० | ३१३३.०० |
| | 125mm | गोटा | ४३२६.०० | ४३२६.०० | ४३२६.०० |
| | 140mm | गोटा | ५८४७.०० | ५८४७.०० | ५८४७.०० |
| | 160mm | गोटा | ७५३५.०० | ७५३५.०० | ७५३५.०० |
| | 180mm | गोटा | १०८११.०० | १०८११.०० | १०८११.०० |
| | 200mm | गोटा | १३६१२.०० | १३६१२.०० | १३६१२.०० |
| | 225mm | गोटा | १८५९३.०० | १८५९३.०० | १८५९३.०० |
| | 250mm | गोटा | २६७७५.०० | २६७७५.०० | २६७७५.०० |
| | 280mm | गोटा | ३५३५०.०० | ३५३५०.०० | ३५३५०.०० |
| | **90** | | | | |
| | 50mm | गोटा | २६३.०० | २६३.०० | २६३.०० |
| | 63mm | गोटा | ४१९.०० | ४१९.०० | ४१९.०० |
| | 75mm | गोटा | ५५२.०० | ५५२.०० | ५५२.०० |
| | 90mm | गोटा | १०६६.०० | १०६६.०० | १०६६.०० |

# E Electro Fusion Fittings and Combination Accessorie

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 110mm | गोटा | १४२६.०० | १४२६.०० | १४२६.०० |
| | 125mm | गोटा | १८००.०० | १८००.०० | १८००.०० |
| | 140mm | गोटा | ६७१०.०० | ६७१०.०० | ६७१०.०० |
| | 160mm | गोटा | ८५२२.०० | ८५२२.०० | ८५२२.०० |
| | 180mm | गोटा | १२४२४.०० | १२४२४.०० | १२४२४.०० |
| | 200mm | गोटा | १६५४७.०० | १६५४७.०० | १६५४७.०० |
| | 225mm | गोटा | २१२३८.०० | २१२३८.०० | २१२३८.०० |
| | 250mm | गोटा | ३१२१०.०० | ३१२१०.०० | ३१२१०.०० |
| | 280mm | गोटा | ४४५४६.०० | ४४५४६.०० | ४४५४६.०० |
| | **Electrofusion End Cap** | | | | |
| | 50mm | गोटा | ३४९.०० | ३४९.०० | ३४९.०० |
| | 63mm | गोटा | ४३३.०० | ४३३.०० | ४३३.०० |
| | 75mm | गोटा | ६१७.०० | ६१७.०० | ६१७.०० |
| | 90mm | गोटा | ७९२.०० | ७९२.०० | ७९२.०० |
| | 110mm | गोटा | १४१९.०० | १४१९.०० | १४१९.०० |
| | 125mm | गोटा | १२२२.०० | १२२२.०० | १२२२.०० |
| | 140mm | गोटा | २४९०.०० | २४९०.०० | २४९०.०० |
| | 160mm | गोटा | ३६०८.०० | ३६०८.०० | ३६०८.०० |
| | 180mm | गोटा | ५१७०.०० | ५१७०.०० | ५१७०.०० |
| | 200mm | गोटा | ६७६८.०० | ६७६८.०० | ६७६८.०० |
| | 225mm | गोटा | ८७६९.०० | ८७६९.०० | ८७६९.०० |
| | 250mm | गोटा | १२४४.०० | १२४४.०० | १२४४.०० |
| | 280mm | गोटा | १६०९६.०० | १६०९६.०० | १६०९६.०० |
| | **Electrofusion Equal Tee** | | | | |
| | 50mm | गोटा | ३४८.०० | ३४८.०० | ३४८.०० |
| | 63mm | गोटा | ५००.०० | ५००.०० | ५००.०० |
| | 75mm | गोटा | ७८९.०० | ७८९.०० | ७८९.०० |
| | 90mm | गोटा | १२४५.०० | १२४५.०० | १२४५.०० |
| | 110mm | गोटा | १६०४.०० | १६०४.०० | १६०४.०० |
| | 125mm | गोटा | १९८५.०० | १९८५.०० | १९८५.०० |
| | 140mm | गोटा | ७९२४.०० | ७९२४.०० | ७९२४.०० |
| | 160mm | गोटा | १०८९६.०० | १०८९६.०० | १०८९६.०० |
| | 180mm | गोटा | १५४१६.०० | १५४१६.०० | १५४१६.०० |
| | 200mm | गोटा | १९४२७.०० | १९४९७.०० | १९४२७.०० |
| | 225mm | गोटा | २६५३५.०० | २६५३५.०० | २६५३५.०० |
| | 250mm | गोटा | ३८४४३.०० | ३८४४३.०० | ३८४४३.०० |
| | 280mm | गोटा | ५४६५७.०० | ५४६५७.०० | ५४६५७.०० |
| | **Electrofusion Saddle Clamp** | | | | |
| | 50mm×40mm | गोटा | ७५७.०० | ७५७.०० | ७५७.०० |
| | 75-225mm×50mm | गोटा | ९९०.०० | ९९०.०० | ९९०.०० |
| | **HDPE Adopter PN 16** | | | | |
| | 50mm | गोटा | २८०.०० | २८०.०० | २८०.०० |

# 'E Electro Fusion Fittings and Combination Accessorie

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 63mm | गोटा | ३५३.०० | ३५३.०० | ३५३.०० |
| | 75mm | गोटा | ४९९.०० | ४९९.०० | ४९९.०० |
| | 90mm | गोटा | ६४४.०० | ६४४.०० | ६४४.०० |
| | 110mm | गोटा | ८९४.०० | ८९४.०० | ८९४.०० |
| | 125mm | गोटा | ९८८.०० | ९८८.०० | ९८८.०० |
| | 140mm | गोटा | १३५२.०० | १३५२.०० | १३५२.०० |
| | 160mm | गोटा | १९४४.०० | १९४४.०० | १९४४.०० |
| | 180mm | गोटा | २७८७.०० | २७८७.०० | २७८७.०० |
| | 200mm | गोटा | ३०४७.०० | ३०४७.०० | ३०४७.०० |
| | 225mm | गोटा | ३९५२.०० | ३९५२.०० | ३९५२.०० |
| | 250mm | गोटा | ५२४१.०० | ५२४१.०० | ५२४१.०० |
| | 280mm | गोटा | ७२४८.०० | ७२४८.०० | ७२४८.०० |

# High Pressure Valve and Fittings

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| १ | High Pressure Valve & Fittings | | | | |
| | **Cast Steel Sluice Valve,** Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm2, Seat 55 kg/cm2, including ISOD Flange, Nut & bolt, Gasket. Set | | | | |
| | DN 40 | गोटा | २१९१८.०० | २१९१८.०० | २१९१८.०० |
| | DN 50 | गोटा | २९६१२.०० | २९६१२.०० | २९६१२.०० |
| | DN 65 | गोटा | ३५५३५.०० | ३५५३५.०० | ३५५३५.०० |
| | DN 80 | गोटा | ४१४५७.०० | ४१४५७.०० | ४१४५७.०० |
| | DN 100 | गोटा | ४७३८०.०० | ४७३८०.०० | ४७३८०.०० |
| | DN 125 | गोटा | ५९२२५.०० | ५९२२५.०० | ५९२२५.०० |
| | DN 150 | गोटा | ७६९९२.०० | ७६९९२.०० | ७६९९२.०० |
| | DN 200 | गोटा | १०५५७०.०० | १०५५७०.०० | १०५५७०.०० |
| | DN 250 | गोटा | १५२४९०.०० | १५२४९०.०० | १५२४९०.०० |
| | DN 300 | गोटा | २०५२७५.०० | २०५२७५.०० | २०५२७५.०० |
| | DN 350 | गोटा | ३२२५७५.०० | ३२२५७५.०० | ३२२५७५.०० |
| | **Cast Steel Non Return Valve (NRV),** Class 300 confirming to BS:1414 or equivalent. Hydraulic Test pressure: Body 76 kg/cm2, Seat 55 kg/cm2, including ISOD Flange, Nut & bolt, Gasket. | | | | |
| | DN 40 | गोटा | २३६९०.०० | २३६९०.०० | २३६९०.०० |
| | DN 50 | गोटा | ३१३९४.०० | ३१३९४.०० | ३१३९४.०० |
| | DN 65 | गोटा | ३७३१६.०० | ३७३१६.०० | ३७३१६.०० |
| | DN 80 | गोटा | ४३२३९.०० | ४३२३९.०० | ४३२३९.०० |
| | DN 100 | गोटा | ४९१६१.०० | ४९१६१.०० | ४९१६१.०० |
| | DN 125 | गोटा | ६१००६.०० | ६१००६.०० | ६१००६.०० |
| | DN 150 | गोटा | ७८७७४.०० | ७८७७४.०० | ७८७७४.०० |
| | DN 200 | गोटा | १०७३३४.०० | १०७३३४.०० | १०७३३४.०० |
| | DN 250 | गोटा | १५४२५४.०० | १५४२५४.०० | १५४२५४.०० |
| | DN 300 | गोटा | २०७०३९.०० | २०७०३९.०० | २०७०३९.०० |
| | DN 350 | गोटा | ३२४३३९.०० | ३२४३३९.०० | ३२४३३९.०० |
| | **MS Flange,** ISOD 12mm thick | | | | |
| | DN 40 | गोटा | ४१२.०० | ४१२.०० | ४१२.०० |
| | DN 50 | गोटा | ४४२.०० | ४४२.०० | ४४२.०० |
| | DN 65 | गोटा | ५९७.०० | ५९७.०० | ५९७.०० |
| | DN 80 | गोटा | ६४८.०० | ६४८.०० | ६४८.०० |
| | DN 100 | गोटा | ६६९.०० | ६६९.०० | ६६९.०० |
| | DN 150 | गोटा | ७७२.०० | ७७२.०० | ७७२.०० |
| | DN 125 | गोटा | ९०६.०० | ९०६.०० | ९०६.०० |
| | DN 200 | गोटा | १४८३.०० | १४८३.०० | १४८३.०० |
| | DN 250 | गोटा | २२२४.०० | २२२४.०० | २२२४.०० |
| | DN 300 | गोटा | २६६७.०० | २६६७.०० | २६६७.०० |

# High Pressure Valve and Fittings

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | DN 350 | गोटा | ३६७७.०० | ३६७७.०० | ३६७७.०० |
| | **MS Blind Flange,** ISOD 16mm thick | | | | |
| | DN 40 | गोटा | ५३५.०० | ५३५.०० | ५३५.०० |
| | DN 50 | गोटा | ५७६.०० | ५७६.०० | ५७६.०० |
| | DN 65 | गोटा | ७७२.०० | ७७२.०० | ७७२.०० |
| | DN 80 | गोटा | ८४४.०० | ८४४.०० | ८४४.०० |
| | DN 100 | गोटा | ८७५.०० | ८७५.०० | ८७५.०० |
| | DN 125 | गोटा | ९९९.०० | ९९९.०० | ९९९.०० |
| | DN 150 | गोटा | ११८४.०० | ११८४.०० | ११८४.०० |
| | DN 200 | गोटा | १९२६.०० | १९२६.०० | १९२६.०० |
| | DN 250 | गोटा | २८९४.०० | २८९४.०० | २८९४.०० |
| | DN 300 | गोटा | ३४६०.०० | ३४६०.०० | ३४६०.०० |
| | DN 350 | गोटा | ४७६८.०० | ४७६८.०० | ४७६८.०० |
| | **MS Flange,** ISOD 22mm thick | | | | |
| | DN 40 | गोटा | ९४७.०० | ९४७.०० | ९४७.०० |
| | DN 50 | गोटा | १०१९.०० | १०१९.०० | १०१९.०० |
| | DN 65 | गोटा | १३०८.०० | १३०८.०० | १३०८.०० |
| | DN 80 | गोटा | १४८३.०० | १४८३.०० | १४८३.०० |
| | DN 100 | गोटा | १७८१.०० | १७८१.०० | १७८१.०० |
| | DN 125 | गोटा | २१३२.०० | २१३२.०० | २१३२.०० |
| | DN 150 | गोटा | २७२९.०० | २७२९.०० | २७२९.०० |
| | DN 200 | गोटा | ४४५९.०० | ४४५९.०० | ४४५९.०० |
| | DN 250 | गोटा | ५८१९.०० | ५८९९.०० | ५८१९.०० |
| | DN 300 | गोटा | ८५६९.०० | ८५६९.०० | ८५६९.०० |
| | DN 350 | गोटा | ९५९९.०० | ९५९९.०० | ९५९९.०० |
| | **MS Blind Flange,** ISOD 32mm thick | | | | |
| | DN 40 | गोटा | १२३६.०० | १२३६.०० | १२३६.०० |
| | DN 50 | गोटा | १३२८.०० | १३२८.०० | १३२८.०० |
| | DN 65 | गोटा | १६८९.०० | १६८९.०० | १६८९.०० |
| | DN 80 | गोटा | १९२६.०० | १९२६.०० | १९२६.०० |
| | DN 100 | गोटा | २३०७.०० | २३०७.०० | २३०७.०० |
| | DN 125 | गोटा | २७७०.०० | २७७०.०० | २७७०.०० |
| | DN 150 | गोटा | ३५४३.०० | ३५४३.०० | ३५४३.०० |
| | DN 200 | गोटा | ५८०९.०० | ५८०९.०० | ५८०९.०० |
| | DN 250 | गोटा | ७५८०.०० | ७५८०.०० | ७५८०.०० |
| | DN 300 | गोटा | १११३४.०० | १११३४.०० | १११३४.०० |
| | DN 350 | गोटा | १२४७३.०० | १२४७३.०० | १२४७३.०० |
| | **Seamless (90°-22°) CARBON STEEL BEND,** size dia | | | | |
| | 2" | गोटा | ३३९.०० | ३३९.०० | ३३९.०० |
| | 21/2" | गोटा | ५९७.०० | ५९७.०० | ५९७.०० |

# High Pressure Valve and Fittings

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 3" | गोटा | ८५४.०० | ८५४.०० | ८५४.०० |
| | 4" | गोटा | १४२१.०० | १४२१.०० | १४२१.०० |
| | 5" | गोटा | २६०५.०० | २६०५.०० | २६०५.०० |
| | 6" | गोटा | ३६१५.०० | ३६१५.०० | ३६१५.०० |
| | 8" | गोटा | ६७५६.०० | ६७५६.०० | ६७५६.०० |
| | 10" | गोटा | १३२६६.०० | १३२६६.०० | १३२६६.०० |
| | 12" | गोटा | १८३६४.०० | १८३६४.०० | १८३६४.०० |
| | 14" | गोटा | २०७३३.०० | २०७३३.०० | २०७३३.०० |
| | Seamless REDUCER ASTM-40. (size dia larger dia.) | | | | |
| | 2" | गोटा | २६७.०० | २६७.०० | २६७.०० |
| | 21/2" | गोटा | ४७३.०० | ४७३.०० | ४७३.०० |
| | 3" | गोटा | ६९०.०० | ६९०.०० | ६९०.०० |
| | 4" | गोटा | ११३३.०० | ११३३.०० | ११३३.०० |
| | 5" | गोटा | २०८०.०० | २०८०.०० | २०८०.०० |
| | 6" | गोटा | २८९४.०० | २८९४.०० | २८९४.०० |
| | 8" | गोटा | ५३९७.०० | ५३९७.०० | ५३९७.०० |
| | 10" | गोटा | १०६०९.०० | १०६०९.०० | १०६०९.०० |
| | 12" | गोटा | १४६८७.०० | १४६८७.०० | १४६८७.०० |
| | 14" | गोटा | १६५८३.०० | १६५८३.०० | १६५८३.०० |
| | Nut & Bolt (FORZED, Size, set/kg) | गोटा | ३०९.०० | ३०९.०० | ३०९.०० |
| | 3 mm thick Gasket liner | गोटा | २६३६.०० | २६३६.०० | २६३६.०० |

प्रमुख जिल्ला अधिकारी

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| १ | PP-R Pipe (PN-10) | | | | |
| | 20mm outer,1.9 mm thick, 0.107 kg/m | र.मि | ५६.०० | ५६.०० | ५६.०० |
| | 25mm " 2.3 mm thick 0.164kg/m | र.मि | ८६.०० | ८६.०० | ८६.०० |
| | 32mm 2.9 mm thick 0.26kg/m | र.मि | १३७.०० | १३७.०० | १३७.०० |
| | 40mm 3.7 mm thick 0.412kg/m | र.मि | २१७.०० | २१७.०० | २१७.०० |
| | 50mm 4.6 mm thick 0.638kg/m | र.मि | ३३६.०० | ३३६.०० | ३३६.०० |
| | 63 mm 8.6 mm thick 0.638kg/m | र.मि | ५३३.०० | ५३३.०० | ५३३.०० |
| | 75 mm | र.मि | ७४३.०० | ७४३.०० | ७४३.०० |
| | 90 mm | र.मि | १०७०.०० | १०७०.०० | १०७०.०० |
| | 110 mm | र.मि | १५८८.०० | १५८८.०० | १५८८.०० |
| २ | PP-R Pipe (PN-16) | | | | |
| | 20mm 2.80 mm thick 0.148kg/m | र.मि | ७५.०० | ७५.०० | ७५.०० |
| | 25mm 3.50 mm thick 0.26kg/m | र.मि | ११८.०० | ११८.०० | ११८.०० |
| | 32mm 3.7 mm thick 0.230kg/m | र.मि | १८८.०० | १८८.०० | १८८.०० |
| | 40mm 5.50 mm thick 0.575kg/m | र.मि | ३०३.०० | ३०३.०० | ३०३.०० |
| | 50mm 6.90 mm thick 0.898kg/m | र.मि | ४७३.०० | ४७३.०० | ४७३.०० |
| | 63 mm 4.6 mm thick 0.638kg/m | र.मि | ७४३.०० | ७४३.०० | ७४३.०० |
| | 75 mm | र.मि | १०६१.०० | १०६१.०० | १०६१.०० |
| | 90 mm | र.मि | १५१४.०० | १५१४.०० | १५१४.०० |
| | 110 mm | र.मि | २२६९.०० | २२६९.०० | २२६९.०० |
| ३ | PP-R Pipe (PN-20) | | | | |
| | 20mm 3.4 mm thick 0.172 kg/m | र.मि | ९०.०० | ९०.०० | ९०.०० |
| | 25mm 4.20 mm thick 0.266kg/m | र.मि | १४०.०० | १४०.०० | १४०.०० |
| | 32mm 5.40 mm thick 0.434kg/m | र.मि | २२८.०० | २२८.०० | २२८.०० |
| | 40mm 6.70 mm thick 0.671kg/m | र.मि | ३५४.०० | ३५४.०० | ३५४.०० |
| | 50mm 8.30 mm thick 1.04kg/m | र.मि | ५४९.०० | ५४९.०० | ५४९.०० |
| | 63mm 8.6mm thick 1.04kg/m | र.मि | ८७०.०० | ८७०.०० | ८७०.०० |
| | 75 mm | र.मि | १२३४.०० | १२३४.०० | १२३४.०० |
| | 90 mm | र.मि | १७७२.०० | १७७२.०० | १७७२.०० |
| | 110 mm | र.मि | २६४३.०० | २६४३.०० | २६४३.०० |
| ४ | PP-R Pipe Accessories | | | | |
| | Elbow ( 87.5 $^{0}$ ) | | | | |
| | 20mm | गोटा | २३.०० | २३.०० | २३.०० |
| | 25mm | गोटा | ४३.०० | ४३.०० | ४३.०० |
| | 32mm | गोटा | ७०.०० | ७०.०० | ७०.०० |
| | 40mm | गोटा | १४८.०० | १४८.०० | १४८.०० |
| | 50mm | गोटा | २४९.०० | २४९.०० | २४९.०० |
| | 63 mm | गोटा | ४३९.०० | ४३९.०० | ४३९.०० |
| | 75 mm | गोटा | ८४३.०० | ८४३.०० | ८४३.०० |
| | 90 mm | गोटा | १३७६.०० | १३७६.०० | १३७६.०० |

प्रमुख जिल्ला अधिकारी

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 110 mm | गोटा | २५५८.०० | २५५८.०० | २५५८.०० |
| | Elbow ( 90 $^{0}$ ) | | | | |
| | 20mm | गोटा | ११.०० | ११.०० | ११.०० |
| | 25mm | गोटा | २२.०० | २२.०० | २२.०० |
| | 32mm | गोटा | ३८.०० | ३८.०० | ३८.०० |
| | 40mm | गोटा | ८०.०० | ८०.०० | ८०.०० |
| | 50mm | गोटा | १३५.०० | १३५.०० | १३५.०० |
| | 63 mm | गोटा | २३८.०० | २३८.०० | २३८.०० |
| | 75 mm | गोटा | ४४६.०० | ४४६.०० | ४४६.०० |
| | 90 mm | गोटा | ७५४.०० | ७५४.०० | ७५४.०० |
| | 110 mm | गोटा | १४०५.०० | १४०५.०० | १४०५.०० |
| ५ | Equal Tee | | | | |
| | 20mm | गोटा | १५.०० | १५.०० | १५.०० |
| | 25mm | गोटा | २७.०० | २७.०० | २७.०० |
| | 32mm | गोटा | ४७.०० | ४७.०० | ४७.०० |
| | 40mm | गोटा | ९२.०० | ९२.०० | ९२.०० |
| | 50mm | गोटा | १५७.०० | १५७.०० | १५७.०० |
| | 63mm | गोटा | २८६.०० | २८६.०० | २८६.०० |
| | 75 mm | गोटा | ४९६.०० | ४९६.०० | ४९६.०० |
| | 90 mm | गोटा | ९०९.०० | ९०९.०० | ९०९.०० |
| | 110 mm | गोटा | १५७८.०० | १५७८.०० | १५७८.०० |
| ६ | Coupler | | | | |
| | 20mm | गोटा | ९.०० | ९.०० | ९.०० |
| | 25mm | गोटा | ११.०० | ११.०० | ११.०० |
| | 32mm | गोटा | २२.०० | २२.०० | २२.०० |
| | 40mm | गोटा | ४३.०० | ४३.०० | ४३.०० |
| | 50mm | गोटा | ७३.०० | ७३.०० | ७३.०० |
| | 63 mm | गोटा | १२८.०० | १२८.०० | १२८.०० |
| | 75 mm | गोटा | २४८.०० | २४८.०० | २४८.०० |
| | 90 mm | गोटा | ३६६.०० | ३६६.०० | ३६६.०० |
| | 110 mm | गोटा | ६७०.०० | ६७०.०० | ६७०.०० |
| ७ | 45 Degree Elbow | | | | |
| | 20 mm | गोटा | १५.०० | १५.०० | १५.०० |
| | 25 mm | गोटा | २५.०० | २५.०० | २५.०० |
| | 32 mm | गोटा | ३८.०० | ३८.०० | ३८.०० |
| | 40 mm | गोटा | ७३.०० | ७३.०० | ७३.०० |
| | 50 mm | गोटा | १२२.०० | १२२.०० | १२२.०० |
| | 63 mm | गोटा | २०२.०० | २०२.०० | २०२.०० |
| | 75 mm | गोटा | ३९७.०० | ३९७.०० | ३९७.०० |
| | 90 mm | गोटा | ६७०.०० | ६७०.०० | ६७०.०० |

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 110 mm | गोटा | ११७१.०० | ११७१.०० | ११७१.०० |
| ८ | Union (Plastic) | | | | |
| | 20mm | गोटा | ५९.०० | ५९.०० | ५९.०० |
| | 25mm | गोटा | १०१.०० | १०१.०० | १०१.०० |
| | 32mm | गोटा | १६३.०० | १६३.०० | १६३.०० |
| | 40mm | गोटा | २४७.०० | २४७.०० | २४७.०० |
| | 50mm | गोटा | ३८७.०० | ३८७.०० | ३८७.०० |
| | 63mm | गोटा | ४६२.०० | ४६२.०० | ४६२.०० |
| ९ | Reducing Coupler | | | | |
| | 25mm*20mm | गोटा | १६.०० | १६.०० | १६.०० |
| | 32mm*20mm | गोटा | २०.०० | २०.०० | २०.०० |
| | 32mm*25mm | गोटा | २३.०० | २३.०० | २३.०० |
| | 40mm*20mm | गोटा | ३४.०० | ३४.०० | ३४.०० |
| | 40mm*25mm | गोटा | ३५.०० | ३५.०० | ३५.०० |
| | 40mm*32mm | गोटा | ४७.०० | ४७.०० | ४७.०० |
| | 50mm*20mm | गोटा | ६४.०० | ६४.०० | ६४.०० |
| | 50mm*25mm | गोटा | ६१.०० | ६१.०० | ६१.०० |
| | 50mm*32mm | गोटा | ७०.०० | ७०.०० | ७०.०० |
| | 50mm*40mm | गोटा | ७३.०० | ७३.०० | ७३.०० |
| | 63mm*20mm | गोटा | १००.०० | १००.०० | १००.०० |
| | 63mm*25mm | गोटा | १२३.०० | १२३.०० | १२३.०० |
| | 63mm*32mm | गोटा | १२४.०० | १२४.०० | १२४.०० |
| | 63mm*40mm | गोटा | १२४.०० | १२४.०० | १२४.०० |
| | 63mm*50mm | गोटा | १२४.०० | १२४.०० | १२४.०० |
| | 75mm*40mm | गोटा | २४८.०० | २४८.०० | २४८.०० |
| | 75mm*50mm | गोटा | २५३.०० | २५३.०० | २५३.०० |
| | 75mm*63mm | गोटा | २५६.०० | २५६.०० | २५६.०० |
| | 90mm*50mm | गोटा | ४७२.०० | ४७२.०० | ४७२.०० |
| | 90mm*63mm | गोटा | ५०६.०० | ५०६.०० | ५०६.०० |
| | 90mm*75mm | गोटा | ५९५.०० | ५९५.०० | ५९५.०० |
| | 110mm*75mm | गोटा | ८३४.०० | ८३४.०० | ८३४.०० |
| | 110mm*90mm | गोटा | ९२८.०० | ९२८.०० | ९२८.०० |
| | 75mm | गोटा | ४७६.०० | ४७६.०० | ४७६.०० |
| | 90mm | गोटा | ७३८.०० | ७३८.०० | ७३८.०० |
| | 110mm | गोटा | १२५१.०० | १२५१.०० | १२५१.०० |
| १० | Reducing Tee | | | | |
| | 25*20*25 mm | गोटा | २९.०० | २९.०० | २९.०० |
| | 32*20*32 mm | गोटा | ४४.०० | ४४.०० | ४४.०० |
| | 32*25*32 mm | गोटा | ४७.०० | ४७.०० | ४७.०० |
| | 40*20*40 mm | गोटा | ६४.०० | ६४.०० | ६४.०० |
| | 40*25*40 mm | गोटा | ७२.०० | ७२.०० | ७२.०० |
| | 40*32*40 mm | गोटा | ७६.०० | ७६.०० | ७६.०० |
| | 50*20*50 mm | गोटा | १३०.०० | १३०.०० | १३०.०० |
| | 50*25*50 mm | गोटा | १३४.०० | १३४.०० | १३४.०० |

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 50*32*50 mm | गोटा | १४४.०० | १४४.०० | १४४.०० |
| | 50*40*50 mm | गोटा | १४८.०० | १४८.०० | १४८.०० |
| | 63*20*63 mm | गोटा | १८८.०० | १८८.०० | १८८.०० |
| | 63*25*63 mm | गोटा | २०९.०० | २०९.०० | २०९.०० |
| | 63*32*63 mm | गोटा | २२३.०० | २२३.०० | २२३.०० |
| | 63*40*63 mm | गोटा | २२७.०० | २२७.०० | २२७.०० |
| | 63*50*63 mm | गोटा | २३५.०० | २३५.०० | २३५.०० |
| | 75*50*75 mm | गोटा | ५५३.०० | ५५३.०० | ५५३.०० |
| | 75*63*75 mm | गोटा | ५५५.०० | ५५५.०० | ५५५.०० |
| | 90*63*90 mm | गोटा | ९१४.०० | ९१४.०० | ९१४.०० |
| | 90*75*90 mm | गोटा | १०१०.०० | १०१०.०० | १०१०.०० |
| | 110*75*110 mm | गोटा | १६३६.०० | १६३६.०० | १६३६.०० |
| | 110*90*110 mm | गोटा | १६८४.०० | १६८४.०० | १६८४.०० |
| | 75mm | गोटा | १०३९.०० | १०३९.०० | १०३९.०० |
| | 90mm | गोटा | १७४५.०० | १७४५.०० | १७४५.०० |
| | 110mm | गोटा | २९६८.०० | २९६८.०० | २९६८.०० |
| ११ | Reducing Elbow | | | | |
| | 25mm*20mm | गोटा | २२.०० | २२.०० | २२.०० |
| | 32mm*20mm | गोटा | ४०.०० | ४०.०० | ४०.०० |
| | 32mm*25mm | गोटा | ५०.०० | ५०.०० | ५०.०० |
| | 40*20mm | गोटा | १४०.०० | १४०.०० | १४०.०० |
| | 40*25mm | गोटा | १५२.०० | १५२.०० | १५२.०० |
| | 40*32mm | गोटा | १८८.०० | १८८.०० | १८८.०० |
| | 75mm | गोटा | १००७.०० | १००७.०० | १००७.०० |
| | 90mm | गोटा | १३७५.०० | १३७५.०० | १३७५.०० |
| | 110mm | गोटा | २६१३.०० | २६१३.०० | २६१३.०० |
| | **U CLAMP LONG** | | | | |
| | 20mm | गोटा | ३०.०० | ३०.०० | ३०.०० |
| | 25mm | गोटा | ३४.०० | ३४.०० | ३४.०० |
| | 32mm | गोटा | ४६.०० | ४६.०० | ४६.०० |
| | 40mm | गोटा | ५२.०० | ५२.०० | ५२.०० |
| | 50mm | गोटा | ७०.०० | ७०.०० | ७०.०० |
| | 63mm | गोटा | ७८.०० | ७८.०० | ७८.०० |
| | **U CLAMP** | | | | |
| | 20mm | गोटा | १३.०० | १३.०० | १३.०० |
| | 25mm | गोटा | १६.०० | १६.०० | १६.०० |
| | 32mm | गोटा | ३०.०० | ३०.०० | ३०.०० |
| | 40mm | गोटा | ३७.०० | ३७.०० | ३७.०० |
| | 50mm | गोटा | ५९.०० | ५९.०० | ५९.०० |

प्रमुख जिल्ला अधिकारी

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 63mm | गोटा | ७६.०० | ७६.०० | ७६.०० |
| | **PLUG** | | | | |
| | 20mm | गोटा | १३.०० | १३.०० | १३.०० |
| | 25mm | गोटा | २१.०० | २१.०० | २१.०० |
| | 32mm | गोटा | २६.०० | २६.०० | २६.०० |
| | **CAPS** | | | | |
| | 20mm | गोटा | ३१.०० | ३१.०० | ३१.०० |
| | 25mm | गोटा | ४६.०० | ४६.०० | ४६.०० |
| | 32mm | गोटा | ७०.०० | ७०.०० | ७०.०० |
| | 40mm | गोटा | १११.०० | १११.०० | १११.०० |
| | 50mm | गोटा | १८७.०० | १८७.०० | १८७.०० |
| | 63mm | गोटा | ३३८.०० | ३३८.०० | ३३८.०० |
| | 75mm | गोटा | ५१५.०० | ५१५.०० | ५१५.०० |
| | 90mm | गोटा | ५७६.०० | ५७६.०० | ५७६.०० |
| | 110mm | गोटा | ११८२.०० | ११८२.०० | ११८२.०० |
| | **CROSS OVER** | | | | |
| | 20mm | गोटा | १४२.०० | १४२.०० | १४२.०० |
| | 25mm | गोटा | २०३.०० | २०३.०० | २०३.०० |
| | 32mm | गोटा | २९४.०० | २९४.०० | २९४.०० |
| १२ | **High Footed Pipe Clip** | | | | |
| | 20mm | गोटा | १२.०० | १२.०० | १२.०० |
| | 25mm | गोटा | १४.०० | १४.०० | १४.०० |
| | 32mm | गोटा | २२.०० | २२.०० | २२.०० |
| | 40mm | गोटा | २५.०० | २५.०० | २५.०० |
| | 50mm | गोटा | २७.०० | २७.०० | २७.०० |
| | 63 mm | गोटा | ३६.०० | ३६.०० | ३६.०० |
| १३ | **Low Footed Pipe Clip** | | | | |
| | 20mm | गोटा | ६.०० | ६.०० | ६.०० |
| | 25mm | गोटा | ७.०० | ७.०० | ७.०० |
| | 32mm | गोटा | १४.०० | १४.०० | १४.०० |
| | 40mm | गोटा | २०.०० | २०.०० | २०.०० |
| | 50mm | गोटा | ३१.०० | ३१.०० | ३१.०० |
| | 63 mm | गोटा | ३९.०० | ३९.०० | ३९.०० |
| १४ | **"Y" type Pipe Clip** | | | | |
| | 20mm | गोटा | २०.०० | २०.०० | २०.०० |
| | 25mm | गोटा | २३.०० | २३.०० | २३.०० |
| | 32mm | गोटा | २८.०० | २८.०० | २८.०० |
| | 40 mm | गोटा | ५५.०० | ५५.०० | ५५.०० |

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| १५ | **End Plug (short)** | | | | |
| | 20mm | गोटा | ६.०० | ६.०० | ६.०० |
| | 25mm | गोटा | १०.०० | १०.०० | १०.०० |
| | 32mm | गोटा | १३.०० | १३.०० | १३.०० |
| १६ | **End Plug with Ring** | | | | |
| | 20mm | गोटा | २२.०० | २२.०० | २२.०० |
| १७ | **End Plug (long)** | गोटा | | | |
| | 20mm | गोटा | १०.०० | १०.०० | १०.०० |
| १८ | **End Cap** | | | | |
| | 20mm | गोटा | १२.०० | १२.०० | १२.०० |
| | 25mm | गोटा | २०.०० | २०.०० | २०.०० |
| | 32mm | गोटा | ३०.०० | ३०.०० | ३०.०० |
| | 40mm | गोटा | ४४.०० | ४४.०० | ४४.०० |
| | 50mm | गोटा | ७८.०० | ७८.०० | ७८.०० |
| | 63 mm | गोटा | १५१.०० | १५१.०० | १५१.०० |
| | 75 mm | गोटा | २४३.०० | २४३.०० | २४३.०० |
| १९ | **Cross Tee** | | | | |
| | 20mm | गोटा | २६.०० | २६.०० | २६.०० |
| | 25mm | गोटा | ३८.०० | ३८.०० | ३८.०० |
| | 32mm | गोटा | ६८.०० | ६८.०० | ६८.०० |
| २० | **Short Passover** | | | | |
| | 20mm | गोटा | ७५.०० | ७५.०० | ७५.०० |
| | 25mm | गोटा | १०९.०० | १०९.०० | १०९.०० |
| | 32mm | गोटा | १६९.०० | १६९.०० | १६९.०० |
| २१ | **Long Bypass** | | | | |
| | 20mm | गोटा | ८६.०० | ८६.०० | ८६.०० |
| | 25mm | गोटा | १४४.०० | १४४.०० | १४४.०० |
| | 32mm | गोटा | २११.०० | २११.०० | २११.०० |
| २२ | **Male Tee** | | | | |
| | 20mmx1/2" | गोटा | १४४.०० | १४४.०० | १४४.०० |
| | 20mmx3/4" | गोटा | १४६.०० | १४६.०० | १४६.०० |
| | 25mmx1/2" | गोटा | १५१.०० | १५१.०० | १५१.०० |
| | 25mmx3/4" | गोटा | १८१.०० | १८१.०० | १८१.०० |
| | 32mmx1/2" | गोटा | १५४.०० | १५४.०० | १५४.०० |
| | 32mmx3/4" | गोटा | २२७.०० | २२७.०० | २२७.०० |
| | 32mmx1" | गोटा | ३९६.०० | ३९६.०० | ३९६.०० |
| | 40mm*1/2" | गोटा | ६७३.०० | ६७३.०० | ६७३.०० |
| | 40mm*5/4" | गोटा | ६५५.०० | ६५५.०० | ६५५.०० |
| | 50mm*6/4" | गोटा | १०३८.०० | १०३८.०० | १०३८.०० |
| | 63mm*1" | गोटा | १२३५.०० | १२३५.०० | १२३५.०० |

प्रमुख जिल्ला अधिकारी

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 63mm*2" | गोटा | १३४१.०० | १३४१.०० | १३४१.०० |
| २३ | Female Tee | | | | |
| | 20mmx1/2" | गोटा | ११६.०० | ११६.०० | ११६.०० |
| | 20mmx3/4" | गोटा | १३१.०० | १३१.०० | १३१.०० |
| | 25mmx1/2" | गोटा | १५१.०० | १५१.०० | १५१.०० |
| | 25mmx3/4" | गोटा | १७६.०० | १७६.०० | १७६.०० |
| | 32mmx1/2" | गोटा | १७३.०० | १७३.०० | १७३.०० |
| | 32mmx3/4" | गोटा | २०३.०० | २०३.०० | २०३.०० |
| | 32mmx1" | गोटा | ३४२.०० | ३४२.०० | ३४२.०० |
| | 40mm*1/2" | गोटा | ५३०.०० | ५३०.०० | ५३०.०० |
| | 40mm*5/4" | गोटा | ५२१.०० | ५२१.०० | ५२१.०० |
| | 50mm*6/4" | गोटा | ७९०.०० | ७९०.०० | ७९०.०० |
| | 63mm*1" | गोटा | ९९२.०० | ९९२.०० | ९९२.०० |
| | 63mm*2" | गोटा | १०४८.०० | १०४८.०० | १०४८.०० |
| २४ | Male elbow | | | | |
| | 20mmx1/2" | गोटा | १३८.०० | १३८.०० | १३८.०० |
| | 25mmx1/2" | गोटा | १५१.०० | १५१.०० | १५१.०० |
| | 25mmx3/4" | गोटा | १८५.०० | १८५.०० | १८५.०० |
| | 32mmx1/2" | गोटा | ३१२.०० | ३१२.०० | ३१२.०० |
| | 32mmx3/4" | गोटा | २४८.०० | २४८.०० | २४८.०० |
| | 32mmx1" | गोटा | ४११.०० | ४११.०० | ४११.०० |
| | 40mm*5/4" | गोटा | ५९२.५० | ५९२.५० | ५९२.५० |
| २५ | Female elbow | | | | |
| | 20mmx1/2" | गोटा | ११३.०० | ११३.०० | ११३.०० |
| | 25mmx1/2" | गोटा | १८४.०० | १८४.०० | १८४.०० |
| | 25mmx3/4" | गोटा | १५१.०० | १५१.०० | १५१.०० |
| | 32mmx1/2" | गोटा | २०२.०० | २०२.०० | २०२.०० |
| | 32mmx3/4" | गोटा | २३८.०० | २३८.०० | २३८.०० |
| | 32mmx1" | गोटा | ३३३.०० | ३३३.०० | ३३३.०० |
| | 40mm*5/4" | गोटा | ६७५.०० | ६७५.०० | ६७५.०० |
| | 50mm*6/4" | गोटा | ७७५.०० | ७७५.०० | ७७५.०० |
| | 63mm*2" | गोटा | ८९२.०० | ८९२.०० | ८९२.०० |
| | MALE SOCKET | | | | |
| | 20mm*1/2" | गोटा | १४५.०० | १४५.०० | १४५.०० |
| | 20mm*3/4" | गोटा | १७५.०० | १७५.०० | १७५.०० |
| | 25mm*1/2" | गोटा | १५५.०० | १५५.०० | १५५.०० |
| | 25mm*3/4" | गोटा | १७६.०० | १७६.०० | १७६.०० |
| | 32mm*1/2" | गोटा | १९६.०० | १९६.०० | १९६.०० |
| | 32mm*3/4" | गोटा | २०६.०० | २०६.०० | २०६.०० |
| | 32mm*1" | गोटा | ३९२.०० | ३९२.०० | ३९२.०० |

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 40mm*5/4" | गोटा | ६४९.०० | ६४९.०० | ६४९.०० |
| | 50mm*6/4" | गोटा | १०४८.०० | १०४८.०० | १०४८.०० |
| | 63mm*2" | गोटा | १३९५.०० | १३९५.०० | १३९५.०० |
| | 75mm | गोटा | ३४८०.०० | ३४८०.०० | ३४८०.०० |
| | 90mm | गोटा | ४७६९.०० | ४७६९.०० | ४७६९.०० |
| | 110mm | गोटा | ८९६८.०० | ८९६८.०० | ८९६८.०० |
| | **FEMALE SOCKET** | | | | |
| | 20mm*1/2" | गोटा | ११०.०० | ११०.०० | ११०.०० |
| | 20mm*3/4" | गोटा | १२५.०० | १२५.०० | १२५.०० |
| | 25mm*1/2" | गोटा | १३५.०० | १३५.०० | १३५.०० |
| | 25mm*3/4" | गोटा | १३७.०० | १३७.०० | १३७.०० |
| | 32mm*1/2" | गोटा | १३९.०० | १३९.०० | १३९.०० |
| | 32mm*3/4" | गोटा | १४१.०० | १४१.०० | १४१.०० |
| | 32mm*1" | गोटा | ३०६.०० | ३०६.०० | ३०६.०० |
| | 40mm*5/4" | गोटा | ५७०.०० | ५७०.०० | ५७०.०० |
| | 50mm*6/4" | गोटा | ७९१.०० | ७९१.०० | ७९१.०० |
| | 63mm*2" | गोटा | १०७०.०० | १०७०.०० | १०७०.०० |
| | 75mm | गोटा | ३०४२.०० | ३०४२.०० | ३०४२.०० |
| | 90mm | गोटा | ४१८४.०० | ४१८४.०० | ४१८४.०० |
| | 110mm | गोटा | ७९००.०० | ७९००.०० | ७९००.०० |
| २६ | **Male Coupling** | | | | |
| | 20mmx1/2" | गोटा | १३४.०० | १३४.०० | १३४.०० |
| | 20mmx3/4" | गोटा | १४२.०० | १४२.०० | १४२.०० |
| | 25mmx1/2" | गोटा | १६३.०० | १६३.०० | १६३.०० |
| | 25mmx3/4" | गोटा | १८७.०० | १८७.०० | १८७.०० |
| | 32mmx1/2" | गोटा | १६९.०० | १६९.०० | १६९.०० |
| | 32mmx3/4" | गोटा | १८१.०० | १८१.०० | १८१.०० |
| | 32mmx1" | गोटा | ३६३.०० | ३६३.०० | ३६३.०० |
| | 40mmx1-1/4" | गोटा | ६१४.०० | ६१४.०० | ६१४.०० |
| | 50mmx1-1/2" | गोटा | ९२५.०० | ९२५.०० | ९२५.०० |
| | 63mmx2" | गोटा | १२२१.०० | १२२१.०० | १२२१.०० |
| | 75mmx2-1/2" | गोटा | ३०३७.०० | ३०३७.०० | ३०३७.०० |
| २७ | **Female Coupling** | | | | |
| | 20mmx1/2" | गोटा | १०९.०० | १०९.०० | १०९.०० |
| | 20mmx3/4" | गोटा | १२८.०० | १२८.०० | १२८.०० |
| | 25mmx1/2" | गोटा | १४४.०० | १४४.०० | १४४.०० |
| | 25mmx3/4" | गोटा | १४६.०० | १४६.०० | १४६.०० |
| | 32mmx1/2" | गोटा | १२३.०० | १२३.०० | १२३.०० |
| | 32mmx3/4" | गोटा | १३२.०० | १३२.०० | १३२.०० |
| | 32mmx1" | गोटा | ३११.०० | ३११.०० | ३११.०० |
| | 40mmx1-1/4" | गोटा | ५३९.०० | ५३९.०० | ५३९.०० |

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 50mmx1-1/2" | गोटा | ६९८.०० | ६९८.०० | ६९८.०० |
| | 63mmx2" | गोटा | ९३६.०० | ९३६.०० | ९३६.०० |
| | 75mmx2-1/2" | गोटा | २७७९.०० | २७७९.०० | २७७९.०० |
| २८ | Male Union | | | | |
| | 20mmx1/2" | गोटा | ३०२.०० | ३०२.०० | ३०२.०० |
| | 25mmx3/4" | गोटा | ४३५.०० | ४३५.०० | ४३५.०० |
| | 32mmx1" | गोटा | ६३९.०० | ६३९.०० | ६३९.०० |
| | 40mmx1 1/4" | गोटा | ११५१.०० | ११५१.०० | ११५१.०० |
| | 50mmx1/2" | गोटा | १५३९.०० | १५३९.०० | १५३९.०० |
| | 63mmx2" | गोटा | ३९७०.०० | ३९७०.०० | ३९७०.०० |
| २९ | Female Union | | | | |
| | 20mmx1/2" | गोटा | २९२.०० | २९२.०० | २९२.०० |
| | 25mmx3/4" | गोटा | ३७८.०० | ३७८.०० | ३७८.०० |
| | 32mmx1" | गोटा | ६११.०० | ६११.०० | ६११.०० |
| | 40mmx1 1/4" | गोटा | ८४३.०० | ८४३.०० | ८४३.०० |
| | 50mmx1/2" | गोटा | १४४१.०० | १४४१.०० | १४४१.०० |
| | 63mmx2" | गोटा | २६३०.०० | २६३०.०० | २६३०.०० |
| ३० | Stop Valve | | | | |
| | 20 mm | गोटा | ३४९.०० | ३४९.०० | ३४९.०० |
| | 25 mm | गोटा | ४६०.०० | ४६०.०० | ४६०.०० |
| | 32 mm | गोटा | ५५५.०० | ५५५.०० | ५५५.०० |
| | 40mm | गोटा | ५९५.०० | ५९५.०० | ५९५.०० |
| | 50 mm | गोटा | ९९२.०० | ९९२.०० | ९९२.०० |
| | 63 mm | गोटा | १४९१.०० | १४९१.०० | १४९१.०० |
| | 75 mm | गोटा | २८४०.०० | २८४०.०० | २८४०.०० |
| | 90 mm | गोटा | ३१०९.०० | ३१०९.०० | ३१०९.०० |
| | 110 mm | गोटा | ४२४९.०० | ४२४९.०० | ४२४९.०० |
| | MALE SEATED ELBOW | | | | |
| | 20mm*1/2" | गोटा | १५५.०० | १५५.०० | १५५.०० |
| | 25mm*1/2" | गोटा | १७८.०० | १७८.०० | १७८.०० |
| | 25mm*3/4" | गोटा | १९८.०० | १९८.०० | १९८.०० |
| | FEMALE SEATED ELBOW | | | | |
| | 20mm*1/2" | गोटा | १६८.०० | १६८.०० | १६८.०० |
| | 25mm*1/2" | गोटा | २१०.०० | २१०.०० | २१०.०० |
| | 25mm*3/4" | गोटा | २२०.०० | २२०.०० | २२०.०० |
| ३१ | Male base elbow | | | | |
| | 20mm x 1/2" | गोटा | १५६.०० | १५६.०० | १५६.०० |
| | 25mm x 1/2" | गोटा | १९३.०० | १९३.०० | १९३.०० |
| | 25mm x 3/4" | गोटा | १९३.०० | १९३.०० | १९३.०० |
| ३२ | Female base elbow | | | | |

प्रमुख जिल्ला अधिकारी

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 20mm x 1/2" | गोटा | १५३.०० | १५३.०० | १५३.०० |
| | 25mm x 1/2" | गोटा | १८८.०० | १८८.०० | १८८.०० |
| | 25mm x 3/4" | गोटा | १८५.०० | १८५.०० | १८५.०० |
| ३३ | Metal Ball valve (double) | | | | |
| | 20mmx1/2" | गोटा | ६४५.०० | ६४५.०० | ६४५.०० |
| | 25mmx3/4" | गोटा | ९४५.०० | ९४५.०० | ९४५.०० |
| | 32mmx1" | गोटा | ११६७.०० | ११६७.०० | ११६७.०० |
| | 40mmx1-1/4" | गोटा | ३३२३.०० | ३३२३.०० | ३३२३.०० |
| | 50mmx1-1/2" | गोटा | ४५६६.०० | ४५६६.०० | ४५६६.०० |
| ३४ | Metal Ball valve (Single) | | | | |
| | 20mmx1/2" | गोटा | ५९५.०० | ५९५.०० | ५९५.०० |
| | 25mmx3/4" | गोटा | ७७५.०० | ७७५.०० | ७७५.०० |
| | 32mmx1" | गोटा | १३१५.०० | १३१५.०० | १३१५.०० |
| ३५ | Conceal Valve (Lux) | | | | |
| | 20mm | गोटा | ११९३.०० | ११९३.०० | ११९३.०० |
| ३६ | Conceal Valve (Nor) | | | | |
| | 20mm | गोटा | ९३७.०० | ९३७.०० | ९३७.०० |
| ३७ | Ball Valve (Plastic) | | | | |
| | 20mm | गोटा | ९४.०० | ९४.०० | ९४.०० |
| | 25mm | गोटा | १२८.०० | १२८.०० | १२८.०० |
| | 32mm | गोटा | २१९.०० | २१९.०० | २१९.०० |
| | 40mm | गोटा | ४७६.०० | ४७६.०० | ४७६.०० |
| | 50mm | गोटा | ६९०.०० | ६९०.०० | ६९०.०० |
| | 63 mm | गोटा | ११६७.०० | ११६७.०० | ११६७.०० |
| | 75 mm | गोटा | १६३३.०० | १६३३.०० | १६३३.०० |
| | 90 mm | गोटा | ३२३७.०० | ३२३७.०० | ३२३७.०० |
| | 110 mm | गोटा | ४४२७.०० | ४४२७.०० | ४४२७.०० |
| ३८ | Ball Valve (Brass) | | | | |
| | 20mm | गोटा | ३४२.०० | ३४२.०० | ३४२.०० |
| | 25mm | गोटा | ४२२.०० | ४२२.०० | ४२२.०० |
| | 32mm | गोटा | ५७३.०० | ५७३.०० | ५७३.०० |
| | 40mm | गोटा | ९४८.०० | ९४८.०० | ९४८.०० |
| | TANK NIPPLE | | | | |
| | 32mm | गोटा | २६५.०० | २६५.०० | २६५.०० |
| | 40mm | गोटा | ३२७.०० | ३२७.०० | ३२७.०० |
| | PIPE TANK NIPPLE | | | | |
| | 32mm | गोटा | १४८.०० | १४८.०० | १४८.०० |
| | BALL VALVE METAL BODY | | | | |
| | 20mm | गोटा | ५९२.०० | ५९२.०० | ५९२.०० |

# पोलिप्रोपोलिन रेण्डम (PPR) पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 25mm | गोटा | ८०४.०० | ८०४.०० | ८०४.०० |
| | 32mm | गोटा | ११६६.०० | ११६६.०० | ११६६.०० |
| | 40mm | गोटा | १५५२.०० | १५५२.०० | १५५२.०० |
| | 50mm | गोटा | १९४१.०० | १९४१.०० | १९४१.०० |
| | 63mm | गोटा | २४८५.०० | २४८५.०० | २४८५.०० |
| | 75mm | गोटा | ६७२४.०० | ६७२४.०० | ६७२४.०० |
| | 90mm | गोटा | १०८८५.०० | १०८८५.०० | १०८८५.०० |
| | 110mm | गोटा | १३०६२.०० | १३०६२.०० | १३०६२.०० |
| | **BALL VALVE FEMALE** | | | | |
| | 20mm | गोटा | ५९२.०० | ५९२.०० | ५९२.०० |
| | 25mm | गोटा | ८०४.०० | ८०४.०० | ८०४.०० |
| | 32mm | गोटा | ११६६.०० | ११६६.०० | ११६६.०० |
| | 40mm | गोटा | १५५२.०० | १५५२.०० | १५५२.०० |
| | 50mm | गोटा | १९४१.०० | १९४१.०० | १९४१.०० |
| | 63mm | गोटा | २४८५.०० | २४८५.०० | २४८५.०० |
| | 75mm | गोटा | ६७२४.०० | ६७२४.०० | ६७२४.०० |
| | 90mm | गोटा | १०८८५.०० | १०८८५.०० | १०८८५.०० |
| | 110mm | गोटा | १३०६२.०० | १३०६२.०० | १३०६२.०० |
| | **PLUG NIPPLE** | | | | |
| | 20mm | गोटा | ११.०० | ११.०० | ११.०० |
| | **DOUBLE FEMALE ELBOW** | | | | |
| | 20mm*1/2" | गोटा | २५६.०० | २५६.०० | २५६.०० |
| | 25mm*1/2" | गोटा | २९४.०० | २९४.०० | २९४.०० |

# यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहिकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| A | **UPVC Pipes** | | | | |
| १ | **UPVC Pipe NS 206/046 - 2.5 kg /cm² Pressure** | | | | |
| | 90 mm | र.मी | १६६.०० | १६६.०० | १६६.०० |
| | 110 mm | र.मी | २४७.०० | २४७.०० | २४७.०० |
| | 125 mm | र.मी | ३१५.०० | ३१५.०० | ३१५.०० |
| | 140 mm | र.मी | ३८९.०० | ३८९.०० | ३८९.०० |
| | 160 mm | र.मी | ५०८.०० | ५०८.०० | ५०८.०० |
| | 180 mm | र.मी | ६५१.०० | ६५१.०० | ६५१.०० |
| | 200 mm | र.मी | ७९६.०० | ७९६.०० | ७९६.०० |
| २ | **UPVC Pipe NS 206/046 - 4 kg /cm² Pressure** | | | | |
| | 63mm | र.मी | १३२.०० | १३२.०० | १३२.०० |
| | 75mm | र.मी | १८१.०० | १८१.०० | १८१.०० |
| | 90 mm | र.मी | २६०.०० | २६०.०० | २६०.०० |
| | 110 mm | र.मी | ३५७.०० | ३५७.०० | ३५७.०० |
| | 125 mm | र.मी | ४९२.०० | ४९२.०० | ४९२.०० |
| | 140 mm | र.मी | ६२५.०० | ६२५.०० | ६२५.०० |
| | 160 mm | र.मी | ८०८.०० | ८०८.०० | ८०८.०० |
| | 180 mm | र.मी | १०४०.०० | १०४०.०० | १०४०.०० |
| | 200 mm | र.मी | १२६२.०० | १२६२.०० | १२६२.०० |
| ३ | **UPVC Pipe NS 206/046 - 6 kg /cm² Pressure** | | | | |
| | 40mm | र.मी | ७७.०० | ७७.०० | ७७.०० |
| | 50mm | र.मी | ११७.०० | ११७.०० | ११७.०० |
| | 63mm | र.मी | १८९.०० | १८९.०० | १८९.०० |
| | 75mm | र.मी | २६३.०० | २६३.०० | २६३.०० |
| | 90 mm | र.मी | ३७८.०० | ३७८.०० | ३७८.०० |
| | 110 mm | र.मी | ५४८.०० | ५४८.०० | ५४८.०० |
| | 125 mm | र.मी | ७३०.०० | ७३०.०० | ७३०.०० |
| | 140 mm | र.मी | ९०९.०० | ९०९.०० | ९०९.०० |
| | 160 mm | र.मी | ११६४.०० | ११६४.०० | ११६४.०० |
| | 180 mm | र.मी | १४८५.०० | १४८५.०० | १४८५.०० |
| | 200 mm | र.मी | १८१९.०० | १८१९.०० | १८१९.०० |
| ४ | **UPVC Pipe NS 206/046 - 10 kg /cm² Pressure** | | | | |
| | 20 mm | र.मी | ३०.०० | ३०.०० | ३०.०० |
| | 25 mm | र.मी | ४७.०० | ४७.०० | ४७.०० |
| | 32mm | र.मी | ७७.०० | ७७.०० | ७७.०० |
| | 40mm | र.मी | ११६.०० | ११६.०० | ११६.०० |
| | 50mm | र.मी | १८३.०० | १८३.०० | १८३.०० |
| | 63mm | र.मी | २९२.०० | २९२.०० | २९२.०० |
| | 75mm | र.मी | ४१५.०० | ४१५.०० | ४१५.०० |
| | 90 mm | र.मी | ५९३.०० | ५९३.०० | ५९३.०० |
| | 110 mm | र.मी | ८८०.०० | ८८०.०० | ८८०.०० |
| | 125 mm | र.मी | ११२६.०० | ११२६.०० | ११२६.०० |
| | 140 mm | र.मी | १४२२.०० | १४२२.०० | १४२२.०० |

# यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहिकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 160 mm | र.मी | १८३०.०० | १८३०.०० | १८३०.०० |
| | 180 mm | र.मी | २३३२.०० | २३३२.०० | २३३२.०० |
| | 200 mm | र.मी | २८८३.०० | २८८३.०० | २८८३.०० |
| | UPVC PIPE AS PER IS 13592 | | | | |
| | 50mm | र.मी | ८८.०० | ८८.०० | ८८.०० |
| | 75mm | र.मी | १४१.०० | १४१.०० | १४१.०० |
| | 110mm | र.मी | २७८.०० | २७८.०० | २७८.०० |
| | 160mm | र.मी | ५८६.०० | ५८६.०० | ५८६.०० |
| | 200mm | र.मी | ९०५.०० | ९०५.०० | ९०५.०० |
| | DURADRAIN | | | | |
| | 110mm SN 8 | र.मी | ४२४.०० | ४२४.०० | ४२४.०० |
| | 75mm SN 8 | र.मी | २१०.०० | २१०.०० | २१०.०० |
| B | UPVC fittings | | | | |
| १ | Coupler | | | | |
| | 50 mm | गोटा | ३६.०० | ३६.०० | ३६.०० |
| | 75 mm | गोटा | ८८.०० | ८८.०० | ८८.०० |
| | 110 mm | गोटा | १५०.०० | १५०.०० | १५०.०० |
| २ | Bend 87.5 degree | | | | |
| | 50 mm | गोटा | ५४.०० | ५४.०० | ५४.०० |
| | 75 mm | गोटा | १२६.०० | १२६.०० | १२६.०० |
| | 110 mm | गोटा | २३५.०० | २३५.०० | २३५.०० |
| ३ | Bend 45 degree | | | | |
| | 50 mm | गोटा | ५२.०० | ५२.०० | ५२.०० |
| | 75 mm | गोटा | १०३.०० | १०३.०० | १०३.०० |
| | 110 mm | गोटा | १८५.०० | १८५.०० | १८५.०० |
| ४ | Single Tee | | | | |
| | 50 mm | गोटा | ७९.०० | ७९.०० | ७९.०० |
| | 75 mm | गोटा | १७२.०० | १७२.०० | १७२.०० |
| | 110 mm | गोटा | ३२७.०० | ३२७.०० | ३२७.०० |
| ५ | Pipe clip | | | | |
| | 50 mm | गोटा | १६.०० | १६.०० | १६.०० |
| | 75 mm | गोटा | ३२.०० | ३२.०० | ३२.०० |
| | 110 mm | गोटा | ४३.०० | ४३.०० | ४३.०० |
| ६ | Bend 87.5 degree with door | | | | |
| | 75 mm | गोटा | १६३.०० | १६३.०० | १६३.०० |
| | 110 mm | गोटा | २८४.०० | २८४.०० | २८४.०० |
| ७ | Single Tee with door | | | | |
| | 75 mm | गोटा | २३२.०० | २३२.०० | २३२.०० |
| | 110 mm | गोटा | ४३३.०० | ४३३.०० | ४३३.०० |
| ८ | Double Tee | | | | |
| | 75 mm | गोटा | ३७८.०० | ३७८.०० | ३७८.०० |
| | 110 mm | गोटा | ५९९.०० | ५९९.०० | ५९९.०० |
| ९ | Double Tee with door | | | | |

# यु.पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क बाहिकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 75 mm | गोटा | ५०१.०० | ५०१.०० | ५०१.०० |
| | 110 mm | गोटा | ७७८.०० | ७७८.०० | ७७८.०० |
| १० | Vent cowl | | | | |
| | 75 mm | गोटा | ६२.०० | ६२.०० | ६२.०० |
| | 110 mm | गोटा | १०२.०० | १०२.०० | १०२.०० |
| ११ | Socket plug | | | | |
| | 75 mm | गोटा | ७७.०० | ७७.०० | ७७.०० |
| | 110 mm | गोटा | १२६.०० | १२६.०० | १२६.०० |
| १२ | Single "Y" | | | | |
| | 75 mm | गोटा | १९७.०० | १९७.०० | १९७.०० |
| | 110 mm | गोटा | ४२६.०० | ४२६.०० | ४२६.०० |
| १३ | Single "Y" with door | | | | |
| | 75 mm | गोटा | २७०.०० | २७०.०० | २७०.०० |
| | 110 mm | गोटा | ५१४.०० | ५१४.०० | ५१४.०० |
| १४ | Double "Y" | | | | |
| | 75 mm | गोटा | २९७.०० | २९७.०० | २९७.०० |
| | 110 mm | गोटा | ५८६.०० | ५८६.०० | ५८६.०० |
| १५ | Double "Y" with door | | | | |
| | 75 mm | गोटा | ३८२.०० | ३८२.०० | ३८२.०० |
| | 110 mm | गोटा | ६१४.०० | ६१४.०० | ६१४.०० |
| १६ | Cleaning pipe | | | | |
| | 75 mm | गोटा | १७२.०० | १७२.०० | १७२.०० |
| | 110 mm | गोटा | ३३३.०० | ३३३.०० | ३३३.०० |
| १७ | Reducer | | | | |
| | 110x 75 mm | गोटा | १५३.०० | १५३.०० | १५३.०० |
| | 75X50 mm | गोटा | ८१.०० | ८१.०० | ८१.०० |
| १८ | P -Trap | | | | |
| | 125mmx110mm | गोटा | ६३३.०० | ६३३.०० | ६३३.०० |
| | 110mmx110mm | गोटा | ५९३.०० | ५९३.०० | ५९३.०० |
| | 75mmx75mm | गोटा | २२६.०० | २२६.०० | २२६.०० |
| १९ | Multi-Floor -Trap | | | | |
| | 110mmx75mm | गोटा | ३२९.०० | ३२९.०० | ३२९.०० |
| २० | Nahani-Trap | | | | |
| | 110mmx75mm | गोटा | २९९.०० | २९९.०० | २९९.०० |
| २२ | W.C. Connector (bent type) | गोटा | ३०६.०० | ३०६.०० | ३०६.०० |
| २३ | Square tile with jali | गोटा | ९८.०० | ९८.०० | ९८.०० |
| २४ | Round jali | गोटा | ४४.०० | ४४.०० | ४४.०० |
| २५ | End cap 50mm | गोटा | २९.०० | २९.०० | २९.०० |

# पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहिकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | "LEAD FREE" PVC PIPES as per ASTM D 1785 | | | | |
| | 1/2" dia. (42.19 Kg/cm2) | र.मि | १२१.०० | १२१.०० | १२१.०० |
| | 3/4"dia. (33.75 Kg/cm2) | र.मि | १५६.०० | १५६.०० | १५६.०० |
| | 1" dia. (31.64 Kg/cm2) | र.मि | २४०.०० | २४०.०० | २४०.०० |
| | 1-1/4" dia. (26.01 Kg/cm2) | र.मि | २९७.०० | २९७.०० | २९७.०० |
| | 1-1/2" dia. (23.20 Kg/cm2) | र.मि | ३६४.०० | ३६४.०० | ३६४.०० |
| | 2" dia. (19.69 Kg/cm2) | र.मि | ५१७.०० | ५१७.०० | ५१७.०० |
| | 2-1/2" dia. (21.09 Kg/cm2) | र.मि | ७२२.०० | ७२२.०० | ७२२.०० |
| | 3" dia. (18.28 Kg/cm2) | र.मि | ९१२.०० | ९१२.०० | ९१२.०० |
| | 4" dia. (15.47 Kg/cm2) | र.मि | १३१८.०० | १३१८.०० | १३१८.०० |
| | 6" dia. (12.66 Kg/cm2) | र.मि | २७४६.०० | २७४६.०० | २७४६.०० |
| | PVC FITTINGS as per ASTM D 2466 | | | | |
| | PVC Tee - Soc | | | | |
| | 1/2" | गोटा | ३४.०० | ३४.०० | ३४.०० |
| | 3/4" | गोटा | ४६.०० | ४६.०० | ४६.०० |
| | 1" | गोटा | ७३.०० | ७३.०० | ७३.०० |
| | 1-1/4" | गोटा | ११६.०० | ११६.०० | ११६.०० |
| | 1-1/2" | गोटा | १५२.०० | १५२.०० | १५२.०० |
| | 2" | गोटा | २३५.०० | २३५.०० | २३५.०० |
| | 2-1/2" | गोटा | ६७४.०० | ६७४.०० | ६७४.०० |
| | 3" | गोटा | ८८६.०० | ८८६.०० | ८८६.०० |
| | 4" | गोटा | १५७८.०० | १५७८.०० | १५७८.०० |
| | 6" | गोटा | ८७५२.०० | ८७५२.०० | ८७५२.०० |
| | PVC Reducer Tee - Soc | | | | |
| | 3/4 x 1/2 | गोटा | ६७.०० | ६७.०० | ६७.०० |
| | 1 x 1/2 | गोटा | १०३.०० | १०३.०० | १०३.०० |
| | 1 x 3/4 | गोटा | १०३.०० | १०३.०० | १०३.०० |
| | 1-1/2 X 1/2 | गोटा | ३५०.०० | ३५०.०० | ३५०.०० |
| | 1-1/2 X 3/4 | गोटा | ३५०.०० | ३५०.०० | ३५०.०० |
| | 1-1/2 X 1 | गोटा | ३५०.०० | ३५०.०० | ३५०.०० |
| | 1-1/2 X 1-1/4 | गोटा | ३५०.०० | ३५०.०० | ३५०.०० |
| | 2 X 1/2 | गोटा | ४३२.०० | ४३२.०० | ४३२.०० |
| | 2 X 3/4 | गोटा | ४३२.०० | ४३२.०० | ४३२.०० |
| | 2 X 1 | गोटा | ४३२.०० | ४३२.०० | ४३२.०० |
| | 2 X 1-1/4 | गोटा | ४३२.०० | ४३२.०० | ४३२.०० |
| | 2 X 1-1/2 | गोटा | ४३२.०० | ४३२.०० | ४३२.०० |
| | 2-1/2 X 1/2 | गोटा | १०९५.०० | १०९५.०० | १०९५.०० |
| | 2-1/2 X 3/4 | गोटा | १०९५.०० | १०९५.०० | १०९५.०० |
| | 2-1/2 X 1 | गोटा | १०९५.०० | १०९५.०० | १०९५.०० |
| | 2-1/2 X 1-1/4 | गोटा | १०९५.०० | १०९५.०० | १०९५.०० |
| | 2-1/2 X 1-1/2 | गोटा | १०९५.०० | १०९५.०० | १०९५.०० |

# पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहिकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | "LEAD FREE" PVC PIPES as per ASTM D 1785 | | | | |
| | 2-1/2 X 2 | गोटा | १०९५.०० | १०९५.०० | १०९५.०० |
| | 3 X 1/2 | गोटा | १५९९.०० | १५९९.०० | १५९९.०० |
| | 3 X 3/4 | गोटा | १५९९.०० | १५९९.०० | १५९९.०० |
| | 3 X 1 | गोटा | १५९९.०० | १५९९.०० | १५९९.०० |
| | 3 X 1-1/4 | गोटा | १५९९.०० | १५९९.०० | १५९९.०० |
| | 3 X 1-1/2 | गोटा | १५९९.०० | १५९९.०० | १५९९.०० |
| | 3 X 2 | गोटा | १५९९.०० | १५९९.०० | १५९९.०० |
| | 3 X 2-1/2 | गोटा | १५९९.०० | १५९९.०० | १५९९.०० |
| | 6 X 1-1/4 | गोटा | ८४०७.०० | ८४०७.०० | ८४०७.०० |
| | 6 X 1-1/2 | गोटा | ८४०७.०० | ८४०७.०० | ८४०७.०० |
| | 6 X 2 | गोटा | ८४०७.०० | ८४०७.०० | ८४०७.०० |
| | 6 X 2-1/2 | गोटा | ८४०७.०० | ८४०७.०० | ८४०७.०० |
| | 6 X 3 | गोटा | ८४०७.०० | ८४०७.०० | ८४०७.०० |
| | 6 X 4 | गोटा | ८४०७.०० | ८४०७.०० | ८४०७.०० |
| | PVC Brass Tee - Soc x Fipt SCH 80 | | | | |
| | 1/2" | गोटा | १७१.०० | १७१.०० | १७१.०० |
| | 3/4" | गोटा | ३११.०० | ३११.०० | ३११.०० |
| | 3/4" X 1/2" | गोटा | २५२.०० | २५२.०० | २५२.०० |
| | 1" X 1/2" | गोटा | ४४७.०० | ४४७.०० | ४४७.०० |
| | PVC 90° Elbow - Soc | | | | |
| | 1/2" | गोटा | २७.०० | २७.०० | २७.०० |
| | 3/4" | गोटा | ३१.०० | ३१.०० | ३१.०० |
| | 1" | गोटा | ५६.०० | ५६.०० | ५६.०० |
| | 1-1/4" | गोटा | ९९.०० | ९९.०० | ९९.०० |
| | 1-1/2" | गोटा | ११६.०० | ११६.०० | ११६.०० |
| | 2" | गोटा | १७८.०० | १७८.०० | १७८.०० |
| | 2-1/2" | गोटा | ५२८.०० | ५२८.०० | ५२८.०० |
| | 3" | गोटा | ६३३.०० | ६३३.०० | ६३३.०० |
| | 4" | गोटा | १२७६.०० | १२७६.०० | १२७६.०० |
| | 6" | गोटा | ५३७७.०० | ५३७७.०० | ५३७७.०० |
| | PVC Brass 90° Elbow Soc x Fipt SCH 80 | | | ०.०० | ०.०० |
| | 1/2" | गोटा | १८४.०० | १८४.०० | १८४.०० |
| | 3/4" | गोटा | २५८.०० | २५८.०० | २५८.०० |
| | 3/4" X 1/2" | गोटा | २६६.०० | २६६.०० | २६६.०० |
| | PVC 45° Elbow - Soc | | | | |
| | 1/2" | गोटा | ५८.०० | ५८.०० | ५८.०० |
| | 3/4" | गोटा | ९१.०० | ९१.०० | ९१.०० |
| | 1" | गोटा | १०८.०० | १०८.०० | १०८.०० |
| | 1-1/4" | गोटा | १५२.०० | १५२.०० | १५२.०० |
| | 1-1/2" | गोटा | १९१.०० | १९१.०० | १९१.०० |

प्रमुख जिल्ला अधि

# पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.अ.क वाहिकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | "LEAD FREE" PVC PIPES as per ASTM D 1785 | | | | |
| | 2" | गोटा | २४९.०० | २४९.०० | २४९.०० |
| | 2-1/2" | गोटा | ७१३.०० | ७१३.०० | ७१३.०० |
| | 3" | गोटा | १०९२.०० | १०९२.०० | १०९२.०० |
| | 4" | गोटा | १९५९.०० | १९५९.०० | १९५९.०० |
| | 6" | गोटा | ५३९१.०० | ५३९१.०० | ५३९१.०० |
| | | | | | |
| | PVC Coupling - Soc | | | | |
| | 1/2" | गोटा | १८.०० | १८.०० | १८.०० |
| | 3/4" | गोटा | २७.०० | २७.०० | २७.०० |
| | 1" | गोटा | ४३.०० | ४३.०० | ४३.०० |
| | 1-1/4" | गोटा | ५९.०० | ५९.०० | ५९.०० |
| | 1-1/2" | गोटा | ८१.०० | ८१.०० | ८१.०० |
| | 2" | गोटा | १२४.०० | १२४.०० | १२४.०० |
| | 2-1/2" | गोटा | २६३.०० | २६३.०० | २६३.०० |
| | 3" | गोटा | ४११.०० | ४११.०० | ४११.०० |
| | 4" | गोटा | ६४३.०० | ६४३.०० | ६४३.०० |
| | 6" | गोटा | २५४१.०० | २५४१.०० | २५४१.०० |
| | PVC Reducer Coupling - Soc | | | | |
| | 3/4 X 1/2 | गोटा | ४४.०० | ४४.०० | ४४.०० |
| | 1 X 3/4 | गोटा | ७७.०० | ७७.०० | ७७.०० |
| | 1-1/2 X 1-1/4 | गोटा | १३९.०० | १३९.०० | १३९.०० |
| | 2 X 1-1/2 | गोटा | २२१.०० | २२१.०० | २२१.०० |
| | 4 x 2 | गोटा | १४६१.०० | १४६१.०० | १४६१.०० |
| | 4 X 3 | गोटा | १४६१.०० | १४६१.०० | १४६१.०० |
| | 6 X 4 | गोटा | ३०३९.०० | ३०३९.०० | ३०३९.०० |
| | PVC Reducer Bushing - (Flush Style) | | | | |
| | 3/4 X 1/2 | गोटा | ३७.०० | ३७.०० | ३७.०० |
| | 1 X 1/2 | गोटा | ५३.०० | ५३.०० | ५३.०० |
| | 1 X 3/4 | गोटा | ५३.०० | ५३.०० | ५३.०० |
| | 1-1/4 X 1/2 | गोटा | ९१.०० | ९१.०० | ९१.०० |
| | 1-1/4 X 3/4 | गोटा | ९१.०० | ९१.०० | ९१.०० |
| | 1-1/4 X 1 | गोटा | ९१.०० | ९१.०० | ९१.०० |
| | 1-1/2 X 1/2 | गोटा | ९५.०० | ९५.०० | ९५.०० |
| | 1-1/2 X 3/4 | गोटा | ९५.०० | ९५.०० | ९५.०० |
| | 1-1/2 X 1 | गोटा | ९५.०० | ९५.०० | ९५.०० |
| | 1-1/2 X 1-1/4 | गोटा | ९५.०० | ९५.०० | ९५.०० |
| | 2 X 1/2 | गोटा | १७५.०० | १७५.०० | १७५.०० |
| | 2 X 3/4 | गोटा | १७५.०० | १७५.०० | १७५.०० |
| | 2 X 1 | गोटा | १७५.०० | १७५.०० | १७५.०० |
| | 2 X 1-1/4 | गोटा | १७५.०० | १७५.०० | १७५.०० |

# पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहिरको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | "LEAD FREE" PVC PIPES as per ASTM D 1785 | | | | |
| | 2 X 1-1/2 | गोटा | १७५.०० | १७५.०० | १७५.०० |
| | 2-1/2 X 1-1/4 | गोटा | २४७.०० | २४७.०० | २४७.०० |
| | 2-1/2 X 1-1/2 | गोटा | २४७.०० | २४७.०० | २४७.०० |
| | 2-1/2 X 2 | गोटा | २४७.०० | २४७.०० | २४७.०० |
| | 3 X1-1/2 | गोटा | ३६६.०० | ३६६.०० | ३६६.०० |
| | 3 X2 | गोटा | ३६६.०० | ३६६.०० | ३६६.०० |
| | 3 X2-1/2 | गोटा | ३६६.०० | ३६६.०० | ३६६.०० |
| | 4 X 2 | गोटा | ७२०.०० | ७२०.०० | ७२०.०० |
| | 4 X 3 | गोटा | ७२०.०० | ७२०.०० | ७२०.०० |
| | 6 X 2 | गोटा | २३८४.०० | २३८४.०० | २३८४.०० |
| | 6 X 3 | गोटा | २३८४.०० | २३८४.०० | २३८४.०० |
| | 6 X 4 | गोटा | २३८४.०० | २३८४.०० | २३८४.०० |
| | PVC Cap - Soc | | | | |
| | 1/2" | गोटा | २५.०० | २५.०० | २५.०० |
| | 3/4" | गोटा | ३१.०० | ३१.०० | ३१.०० |
| | 1" | गोटा | ४४.०० | ४४.०० | ४४.०० |
| | 1-1/4" | गोटा | ६३.०० | ६३.०० | ६३.०० |
| | 1-1/2" | गोटा | ७०.०० | ७०.०० | ७०.०० |
| | 2" | गोटा | ८४.०० | ८४.०० | ८४.०० |
| | 2-1/2" | गोटा | २७०.०० | २७०.०० | २७०.०० |
| | 3" | गोटा | २९६.०० | २९६.०० | २९६.०० |
| | 4" | गोटा | ६७४.०० | ६७४.०० | ६७४.०० |
| | 6" | गोटा | २६२२.०० | २६२२.०० | २६२२.०० |
| | PVC Union - Soc With EPDM O-Ring Seal | | | | |
| | 1/2" | गोटा | २७०.०० | २७०.०० | २७०.०० |
| | 3/4" | गोटा | ३१०.०० | ३१०.०० | ३१०.०० |
| | 1" | गोटा | ३१७.०० | ३१७.०० | ३१७.०० |
| | 1-1/4" | गोटा | १०२३.०० | १०२३.०० | १०२३.०० |
| | 1-1/2" | गोटा | १०५१.०० | १०५१.०० | १०५१.०० |
| | 2" | गोटा | १४१७.०० | १४१७.०० | १४१७.०० |
| | 2-1/2" | गोटा | १९८३.०० | १९८३.०० | १९८३.०० |
| | 3" | गोटा | ३१६८.०० | ३१६८.०० | ३१६८.०० |
| | 4" | गोटा | ४३८६.०० | ४३८६.०० | ४३८६.०० |
| | PVC Male Adaptor - Soc x MBSP | | | | |
| | 1/2" | गोटा | ४९.०० | ४९.०० | ४९.०० |
| | 3/4" | गोटा | ५७.०० | ५७.०० | ५७.०० |
| | 1" | गोटा | ७५.०० | ७५.०० | ७५.०० |
| | 1-1/4" | गोटा | ९२.०० | ९२.०० | ९२.०० |
| | 1-1/2" | गोटा | १२९.०० | १२९.०० | १२९.०० |
| | 2" | गोटा | १६६.०० | १६६.०० | १६६.०० |

# पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहिरको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | "LEAD FREE" PVC PIPES as per ASTM D 1785 | | | | |
| | 2-1/2" | गोटा | ५८१.०० | ५८१.०० | ५८१.०० |
| | 3" | गोटा | ६९०.०० | ६९०.०० | ६९०.०० |
| | 4" | गोटा | १०७६.०० | १०७६.०० | १०७६.०० |
| | 6" | गोटा | २४७६.०० | २४७६.०० | २४७६.०० |
| | PVC Brass Male Adapter - Soc x Mipt SCH 80 | | | | |
| | 1/2" | गोटा | २७९.०० | २७९.०० | २७९.०० |
| | 3/4" | गोटा | ३७३.०० | ३७३.०० | ३७३.०० |
| | 1" | गोटा | ५६१.०० | ५६१.०० | ५६१.०० |
| | PVC Female Adaptor - Soc x FBSP | | | | |
| | 1/2" | गोटा | ६२.०० | ६२.०० | ६२.०० |
| | 3/4" | गोटा | ६५.०० | ६५.०० | ६५.०० |
| | 1" | गोटा | ६८.०० | ६८.०० | ६८.०० |
| | 1-1/4" | गोटा | १७८.०० | १७८.०० | १७८.०० |
| | 1-1/2" | गोटा | २६१.०० | २६१.०० | २६१.०० |
| | 2" | गोटा | २५३.०० | २५३.०० | २५३.०० |
| | PVC Brass Female Adapter - Soc x Fipt SCH 80 | | | | |
| | 1/2" | गोटा | २३४.०० | २३४.०० | २३४.०० |
| | 3/4" | गोटा | ३३१.०० | ३३१.०० | ३३१.०० |
| | 1" | गोटा | ४२५.०० | ४२५.०० | ४२५.०० |
| | PVC Ball Valve - Soc | | | | |
| | 1/2" | गोटा | ९२५.०० | ९२५.०० | ९२५.०० |
| | 3/4" | गोटा | ११००.०० | ११००.०० | ११००.०० |
| | 1" | गोटा | १५३९.०० | १५३९.०० | १५३९.०० |
| | 1-1/4" | गोटा | २०८४.०० | २०८४.०० | २०८४.०० |
| | 1-1/2" | गोटा | ३१७८.०० | ३१७८.०० | ३१७८.०० |
| | 2" | गोटा | ४०१९.०० | ४०१९.०० | ४०१९.०० |
| | 2-1/2" | गोटा | ६६३९.०० | ६६३९.०० | ६६३९.०० |
| | 3" | गोटा | १०४१८.०० | १०४१८.०० | १०४१८.०० |
| | 4" | गोटा | १७२१८.०० | १७२१८.०० | १७२१८.०० |
| | 6" | गोटा | ३७३९९.०० | ३७३९९.०० | ३७३९९.०० |
| | PVC Adhesive Solution (Med. Bonded 705) | | | | |
| | 118ML | गोटा | ३२१.०० | ३२१.०० | ३२१.०० |
| | 237ML | गोटा | ४६०.०० | ४६०.०० | ४६०.०० |
| | 473ML | गोटा | ८३४.०० | ८३४.०० | ८३४.०० |
| | 946ML | गोटा | १३७३.०० | १३७३.०० | १३७३.०० |
| | PVC Adhesive Solution (Heavy Bonded 717) | | | | |
| | 118ML | गोटा | ५१६.०० | ५१६.०० | ५१६.०० |
| | 237ML | गोटा | ६८१.०० | ६८१.०० | ६८१.०० |
| | 473ML | गोटा | ११९४.०० | ११९४.०० | ११९४.०० |
| | 946ML | गोटा | २०६७.०० | २०६७.०० | २०६७.०० |

# पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| 1 | **Class 500 PVC-O pipes-PN 12.5** | | | | |
| | 90 mm | र.मि | ७३०.०० | ७३०.०० | ५८३.०० |
| | 110 mm | र.मि | १०५०.०० | १०५०.०० | ८६५.०० |
| | 125 mm | र.मि | १४५०.०० | १४५०.०० | १२५०.०० |
| | 140 mm | र.मि | १७५०.०० | १७५०.०० | १५६२.०० |
| | 160 mm | र.मि | २२००.०० | २२००.०० | २०९०.०० |
| | 200 mm | र.मि | ३५००.०० | ३५००.०० | ३३२५.०० |
| | 225 mm | र.मि | ४४००.०० | ४४००.०० | ४१८०.०० |
| | 250 mm | र.मि | ५२००.०० | ५२००.०० | ४९४०.०० |
| | 315 mm | र.मि | ८५००.०० | ८५००.०० | ८०७५.०० |
| | 355 mm | र.मि | १०८००.०० | १०८००.०० | १०२६०.०० |
| | 400 mm | र.मि | १३७७८.०० | १३७७८.०० | १३०८९.०० |
| | 450 mm | र.मि | १९०००.०० | १९०००.०० | १९०००.०० |
| | 500 mm | र.मि | २२७००.०० | २२७००.०० | २२७००.०० |
| | 630 mm | र.मि | ३६०००.०० | ३६०००.०० | ३६०००.०० |
| | 800 mm | र.मि | ५८०००.०० | ५८०००.०० | ५८०००.०० |
| | 1000 mm | र.मि | ११०००.०० | ११०००.०० | ११०००.०० |
| | 1200 mm | र.मि | १५०००.०० | १५०००.०० | १५०००.०० |
| 2 | Class 500 PVC-O pipes-PN 16 | | | | |
| | 90 mm | र.मि | ८५४.४० | ८५४.४० | ७३८.०० |
| | 110 mm | र.मि | १२६०.०० | १२६०.०० | ११९७.०० |
| | 125 mm | र.मि | १५५०.०० | १५५०.०० | १४७२.०० |
| | 140 mm | र.मि | १९५०.०० | १९५०.०० | १८५२.०० |
| | 160 mm | र.मि | २६००.०० | २६००.०० | २४७०.०० |
| | 180 mm | र.मि | | २९००.०० | २८५०.०० |
| | 200 mm | र.मि | ४०००.०० | ४०००.०० | ३८००.०० |
| | 225 mm | र.मि | ४९५०.०० | ४९५०.०० | ४८०५.०० |
| | 250 mm | र.मि | ६३००.०० | ६३००.०० | ५९८५.०० |
| | 315 mm | र.मि | ९६००.०० | ९६००.०० | ८८००.०० |
| | 355 mm | र.मि | १२७००.०० | १२७००.०० | १२०६५.०० |
| | 400 mm | र.मि | १५१४७.०० | १५१४७.०० | १३०८९.०० |
| | 450 mm | र.मि | २०१३१.०० | २०१३१.०० | २०१३१.०० |
| | 500 mm | र.मि | २४५९१.०० | २४५९१.०० | २४५९१.०० |
| | 630 mm | र.मि | ३८४१२.०० | ३८४१२.०० | ३८४१२.०० |
| | 800 mm | र.मि | ५९३८२.०० | ५९३८२.०० | ५९३८२.०० |
| | 1000 mm | र.मि | ९६०००.०० | ९६०००.०० | ९६०००.०० |
| | 1200 mm | र.मि | १४०००.०० | १४०००.०० | १४०००.०० |
| 3 | Class 500 PVC-O pipes-PN 25 | | | | |
| | 90 mm | र.मि | १७००.०० | १७००.०० | १७००.०० |
| | 110 mm | र.मि | २५००.०० | २५००.०० | २५००.०० |
| | 125 mm | र.मि | २७००.०० | २७००.०० | २७००.०० |
| | 140 mm | र.मि | ३१००.०० | ३१००.०० | ३१००.०० |
| | 160 mm | र.मि | ३८००.०० | ३८००.०० | ३८००.०० |
| | 200 mm | र.मि | ५३१७.०० | ५३१७.०० | ५३१७.०० |

प्रमुख जिल्ला अधिकारी

# पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.व.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 225 mm | र.मि | ६५६६.०० | ६५६६.०० | ६५६६.०० |
| | 250 mm | र.मि | ७६८८.०० | ७६८८.०० | ७६८८.०० |
| | 315 mm | र.मि | १०८९५.०४ | १०८९५.०४ | १०८९५.०४ |
| | 355 mm | र.मि | १४०४०.०० | १४०४०.०० | १४०४०.०० |
| | 400 mm | र.मि | १९४२०.१३ | १९४२०.१३ | १९४२०.१३ |
| | 450 mm | र.मि | २५७०५.५० | २५७०५.५० | २५७०५.५० |
| | 500 mm | र.मि | ३१२५५.६८ | ३१२५५.६८ | ३१२५५.६८ |
| | 630 mm | र.मि | ४८१७९.१४ | ४८१७९.१४ | ४८१७९.१४ |
| | PVC-O Fittings | | | | |
| | Elbow 11.25° (PN 16) | | | | |
| | 110 | गोटा | ६९६९.०० | ६९६९.०० | ५१८१.०० |
| | 160 | गोटा | १४९९६.८४ | १४९९६.८४ | १०५६८.०० |
| | 200 | गोटा | २७५४५.२८ | २७५४५.२८ | १६३६५.०० |
| | 250 | गोटा | ४१९४३.१६ | ४१९४३.१६ | २५०५३.०० |
| | 315 | गोटा | ७९६२४.०० | ७९६२४.०० | ५०४१६.०० |
| | 400 | गोटा | १४७१८५.०० | १४७१८५.०० | ८४२००.०० |
| | Elbow 22.5° (PN 16) | | | | |
| | 110 | गोटा | ७२४८.०० | ७२४८.०० | ५७३४.०० |
| | 160 | गोटा | १५८३०.३५ | १५८३०.३५ | १००८९.०० |
| | 200 | गोटा | २८६४७.०९ | २८६४७.०९ | १६३६५.०० |
| | 250 | गोटा | ४३६२०.८९ | ४३६२०.८९ | २५०५३.०० |
| | 315 | गोटा | ८२८०९.०० | ८२८०९.०० | ५०४१६.०० |
| | 400 | गोटा | १५३०७३.०० | १५३०७३.०० | ८४२००.०० |
| | Elbow 45° (PN 16) | | | | |
| | 110 | गोटा | ८०१८.०० | ८०१८.०० | ६२८६.०० |
| | 160 | गोटा | १७३८१.९८ | १७३८१.९८ | १२८९४.०० |
| | 200 | गोटा | ३१५०३.७३ | ३१५०३.७३ | १७९९७.०० |
| | 250 | गोटा | ५१६७०.६० | ५१६७०.६० | ३०६४१.०० |
| | 315 | गोटा | ९०७९९.०० | ९०७९९.०० | ५५२८२.०० |
| | 400 | गोटा | १७४१८४.०० | १७४१८४.०० | ९५८१३.०० |
| | Elbow 90° (PN 16) | | | | |
| | 110 | गोटा | ११२७८.५६ | ११२७८.५६ | ७२२७.०० |
| | 160 | गोटा | २२५९७.४८ | २२५९७.४८ | १४७००.०० |
| | 200 | गोटा | ४०६३८.६९ | ४०६३८.६९ | २३२१३.०० |
| | 250 | गोटा | ६७०३८.०० | ६७०३८.०० | ४०१४२.०० |
| | 315 | गोटा | १०३४०३.०० | १०३४०३.०० | ७११४२.०० |
| | 400 | गोटा | २०७२८१.०० | २०७२८१.०० | ११४०२१.०० |
| | COUPLER (PN 16) | | | | |
| | 110 | गोटा | ६९५४.०० | ६९५४.०० | ५१७१.०० |
| | 160 | गोटा | १२२८३.०९ | १२२८३.०९ | ८९१३.०० |
| | 200 | गोटा | १७७५४.२० | १७७५४.२० | १२८९१.०० |
| | 250 | गोटा | ३३२३०.२७ | ३३२३०.२७ | २१७११.०० |
| | 315 | गोटा | ६२३८३.०० | ६२३८३.०० | ३९७८७.०० |
| | 400 | गोटा | १३६९२७.०० | १३६९२७.०० | ६८१२७.०० |

# पि.भि.सि.ओ. पाईप तथा फिटिङ्गहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | SLIDING COUPLER (PN 16) | | | | |
| | 110 | गोटा | ६९५४.०० | ६९५४.०० | ५१७१.०० |
| | 160 | गोटा | १२२८३.०९ | १२२८३.०९ | ८९१३.०० |
| | 200 | गोटा | १७७५४.२० | १७७५४.२० | १२८९१.०० |
| | 250 | गोटा | ३३२३०.२७ | ३३२३०.२७ | २१७११.०० |
| | 315 | गोटा | ६२३८३.०० | ६२३८३.०० | ३९७८७.०० |
| | 400 | गोटा | १३६९२७.०० | १३६९२७.०० | ६८१२७.०० |
| | REDUCING COUPLER (PN 16) | | | | |
| | 110 to 90 | गोटा | ८६८८.०० | ८६८८.०० | ५४९९.०० |
| | 160 to 110 | गोटा | १४१२६.२३ | १४१२६.२३ | ९१९७.०० |
| | 200 to 160 | गोटा | १४१६६.५८ | १४१६६.५८ | १३९५८.०० |
| | 250 to 200 | गोटा | २४४३६.१३ | २४४३६.१३ | २०२११.०० |
| | 315 to 250 | गोटा | ५४०५६.०० | ५४०५६.०० | ३५६२५.०० |
| | 400 to 315 | गोटा | १११११८.०० | १११११८.०० | ६१९४१.०० |

# CP Accessories

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | **Chrome plated Accessories** | | | | |
| १ | C.P. Toilet Paper Holder | गोटा | ९२९.०० | ९२९.०० | ९२९.०० |
| २ | C.P. Soap Dish(Polyurethane) | गोटा | १०४२.०० | १०४२.०० | १०४२.०० |
| ३ | Towel rod ½"×18" size | गोटा | ५१०.०० | ५१०.०० | ५१०.०० |
| ४ | C.P. Towel Rod 18" | गोटा | १५७८.०० | १५७८.०० | १५७८.०० |
| ५ | C.P. Towel Rod 24" | गोटा | १६६३.०० | १६६३.०० | १६६३.०० |
| ६ | C.P. Glass Shelf 22" | गोटा | २२६०.०० | २२६०.०० | २२६०.०० |
| ७ | Glass shelf | गोटा | ६८०.०० | ६८०.०० | ६८०.०० |
| ८ | C.P. bottle trap | गोटा | १२४६.०० | १२४६.०० | १२४६.०० |
| ९ | 32 mm×60cm long C.P flush pipe | गोटा | ५१०.०० | ५१०.०० | ५१०.०० |
| १० | 15 mm flush cock push type | गोटा | ११३३.०० | ११३३.०० | ११३३.०० |
| ११ | 15 mm dia. C.P. shower arm | गोटा | ९७६.०० | ९७६.०० | ९७६.०० |
| १२ | 15 mm dia. C.P. spreader | गोटा | ९४०.०० | ९४०.०० | ९४०.०० |
| १३ | 15 mm dia. C.P. wall mixture | गोटा | ५४३५.०० | ५४३५.०० | ५४३५.०० |
| १४ | 3" dia. Shower rose , revolving type | गोटा | ९०६.०० | ९०६.०० | ९०६.०० |
| १५ | 4" dia. Shower rose , revolving type | गोटा | १०२०.०० | १०२०.०० | १०२०.०० |
| १६ | Shower rose ordinary | गोटा | ५६७.०० | ५६७.०० | ५६७.०० |
| १७ | Shower rod 12" long | गोटा | २८३.०० | २८३.०० | २८३.०० |
| १८ | C.P. 15 mm dia. Angle Valve | गोटा | १२४४.०० | १२४४.०० | १२४४.०० |
| १९ | C.P. 15 mm dia Concealed Stop Cock | गोटा | १८०७.०० | १८०७.०० | १८०७.०० |
| २० | C.P. 15mm Bib Cock | गोटा | १३६१.०० | १३६१.०० | १३६१.०० |
| २१ | C.P. 15 mm dia swan neck Pillar Cock | गोटा | १३३१.०० | १३३१.०० | १३३१.०० |
| २२ | C.P. 15 mm dia Stop Cock | गोटा | १३३१.०० | १३३१.०० | १३३१.०० |
| २३ | C.P. 15 mm dia Sink Cock | गोटा | १३०९.०० | १३०९.०० | १३०९.०० |
| २४ | C.P. 15 mm dia Sink Mixture | गोटा | ४४७२.०० | ४४७२.०० | ४४७२.०० |
| २५ | C.P. 32 mm dia Flush Valve | गोटा | ५४०४.०० | ५४०४.०० | ५४०४.०० |
| २६ | C.P. 32 mm dia Waste Coupling for basin | गोटा | ४२४.०० | ४२४.०० | ४२४.०० |
| २७ | C.P. 32 mm dia Waste Coupling for Urinal | गोटा | ६८९.०० | ६८९.०० | ६८९.०० |
| २८ | C.P. Basin Mixture | सेट | ४६४०.०० | ४६४०.०० | ४६४०.०० |
| २९ | 15 mm dia Bath Tub Spout with Wall Hinge | सेट | १७३१.०० | १७३१.०० | १७३१.०० |
| ३० | C.P. Exclusive Shower Arm with Hinge | सेट | २०१४.०० | २०१४.०० | २०१४.०० |
| ३१ | 15 mm bath tub with bottom attachment of telephonic shower | सेट | ४१६९.०० | ४१६९.०० | ४१६९.०० |
| ३२ | 15 mm wall mixture lever type telephonic shower of flexible type heavy. | सेट | ६८४९.०० | ६८४९.०० | ६८४९.०० |
| ३३ | C.P. flexible pipe | गोटा | १८१.०० | १८१.०० | १८१.०० |
| ३४ | C.P. Grating - 4" dia. | गोटा | ५०.०० | ५०.०० | ५०.०० |
| ३५ | C.P. Grating -5" dia. | गोटा | ६२.०० | ६२.०० | ६२.०० |
| ३६ | Self Cleaning Rainfall Showers 9" | गोटा | ३९९०.०० | ३९९०.०० | ३९९०.०० |
| ३७ | **C.P. Angle Cock** | | | | |
| | 15mm C.P. Angle Cock | गोटा | ९२७.०० | ९२७.०० | ९२७.०० |
| | 15 mm C.P. Angle Cock Long Thread | गोटा | ९८६.०० | ९८६.०० | ९८६.०० |
| | | | | | |
| ३८ | **C.P. Conceal Stop Cock** | | | | |
| | 15 mm Reduced body | गोटा | ११३६.०० | ११३६.०० | ११३६.०० |
| | 15 mm Extra Heavy Body | गोटा | १३९०.०० | १३९०.०० | १३९०.०० |
| | 15mm C.P. Auto Closing Bib Cock With Aerator | गोटा | २६१२.०० | २६१२.०० | २६१२.०० |
| | 15mm C.P. Bib Cock | गोटा | ९५२.०० | ९५२.०० | ९५२.०० |
| | 15mm C.P. Bib Cock with nozzle | गोटा | १०५४.०० | १०५४.०० | १०५४.०० |
| | 15 mm C.P. Pillar Cock With Aerator | गोटा | १२६३.०० | १२६३.०० | १२६३.०० |
| | 15mm Auto Closing Pillar Cock With Aerator | गोटा | २५२७.०० | २५२७.०० | २५२७.०० |

# CP Accessories

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 15mm C.P. Sink Cock | गोटा | १६००.०० | १६००.०० | १६००.०० |
| | C.P. Sink Mixer | गोटा | ३९६६.०० | ३९६६.०० | ३९६६.०० |
| | 15 mm C.P. Sink Mixer With Revolving Spout | गोटा | ३४५६.०० | ३४५६.०० | ३४५६.०० |
| | C.P. Bottle Trap 32mm | गोटा | १८५२.०० | १८५२.०० | १८५२.०० |
| | 32 mm C.P. Conceal Flush Valve Dual Flow | गोटा | ३८७४.०० | ३८७४.०० | ३८७४.०० |
| | 32 mm C.P. Waste Coupling H/T | गोटा | ४४६.०० | ४४६.०० | ४४६.०० |
| | 32 mm C.P. Waste Coupling F/T | गोटा | ४४६.०० | ४४६.०० | ४४६.०० |
| | 15 mm Urinal Auto-Closing Valve with Built-in Control Cock | गोटा | २६९४.०० | २६९४.०० | २६९४.०० |
| | 15 mm C.P. Wall Mixer With Lower Bend Pipe | गोटा | ४४६३.०० | ४४६३.०० | ४४६३.०० |
| | 15 mm C.P. Wall Mixer With Upper Bead Pipe | गोटा | ४४६३.०० | ४४६३.०० | ४४६३.०० |
| ३९ | **C.P. Basin Mixer** | | | | |
| | 15 mm C.P. Basin Mixer Central Hole With 450mm Long Braided Hoses | गोटा | ३७०६.०० | ३७०६.०० | ३७०६.०० |
| | 15 mm C.P. Basin Mixer Single Lever With 450mm Long Braided Hoses | गोटा | ३८९१.०० | ३८९१.०० | ३८९१.०० |
| | 15mm Bath Tub Spout with wall Flange | गोटा | १२६३.०० | १२६३.०० | १२६३.०० |
| | 15mm Bath Tub Spout with button attachment | गोटा | २०२१.०० | २०२१.०० | २०२१.०० |
| | 15 mm CP Casted Shower Arm Light | गोटा | ६७३.०० | ६७३.०० | ६७३.०० |
| | 15 mm CP Casted Shower Arm Heavy | गोटा | १०९४.०० | १०९४.०० | १०९४.०० |
| | 15 mm Telephonic Hand ShowerWith 1.50 m. PVC Tube | गोटा | १७९१.०० | १७९१.०० | १७९१.०० |
| | 15 mm Telephonic Hand ShowerWith 1.5 Flexible Tube | गोटा | २७७९.०० | २७७९.०० | २७७९.०० |
| | 18"x24" drain and 24"x18"x12" sink without frame and legs | गोटा | ३२२४.०० | ३२२४.०० | ३२२४.०० |
| | 18"x24" drain and 24"x18"x12" sink with s.s. frame and legs | | | | |
| ४० | **Deep Scrub Sink** | गोटा | ४८३४.०० | ४८३४.०० | ४८३४.०० |
| | 28"x28"x24" deep+ 6" splash with | गोटा | २९८.०० | २९८.०० | २९८.०० |
| | 15 mm Health Faucet (Commode Spray) | गोटा | ११४६.०० | ११४६.०० | ११४६.०० |
| | 15 mm pillar cock with 200 mm extended lever handle | गोटा | १५१५.०० | १५१५.०० | १५१५.०० |
| | 15 mm Bib cock with 200 mm extended lever handle | गोटा | १५९८.०० | १५९८.०० | १५९८.०० |
| | Single lever surgical purpose elbow action basin mixer with extended operating lever | गोटा | ५९५६.०० | ५९५६.०० | ५९५६.०० |
| | Single lever surgical purpose elbow action Sink mixer with extended operating lever | गोटा | ५७७६.०० | ५७७६.०० | ५७७६.०० |
| | Sensor mixer for wash basin (Battery operated) | गोटा | २०४८१.०० | २०४८१.०० | २०४८१.०० |
| | Wall mounted Sensor mixer for operatation theater (Battery operated) | गोटा | २०४८१.०० | २०४८१.०० | २०४८१.०० |
| | Sensor concealed type flushing valve for Western commode (battery operated) | गोटा | १६२२१.०० | १६२२१.०० | १६२२१.०० |
| | Sensor valve for Urinal | गोटा | १०६५१.०० | १०६५१.०० | १०६५१.०० |
| | Basin cock Sensor | गोटा | १४४१८.०० | १४४१८.०० | १४४१८.०० |
| | 15mm U shaped sink cock | गोटा | १७१२.०० | १७१२.०० | १७१२.०० |
| | Sink Mixture with U shape swinging spout | गोटा | ३३५८.०० | ३३५८.०० | ३३५८.०० |
| | 15mm metalic Health Faucet (Commode Spray) | गोटा | २१७१.०० | २१७१.०० | २१७१.०० |
| ४१ | **European Pattern C.P. Grab Bar for disable** | | | | |
| | a) 30cm long bend type | गोटा | ५३६०.०० | ५३६०.०० | ५३६०.०० |
| | b) 45 cm long bend type | गोटा | ५६१३.०० | ५६१३.०० | ५६१३.०० |
| | c) 60 cm long bend type | गोटा | ७८८८.०० | ७८८८.०० | ७८८८.०० |

# सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मू.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | CPVC Pipe SDR 13.5 (22.5 Kg/cm2)-ASTM F-493 2846 | | | | |
| | 1/2" dia | र.मि | १२२.०० | १२२.०० | १२२.०० |
| | 3/4" dia | र.मि | १७०.०० | १७०.०० | १७०.०० |
| | 1" dia | र.मि | २२३.०० | २२३.०० | २२३.०० |
| | 1-1/4" dia | र.मि | २७८.०० | २७८.०० | २७८.०० |
| | 1-1/2" dia | र.मि | ३९०.०० | ३९०.०० | ३९०.०० |
| | 2" dia | र.मि | ५९६.०० | ५९६.०० | ५९६.०० |
| | CPVC Pipe SDR 11 (28.1 Kg/cm2)-ASTM F-493 2846 | | | | |
| | 1/2" dia | र.मि | १३९.०० | १३९.०० | १३९.०० |
| | 3/4" dia | र.मि | १८९.०० | १८९.०० | १८९.०० |
| | 1" dia | र.मि | २६४.०० | २६४.०० | २६४.०० |
| | 1-1/4" dia | र.मि | ३१९.०० | ३१९.०० | ३१९.०० |
| | 1-1/2" dia | र.मि | ४४५.०० | ४४५.०० | ४४५.०० |
| | 2" dia | र.मि | ७२१.०० | ७२१.०० | ७२१.०० |
| | CPVC Ball Valve (CTS Sockets) | | | | |
| | 1/2" | र.मि | २३५.०० | २३५.०० | २३५.०० |
| | 3/4" | र.मि | ३६३.०० | ३६३.०० | ३६३.०० |
| | 1" | र.मि | ५९७.०० | ५९७.०० | ५९७.०० |
| | 1-1/4" | र.मि | १०५९.०० | १०५९.०० | १०५९.०० |
| | 1-1/2" | र.मि | १७५१.०० | १७२५.०० | १७२५.०० |
| | 2" | र.मि | २२५७.०० | २२२२.०० | २२२२.०० |
| | CPVC Reducer Brass Coupling | | | | |
| | 3/4" X 1/2" | गोटा | १४७.०० | १४७.०० | १४७.०० |
| | 1" X 1/2" | गोटा | १९२.०० | १९२.०० | १९२.०० |
| | CPVC Tee | | | | |
| | 1/2" | गोटा | ३८.०० | ३८.०० | ३८.०० |
| | 3/4" | गोटा | ८२.०० | ८२.०० | ८२.०० |
| | 1" | गोटा | १२४.०० | १२४.०० | १२४.०० |
| | 1-1/4" | गोटा | २३४.०० | २३४.०० | २३४.०० |
| | 1-1/2" | गोटा | ३४१.०० | ३४१.०० | ३४१.०० |
| | 2" | गोटा | ७३२.०० | ७३२.०० | ७३२.०० |
| | CPVC Reducer Tee | | | | |
| | 1/2" x 1/2" x 3/4" | गोटा | ७४.०० | ७४.०० | ७४.०० |
| | 3/4" x 3/4" x1/2" | गोटा | ११४.०० | ११४.०० | ११४.०० |
| | 3/4" x 1/2" x 3/4" | गोटा | १४२.०० | १४२.०० | १४२.०० |
| | 3/4" x 1/2" x 1/2" | गोटा | १६३.०० | १६३.०० | १६३.०० |
| | 1" x 1" x 3/4" | गोटा | १७१.०० | १७१.०० | १७१.०० |
| | 1-1/2" x 1-1/2" x 1" | गोटा | २६७.०० | २६७.०० | २६७.०० |

# सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 2" x 2" x 1" | गोटा | ४६४.०० | ४६४.०० | ४६४.०० |
| | 1-1/4" x 1-1/4" x 1/2" | गोटा | १५१.०० | १५१.०० | १५१.०० |
| | 1-1/4" x 1-1/4" x 1" | गोटा | १६३.०० | १६३.०० | १६३.०० |
| | 2" x 2" x 1/2" | गोटा | ४५६.०० | ४५६.०० | ४५६.०० |
| | 1" x 1" x 1/2" | गोटा | १०६.०० | १०६.०० | १०६.०० |
| | CPVC Brass FPT Tee | | | | |
| | 1/2" x 1/2" x 1/2" | गोटा | १२७.०० | १२७.०० | १२७.०० |
| | 3/4" x 3/4" x 1/2" | गोटा | १३३.०० | १३३.०० | १३३.०० |
| | 1" x 1" x 1/2" | गोटा | १४८.०० | १४८.०० | १४८.०० |
| | 1-1/4" x 1-1/4" x 1-1/4" | गोटा | ५३४.०० | ५३४.०० | ५३४.०० |
| | 1-1/4" x 1-1/4" x 1/2" | गोटा | २९०.०० | २९०.०० | २९०.०० |
| | CPVC Elbow 90° | | | | |
| | 1/2" | गोटा | १८.०० | १८.०० | १८.०० |
| | 3/4" | गोटा | ३३.०० | ३३.०० | ३३.०० |
| | 1" | गोटा | ६१.०० | ६१.०० | ६१.०० |
| | 1-1/4" | गोटा | १२४.०० | १२४.०० | १२४.०० |
| | 1-1/2" | गोटा | १८०.०० | १८०.०० | १८०.०० |
| | 2" | गोटा | ३९६.०० | ३९६.०० | ३९६.०० |
| | CPVC Reducer Elbow 90° | | | | |
| | 3/4" X 1/2" | गोटा | ५६.०० | ५६.०० | ५६.०० |
| | CPVC Brass FPT Elbow 90° | | | | |
| | 1/2" x 1/2" | गोटा | २३९.०० | २३९.०० | २३९.०० |
| | 3/4" x 1/2" | गोटा | | | |
| | 3/4" x 3/4" | गोटा | २८७.०० | २८७.०० | २८७.०० |
| | 1" X 1/2" | गोटा | ४२४.०० | ४२४.०० | ४२४.०० |
| | 1" X 1" | गोटा | ५०२.०० | ५०२.०० | ५०२.०० |
| | 1-1/4" x 1-1/4" | गोटा | ९१९.०० | ९१९.०० | ९१९.०० |
| | CPVC Elbow 45° | | | | |
| | 1/2" | गोटा | ३१.०० | ३१.०० | ३१.०० |
| | 3/4" | गोटा | ५७.०० | ५७.०० | ५७.०० |
| | 1" | गोटा | ८२.०० | ८२.०० | ८२.०० |
| | 1-1/4" | गोटा | १४५.०० | १४५.०० | १४५.०० |
| | 1-1/2" | गोटा | २१०.०० | २१०.०० | २१०.०० |
| | 2" | गोटा | ४५५.०० | ४५५.०० | ४५५.०० |
| | CPVC Male Adapter (CPVC Threads) | | | | |
| | 1/2" | गोटा | २३.०० | २३.०० | २३.०० |
| | 3/4" | गोटा | ४१.०० | ४१.०० | ४१.०० |
| | 1" | गोटा | ६२.०० | ६२.०० | ६२.०० |

# सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 1-1/4" | गोटा | ११३.०० | ११३.०० | ११३.०० |
| | 1-1/2" | गोटा | १५८.०० | १५८.०० | १५८.०० |
| | 2" | गोटा | ३०९.०० | ३०९.०० | ३०९.०० |
| | CPVC Reducing Male Adapter (CPVC Threads) | | | | |
| | 3/4" x 1/2" | गोटा | ४३.०० | ४३.०० | ४३.०० |
| | CPVC Male Adapters (Brass Threads) | | | | |
| | 1/2" | गोटा | २१९.०० | २१९.०० | २१९.०० |
| | 3/4" | गोटा | २८४.०० | २८४.०० | २८४.०० |
| | 1" | गोटा | ४४८.०० | ४४८.०० | ४४८.०० |
| | 1-1/4" | गोटा | ९८७.०० | ९८७.०० | ९८७.०० |
| | 1-1/2" | गोटा | ११५१.०० | ११५१.०० | ११५१.०० |
| | 2" | गोटा | २३७१.०० | २३७१.०० | २३७१.०० |
| | CPVC Reducing Male Adapter (Brass Threads) | | | | |
| | 3/4" x 1/2" | गोटा | २४४.०० | २४४.०० | २४४.०० |
| | CPVC Female Adapter (CPVC Threads) | | | | |
| | 1/2" | गोटा | ३३.०० | ३३.०० | ३३.०० |
| | 3/4" | गोटा | ५४.०० | ५४.०० | ५४.०० |
| | 1" | गोटा | ८२.०० | ८२.०० | ८२.०० |
| | CPVC Female Adapters Brass Threads | | | | |
| | 1/2" | गोटा | २११.०० | २११.०० | २११.०० |
| | 3/4" | गोटा | २८६.०० | २८६.०० | २८६.०० |
| | 1" | गोटा | ३७२.०० | ३७२.०० | ३७२.०० |
| | 1-1/4" | गोटा | ९७७.०० | ९७७.०० | ९७७.०० |
| | 1-1/2" | गोटा | १०८७.०० | १०७१.०० | १०७१.०० |
| | 2" | गोटा | २१२६.०० | २०९३.०० | २०९३.०० |
| | CPVC Caps | | | | |
| | 1/2" | गोटा | १३.०० | १३.०० | १३.०० |
| | 3/4" | गोटा | २६.०० | २६.०० | २६.०० |
| | 1" | गोटा | ३९.०० | ३९.०० | ३९.०० |
| | 1-1/4" | गोटा | ७६.०० | ७६.०० | ७६.०० |
| | 1-1/2" | गोटा | ११३.०० | ११३.०० | ११३.०० |
| | 2" | गोटा | २३९.०० | २३९.०० | २३९.०० |
| | CPVC Union | | | | |
| | 1/2" | गोटा | २८७.०० | २८७.०० | २८७.०० |
| | 3/4" | गोटा | ४२४.०० | ४२४.०० | ४२४.०० |
| | 1" | गोटा | ५०२.०० | ५०२.०० | ५०२.०० |
| | 1-1/4" | गोटा | ९१९.०० | ९१९.०० | ९१९.०० |
| | 1-1/2" | गोटा | १००४.०० | १००४.०० | १००४.०० |

# सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 2" | गोटा | १४४१.०० | १४१९.०० | १४१९.०० |
| | CPVC Cross Tee | | | | |
| | 1/2" | गोटा | ५२.०० | ५२.०० | ५२.०० |
| | 3/4" | गोटा | ११३.०० | ११३.०० | ११३.०० |
| | CPVC Step Over Bend | गोटा | | | |
| | 1/2" | गोटा | ६७.०० | ६७.०० | ६७.०० |
| | 3/4" | गोटा | ११०.०० | ११०.०० | ११०.०० |
| | CPVC Ball Valve (CTS Sockets) | | | | |
| | 1/2" | गोटा | ७०४.०० | ७०४.०० | ७०४.०० |
| | 3/4" | गोटा | ८५८.०० | ८५८.०० | ८५८.०० |
| | 1" | गोटा | ९८१.०० | ९८१.०० | ९८१.०० |
| | 1-1/4" | गोटा | २००३.०० | १९७२.०० | १९७२.०० |
| | 1-1/2" | गोटा | २४४९.०० | २५१०.०० | २५१०.०० |
| | 2" | गोटा | ३२७८.०० | ३२२८.०० | ३२२८.०० |
| | CPVC Solvent Cement | | | | |
| | 50ML | गोटा | २१२.०० | २१२.०० | २१२.०० |
| | 118ML | गोटा | ३५०.०० | ३५०.०० | ३५०.०० |
| | 237ML | गोटा | ५६८.०० | ५६८.०० | ५६८.०० |
| | 473ML | गोटा | ८९३.०० | ८९३.०० | ८९३.०० |
| | 946ML | गोटा | १५६८.०० | १५४४.०० | १५४४.०० |
| | Plastic Strap | | | | |
| | 1/2" | गोटा | ५.०० | ५.०० | ५.०० |
| | 3/4" | गोटा | ५.०० | ५.०० | ५.०० |
| | 1" | गोटा | ८.०० | ८.०० | ८.०० |
| | 1-1/4" | गोटा | ११.०० | ११.०० | ११.०० |
| | 1-1/2" | गोटा | १५.०० | १५.०० | १५.०० |
| | 2" | गोटा | १९.०० | १९.०० | १९.०० |
| | Metal Strap | | | | |
| | 1/2" | गोटा | १३.०० | १३.०० | १३.०० |
| | 3/4" | गोटा | १७.०० | १७.०० | १७.०० |
| | 1" | गोटा | २२.०० | २२.०० | २२.०० |
| | 1-1/4" | गोटा | २६.०० | २६.०० | २६.०० |
| | 1-1/2" | गोटा | २८.०० | २८.०० | २८.०० |
| | 2" | गोटा | ३०.०० | ३०.०० | ३०.०० |
| | Tee Holder | | | | |
| | 1/2" X 1/2" X 1/2" | गोटा | ५.०० | ५.०० | ५.०० |
| | 3/4" X 3/4" X 1/2" | गोटा | ८.०० | ८.०० | ८.०० |
| | Elbow Holder | | | | |

# सि.पि.भि.सि. पाईप तथा फिटिङ्गहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 1/2" X 1/2" | गोटा | ५.०० | ५.०० | ५.०० |
| | 1/2" X 3/4" | गोटा | ७.०० | ७.०० | ७.०० |
| | Snap Fix Repair Coupling | | | | |
| | 1/2" | गोटा | २४४.०० | २४४.०० | २४४.०० |
| | 3/4" | गोटा | २६४.०० | २६४.०० | २६४.०० |
| | End plug threaded 1/2" | गोटा | ११.०० | ११.०० | ११.०० |

प्रमुख जिल्ला अधिकारी

# GRP and HDPE/DWC Pipes

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| 1. GRP PIPES AS PER IS:12709:1994 | | | | | |
| A) | PN-3, SN-2500 (124 Kpa) | | | | |
| | 300 mm dia | मिटर | ५३१७.०० | ५३१७.०० | ५३१७.०० |
| | 350 mm dia | मिटर | ६१२४.०० | ६१२४.०० | ६१२४.०० |
| | 400 mm dia | मिटर | ८२६१.०० | ८२६१.०० | ८२६१.०० |
| | 450 mm dia | मिटर | ९७९३.०० | ९७९३.०० | ९७९३.०० |
| | 500 mm dia | मिटर | ११९११.०० | ११९११.०० | ११९११.०० |
| | 600 mm dia | मिटर | १४०७७.०० | १४०७७.०० | १४०७७.०० |
| | 700 mm dia | मिटर | २०४८२.०० | २०४८२.०० | २०४८२.०० |
| | 800 mm dia | मिटर | २६७०५.०० | २६७०५.०० | २६७०५.०० |
| | 900 mm dia | मिटर | २८४६५.०० | २८४६५.०० | २८४६५.०० |
| | 1000 mm dia | मिटर | ३४३४३.०० | ३४३४३.०० | ३४३४३.०० |
| | 1100 mm dia | मिटर | ४६४४०.०० | ४६४४०.०० | ४६४४०.०० |
| | 1200 mm dia | मिटर | ५४०१९.०० | ५४०१९.०० | ५४०१९.०० |
| | 1300 mm dia | मिटर | ६६३०७.०० | ६६३०७.०० | ६६३०७.०० |
| | 1400 mm dia | मिटर | ७१३२४.०० | ७१३२४.०० | ७१३२४.०० |
| | 1500 mm dia | मिटर | ८१०६३.०० | ८१०६३.०० | ८१०६३.०० |
| | 1600 mm dia | मिटर | ८७९६५.०० | ८७९६५.०० | ८७९६५.०० |
| | 1700 mm dia | मिटर | ९९१७२.०० | ९९१७२.०० | ९९१७२.०० |
| | 1800 mm dia | मिटर | १०९१९२.०० | १०९१९२.०० | १०९१९२.०० |
| | 1900 mm dia | मिटर | १२०२८९.०० | १२०२८९.०० | १२०२८९.०० |
| | 2000 mm dia | मिटर | १३१३८८.०० | १३१३८८.०० | १३१३८८.०० |
| | 2100 mm dia | मिटर | १४६५४२.०० | १४६५४२.०० | १४६५४२.०० |
| | 2200 mm dia | मिटर | १६१६९५.०० | १६१६९५.०० | १६१६९५.०० |
| | 2300 mm dia | मिटर | १७६९१६.०० | १७६९१६.०० | १७६९१६.०० |
| | 2400 mm dia | मिटर | १९२१३७.०० | १९२१३७.०० | १९२१३७.०० |
| B) | PN-6, SN-2500 (124 Kpa) | | | | |
| | 300 mm dia | मिटर | ५७१७.०० | ५७१७.०० | ५७१७.०० |
| | 350 mm dia | मिटर | ६५८५.०० | ६५८५.०० | ६५८५.०० |
| | 400 mm dia | मिटर | ८८८४.०० | ८८८४.०० | ८८८४.०० |
| | 450 mm dia | मिटर | १०४३०.०० | १०४३०.०० | १०४३०.०० |
| | 500 mm dia | मिटर | १२८०७.०० | १२८०७.०० | १२८०७.०० |
| | 600 mm dia | मिटर | १५१३७.०० | १५१३७.०० | १५१३७.०० |
| | 700 mm dia | मिटर | २२०२५.०० | २२०२५.०० | २२०२५.०० |
| | 800 mm dia | मिटर | २८७१५.०० | २८७१५.०० | २८७१५.०० |
| | 900 mm dia | मिटर | ३०६०९.०० | ३०६०९.०० | ३०६०९.०० |
| | 1000 mm dia | मिटर | ३६९२९.०० | ३६९२९.०० | ३६९२९.०० |
| | 1100 mm dia | मिटर | ४९९३५.०० | ४९९३५.०० | ४९९३५.०० |
| | 1200 mm dia | मिटर | ५८०८५.०० | ५८०८५.०० | ५८०८५.०० |
| | 1300 mm dia | मिटर | ७१२९७.०० | ७१२९७.०० | ७१२९७.०० |
| | 1400 mm dia | मिटर | ७६६९२.०० | ७६६९२.०० | ७६६९२.०० |
| | 1500 mm dia | मिटर | ८७१६४.०० | ८७१६४.०० | ८७१६४.०० |
| | 1600 mm dia | मिटर | ९४५८६.०० | ९४५८६.०० | ९४५८६.०० |
| | 1700 mm dia | मिटर | १०५६०१.०० | १०५६०१.०० | १०५६०१.०० |

प्रमुख जिल्ला अधिकारी

# GRP and HDPE/DWC Pipes

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| **1. GRP PIPES AS PER IS:12709:1994** | | | | | |
| | 1800 mm dia | मिटर | ११७४१०.०० | ११७४१०.०० | ११७४१०.०० |
| | 1900 mm dia | मिटर | १२९३४४.०० | १२९३४४.०० | १२९३४४.०० |
| | 2000 mm dia | मिटर | १४१२७७.०० | १४१२७७.०० | १४१२७७.०० |
| | 2100 mm dia | मिटर | १५७५७१.०० | १५७५७१.०० | १५७५७१.०० |
| | 2200 mm dia | मिटर | १७३८६६.०० | १७३८६६.०० | १७३८६६.०० |
| | 2300 mm dia | मिटर | १९०२३३.०० | १९०२३३.०० | १९०२३३.०० |
| | 2400 mm dia | मिटर | २०६५९९.०० | २०६५९९.०० | २०६५९९.०० |
| | **PN-9, SN-2500 (124 Kpa)** | | | | |
| | 300 mm dia | मिटर | ६१७५.०० | ६१७५.०० | ६१७५.०० |
| | 350 mm dia | मिटर | ७११२.०० | ७११२.०० | ७११२.०० |
| | 400 mm dia | मिटर | ९५९४.०० | ९५९४.०० | ९५९४.०० |
| | 450 mm dia | मिटर | ११२६४.०० | ११२६४.०० | ११२६४.०० |
| | 500 mm dia | मिटर | १३८३२.०० | १३८३२.०० | १३८३२.०० |
| | 600 mm dia | मिटर | १६३४७.०० | १६३४७.०० | १६३४७.०० |
| | 700 mm dia | मिटर | २३७८६.०० | २३७८६.०० | २३७८६.०० |
| | 800 mm dia | मिटर | ३१०१२.०० | ३१०१२.०० | ३१०१२.०० |
| | 900 mm dia | मिटर | ३३०५७.०० | ३३०५७.०० | ३३०५७.०० |
| | 1000 mm dia | मिटर | ३९८८२.०० | ३९८८२.०० | ३९८८२.०० |
| | 1100 mm dia | मिटर | ५३४११.०० | ५३४११.०० | ५३४११.०० |
| | 1200 mm dia | मिटर | ६२७३२.०० | ६२७३२.०० | ६२७३२.०० |
| | 1300 mm dia | मिटर | ७७००१.०० | ७७००१.०० | ७७००१.०० |
| | 1400 mm dia | मिटर | ८२८२८.०० | ८२८२८.०० | ८२८२८.०० |
| | 1500 mm dia | मिटर | ९४१३७.०० | ९४१३७.०० | ९४१३७.०० |
| | 1600 mm dia | मिटर | १०२१५३.०० | १०२१५३.०० | १०२१५३.०० |
| | 1700 mm dia | मिटर | ११४०४९.०० | ११४०४९.०० | ११४०४९.०० |
| | 1800 mm dia | मिटर | १२६८०३.०० | १२६८०३.०० | १२६८०३.०० |
| | 1900 mm dia | मिटर | १३९६९१.०० | १३९६९१.०० | १३९६९१.०० |
| | 2000 mm dia | मिटर | १५२५७९.०० | १५२५७९.०० | १५२५७९.०० |
| | 2100 mm dia | मिटर | १७०१७७.०० | १७०१७७.०० | १७०१७७.०० |
| | 2200 mm dia | मिटर | १८७७७५.०० | १८७७७५.०० | १८७७७५.०० |
| | 2300 mm dia | मिटर | २०५४५१.०० | २०५४५१.०० | २०५४५१.०० |
| | 2400 mm dia | मिटर | २२३१२८.०० | २२३१२८.०० | २२३१२८.०० |
| **D)** | **PN-12, SN-2500 (124 Kpa)** | | | | |
| | 300 mm dia | मिटर | ६७३०.०० | ६७३०.०० | ६७३०.०० |
| | 350 mm dia | मिटर | ७७५३.०० | ७७५३.०० | ७७५३.०० |
| | 400 mm dia | मिटर | १०४५८.०० | १०४५८.०० | १०४५८.०० |
| | 450 mm dia | मिटर | १२२७८.०० | १२२७८.०० | १२२७८.०० |
| | 500 mm dia | मिटर | १५०७६.०० | १५०७६.०० | १५०७६.०० |
| | 600 mm dia | मिटर | १७८१९.०० | १७८१९.०० | १७८१९.०० |
| | 700 mm dia | मिटर | २५९२७.०० | २५९२७.०० | २५९२७.०० |
| | 800 mm dia | मिटर | ३३८०३.०० | ३३८०३.०० | ३३८०३.०० |
| | 900 mm dia | मिटर | ३६०३२.०० | ३६०३२.०० | ३६०३२.०० |

# GRP and HDPE/DWC Pipes

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| **1. GRP PIPES AS PER IS:12709:1994** | | | | | |
| | 1000 mm dia | मिटर | ४३४७३.०० | ४३४७३.०० | ४३४७३.०० |
| | 1100 mm dia | मिटर | ५८२१९.०० | ५८२१९.०० | ५८२१९.०० |
| | 1200 mm dia | मिटर | ६८३७८.०० | ६८३७८.०० | ६८३७८.०० |
| | 1300 mm dia | मिटर | ८३९३२.०० | ८३९३२.०० | ८३९३२.०० |
| | 1400 mm dia | मिटर | ९०२८२.०० | ९०२८२.०० | ९०२८२.०० |
| | 1500 mm dia | मिटर | १०२६१०.०० | १०२६१०.०० | १०२६१०.०० |
| | 1600 mm dia | मिटर | ११०२६६.०० | ११०२६६.०० | ११०२६६.०० |
| | 1700 mm dia | मिटर | १२४३१४.०० | १२४३१४.०० | १२४३१४.०० |
| | 1800 mm dia | मिटर | १३८२१६.०० | १३८२१६.०० | १३८२१६.०० |
| | 1900 mm dia | मिटर | १५२२६३.०० | १५२२६३.०० | १५२२६३.०० |
| | 2000 mm dia | मिटर | १६६३१२.०० | १६६३१२.०० | १६६३१२.०० |
| | 2100 mm dia | मिटर | १८५४९४.०० | १८५४९४.०० | १८५४९४.०० |
| | 2200 mm dia | मिटर | २०४६७५.०० | २०४६७५.०० | २०४६७५.०० |
| | 2300 mm dia | मिटर | २२३९४२.०० | २२३९४२.०० | २२३९४२.०० |
| | 2400 mm dia | मिटर | २४३२०८.०० | २४३२०८.०० | २४३२०८.०० |
| E) | PN-15, SN-2500 (124 Kpa) | | | | |
| | 300 mm dia | मिटर | ७४०३.०० | ७४०३.०० | ७४०३.०० |
| | 350 mm dia | मिटर | ८५२८.०० | ८५२८.०० | ८५२८.०० |
| | 400 mm dia | मिटर | ११३९४.०० | ११३९४.०० | ११३९४.०० |
| | 450 mm dia | मिटर | १३५०६.०० | १३५०६.०० | १३५०६.०० |
| | 500 mm dia | मिटर | १६५८४.०० | १६५८४.०० | १६५८४.०० |
| | 600 mm dia | मिटर | १९६०१.०० | १९६०१.०० | १९६०१.०० |
| | 700 mm dia | मिटर | २८५१९.०० | २८५१९.०० | २८५१९.०० |
| | 800 mm dia | मिटर | ३७१८४.०० | ३७१८४.०० | ३७१८४.०० |
| | 900 mm dia | मिटर | ३९६३६.०० | ३९६३६.०० | ३९६३६.०० |
| | 1000 mm dia | मिटर | ४७८२०.०० | ४७८२०.०० | ४७८२०.०० |
| | 1100 mm dia | मिटर | ६४०४१.०० | ६४०४१.०० | ६४०४१.०० |
| | 1200 mm dia | मिटर | ७५२१६.०० | ७५२१६.०० | ७५२१६.०० |
| | 1300 mm dia | मिटर | ९२३२५.०० | ९२३२५.०० | ९२३२५.०० |
| | 1400 mm dia | मिटर | ९९३१०.०० | ९९३१०.०० | ९९३१०.०० |
| | 1500 mm dia | मिटर | १११७७५.०० | १११७७५.०० | १११७७५.०० |
| | 1600 mm dia | मिटर | १२१२९३.०० | १२१२९३.०० | १२१२९३.०० |
| | 1700 mm dia | मिटर | १३६७४५.०० | १३६७४५.०० | १३६७४५.०० |
| | 1800 mm dia | मिटर | १५२०३७.०० | १५२०३७.०० | १५२०३७.०० |
| | 1900 mm dia | मिटर | १६७४९०.०० | १६७४९०.०० | १६७४९०.०० |
| | 2000 mm dia | मिटर | १८२९४३.०० | १८२९४३.०० | १८२९४३.०० |
| | 2100 mm dia | मिटर | २०४०४२.०० | २०४०४२.०० | २०४०४२.०० |
| | 2200 mm dia | मिटर | २२५१४३.०० | २२५१४३.०० | २२५१४३.०० |
| | 2300 mm dia | मिटर | २४६३३७.०० | २४६३३७.०० | २४६३३७.०० |
| | 2400 mm dia | मिटर | २६७५३०.०० | २६७५३०.०० | २६७५३०.०० |
| F) | PN-3, SN-5000 (248 Kpa) | | | | |
| | 300 mm dia | मिटर | ६९२२.०० | ६९२२.०० | ६९२२.०० |

प्रमुख जिल्ला अधिकारी

# GRP and HDPE/DWC Pipes

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| **1. GRP PIPES AS PER IS:12709:1994** | | | | | |
| | 350 mm dia | मिटर | ७९७४.०० | ७९७४.०० | ७९७४.०० |
| | 400 mm dia | मिटर | १०६५४.०० | १०६५४.०० | १०६५४.०० |
| | 450 mm dia | मिटर | १२६२८.०० | १२६२८.०० | १२६२८.०० |
| | 500 mm dia | मिटर | १५५०८.०० | १५५०८.०० | १५५०८.०० |
| | 600 mm dia | मिटर | १८३२८.०० | १८३२८.०० | १८३२८.०० |
| | 700 mm dia | मिटर | २६६६८.०० | २६६६८.०० | २६६६८.०० |
| | 800 mm dia | मिटर | ३४७७०.०० | ३४७७०.०० | ३४७७०.०० |
| | 900 mm dia | मिटर | ३७०६३.०० | ३७०६३.०० | ३७०६३.०० |
| | 1000 mm dia | मिटर | ४४७१५.०० | ४४७१५.०० | ४४७१५.०० |
| | 1100 mm dia | मिटर | ५९८८४.०० | ५९८८४.०० | ५९८८४.०० |
| | 1200 mm dia | मिटर | ७०३३३.०० | ७०३३३.०० | ७०३३३.०० |
| | 1300 mm dia | मिटर | ८६३३२.०० | ८६३३२.०० | ८६३३२.०० |
| | 1400 mm dia | मिटर | ९२८६३.०० | ९२८६३.०० | ९२८६३.०० |
| | 1500 mm dia | मिटर | १०४५१९.०० | १०४५१९.०० | १०४५१९.०० |
| | 1600 mm dia | मिटर | ११३४१८.०० | ११३४१८.०० | ११३४१८.०० |
| | 1700 mm dia | मिटर | १२७८६८.०० | १२७८६८.०० | १२७८६८.०० |
| | 1800 mm dia | मिटर | १४२१६७.०० | १४२१६७.०० | १४२१६७.०० |
| | 1900 mm dia | मिटर | १५६६१६.०० | १५६६१६.०० | १५६६१६.०० |
| | 2000 mm dia | मिटर | १७१०६७.०० | १७१०६७.०० | १७१०६७.०० |
| | 2100 mm dia | मिटर | १९०७९७.०० | १९०७९७.०० | १९०७९७.०० |
| | 2200 mm dia | मिटर | २१०५२८.०० | २१०५२८.०० | २१०५२८.०० |
| | 2300 mm dia | मिटर | २३०३४५.०० | २३०३४५.०० | २३०३४५.०० |
| | 2400 mm dia | मिटर | २५०१६३.०० | २५०१६३.०० | २५०१६३.०० |
| **G)** | **PN-6, SN-5000 (248 Kpa)** | | | | |
| | 300 mm dia | मिटर | ८००४.०० | ८००४.०० | ८००४.०० |
| | 350 mm dia | मिटर | ९२२०.०० | ९२२०.०० | ९२२०.०० |
| | 400 mm dia | मिटर | १२३१८.०० | १२३१८.०० | १२३१८.०० |
| | 450 mm dia | मिटर | १४६०१.०० | १४६०१.०० | १४६०१.०० |
| | 500 mm dia | मिटर | १७९३०.०० | १७९३०.०० | १७९३०.०० |
| | 600 mm dia | मिटर | २११९२.०० | २११९२.०० | २११९२.०० |
| | 700 mm dia | मिटर | ३०८३४.०० | ३०८३४.०० | ३०८३४.०० |
| | 800 mm dia | मिटर | ४०२०१.०० | ४०२०१.०० | ४०२०१.०० |
| | 900 mm dia | मिटर | ४२८५२.०० | ४२८५२.०० | ४२८५२.०० |
| | 1000 mm dia | मिटर | ५१७००.०० | ५१७००.०० | ५१७००.०० |
| | 1100 mm dia | मिटर | ६९२३७.०० | ६९२३७.०० | ६९२३७.०० |
| | 1200 mm dia | मिटर | ८१३१९.०० | ८१३१९.०० | ८१३१९.०० |
| | 1300 mm dia | मिटर | ९९८१७.०० | ९९८१७.०० | ९९८१७.०० |
| | 1400 mm dia | मिटर | १०६३२७.०० | १०६३२७.०० | १०६३२७.०० |
| | 1500 mm dia | मिटर | १२०८४६.०० | १२०८४६.०० | १२०८४६.०० |
| | 1600 mm dia | मिटर | १३११३५.०० | १३११३५.०० | १३११३५.०० |
| | 1700 mm dia | मिटर | १४७८४१.०० | १४७८४१.०० | १४७८४१.०० |
| | 1800 mm dia | मिटर | १६४३७५.०० | १६४३७५.०० | १६४३७५.०० |

प्रमुख जिल्ला अधिकारी

# GRP and HDPE/DWC Pipes

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| **1. GRP PIPES AS PER IS:12709:1994** | | | | | |
| | 1900 mm dia | मिटर | १८१०८१.०० | १८१०८१.०० | १८१०८१.०० |
| | 2000 mm dia | मिटर | १९७७८८.०० | १९७७८८.०० | १९७७८८.०० |
| | 2100 mm dia | मिटर | २२०६००.०० | २२०६००.०० | २२०६००.०० |
| | 2200 mm dia | मिटर | २४३४१२.०० | २४३४१२.०० | २४३४१२.०० |
| | 2300 mm dia | मिटर | २६६३२६.०० | २६६३२६.०० | २६६३२६.०० |
| | 2400 mm dia | मिटर | २८९२३९.०० | २८९२३९.०० | २८९२३९.०० |
| H) | PN-9, SN-5000 (248 Kpa) | | | | |
| | 300 mm dia | मिटर | ९३३६.०० | ९३३६.०० | ९३३६.०० |
| | 350 mm dia | मिटर | १०६५१.०० | १०६५१.०० | १०६५१.०० |
| | 400 mm dia | मिटर | १४३६८.०० | १४३६८.०० | १४३६८.०० |
| | 450 mm dia | मिटर | १७०३२.०० | १७०३२.०० | १७०३२.०० |
| | 500 mm dia | मिटर | २०९१४.०० | २०९१४.०० | २०९१४.०० |
| | 600 mm dia | मिटर | २४७८८.०० | २४७८८.०० | २४७८८.०० |
| | 700 mm dia | मिटर | ३५९६५.०० | ३५९६५.०० | ३५९६५.०० |
| | 800 mm dia | मिटर | ४६८९०.०० | ४६८९०.०० | ४६८९०.०० |
| | 900 mm dia | मिटर | ४९९८३.०० | ४९९८३.०० | ४९९८३.०० |
| | 1000 mm dia | मिटर | ५९७२३.०० | ५९७२३.०० | ५९७२३.०० |
| | 1100 mm dia | मिटर | ८०७५९.०० | ८०७५९.०० | ८०७५९.०० |
| | 1200 mm dia | मिटर | ९४८५१.०० | ९४८५१.०० | ९४८५१.०० |
| | 1300 mm dia | मिटर | ११५२९६.०० | ११५२९६.०० | ११५२९६.०० |
| | 1400 mm dia | मिटर | १२४०१९.०० | १२४०१९.०० | १२४०१९.०० |
| | 1500 mm dia | मिटर | १४०९५४.०० | १४०९५४.०० | १४०९५४.०० |
| | 1600 mm dia | मिटर | १५२९५६.०० | १५२९५६.०० | १५२९५६.०० |
| | 1700 mm dia | मिटर | १७२४४३.०० | १७२४४३.०० | १७२४४३.०० |
| | 1800 mm dia | मिटर | १९१७२६.०० | १९१७२६.०० | १९१७२६.०० |
| | 1900 mm dia | मिटर | २११२१३.०० | २११२१३.०० | २११२१३.०० |
| | 2000 mm dia | मिटर | २३०७००.०० | २३०७००.०० | २३०७००.०० |
| | 2100 mm dia | मिटर | २५७३०८.०० | २५७३०८.०० | २५७३०८.०० |
| | 2200 mm dia | मिटर | २८३९१७.०० | २८३९१७.०० | २८३९१७.०० |
| | 2300 mm dia | मिटर | ३१०६४३.०० | ३१०६४३.०० | ३१०६४३.०० |
| | 2400 mm dia | मिटर | ३३७३६९.०० | ३३७३६९.०० | ३३७३६९.०० |
| I) | PN-12, SN-5000 (248 Kpa) | | | | |
| | 300 mm dia | मिटर | १०१७६.०० | १०१७६.०० | १०१७६.०० |
| | 350 mm dia | मिटर | ११६१०.०० | ११६१०.०० | ११६१०.०० |
| | 400 mm dia | मिटर | १५६६१.०० | १५६६१.०० | १५६६१.०० |
| | 450 mm dia | मिटर | १८५६५.०० | १८५६५.०० | १८५६५.०० |
| | 500 mm dia | मिटर | २२७९६.०० | २२७९६.०० | २२७९६.०० |
| | 600 mm dia | मिटर | २६९४३.०० | २६९४३.०० | २६९४३.०० |
| | 700 mm dia | मिटर | ३९२०२.०० | ३९२०२.०० | ३९२०२.०० |
| | 800 mm dia | मिटर | ५११९०.०० | ५११९०.०० | ५११९०.०० |
| | 900 mm dia | मिटर | ५३९५७.०० | ५३९५७.०० | ५३९५७.०० |
| | 1000 mm dia | मिटर | ६५०९९.०० | ६५०९९.०० | ६५०९९.०० |

प्रमुख जिल्ला अधिकारी

# GRP and HDPE/DWC Pipes

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| **1. GRP PIPES AS PER IS:12709:1994** | | | | | |
| | 1100 mm dia | मिटर | ८८०२७.०० | ८८०२७.०० | ८८०२७.०० |
| | 1200 mm dia | मिटर | १०२३८४.०० | १०२३८४.०० | १०२३८४.०० |
| | 1300 mm dia | मिटर | १२५६७३.०० | १२५६७३.०० | १२५६७३.०० |
| | 1400 mm dia | मिटर | १३५१८१.०० | १३५१८१.०० | १३५१८१.०० |
| | 1500 mm dia | मिटर | १५३६४०.०० | १५३६४०.०० | १५३६४०.०० |
| | 1600 mm dia | मिटर | १६६७२३.०० | १६६७२३.०० | १६६७२३.०० |
| | 1700 mm dia | मिटर | १८७९६२.०० | १८७९६२.०० | १८७९६२.०० |
| | 1800 mm dia | मिटर | २०८९८२.०० | २०८९८२.०० | २०८९८२.०० |
| | 1900 mm dia | मिटर | २३०२२२.०० | २३०२२२.०० | २३०२२२.०० |
| | 2000 mm dia | मिटर | २५१४६२.०० | २५१४६२.०० | २५१४६२.०० |
| | 2100 mm dia | मिटर | २८०४६६.०० | २८०४६६.०० | २८०४६६.०० |
| | 2200 mm dia | मिटर | ३०९४७०.०० | ३०९४७०.०० | ३०९४७०.०० |
| | 2300 mm dia | मिटर | ३३८६०१.०० | ३३८६०१.०० | ३३८६०१.०० |
| | 2400 mm dia | मिटर | ३६७७३२.०० | ३६७७३२.०० | ३६७७३२.०० |
| J) | PN-15, SN-5000 (248 Kpa) | | | | |
| | 300 mm dia | मिटर | ११०८७.०० | ११०८७.०० | ११०८७.०० |
| | 350 mm dia | मिटर | १२७७२.०० | १२७७२.०० | १२७७२.०० |
| | 400 mm dia | मिटर | १७२२७.०० | १७२२७.०० | १७२२७.०० |
| | 450 mm dia | मिटर | २०४२१.०० | २०४२१.०० | २०४२१.०० |
| | 500 mm dia | मिटर | २५०७६.०० | २५०७६.०० | २५०७६.०० |
| | 600 mm dia | मिटर | २९६३७.०० | २९६३७.०० | २९६३७.०० |
| | 700 mm dia | मिटर | ४३१२२.०० | ४३१२२.०० | ४३१२२.०० |
| | 800 mm dia | मिटर | ५५६८१.०० | ५५६८१.०० | ५५६८१.०० |
| | 900 mm dia | मिटर | ५९३५३.०० | ५९३५३.०० | ५९३५३.०० |
| | 1000 mm dia | मिटर | ७१६०८.०० | ७१६०८.०० | ७१६०८.०० |
| | 1100 mm dia | मिटर | ९५८९०.०० | ९५८९०.०० | ९५८९०.०० |
| | 1200 mm dia | मिटर | ११२६२३.०० | ११२६२३.०० | ११२६२३.०० |
| | 1300 mm dia | मिटर | १३८२४०.०० | १३८२४०.०० | १३८२४०.०० |
| | 1400 mm dia | मिटर | १४८७००.०० | १४८७००.०० | १४८७००.०० |
| | 1500 mm dia | मिटर | १६९००४.०० | १६९००४.०० | १६९००४.०० |
| | 1600 mm dia | मिटर | १८३३९४.०० | १८३३९४.०० | १८३३९४.०० |
| | 1700 mm dia | मिटर | २०६७५९.०० | २०६७५९.०० | २०६७५९.०० |
| | 1800 mm dia | मिटर | २२९८८०.०० | २२९८८०.०० | २२९८८०.०० |
| | 1900 mm dia | मिटर | २५३२४४.०० | २५३२४४.०० | २५३२४४.०० |
| | 2000 mm dia | मिटर | २७६६०९.०० | २७६६०९.०० | २७६६०९.०० |
| | 2100 mm dia | मिटर | ३०८५१३.०० | ३०८५१३.०० | ३०८५१३.०० |
| | 2200 mm dia | मिटर | ३४०४१६.०० | ३४०४१६.०० | ३४०४१६.०० |
| | 2300 mm dia | मिटर | ३७२४६१.०० | ३७२४६१.०० | ३७२४६१.०० |
| | 2400 mm dia | मिटर | ४०४५०५.०० | ४०४५०५.०० | ४०४५०५.०० |
| | **HDPE DOUBLE -WALL CORRUGATED PIPE** | | | | |
| | 100mm dia. | मिटर | ५५६.०० | ५५६.०० | ५५६.०० |

# GRP and HDPE/DWC Pipes

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| **1. GRP PIPES AS PER IS:12709:1994** | | | | | |
| | 150mm dia. | मिटर | १११२.०० | १११२.०० | १११२.०० |
| | 200mm dia. | मिटर | १६६८.०० | १६६८.०० | १६६८.०० |
| | 250mm dia. | मिटर | २११३.०० | २११३.०० | २११३.०० |
| | 300mm dia. | मिटर | ३५१५.०० | ३५१५.०० | ३५१५.०० |
| | 400mm dia. | मिटर | ४५२७.०० | ४५२७.०० | ४५२७.०० |
| | 500mm dia. | मिटर | ५४०६.०० | ५४०६.०० | ५४०६.०० |
| | 600mm dia. | मिटर | ९३१०.०० | ९३१०.०० | ९३१०.०० |
| | 800mm dia. | मिटर | १४२३१.२५ | १४९८५.०० | १४९८५.०० |
| | 1000mm dia. | मिटर | १९७८०.०० | २२५७२.०० | २२५७२.०० |

प्रमुख जिल्ला अधिकारी

# किचन र वाथरुममा प्रयोग हुने सामानहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | **Porcelain Clay Sanitaryware** | | | | |
| १ | **White glazed porcelain pan** | | | | |
| | 530mm size white glazed without siphon | सेट | २५२४.०० | २५२४.०० | २५२४.०० |
| | 500 mm size white glazed without siphon | सेट | २७४१.०० | २७४१.०० | २७४१.०० |
| | 580 mm size orrisa Pan | सेट | ३३७१.०० | ३३७१.०० | ३३७१.०० |
| | 580 mm size white glazed Indian pan | सेट | १०४९.०० | १०४९.०० | १०४९.०० |
| | Siphon 'p' or 's' type | सेट | ५९०.०० | ५९०.०० | ५९०.०० |
| | Asian Pan 51x40 Rectangular | सेट | २५२४.०० | २५२४.०० | २५२४.०० |
| २ | **Porcelain Clay Cistern** | | | | |
| | white glazed porcelain clay 10 lit cistern complete set (internal part of cistern pvc fittings ) | सेट | ३५५९.०० | ३५५९.०० | ३५५९.०० |
| | White glazed porcelain clay 10 lit. Cistern cover only. | सेट | ६६७.०० | ६६७.०० | ६६७.०० |
| | White glazed porcelain clay 12.5 lit. cistern complete set (Brass fittings siphon with plunger plate) | सेट | ३६९८.०० | ३६९८.०० | ३६९८.०० |
| ३ | **Commode** | | | | |
| | White glaze porcelain clay regular commode with 'p' trap | सेट | १५८७.०० | १५८७.०० | १५८७.०० |
| | White glazed porcelain clay EWC regular commode with 's ' \ p trap | सेट | १८२५.०० | १८२५.०० | १८२५.०० |
| | White glazed porcelain clay EWC Constellation commode with 'P ' & 's ' trap and seat cover set. | सेट | १८११९.०० | १८११९.०० | १८११९.०० |
| | White glazed porcelain clay One Piece commode with 'P ' & 'S ' trap and slow falling seat cover complete set. | सेट | २८८७५.०० | २८८७५.०० | २८८७५.०० |
| | White glazed porcelain clay One Piece commode with 'P ' & 's ' trap and slow falling seat cover complete set | सेट | २०३८९.०० | २०३८९.०० | २०३८९.०० |
| | White glazed porcelain clay Ewc wall mounted commode without cistern all complete set. | सेट | ५२५२.०० | ५२५२.०० | ५२५२.०० |
| | White glazed porcelain clay Ewc floor mounted commode without cistern all complete set. | सेट | ८६५६.०० | ८६५६.०० | ८६५६.०० |
| | 600 to 900 mm Grab bar | सेट | ६०६२.०० | ६०६२.०० | ६०६२.०० |
| | Supplying of white vitreous Flexio Washdwown one piece commode with soft closing seat cover , Size: (L715XW360XH710mm) made of sanitary ceramics with connection pipe and angle valve | सेट | २४८००.०० | २४८००.०० | २४८००.०० |
| | Supplying of white vitreous Concept Washdwown wall hung commode with soft closing seat cover , Size: (365x560x352mm) with concealed cistern | सेट | २७९००.०० | २७९००.०० | २७९००.०० |
| | Supplying of white vitreous Compact Codie Washdwown, rimless wall hung commode with soft closing seat cover , Size: ( 368x540x400mm) made of sanitary ceramics with concealed cistern and Flush Plate | सेट | २६१५०.०० | २६१५०.०० | २६१५०.०० |
| ४ | **Bidet set** | | | | |
| | Porcelain clay white glaze Bidet. | सेट | ३५८४.०० | ३५८४.०० | ३५८४.०० |
| | **Urinal set** | | | | |
| | Porcelain clay white glaze large flat back urinal 61×41×38 cm size | सेट | ४१७४.०० | ४१७४.०० | ४१७४.०० |
| | Porcelain clay small Urinal (46.5×35.5×26.5) cm size ) | सेट | १८८०.०० | १८८०.०० | १८८०.०० |
| | White glazed porcelain clay corner Urinal (35×35×44)cm size with complete set | सेट | १६१९.०० | १६१९.०० | १६१९.०० |
| | Wall mounted Urinal with sensor complete set. | सेट | १००२९१.०० | १००२९१.०० | १००२९१.०० |

प्रमुख जिल्ला अधिकारी

# किचन र वाथरुममा प्रयोग हुने सामानहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | Supplying of white vitreous Mini Washbrook Wall Hung Urinal with back inlet, , Size: (L355xP320xH615mm ) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC) | सेट | ३१८६०.०० | ३१८६०.०० | ३१८६०.०० |
| | Supplying of white vitreous Lynbrook Floor Standing Urinal , Size (373X404X940mm) made of sanitary ceramics with Sense Flow Concealed Urinal Sensor (DC) | सेट | ६०५३०.०० | ६०५३०.०० | ६०५३०.०० |
| | Porcelain clay white glaze large flat back urinal 385*320*615 mm size | सेट | | ४३२०.०० | ४३२०.०० |
| | Porcelain clay Small Urinal 315*280*465 size | सेट | | २५४०.०० | २५४०.०० |
| | Wall mounted Urinal with sensor complete set(280*250*500)MM | सेट | | १६४७०.०० | १६४७०.०० |
| | Porcelain clay white glaze large flat back with spreader urinal 400*380*610 mm size | सेट | | ५०७०.०० | ५०७०.०० |
| | Porcelain clay flat back medium Urinal 300*250*500 size | सेट | | ३५८०.०० | ३५८०.०० |
| ५ | **Porcelain Clay Urinal Squatting Plate** | | | | |
| | white glaze squatting plate Small Size (45×35)cm | सेट | १२१२.०० | १२१२.०० | १२१२.०० |
| | Porcelain clay white glaze squatting plate large size | सेट | १४५५.०० | १४५५.०० | १४५५.०० |
| | Porcelain clay super color squatting plate large size. | सेट | २८२१.०० | २८२१.०० | २८२१.०० |
| | Urinal Spreader | सेट | ९१५.०० | ९१५.०० | ९१५.०० |
| ६ | **Wash basin** | | | | |
| | Porcelain clay white glaze wash basin (500×400) cm size regular. | सेट | १०९५.०० | १०७०.०० | १०७०.०० |
| | Porcelain clay white glaze wash basin (50×40) cm | सेट | १४८१.०० | १४८१.०० | १४८१.०० |
| | Do but wash basin (45×32)cm | सेट | १०६५.०० | १०६५.०० | १०६५.०० |
| | white glazed porcelain clay Corner basin 40x40 complete set | सेट | १२०१.०० | १२०१.०० | १२०१.०० |
| | white glazed porcelain clay U-counter basin, | सेट | ८३४८.०० | ८३४८.०० | ८३४८.०० |
| | white glazed porcelain clay O-counter wash basin,(63×50)cm | सेट | १३७७.०० | १३७७.०० | १३७७.०० |
| | White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set. | सेट | ९७८५.०० | ९७८५.०० | ९७८५.०० |
| | White glazed porcelain clay Semi pedestal large counter wash basin750*500 mm with complete set. | सेट | ६२३२.०० | ६२३२.०० | ६२३२.०० |
| | White glaze porcelain clay Basin for disable with grab bar all complete | सेट | २०५४९.०० | २०५४९.०० | २०५४९.०० |
| | Supplying of white vitreous Cadet Undercounter Basin Size (380x550x175mm ) made of sanitary ceramics with simplicity square single lever basin mixer , pipe connector, bottle trap, and waste coupling | सेट | १७२७५.०० | १७२७५.०० | १७२७५.०० |
| | Supplying of white vitreous Winston Wall hung Basin, , Size: (506x460x194mm ) with full basin pedestal made of sanitary ceramics with with simplicity square single lever basin mixer , pipe connector, bottle trap and waste coupling | सेट | २०६७५.०० | २०६७५.०० | २०६७५.०० |
| | Supplying of white vitreous Flexio Counter Top Basin , Size (499x449x181mm ) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap and waste coupling | सेट | १९२५५.०० | १९२५५.०० | १९२५५.०० |

प्रमुख जिल्ला अधिकारी

# किचन र वाथरुममा प्रयोग हुने सामानहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | Supplying of white vitreous Acacia E semi recessed Basin, , Size: ( W460xL500xH181mm) made of sanitary ceramics with simplicity square single lever basin mixer, pipe connector, bottle trap, and waste coupling | सेट | २३१५०.०० | २३१५०.०० | २३१५०.०० |
| ७ | **Pedestal:** | | | | |
| | Porcelain clay white glaze pedestal | सेट | १३७८.०० | १३७८.०० | १३७८.०० |
| | White glazed Porcelain clay half pedestal complete set | सेट | १६७०.०० | १६७०.०० | १६७०.०० |
| | First color glazed Porcelain clay half pedestal complete set. | सेट | १९७३.०० | १९७३.०० | १९७३.०० |
| ८ | **Urinal Partition** | | | | |
| | White glaze porcelain clay (58×30)cm division plate | सेट | १६९०.०० | १६९०.०० | १६९०.०० |
| ९ | **Lab sink** | | | | |
| | Porcelain clay white glaze large size | सेट | २२२२.०० | २२२२.०० | २२२२.०० |
| | Porcelain clay white glaze small size | सेट | १६५३.०० | १६५३.०० | १६५३.०० |
| | Porcelain clay janittor sink 58×71×43.5 size | सेट | २७५५३.०० | २७५५३.०० | २७५५३.०० |
| १० | **Super lab sink** | गोटा | | | |
| | super lab sink large size | गोटा | ४३१३.०० | ४३१३.०० | ४३१३.०० |
| | super lab sink small size | गोटा | ३४०१.०० | ३४०१.०० | ३४०१.०० |
| ११ | **Kitchen sink** | | | | |
| | i) Porcelain clay large | सेट | ३७६३.०० | ३७६३.०० | ३७६३.०० |
| | ii) Porcelain clay small | सेट | ३४०९.०० | ३४०९.०० | ३४०९.०० |
| | iii) drain board white 53x45 | सेट | १३०४.०० | १३०४.०० | १३०४.०० |
| | iii) Soap dish | सेट | ६६१.०० | ६६१.०० | ६६१.०० |
| | iv) White glaze foot rest | सेट | ४१९.०० | ४१९.०० | ४१९.०० |
| | v) White glaze Toilet paper holder | सेट | ११५७.०० | ११५७.०० | ११५७.०० |
| १२ | **Super kitchen sink** | | | | |
| | super kitchen sink large size | गोटा | ७४६५.०० | ७४६५.०० | ७४६५.०० |
| | super kitchen sink small size | गोटा | ६७५६.०० | ६७५६.०० | ६७५६.०० |
| १३ | **PVC Cistern Set** | | | | |
| | single flush | सेट | १९७३.०० | १९७३.०० | १९७३.०० |
| | Deluxe single flush | सेट | २२०४.०० | २२०४.०० | २२०४.०० |
| | Dual flush 6/3 lt. cistern complete set. | सेट | २९६६.०० | २९६६.०० | २९६६.०० |
| | concealed cistern with plate complete set. | सेट | १६८६२.०० | १६८६२.०० | १६८६२.०० |
| | 32 mm pvc bottel trap set | पिस | ४७६.०० | ४७६.०० | ४७६.०० |
| | 1.5x45 cm pvc pipe connector set | पिस | १४३.०० | १४३.०० | १४३.०० |
| | Bakellite toilet seat cover set | पिस | २७६.०० | २७६.०० | २७६.०० |

प्रमुख जिल्ला अधिकारी

# किचन र बाथरुममा प्रयोग हुने सामानहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| १४ | Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs/Wall Hung WCs for standard Height execution ,can be shortened 1070-820 mm Front OR Top flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-) With immediate reflushing possibility after big flush. inlet connection switchable from left to right.Suitable for mechanical actuation technology ,flushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly including fixing frame,fixing set complete, providing protection cover over cistern,cutting and making good the walls wherever required. | सेट | १०००० ०० | १०००० ०० | १०००० ०० |
| १५ | Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Galavinised Steel Frame ,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread. WC connection elbow DN90 made of PE,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frameflushing pipe bow, flushing pipe extension, fixing material,without actuator plate and assembly , providing protection cover over cistern,.Cutting and making good the walls wherever required. | सेट | १६००० ०० | १६००० ०० | १६००० ०० |
| १६ | Providing, fixing, testing & commissioning of concealed cistern-Dual Flush for back to wall floor standing WCs for wet and dry execution.Installation hieght 1120 Front flush, Capacity of 7.5 Litres with continuous adjustable short flush vol. of approx 2-4Ltrs or a continuously adjustable full flush volume of 3.5-7.5 Ltrs.-)With immediate reflushing possiblitiy after big flush.inlet connection switchable from left to right. Suitable for mechanical actuation technology comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread,Powder Coated Steel frame,comprising of corner valve(Gun Metal),premounted water supply with 1/2 female thread, WC connection elbow DN90 made of PP,eccentric adapter DN90/100,WC connection fittings,reinforcement fabric,EPS-foam revision frame flushing pipe bow, flushing pipe extension, fixing material (for floor) and ceramic, screws (Self - drilling) for fixing metal support profiles, Hole dia 11mm for fixing in wooden fram construction,without actuator plate and assembly , providing protection cover over cistern,.Cutting and making good the walls wherever required. | सेट | १८००० ०० | १८००० ०० | १८००० ०० |
| १७ | Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of PlasticChrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern | सेट | २५०० ०० | २५०० ०० | २५०० ०० |

प्रमुख जिल्ला अधिकारी

# किचन र वाथरुममा प्रयोग हुने सामानहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| १८ | Providing, fixing, testing & commissioning of Actuator Plate for top and front actuation (For Dual Flush) made of Plastic Chrome Matt Alpine White and Assembly including fixing frame, fixing set complete for concealed type cistern | सेट | २५००.०० | २५००.०० | २५००.०० |
| १९ | **Stainless Steel Sink/Pan/Basin and Bathroom fittings etc.** | | | | |
| | Stainless steel Deep sink 45×45×30 size | पिस | १८१८५.०० | १८१८५.०० | १८१८५.०० |
| | Stainless steel Orissa pan LP 210 size | पिस | ८४८६.०० | ८४८६.०० | ८४८६.०० |
| | Stainless steel wash basin model 251 12" round size with pedestal | पिस | १३२६२.०० | १३२६२.०० | १३२६२.०० |
| | Stainless steel wash basin 500 mm model 277 with complete set | पिस | १०२७६.०० | १०२७६.०० | १०२७६.०० |
| | Stainless steel commode S trap with self closing complete set | पिस | १७५५४.०० | १७५५४.०० | १७५५४.०० |
| | Wall mixer (single lever) bath faucet with hand shower | पिस | १४६३४.०० | १४६३४.०० | १४६३४.०० |
| | Bath tub (single lever )with hand shower | पिस | १८४३२.०० | १८४३२.०० | १८४३२.०० |
| | External Shower Wall mixer (single control) bath faucet with hand shower | पिस | २५७६४.०० | २५७६४.०० | २५७६४.०० |
| | Wall mixer (single control) bath faucet with hand shower(conceal system) | पिस | १५९५२.०० | १५९५२.०० | १५९५२.०० |
| | Wall mixer (single control) shower faucet (conceal system) | पिस | ४१८२.०० | ४१८२.०० | ४१८२.०० |
| | conceal mixer faucet | पिस | ६४५५.०० | ६४५५.०० | ६४५५.०० |
| | Stainless steel Angle valve | पिस | ८२७.०० | ८२७.०० | ८२७.०० |
| | Stainless steel two way Angle valve | पिस | ११५७.०० | ११५७.०० | ११५७.०० |
| | Stainless steel bowl 19"×16" diamond board 37" long | पिस | २६७३.०० | २६७३.०० | २६७३.०० |
| | Stainless steel bowl with diamond board 37" long | पिस | ३६६०.०० | ३६६०.०० | ३६६०.०० |
| | Stainless steel bowl with ordinary board 37" long | पिस | २३१४.०० | २३१४.०० | २३१४.०० |
| | Stainless steel double bowl with double drain board 36" * 18 "size | पिस | १३९१७.०० | १३९१७.०० | १३९१७.०० |
| | Stainless steel double bowl with single drain board ordinary | पिस | ५७८६.०० | ५७८६.०० | ५७८६.०० |
| | Stainless steel p trap bottle trap for basin | पिस | २३२४.०० | २३२४.०० | २३२४.०० |
| | Stainless steel Kitchen sink mixture | पिस | ८४०८.०० | ८४०८.०० | ८४०८.०० |
| | Stainless steel Kitchen sink faucet | पिस | ५५६५.०० | ५५६५.०० | ५५६५.०० |
| | Stainless steel Kitchen sink mixture | पिस | ८४०८.०० | ८४०८.०० | ८४०८.०० |
| | Stainless steel 1500mm flexible hose pipe( connection pipe) | पिस | १४६२.०० | १४६२.०० | १४६२.०० |
| | Stainless steel Hose ringer 1200 mm | पिस | १२७४.०० | १२७४.०० | १२७४.०० |
| | Stainless steel commode spray with hose pipe | पिस | १७९८.०० | १७९८.०० | १७९८.०० |
| | Stainless steel basin mixer( single control) | पिस | ६९४३.०० | ६९४३.०० | ६९४३.०० |
| | Stainless steel single faucet for basin | पिस | ४४२५.०० | ४४२५.०० | ४४२५.०० |
| | Stainless steel Sink 700*450*200 | पिस | २४२४६.०० | २४२४६.०० | २४२४६.०० |
| | Stainless steel Sink table top1200*600*300 | पिस | ३३५०४.०० | ३३५०४.०० | ३३५०४.०० |
| | Steel Split clamp with washer all complete | पिस | ३३५०४.०० | ३३५०४.०० | ३३५०४.०० |
| | 75 mm dia | पिस | ३३१.०० | ३३१.०० | ३३१.०० |
| | 110 mm dia | पिस | ४४१.०० | ४४१.०० | ४४१.०० |
| | 160 mm dia | पिस | ७७१.०० | ७७१.०० | ७७१.०० |
| | Stainless steel telephonic shower | गोटा | १२४०.०० | १२४०.०० | १२४०.०० |
| | Stainless steel shower with sliding bar | गोटा | २९७६.०० | २९७६.०० | २९७६.०० |
| | Stainless steel shower with sliding bar | गोटा | ९७८५.०० | ९७८५.०० | ९७८५.०० |
| | Stainless steel bottle trap | गोटा | ६४७.०० | ६४७.०० | ६४७.०० |

# किचन र बाथरुममा प्रयोग हुने सामानहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | Stainless steel towel bar 450 mm | गोटा | १२४०.०० | १२४०.०० | १२४०.०० |
| | Supplying of C.P. brass Simplicity Square Concealed Bath & Shower Mixer , with concealed body and Shower Head with arm and Bath Spout | गोटा | १८०५५.०० | १८०५५.०० | १८०५५.०० |
| | Supplying of C.P. brass Neo Modern Exposed Bath & Shower Mixer , with iColor Chrome Hand Shower & Hose , complete as required. , | गोटा | २०५३०.०० | २०५३०.०० | २०५३०.०० |
| २० | **Modern Sanitaryware:** | | | | |
| | Hand dryer Germany | गोटा | १९३९७.०० | १९३९७.०० | १९३९७.०० |
| | Hand Dryer Chinese | गोटा | ७१६४.०० | ७१६४.०० | ७१६४.०० |
| | Indian Mark Brand Flush valve | गोटा | ५७३१.०० | ५७३१.०० | ५७३१.०० |
| | Auto sensor for basin | गोटा | ३५२६७.०० | ३५२६७.०० | ३५२६७.०० |
| | European pattern liquid soap container stainless steel | गोटा | ६०६२.०० | ६०६२.०० | ६०६२.०० |
| | Looking Mirror Modi guard 450x600mm (18"x 24") | गोटा | १४५९.०० | १४५९.०० | १४५९.०० |
| | Supplying of C.P. brass Angle valve connection 1/2"plastic handle marking , complete as required.with easy clean, eco start, twist free and Water Saving features. | गोटा | ७५०.०० | ७५०.०० | ७५०.०० |
| | Supplying of Hygiene Spray with hose and flexible pipe , complete as required, with easy clean, eco start, twist free and Water Saving features. | गोटा | २१२५.०० | २१२५.०० | २१२५.०० |
| | Supplying of Winston Wall Bib Tap (Cross Handle), Mcomplete as requiredwith easy clean, eco start, twist free and Water Saving features. | गोटा | २४८०.०० | २४८०.०० | २४८०.०० |
| | Supplying of High Speed automatic Hand Dryer, complete as required,ready for operation. | गोटा | ३७१७०.०० | ३७१७०.०० | ३७१७०.०० |
| | Supplying of Chrome plated Seva Toilet Paper Holder with Flap,complete as required, ready for operation. | गोटा | ३४००.०० | ३४००.०० | ३४००.०० |
| | Supplying of Chrome plated Seva Soap Dish, complete as required ready for operation. | गोटा | २८३०.०० | २८३०.०० | २८३०.०० |
| | Supplying of Chrome plated Seva Robe Hook complete as required, ready for operation | गोटा | २१२५.०० | २१२५.०० | २१२५.०० |
| | Supplying of Chrome plated Seva Towel Rod, complete as required, ready for operation. | गोटा | ३७००.०० | ३७००.०० | ३७००.०० |
| | Supplying of Chrome plated Seva Glass Holder,complete as required, ready for operation. | गोटा | २६२०.०० | २६२०.०० | २६२०.०० |
| | Supplying of Stainless Steel Grade 304 Foldable Swing type Grab bar size (580x220mm), OD: 32mm Make | गोटा | ८६००.०० | ८६००.०० | ८६००.०० |
| | Supplying of Wall Mounted liquid Soap Dispenser with all necessary accessories. | गोटा | ३०००.०० | ३०००.०० | ३०००.०० |
| | Supplying of Stainless Bucket (Container) 5ltrs with all necessary accessories and complete set. | गोटा | ५०००.०० | ५०००.०० | ५०००.०० |
| २१ | **Electric & Solar Geyser** | | | | |
| | i) 10 lit cap. electric water heater | गोटा | १०९१४.०० | १०९१४.०० | १०९१४.०० |
| | ii) 25 lit cap. electric water heater | गोटा | १६८२६.०० | १६८२६.०० | १६८२६.०० |
| | iii) 35 lit cap electric water heater | गोटा | २०९१९.०० | २०९१९.०० | २०९१९.०० |
| | iv) 50 lit cap electric water heater | गोटा | २५०११.०० | २५०११.०० | २५०११.०० |

# किचन र बाथरुममा प्रयोग हुने सामानहरु

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | iv) Gas water heater with cylinder | गोटा | ८२००.०० | ८२००.०० | ८२००.०० |
| | v) Supplying of 25lts. Electric water heater (Geyser) with built up check valve, pressure relief valve all complete set with testing and ready for operation. | गोटा | १५०००.०० | १५०००.०० | १५०००.०० |
| २२ | 15.0 Ltr wate heater including copper pipe connector with coupling and other necessary fittings complete American. | सेट | ११७७०.०० | ११७७०.०० | ११७७०.०० |

प्रमुख जिल्ला अधिकारी

# विभिन्न प्रकारका वाटर टेंक र पम्पहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मू.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| 1 | G.I. Water Tank (17 Gauge) | | | | |
| | 100 gls | गोटा | ८४७८.०० | ८४७८.०० | ८४७८.०० |
| | 200 gls | गोटा | १३१९२.०० | १३१९२.०० | १३१९२.०० |
| | 300 gls | गोटा | १६५९३.०० | १६५९३.०० | १६५९३.०० |
| | 400 gls | गोटा | १९९२१.०० | १९९२१.०० | १९९२१.०० |
| | 500 gls | गोटा | २३२५९.०० | २३२५९.०० | २३२५९.०० |
| 2 | Roof Top PVC Water Tank | | | | |
| | 200 lit – 5000 lit cap. | लीटर | १०.०० | १०.०० | १०.०० |
| | 5000 lit – 10,000 lit cap | लीटर | ११.०० | ११.०० | ११.०० |
| | Horizontal PVC water tank | लीटर | १२.०० | १२.०० | १२.०० |
| 3 | Stainless steel water tank with accessories | | | | |
| | Capacity 500 ltr | गोटा | १३११४.०० | १३११४.०० | १३११४.०० |
| | Capacity 1000 ltr | गोटा | १९३२३.०० | १९३२३.०० | १९३२३.०० |
| | Capacity 1500 ltr | गोटा | २९६८१.०० | २९६८१.०० | २९६८१.०० |
| | Capacity 2000 ltr | गोटा | ३५८९०.०० | ३५८९०.०० | ३५८९०.०० |
| | Capacity 3000 ltr | गोटा | ५३३२३.०० | ५३३२३.०० | ५३३२३.०० |
| | Capacity 4000 ltr | गोटा | ७११००.०० | ७११००.०० | ७११००.०० |
| | Capacity 5000 ltr | गोटा | ९३४३१.०० | ९३४३१.०० | ९३४३१.०० |
| | Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 300 Ltrs (Height: 56.5", Diameter: 25", Manhole Diameter: 16") | गोटा | ११७५२.०० | ११७५२.०० | ११७५२.०० |
| | Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 500 Ltrs (Height: 65.5", Diameter: 28.5", Manhole Diameter: 16") | गोटा | १५०८०.०० | १५०८०.०० | १५०८०.०० |
| | Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1000 Ltrs (Height: 69", Diameter: 38.5", Manhole Diameter: 16") | गोटा | २२८८०.०० | २२८८०.०० | २२८८०.०० |
| | Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 1500 Ltrs (Height: 73", Diameter: 48.5", Manhole Diameter: 16") | गोटा | ३४८४०.०० | ३४८४०.०० | ३४८४०.०० |
| | Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 2000 Ltrs (Height: 87", Diameter: 48.5", Manhole Diameter: 16") | गोटा | ४२६४०.०० | ४२६४०.०० | ४२६४०.०० |
| | Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 3000 Ltrs (Height: 90.5", Diameter: 63", Manhole Diameter: 22.5") | गोटा | ६९०१०.०० | ६९०१०.०० | ६९०१०.०० |
| | Stainless Steel (304) Vertical Tank (with stand & water-control switch) - 5000 Ltrs (Height: 126", Diameter: 63", Manhole Diameter: 22.5") | गोटा | १०६०८०.०० | १०६०८०.०० | १०६०८०.०० |
| | Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1000 Ltrs (Length: 58", Width: 41", Height: 51") | गोटा | २७०४०.०० | २७०४०.०० | २७०४०.०० |
| | Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 1500 Ltrs (Length: 62", Width: 51", Height: 61") | गोटा | ३९०००.०० | ३९०००.०० | ३९०००.०० |
| | Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 2000 Ltrs (Length: 77", Width: 51", Height: 61.5") | गोटा | ४७८४०.०० | ४७८४०.०० | ४७८४०.०० |

# विभिन्न प्रकारका वाटर टेंक र पम्पहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मू.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 3000 Ltrs (Length: 87", Width: 58", Height: 66") | गोटा | ७५१९०.०० | ७५१९०.०० | ७५१९०.०० |
| | Stainless Steel (304) Horizontal Tank (with stand & water-control switch) - 5000 Ltrs (Length: 114", Width: 65.5", Height: 74") | गोटा | ११६२८०.०० | ११६२८०.०० | ११६२८०.०० |
| | **Plastic Water Tank \| प्लास्टिक वाटर ट्यांक** | | | | |
| | LLDPE Plastic Tank - Extra Heavy - Black (100 Litres) | लीटर | १४.०० | १४.०० | १४.०० |
| | LLDPE Plastic Tank - N.S. Certified - Black (200 Litres) | लीटर | १४.०० | १४.०० | १४.०० |
| | LLDPE Plastic Tank - N.S. Certified - Black (300 Litres) | लीटर | १४.०० | १४.०० | १४.०० |
| | LLDPE Plastic Tank - N.S. Certified - Black (500 Litres) | लीटर | १३.०० | १३.०० | १३.०० |
| | LLDPE Plastic Tank - N.S. Certified - Black (750 Litres) | लीटर | १३.०० | १३.०० | १३.०० |
| | LLDPE Plastic Tank - N.S. Certified - Black (1000 Litres) | लीटर | १३.०० | १३.०० | १३.०० |
| | LLDPE Plastic Tank - Extra Heavy - Black (1500 Litres) | लीटर | १२.०० | १२.०० | १२.०० |
| | LLDPE Plastic Tank - Extra Heavy - Black (2000 Litres) | लीटर | १२.०० | १२.०० | १२.०० |
| | LLDPE Plastic Tank - Extra Heavy - Black (3000 Litres) | लीटर | १२.०० | १२.०० | १२.०० |
| | LLDPE Plastic Tank - Extra Heavy - Black (4000 Litres) | लीटर | १२.०० | १२.०० | १२.०० |
| | LLDPE Plastic Tank - Extra Heavy - Black (5000 Litres) | लीटर | १२.०० | १२.०० | १२.०० |
| | LLDPE Plastic Tank - Extra Heavy - Black (7500 Litres) | लीटर | १३.०० | १३.०० | १३.०० |
| | LLDPE Plastic Tank - Extra Heavy - Black (10000 Litres) | लीटर | १३.०० | १३.०० | १३.०० |
| | LLDPE Plastic Horizontal Shape Tank - Extra Heavy - Black (1000 Litres) | गोटा | १३०००.०० | १३०००.०० | १३०००.०० |
| | LLDPE Plastic Horizontal Underground Septic Tank - Extra Heavy - Black (1000 Litres) Brand: Hilltake | गोटा | १९२४०.०० | १९२४०.०० | १९२४०.०० |
| 11 | **Water Pumps/Hand Pumps** | | | | |
| | Indian Mark-III , Deep Well Hand Pump | गोटा | १२८५४.०० | १२८५४.०० | १२८५४.०० |
| | 6 No. hand pump | गोटा | १६६१.०० | १६६१.०० | १६६१.०० |
| | **Water Pump :** | | | | |
| | i) ½ H.P. Water Pump (Multi stage pump) | सेट | ११३२०.०० | ११३२०.०० | ११३२०.०० |
| | ii) ½ H.P. Water Pump mono block type | सेट | ६५७०.०० | ६५७०.०० | ६५७०.०० |
| | iii) 1.0 H.P. water pump Multistage | सेट | १४८२८.०० | १४८२८.०० | १४८२८.०० |
| | iv)1.0 H.P. water pump (mono block type) | सेट | ९९३८.०० | ९९३८.०० | ९९३८.०० |
| | v) 2.0 H.P. water pump | सेट | २३४९०.०० | २३४९०.०० | २३४९०.०० |
| | vi) 2.0 H.P.3 phase water pump | सेट | २४८००.०० | २४८००.०० | २४८००.०० |
| | vii) 5.0 HP 3 phase water pump | सेट | २९८०२.०० | २९८०२.०० | २९८०२.०० |

# विभिन्न प्रकारका वाटर टेंक र पम्पहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मू.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | **Jet Water Pump** | | | | |
| | i) 1.10 H.P. | सेट | २२४९५.०० | २२४९५.०० | २२४९५.०० |
| | ii) Double Stage jet 1.10 H.P. | सेट | २६९९४.०० | २६९९४.०० | २६९९४.०० |
| | ii) 1.5 H.P. | सेट | ३०३६९.०० | ३०३६९.०० | ३०३६९.०० |
| | **Super Sunction** | | | | |
| | i) 0.50 H.P | सेट | ९३६८.०० | ९३६८.०० | ९३६८.०० |
| | ii) 0.75 H.P. | सेट | ८७४४.०० | ८७४४.०० | ८७४४.०० |
| | iii) 1.0 H.P. | सेट | १४८४७.०० | १४८४७.०० | १४८४७.०० |
| | **Water Pump (Grundfoss, pentair, Pedrello or equiv)** | | | | |
| | 1.0 H.P. Single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank. | सेट | १८९३०.०० | १८९३०.०० | १८९३०.०० |
| | 2 H.P. single pump set single pump set with Boaster (Pressure Pump) with 25 lit. Pressure Tank. | सेट | ३०४०२.०० | ३०४०२.०० | ३०४०२.०० |
| | **Submersible Pump (Italian)** | | | | |
| | i) 1.0 H.P. | सेट | २७।३२.०० | २७।३२.०० | २७।३२.०० |
| | ii) 2.0 H.P. | सेट | ५०३३२.०० | ५०३३२.०० | ५०३३२.०० |
| | **Electric Water Pump (Chinese)** | | | | |
| | i) ½ H.P | सेट | १७८८.०० | १७८८.०० | १७८८.०० |
| | ii) ¾ H.P. | सेट | २३२९.०० | २३२९.०० | २३२९.०० |
| | iii) 1.0 H.P. | सेट | ३४३३.०० | ३४३३.०० | ३४३३.०० |
| | **Submersible Pump Indian** | | | | |
| | i) ½ H.P open well type | सेट | १७३२१.०० | १७३२१.०० | १७३२१.०० |
| | ii) 1.1 H.P open well type | सेट | २५३६३.०० | २५३६३.०० | २५३६३.०० |
| | iii) 1.5 H.P open well type | सेट | ३०९३०.०० | ३०९३०.०० | ३०९३०.०० |
| | **Vertical Submersible Pump Sarvo/Bimal or equivalent** | | | | |
| | i) 1.1 H.P | सेट | २८३४४.०० | २८३४४.०० | २८३४४.०० |
| | iii) 1.5 H.P | सेट | ३४२४९.०० | ३४२४९.०० | ३४२४९.०० |

प्रमुख जिल्ला अधिकारी

# साधारण हाते औजारहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| 1 | Adjustable spanner | | | | |
| | 10" | गोटा | २६५.०० | २६५.०० | २६५.०० |
| | 12" | गोटा | ५०१.०० | ५०१.०० | ५०१.०० |
| | 15" | गोटा | १४४३.०० | १४४३.०० | १४४३.०० |
| | 18" | गोटा | १७०८.०० | १७०८.०० | १७०८.०० |
| 2 | Blow Torch | | | | |
| | 1/2 pint | गोटा | १४९१.०० | १४९१.०० | १४९१.०० |
| | 1 pint | गोटा | १८३७.०० | १८३७.०० | १८३७.०० |
| 3 | Building Trowel | गोटा | ८२.०० | ८२.०० | ८२.०० |
| 4 | Chain Pipe wrench | | | | |
| | 50mm | गोटा | १७०८.०० | १७०८.०० | १७०८.०० |
| | 75mm | गोटा | २०३३.०० | २०३३.०० | २०३३.०० |
| | 100mm | गोटा | २३८६.०० | २३८६.०० | २३८६.०० |
| | 150mm | गोटा | ३३५८.०० | ३३५८.०० | ३३५८.०० |
| | 200mm | गोटा | ५७१४.०० | ५७१४.०० | ५७१४.०० |
| 5 | Chain Pulley in Ton | | | | |
| | 3 ton | गोटा | १८२६४.०० | १८२६४.०० | १८२६४.०० |
| | 5 ton | गोटा | ३०१६५.०० | ३०१६५.०० | ३०१६५.०० |
| 6 | Stone Chisel 1"x12" | गोटा | ३८३.०० | ३८३.०० | ३८३.०० |
| 7 | Die teeth oil with cane (250 ml size) | गोटा | २९४.०० | २९४.०० | २९४.०० |
| 8 | Smooth steel file half round | | | | |
| | 8" | गोटा | ५६०.०० | ५६०.०० | ५६०.०० |
| | 10" | गोटा | १०७२.०० | १०७२.०० | १०७२.०० |
| | Flat file 10" | गोटा | ५६०.०० | ५६०.०० | ५६०.०० |
| 9 | Hacksaw Blade | | | | |
| | Single | गोटा | ४.०० | ४.०० | ४.०० |
| | double | गोटा | ९.०० | ९.०० | ९.०० |
| 10 | Hacksaw Frame 6mm | गोटा | २००.०० | २००.०० | २००.०० |
| 11 | Handle die set | | | | |
| | 25 mm | गोटा | ३३२९.०० | ३३२९.०० | ३३२९.०० |
| | 50 mm | गोटा | ३७७१.०० | ३७७१.०० | ३७७१.०० |
| | 60 mm | गोटा | १००१६.०० | १००१६.०० | १००१६.०० |
| 12 | Heating Plate | | | | |
| | 80 mm | गोटा | १००१.०० | १००१.०० | १००१.०० |
| | 100 mm | गोटा | ११४९.०० | ११४९.०० | ११४९.०० |
| | 125 mm | गोटा | १४७२.०० | १४७२.०० | १४७२.०० |
| | 150 mm | गोटा | १७५५.०० | १७५५.०० | १७५५.०० |
| | 200 mm | गोटा | २८४०.०० | २८४०.०० | २८४०.०० |
| | 250 mm | गोटा | ३४४०.०० | ३४४०.०० | ३४४०.०० |
| | 300 mm | गोटा | ४०१८.०० | ४०१८.०० | ४०१८.०० |
| 13 | Iron Brush 12" | गोटा | ७६.०० | ७६.०० | ७६.०० |
| 14 | Iron Pan (madium) | गोटा | २७१.०० | २७१.०० | २७१.०० |
| 15 | Pick Axe 1.7 Kg. | गोटा | ४४८.०० | ४४८.०० | ४४८.०० |
| 16 | Pipe Cutter | | | | |
| | 15-50 mm | गोटा | २१२०.०० | २१२०.०० | २१२०.०० |
| | 65-80 mm | गोटा | ३२९८.०० | ३२९८.०० | ३२९८.०० |
| | 100 mm | गोटा | ५३०२.०० | ५३०२.०० | ५३०२.०० |

प्रमुख जिल्ला अधिकारी

# साधारण हाते औजारहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | 125 mm | गोटा | ५८९१.०० | ५८९१.०० | ५८९१.०० |
| | 150 mm | गोटा | १०४८७.०० | १०४८७.०० | १०४८७.०० |
| 17 | Pipe Jack Machine (Heavy) | गोटा | ३३५८२.०० | ३३५८२.०० | ३३५८२.०० |
| 18 | Pipe Vice | | | | |
| | 2" | गोटा | २५९२.०० | २५९२.०० | २५९२.०० |
| | 3" | गोटा | ३७७१.०० | ३७७१.०० | ३७७१.०० |
| | 4" | गोटा | ५६८५.०० | ५६८५.०० | ५६८५.०० |
| | 5" | गोटा | १०५४५.०० | १०५४५.०० | १०५४५.०० |
| 19 | Pipe Wrench | | | | |
| | 10" | गोटा | ३२९.०० | ३२९.०० | ३२९.०० |
| | 12" | गोटा | ६१२.०० | ६१२.०० | ६१२.०० |
| | 14" | गोटा | ७३०.०० | ७३०.०० | ७३०.०० |
| | 18" | गोटा | ११६१.०० | ११६१.०० | ११६१.०० |
| | 24" | गोटा | १६०२.०० | १६०२.०० | १६०२.०० |
| | 36" | गोटा | ५६५५.०० | ५६५५.०० | ५६५५.०० |
| | 48" | गोटा | १००१६.०० | १००१६.०० | १००१६.०० |
| 20 | Plumb Bob Line | गोटा | ९४.०० | ९४.०० | ९४.०० |
| 21 | Rachet Die Set | | | | |
| | 1/2"-1" | गोटा | ४४७७.०० | ४४७७.०० | ४४७७.०० |
| | 11/4" -2" | गोटा | ८३६५.०० | ८३६५.०० | ८३६५.०० |
| | 21/2"-3" | गोटा | १८२६४.०० | १८२६४.०० | १८२६४.०० |
| 22 | Round File 10" | गोटा | ३८३.०० | ३८३.०० | ३८३.०० |
| 23 | Screw Driver 12" | गोटा | २१२.०० | २१२.०० | २१२.०० |
| 24 | Shovel 1.5 Kg | गोटा | ३८३.०० | ३८३.०० | ३८३.०० |
| 25 | Slide wrench | | | | |
| | 10" | गोटा | ३७७.०० | ३७७.०० | ३७७.०० |
| | 12" | गोटा | ५०६.०० | ५०६.०० | ५०६.०० |
| | 15" | गोटा | १४७८.०० | १४७८.०० | १४७८.०० |
| 26 | Spade | गोटा | ४५९.०० | ४५९.०० | ४५९.०० |
| 27 | Spare Die Teeth | | | | |
| | 15 mm | गोटा | ६१२.०० | ६१२.०० | ६१२.०० |
| | 20 mm | गोटा | ६१२.०० | ६१२.०० | ६१२.०० |
| | 25 mm | गोटा | ६१२.०० | ६१२.०० | ६१२.०० |
| | 32 mm | गोटा | ९७२.०० | ९७२.०० | ९७२.०० |
| | 40 mm | गोटा | १६६१.०० | १६६१.०० | १६६१.०० |
| | 50 mm | गोटा | १६७९.०० | १६७९.०० | १६७९.०० |
| | 65 mm | गोटा | १९४३.०० | १९४३.०० | १९४३.०० |
| | 80 mm | गोटा | २१७९.०० | २१७९.०० | २१७९.०० |
| 28 | Telflon Cover | | | | |
| | 5'x5' | गोटा | ३२४.०० | ३२४.०० | ३२४.०० |
| | 7'x7' | गोटा | ४४२.०० | ४४२.०० | ४४२.०० |
| 29 | Telflon Cloth | र.मि | ३५६५.०० | ३५६५.०० | ३५६५.०० |
| 30 | Telflon Tape 10 mm | रोल | १८.०० | १८.०० | १८.०० |
| 31 | Thermochrome Crayon | | | | |
| | Indian | गोटा | ७९५.०० | ७९५.०० | ७९५.०० |
| 32 | Tool Box (14"x8"x22") | गोटा | २१८६.०० | २१८६.०० | २१८६.०० |

# RCC Ring and Boring Work

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| १ | **RCC Ring for well and Toilets** | | | | |
| | i) 28" dia. R.C.C. ring 20 cm ht ,5 cm thick | गोटा | ६४५.०० | ६४५.०० | ६४५.०० |
| | ii) 36" dia. R.C.C. ring 20 cm ht ,5 cm thick | गोटा | ८००.०० | ८००.०० | ८००.०० |
| | iii) 42" dia. R.C.C. ring 20 cm ht ,5 cm thick | गोटा | ९३०.०० | ९३०.०० | ९३०.०० |
| | iv) 48" dia. R.C.C. ring 20 cm ht ,5 cm thick | गोटा | १२३१.०० | १२३१.०० | १२३१.०० |
| २ | **RCC cover** | | | | |
| | i) 28" dia. 60m thick R.C.C. ring cover with metal frame | गोटा | १९५०.०० | १९५०.०० | १९५०.०० |
| | i) 36" dia. 60m thick R.C.C. ring cover with metal frame | गोटा | २५८३.०० | २५८३.०० | २५८३.०० |
| | i) 42" dia. 60m thick R.C.C. ring cover with metal frame | गोटा | २८३३.०० | २८३३.०० | २८३३.०० |
| | i) 48" dia. 60m thick R.C.C. ring cover with metal frame | गोटा | ३३८५.०० | ३३८५.०० | ३३८५.०० |
| ४ | **Drilling of tube well by DTH Method** | | | | |
| | Drilling of holecin all formation (6 inch) | मी. | ५९०४.०० | ५९०४.०० | ५९०४.०० |
| | Drilling of holecin all formation (8 inch) | मी. | ६९०६.०० | ६९०६.०० | ६९०६.०० |

प्रमुख जिल्ला अधिकारी

# Multilayer Composite Pipe

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| १ | Cold Water Pipe (White) | | | | |
| | 12-16 mm ½" | र.मि | १०६.०० | १०६.०० | १०६.०० |
| | 14-18 mm ½" | र.मि | ११६.०० | ११६.०० | ११६.०० |
| | 16-20 mm ½" | र.मि | १२४.०० | १२४.०० | १२४.०० |
| | 20-25 mm ¾" | र.मि | १८९.०० | १८९.०० | १८९.०० |
| | 26-32 mm 1" | र.मि | २९५.०० | २९५.०० | २९५.०० |
| | 32-40 mm 1¼" | र.मि | ४६८.०० | ४६८.०० | ४६८.०० |
| | 41-50 mm 1½" | र.मि | ६८५.०० | ६८५.०० | ६८५.०० |
| २ | Hot Water Pipe (Orange) | | | | |
| | 12-16 mm ½" | र.मि | ११६.०० | ११६.०० | ११६.०० |
| | 14-18 mm ½" | र.मि | १२९.०० | १२९.०० | १२९.०० |
| | 16-20 mm ½" | र.मि | १४८.०० | १४८.०० | १४८.०० |
| | 20-25 mm ¾" | र.मि | २१८.०० | २१८.०० | २१८.०० |
| | 26-32 mm 1" | र.मि | ३१७.०० | ३१७.०० | ३१७.०० |
| | 32-40 mm 1¼" | र.मि | ४८८.०० | ४८८.०० | ४८८.०० |
| ३ | Gas Lines Pipe (Yellow) | | | | |
| | 12-16 mm ½" | र.मि | ९१.०० | ९१.०० | ९१.०० |
| | 14-18 mm ½" | र.मि | ९१.०० | ९१.०० | ९१.०० |
| ४ | MULTILAYER COMPOSITE Fittings | | | | |
| | a. Equal Straight Union | | | | |
| | ½"ø (16mm ø) | गोटा | १३९.०० | १३९.०० | १३९.०० |
| | ½"ø (18mm ø) | गोटा | १४७.०० | १४७.०० | १४७.०० |
| | ½"ø (20mm ø) | गोटा | १६१.०० | १६१.०० | १६१.०० |
| | ¾" ø (25 mm ø) | गोटा | २३६.०० | २३६.०० | २३६.०० |
| | 1" ø (32 mm ø) | गोटा | ३६८.०० | ३६८.०० | ३६८.०० |
| | 1¼" ø (40 mm ø) | गोटा | १३६०.०० | १३६०.०० | १३६०.०० |
| | 1½" ø (50 mm ø) | गोटा | २०५५.०० | २०५५.०० | २०५५.०० |
| | b. Unequal Straight Union | | | | |
| | 25 - 16 mm ø | गोटा | २६४.०० | २६४.०० | २६४.०० |
| | 25 - 18 mm ø | गोटा | २७४.०० | २७४.०० | २७४.०० |
| | 25 - 20 mm ø | गोटा | २८८.०० | २८८.०० | २८८.०० |
| | 32 - 16 mm ø | गोटा | ३५४.०० | ३५४.०० | ३५४.०० |
| | 32 - 18 mm ø | गोटा | ३७३.०० | ३७३.०० | ३७३.०० |
| | 32 - 20 mm ø | गोटा | ४०२.०० | ४०२.०० | ४०२.०० |
| | 32 - 25 mm ø | गोटा | ४३०.०० | ४३०.०० | ४३०.०० |
| | 40 - 32 mm ø | गोटा | ११७७.०० | ११७७.०० | ११७७.०० |
| | 50 - 20 mm ø | गोटा | १७१५.०० | १७१५.०० | १७१५.०० |
| | 50 - 32 mm ø | गोटा | २०५५.०० | २०५५.०० | २०५५.०० |
| | 50 - 40 mm ø | गोटा | १९३७.०० | १९३७.०० | १९३७.०० |
| | c. Male Union | | | | |
| | 16mm x ½"M | गोटा | ९९.०० | ९९.०० | ९९.०० |
| | 18mm x ½"M | गोटा | ११५.०० | ११५.०० | ११५.०० |

प्रमुख जिल्ला अधिकारी

# Multilayer Composite Pipe

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 20mm x ½"M | गोटा | १३२.०० | १३२.०० | १३२.०० |
| | 25mm x ½"M | गोटा | १६०.०० | १६०.०० | १६०.०० |
| | 25mm x ¾"M | गोटा | २०३.०० | २०३.०० | २०३.०० |
| | 25mm x 1"M | गोटा | २६०.०० | २६०.०० | २६०.०० |
| | 32mm x ¾"M | गोटा | २९८.०० | २९८.०० | २९८.०० |
| | 32mm x 1"M | गोटा | ३२६.०० | ३२६.०० | ३२६.०० |
| | 32mm x 1½"M | गोटा | ३३०.०० | ३३०.०० | ३३०.०० |
| | 40mm x 1"M | गोटा | १०४४.०० | १०४४.०० | १०४४.०० |
| | 40mm x 1½"M | गोटा | १०८१.०० | १०८१.०० | १०८१.०० |
| | 50mm x 1"M | गोटा | १६४१.०० | १६४१.०० | १६४१.०० |
| | 50mm x 1¼"M | गोटा | १६६९.०० | १६६९.०० | १६६९.०० |
| | 50mm x 1½"M | गोटा | २२६८.०० | २२६८.०० | २२६८.०० |
| | 50mm x 2"M | गोटा | १७०४.०० | १७०४.०० | १७०४.०० |
| | d. Female Straight Union | | | | |
| | 16mm x ½"F | गोटा | १०९.०० | १०९.०० | १०९.०० |
| | 18mm x ½"F | गोटा | ११८.०० | ११८.०० | ११८.०० |
| | 20mm x ½"F | गोटा | १२८.०० | १२८.०० | १२८.०० |
| | 25mm x ½"F | गोटा | १७०.०० | १७०.०० | १७०.०० |
| | 25mm x ¾"F | गोटा | २०३.०० | २०३.०० | २०३.०० |
| | 25mm x 1"F | गोटा | २०७.०० | २०७.०० | २०७.०० |
| | 32mm x ½"F | गोटा | २१३.०० | २१३.०० | २१३.०० |
| | 32mm x ¾"F | गोटा | २१७.०० | २१७.०० | २१७.०० |
| | 32mm x 1"F | गोटा | ३०७.०० | ३०७.०० | ३०७.०० |
| | 40mm x 1½"F | गोटा | १२२६.०० | १२२६.०० | १२२६.०० |
| | 50mm x 1¼"F | गोटा | १६५३.०० | १६५३.०० | १६५३.०० |
| | 50mm x 1½"F | गोटा | २२६८.०० | २२६८.०० | २२६८.०० |
| | 50mm x 2"F | गोटा | १७१९.०० | १७१९.०० | १७१९.०० |
| | e. Equal Elbow | | | | |
| | ½"ø (16mm ø) | गोटा | १३२.०० | १३२.०० | १३२.०० |
| | ½"ø (18mm ø) | गोटा | १६०.०० | १६०.०० | १६०.०० |
| | ½"ø (20mm ø) | गोटा | २१७.०० | २१७.०० | २१७.०० |
| | ¾" ø (25 mm ø) | गोटा | ३३०.०० | ३३०.०० | ३३०.०० |
| | 1" ø (32 mm ø) | गोटा | ५३४.०० | ५३४.०० | ५३४.०० |
| | 1¼" ø (40 mm ø) | गोटा | १७३८.०० | १७३८.०० | १७३८.०० |
| | 1½" ø (50 mm ø) | गोटा | २६९३.०० | २६९३.०० | २६९३.०० |
| | f. Unequal Elbow | | | | |
| | 40 - 32 mm ø | गोटा | १९२७.०० | १९२७.०० | १९२७.०० |
| | 50 - 20 mm ø | गोटा | २२२०.०० | २२२०.०० | २२२०.०० |
| | 50 - 40 mm ø | गोटा | २२६३.०० | २२६३.०० | २२६३.०० |
| | g. Female Elbow | | | | |
| | 16mm x ½"F | गोटा | १७५.०० | १७५.०० | १७५.०० |
| | 18mm x ½"F | गोटा | १९४.०० | १९४.०० | १९४.०० |
| | 20mm x ½"F | गोटा | २१३.०० | २१३.०० | २१३.०० |
| | 25mm x ½"F | गोटा | २३६.०० | २३६.०० | २३६.०० |

# Multilayer Composite Pipe

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 25mm x ¾"F | गोटा | २९२.०० | २९२.०० | २९२.०० |
| | 25mm x 1"F | गोटा | ३२१.०० | ३२१.०० | ३२१.०० |
| | 32mm x ¾"F | गोटा | ३४५.०० | ३४५.०० | ३४५.०० |
| | 32mm x 1"F | गोटा | ४३०.०० | ४३०.०० | ४३०.०० |
| | 50mm x 1¼"F | गोटा | २२२०.०० | २२२०.०० | २२२०.०० |
| | h. Male Elbow | | | | |
| | 25mm x ¾"M | गोटा | २३६.०० | २३६.०० | २३६.०० |
| | 25mm x 1"M | गोटा | ३०७.०० | ३०७.०० | ३०७.०० |
| | 32mm x ¾"M | गोटा | २३२.०० | २३२.०० | २३२.०० |
| | 32mm x 1"M | गोटा | ३९२.०० | ३९२.०० | ३९२.०० |
| | 40mm x 1"M | गोटा | १२७५.०० | १२७५.०० | १२७५.०० |
| | 50mm x 1"M | गोटा | १८१८.०० | १८१८.०० | १८१८.०० |
| | i. Equal Tee | | ०.०० | | |
| | ½"ø (16mm ø) | गोटा | २३६.०० | २३६.०० | २३६.०० |
| | ½"ø (18mm ø) | गोटा | २६४.०० | २६४.०० | २६४.०० |
| | ½"ø (20mm ø) | गोटा | ३३०.०० | ३३०.०० | ३३०.०० |
| | ¾" ø (25 mm ø) | गोटा | ४७७.०० | ४७७.०० | ४७७.०० |
| | 1" ø (32 mm ø) | गोटा | ७४६.०० | ७४६.०० | ७४६.०० |
| | 1¼" ø (40 mm ø) | गोटा | २७९०.०० | २७९०.०० | २७९०.०० |
| | 1½" ø (50 mm ø) | गोटा | ४०७८.०० | ४०७८.०० | ४०७८.०० |
| | j. Unequal Tee | | | | |
| | 20 mm x 16 mm x 20 mm | गोटा | २१३.०० | २१३.०० | २१३.०० |
| | 20 mm x 18 mm x 20 mm | गोटा | २३६.०० | २३६.०० | २३६.०० |
| | 25 mm x 16 mm x 25 mm | गोटा | ३५४.०० | ३५४.०० | ३५४.०० |
| | 25 mm x 18 mm x 25 mm | गोटा | ४०२.०० | ४०२.०० | ४०२.०० |
| | 25 mm x 20 mm x 25 mm | गोटा | ४१५.०० | ४१५.०० | ४१५.०० |
| | 32 mm x 16 mm x 32 mm | गोटा | ६८५.०० | ६८५.०० | ६८५.०० |
| | 32 mm x 18 mm x 32 mm | गोटा | ७०८.०० | ७०८.०० | ७०८.०० |
| | 32 mm x 20 mm x 32 mm | गोटा | ७३७.०० | ७३७.०० | ७३७.०० |
| | 32 mm x 25 mm x 32 mm | गोटा | ७५६.०० | ७५६.०० | ७५६.०० |
| | 40 mm x 32 mm x 32 mm | गोटा | २०६५.०० | २०६५.०० | २०६५.०० |
| | 40 mm x 32 mm x 40 mm | गोटा | २३९१.०० | २३९१.०० | २३९१.०० |
| | 50 mm x 20 mm x 50 mm | गोटा | ३२६०.०० | ३२६०.०० | ३२६०.०० |
| | 50 mm x 32 mm x 32 mm | गोटा | २१४९.०० | २१४९.०० | २१४९.०० |
| | 50 mm x 32 mm x 50 mm | गोटा | ३२९३.०० | ३२९३.०० | ३२९३.०० |
| | 50 mm x 40 mm x 40 mm | गोटा | ३३०४.०० | ३३०४.०० | ३३०४.०० |
| | 50 mm x 40 mm x 50 mm | गोटा | ३७३४.०० | ३७३४.०० | ३७३४.०० |
| | k. Female Tee | | | | |
| | 16mm x ½"F x 16mm | गोटा | २३६.०० | २३६.०० | २३६.०० |
| | 18mm x ½"F x 18mm | गोटा | २४५.०० | २४५.०० | २४५.०० |
| | 20mm x ½"F x 20mm | गोटा | २६४.०० | २६४.०० | २६४.०० |
| | 25mm x ½"F x 25mm | गोटा | २४८.०० | २४८.०० | २४८.०० |

प्रमुख जिल्ला अधिकारी

# Multilayer Composite Pipe

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 25mm x ¾"F x 25mm | गोटा | २७४.०० | २७४.०० | २७४.०० |
| | 25mm x 1"F x 25mm | गोटा | ३५४.०० | ३५४.०० | ३५४.०० |
| | 32mm x ½"F x 32mm | गोटा | ३८३.०० | ३८३.०० | ३८३.०० |
| | 32mm x ¾"F x 32mm | गोटा | ३९२.०० | ३९२.०० | ३९२.०० |
| | 32mm x 1"F x 32mm | गोटा | ५३२.०० | ५३२.०० | ५३२.०० |
| | 40mm x ¾"F x 32mm | गोटा | १५७०.०० | १५७०.०० | १५७०.०० |
| | 50mm x ¾"F x 40mm | गोटा | २३२९.०० | २३२९.०० | २३२९.०० |
| | **l. Equal Ball Valve Union** | | | | |
| | ½"ø (16mm ø) | गोटा | २७५.०० | २७५.०० | २७५.०० |
| | ½"ø (18mm ø) | गोटा | ३०५.०० | ३०५.०० | ३०५.०० |
| | ½"ø (20mm ø) | गोटा | ४०२.०० | ४०२.०० | ४०२.०० |
| | ¾" ø (25 mm ø) | गोटा | ६६६.०० | ६६६.०० | ६६६.०० |
| | 1" ø (32 mm ø) | गोटा | ९२६.०० | ९२६.०० | ९२६.०० |
| | 1¼" ø (40 mm ø) | गोटा | ३०२६.०० | ३०२६.०० | ३०२६.०० |
| | 1½" ø (50 mm ø) | गोटा | ४३६६.०० | ४३६६.०० | ४३६६.०० |
| | m. Female Ball Valve Union | | | | |
| | 16mm x ½"F | गोटा | २५६.०० | २५६.०० | २५६.०० |
| | 18mm x ½"F | गोटा | २९४.०० | २९४.०० | २९४.०० |
| | 20mm x ½"F | गोटा | ३२८.०० | ३२८.०० | ३२८.०० |
| | 20mm x ¾"F | गोटा | ३६८.०० | ३६८.०० | ३६८.०० |
| | 25mm x ¾"F | गोटा | ६८५.०० | ६८५.०० | ६८५.०० |
| | 25mm x 1"F | गोटा | ६९९.०० | ६९९.०० | ६९९.०० |
| | 32mm x 1"F | गोटा | ७३७.०० | ७३७.०० | ७३७.०० |
| | n. Plug | | | | |
| | 1¼" ø (40 mm ø) | गोटा | १५१२.०० | १५१२.०० | १५१२.०० |
| | 1½" ø (50 mm ø) | गोटा | २०७९.०० | २०७९.०० | २०७९.०० |
| | p. Wall Plated Female Elbow | | | | |
| | 16mm x ½"F | गोटा | १९८.०० | १९८.०० | १९८.०० |
| | 18mm x ½"F | गोटा | २१७.०० | २१७.०० | २१७.०० |
| | 20mm x ½"F | गोटा | २३६.०० | २३६.०० | २३६.०० |
| | **Nipple** | | | | |
| | N 1/2F*1/2F | गोटा | ५१.०० | ५१.०० | ५१.०० |
| | N 1/2M*1/2M | गोटा | ५१.०० | ५१.०० | ५१.०० |
| | N 3/4F*1/2F | गोटा | ७१.०० | ७१.०० | ७१.०० |
| | N 1F*1/2F | गोटा | ८०.०० | ८०.०० | ८०.०० |
| | N 1F*3/4F | गोटा | ९१.०० | ९१.०० | ९१.०० |
| | N 3/4M*1/2M | गोटा | ७१.०० | ७१.०० | ७१.०० |
| | N 1M*1/2M | गोटा | ८०.०० | ८०.०० | ८०.०० |
| | N 1M*3/4M | गोटा | ९१.०० | ९१.०० | ९१.०० |
| | N 1/2F*1/2M | गोटा | ६१.०० | ६१.०० | ६१.०० |
| | N 1/2F*3/4M | गोटा | ७१.०० | ७१.०० | ७१.०० |
| | N 1/2F*1M | गोटा | ११२.०० | ११२.०० | ११२.०० |
| | N 1/2M*3/4F | गोटा | ७१.०० | ७१.०० | ७१.०० |

प्रमुख जिल्ला अधिकारी

## Multilayer Composite Pipe

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | N 1/2M*1F | गोटा | ११७.०० | ११७.०० | ११७.०० |
| | N 3/4F*3/4M | गोटा | ९९.०० | ९१.०० | ९१.०० |
| | N 3/4F*1M | गोटा | १०० ०० | १००.०० | १००.०० |
| | N 3/4M*1F | गोटा | १३३.०० | १३३.०० | १३३.०० |

प्रमुख जिल्ला अधिकारी

# Rainwater Collection System

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| १ | **140 mm Dia.** | | | | |
| | ROOF WATER PIPES (HALF ROUND)<br>To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length. | र.मि | १६६.०० | १६६.०० | १६६.०० |
| | JOINT BRACKET<br>To connect two lengths of roof water | गोटा | २६९.०० | २६९.०० | २६९.०० |
| | RUNNING OUTLET<br>To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe. | गोटा | ३६९.०० | ३६९.०० | ३६९.०० |
| | 90° ELBOW (without outlet)<br>To change the direction of roof water pipe line through 90°, normally at the corners. | गोटा | ४५३.०० | ४५३.०० | ४५३.०० |
| | 90° ELBOW (with outlet)<br>To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe. | गोटा | ४५३.०० | ४५३.०० | ४५३.०० |
| | SHORT STOP END<br>To close the end of roof water pipe line. | गोटा | ९९.०० | ९९.०० | ९९.०० |
| | STOP END OUTLET<br>To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe. | गोटा | ३२०.०० | ३२०.०० | ३२०.०० |
| | SUPPORT BRACKET<br>To support pipes and fittings wherever necessary and strengthen the roof water pipe line. | गोटा | ८०.०० | ८०.०० | ८०.०० |
| | TOP BRACKET<br>To locate the support bracket and rafter bracket together and ensure proper connection between them. | गोटा | ५२.०० | ५२.०० | ५२.०० |
| | CLAMP<br>To ensure perfect fixing between pipe and fittings. | गोटा | ३३.०० | ३३.०० | ३३.०० |
| | RAFTER BRACKETS (TOP/SIDE)<br>To support the complete roof water pipe line with rafters. Available for top and side supports. | गोटा | ८०.०० | ८०.०० | ८०.०० |
| | RUBBER GASKET<br>To provide leak proof joints. | गोटा | ३१.०० | ३१.०० | ३१.०० |
| २ | **75 mm dia.** | | ०.०० | | |
| | PIPE CLIP<br>To provide support and ensure proper fixing of down line pipe on the wall. | गोटा | ६६.०० | ६६.०० | ६६.०० |
| | RUBBER SEALS<br>To ensure, leak proof joint of single socket elbow. | गोटा | ३९.०० | ३९.०० | ३९.०० |
| | SINGLE SOCKET ELBOW<br>To join the roof water outlet with down line pipe. | गोटा | १३२.०० | १३२.०० | १३२.०० |
| | 180 mm dia. | | ०.०० | | |
| | ROOF WATER PIPES (HALF ROUND)<br>To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length. | गोटा | ३१७.०० | ३१७.०० | ३१७.०० |
| | JOINT BRACKET<br>To connect two lengths of roof water | गोटा | ३७५.०० | ३७५.०० | ३७५.०० |
| | RUNNING OUTLET<br>To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe. | गोटा | ५४३.०० | ५४३.०० | ५४३.०० |
| | 90° ELBOW (without outlet)<br>To change the direction of roof water pipe line through 90°, normally at the corners. | गोटा | ६२१.०० | ६२१.०० | ६२१.०० |
| | 90° ELBOW (with outlet)<br>To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe. | गोटा | ६२१.०० | ६२१.०० | ६२१.०० |

प्रमुख जिल्ला अधिकारी

# Rainwater Collection System

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | SHORT STOP END<br>To close the end of roof water pipe line. | गोटा | १४७.०० | १४७.०० | १४७.०० |
| | STOP END OUTLET<br>To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe. | गोटा | ४४५.०० | ४४५.०० | ४४५.०० |
| | SUPPORT BRACKET<br>To support pipes and fittings wherever necessary and strengthen the roof water pipe line. | गोटा | ११३.०० | ११३.०० | ११३.०० |
| | TOP BRACKET<br>To locate the support bracket and rafter bracket together and ensure proper connection between them. | गोटा | ९५.०० | ९५.०० | ९५.०० |
| | CLAMP<br>To ensure perfect fixing between pipe and fittings. | गोटा | ५३.०० | ५३.०० | ५३.०० |
| | RAFTER BRACKETS (TOP/SIDE)<br>To support the complete roof water pipe line with rafters. Available for top and side supports. | गोटा | ११५.०० | ११५.०० | ११५.०० |
| | RUBBER GASKET<br>To provide leak proof joints. | गोटा | ४३.०० | ४३.०० | ४३.०० |
| ३ | **110 mm dia.** | | | | |
| | PIPE CLIP<br>To provide support and ensure proper fixing of down line pipe on the wall. | गोटा | ७१.०० | ७१.०० | ७१.०० |
| | RUBBER SEALS<br>To ensure, leak proof joint of single socket elbow. | गोटा | ४६.०० | ४६.०० | ४६.०० |
| | SINGLE SOCKET ELBOW<br>To join the roof water outlet with down line pipe. | गोटा | २५५.०० | २५५.०० | २५५.०० |
| ४ | **250 mm dia.** | | ०.०० | | |
| | ROOF WATER PIPES (HALF ROUND)<br>To collect the water from the roof and convey to the down line pipes. Available in 3 mtrs. Length. | गोटा | ६१४.०० | ६१४.०० | ६१४.०० |
| | JOINT BRACKET<br>To connect two lengths of roof water | गोटा | ६४४.०० | ६४४.०० | ६४४.०० |
| | RUNNING OUTLET<br>To provide an outlet for water anywhere along the length of roof water pipe line which is connected to the down line pipe. | गोटा | १०१३.०० | १०१३.०० | १०१३.०० |
| | 90° ELBOW (without outlet)<br>To change the direction of roof water pipe line through 90°, normally at the corners. | गोटा | १४५६.०० | १४५६.०० | १४५६.०० |
| | 90° ELBOW (with outlet)<br>To change the direction of roof water pipe line through 90°, and also provide an outlet for water which is connected with down line pipe. | गोटा | १४५६.०० | १४५६.०० | १४५६.०० |
| | SHORT STOP END<br>To close the end of roof water pipe line. | गोटा | ३१७.०० | ३१७.०० | ३१७.०० |
| | STOP END OUTLET<br>To close the end of the roof water pipe line and also provide an outlet for water, which is connected to the down line pipe. | गोटा | ८४२.०० | ८४२.०० | ८४२.०० |
| | SUPPORT BRACKET<br>To support pipes and fittings wherever necessary and strengthen the roof water pipe line. | गोटा | ३१५.०० | ३१५.०० | ३१५.०० |
| | TOP BRACKET<br>To locate the support bracket and rafter bracket together and ensure proper connection between them. | गोटा | १७२.०० | १७२.०० | १७२.०० |
| | CLAMP<br>To ensure perfect fixing between pipe and fittings. | गोटा | १२८.०० | १२८.०० | १२८.०० |
| | RAFTER BRACKETS (TOP/SIDE)<br>To support the complete roof water pipe line with rafters. Available for top and side supports. | गोटा | ३३३.०० | ३३३.०० | ३३३.०० |

प्रमुख जिल्ला अधिकारी

# Rainwater Collection System

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | RUBBER GASKET<br>To provide leak proof joints. | गोटा | १७४.०० | १७४.०० | १७४.०० |
| ५ | **160 mm dia.** | | ०.०० | | |
| | PIPE CLIP<br>To provide support and ensure proper fixing of down line pipe on the wall. | गोटा | ८६.०० | ८६.०० | ८६.०० |
| | RUBBER SEALS<br>To ensure, leak proof joint of single socket elbow. | गोटा | २००.०० | २००.०० | २००.०० |
| | SINGLE SOCKET ELBOW<br>To join the roof water outlet with down line pipe. | गोटा | ४५८.०० | ४५८.०० | ४५८.०० |
| | ASTRAL "DWV" UPVC DRAIN, WASTE & VENT SYSTEM and Ashirvad SWR Systems | | | | |
| | ASTRAL DWV FOAM CORE PIPING SYSTEM (ABOVE GROUND) GREY | | | | |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 75mm | र.मि | २५९.०० | २५९.०० | २५९.०० |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8 | र.मि | ४५९.०० | ४५९.०० | ४५९.०० |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4 | र.मि | २७५.०० | २७५.०० | २७५.०० |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8 | र.मि | ४९३.०० | ४९३.०० | ४९३.०० |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 110mm | र.मि | ४६९.०० | ४६९.०० | ४६९.०० |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-8 | र.मि | ७०६.०० | ७०६.०० | ७०६.०० |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4 | र.मि | ४९६.०० | ४९६.०० | ४९६.०० |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-8 | र.मि | ७३०.०० | ७३०.०० | ७३०.०० |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-2 160 mm dia | र.मि | १००६.०० | १००६.०० | १००६.०० |
| | FOAMCORE Single Socket (R/R) (Grey Color) 3mtrs length SN-4 | र.मि | १२५५.०० | १२५५.०० | १२५५.०० |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-2 | र.मि | १०७३.०० | १०७३.०० | १०७३.०० |
| | FOAMCORE Double Socket (R/R) (Grey Color) 3mtrs length SN-4 | र.मि | १४१७.०० | १४१७.०० | १४१७.०० |
| | ASTRAL DWV AND ASHIRVAD SWR FITTINGS (ABOVE GROUND) GREY | | | | |
| | DWV Bend 45 Degree 75 mm size | गोटा | १४७.०० | १४७.०० | १४७.०० |
| | DWV Bend 87.5 Degree | गोटा | १८५.०० | १८५.०० | १८५.०० |
| | DWV Bend 87.5 Degree with Door | गोटा | ८५.०० | ८५.०० | ८५.०० |
| | DWV Socket Plug | गोटा | ११८.०० | ११८.०० | ११८.०० |
| | DWV Cleansing Pipe | गोटा | ११९.०० | ११९.०० | ११९.०० |
| | DWV Coupler | गोटा | २१२.०० | २१२.०० | २१२.०० |
| | DWV Single Tee | गोटा | २३३.०० | २३३.०० | २३३.०० |
| | DWV Single Tee with Door | गोटा | ३६६.०० | ३६६.०० | ३६६.०० |
| | DWV Cross Tee | गोटा | ५१५.०० | ५१५.०० | ५१५.०० |
| | DWV Cross Tee with Door | गोटा | ३७९.०० | ३७९.०० | ३७९.०० |
| | DWV Double 'Y' | गोटा | ५०५.०० | ५०५.०० | ५०५.०० |
| | DWV Double 'Y' with Door | गोटा | २३७.०० | २३७.०० | २३७.०० |
| | DWV Single 'Y' | गोटा | ३०२.०० | ३०२.०० | ३०२.०० |
| | DWV Single 'Y' with Door | गोटा | १२.०० | १२.०० | १२.०० |
| | DWV Pipe Clip | गोटा | २६.०० | २६.०० | २६.०० |

# Rainwater Collection System

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | DWV Vent Cowel | गोटा | २४१.०० | २४१.०० | २४१.०० |
| | DWV Bend 45 Degree 110mm size | गोटा | २९६.०० | २९६.०० | २९६.०० |
| | DWV Bend 87.5 Degree | गोटा | ३३९.०० | ३३९.०० | ३३९.०० |
| | DWV Bend 87.5 Degree with Door | गोटा | १०८.०० | १०८.०० | १०८.०० |
| | DWV Socket Plug | गोटा | ३८८.०० | ३८८.०० | ३८८.०० |
| | DWV Cleansing Pipe | गोटा | २१६.०० | २१६.०० | २१६.०० |
| | DWV Coupler | गोटा | ७१८.०० | ७१८.०० | ७१८.०० |
| | DWV Double 'Y' | गोटा | ८४८.०० | ८४८.०० | ८४८.०० |
| | DWV Double 'Y' with Door | गोटा | ५९४.०० | ५९४.०० | ५९४.०० |
| | DWV Cross Tee | गोटा | ६७४.०० | ६७४.०० | ६७४.०० |
| | DWV Cross Tee with Door | गोटा | ३८८.०० | ३८८.०० | ३८८.०० |
| | DWV Single Tee | गोटा | ४५८.०० | ४५८.०० | ४५८.०० |
| | DWV Single Tee with Door | गोटा | ४७५.०० | ४७५.०० | ४७५.०० |
| | DWV Single 'Y' | गोटा | ४९८.०० | ४९८.०० | ४९८.०० |
| | DWV Single 'Y' with Door | गोटा | ४९.०० | ४९.०० | ४९.०० |
| | DWV Vent Cowel | गोटा | १६९.०० | १६९.०० | १६९.०० |
| | DWV Reducer 110*75 mm | गोटा | ३७.०० | ३७.०० | ३७.०० |
| | DWV Pipe Clip 110mm size | गोटा | ४५७.०० | ४५७.०० | ४५७.०० |
| | DWV W.C. Connectore (Straight type) | गोटा | ३६५.०० | ३६५.०० | ३६५.०० |
| | DWV W.C. Connectore (Bend type) | गोटा | १८२.०० | १८२.०० | १८२.०० |
| | DWV Nahani Trap - 3" Height without Jali75 mm | गोटा | २५.०० | २५.०० | २५.०० |
| | DWV Nahani Trap Jali | गोटा | ५६५.०० | ५६५.०० | ५६५.०० |
| | DWV P-Trap with Leap Ring 10*110 mm | गोटा | ८११.०० | ८११.०० | ८११.०० |
| | DWV P-Trap with Leap Ring 25*110 mm | गोटा | २४३.०० | २४३.०० | २४३.०० |
| | DWV Multi Floor Trap 4" w/o Jali 75 mm | गोटा | ४९३.०० | ४९३.०० | ४९३.०० |
| | DWV Reducer 60*110 mm | गोटा | ४७१.०० | ४७१.०० | ४७१.०० |
| | DWV Coupler 160mm size | गोटा | ११३०.०० | ११३०.०० | ११३०.०० |
| | DWV Single Tee | गोटा | १२१४.०० | १२१४.०० | १२१४.०० |
| | DWV Single Tee with Door | गोटा | २११६.०० | २११६.०० | २११६.०० |
| | DWV Single 'Y' | गोटा | २२२३.०० | २२२३.०० | २२२३.०० |
| | DWV Single 'Y' with Door | गोटा | ७७९.०० | ७७९.०० | ७७९.०० |
| | DWV Bend 87.5 Degree | गोटा | १०३७.०० | १०३७.०० | १०३७.०० |
| | DWV Bend 87.5 Degree with Door | गोटा | ९०७.०० | ९०७.०० | ९०७.०० |
| ६ | **FOAMCORE PIPING SYSTEMS (UNDER GROUND) GOLDEN BROWN COLOR** | | | | |
| | FOAMCORE Plain Both End (3mtrs length) SN-8 110 mm | र मि | ६१३.०० | ६१३.०० | ६१३.०० |
| | FOAMCORE Single Socket (R/R) (3mtrs length) SN-8 | र मि | ६३६.०० | ६३६.०० | ६३६.०० |
| | FOAMCORE Double Socket (R/R) (3mtrs length) SN-8 | र मि | ६६१.०० | ६६१.०० | ६६१.०० |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-8 | र मि | ६२२.०० | ६२२.०० | ६२२.०० |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-8 | र मि | ६३४.०० | ६३४.०० | ६३४.०० |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 160 mm | र मि | ११३१.०० | ११३१.०० | ११३१.०० |
| | FOAMCORE Single Socket (R/R) (3mtrs length) SN-4 | र मि | ११७६.०० | ११७६.०० | ११७६.०० |
| | FOAMCORE Double Socket (R/R) (3mtrs length) SN-4 | र मि | १२२१.०० | १२२१.०० | १२२१.०० |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | र मि | ११५०.०० | ११५०.०० | ११५०.०० |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | र मि | ११७१.०० | ११७१.०० | ११७१.०० |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 200 mm | र मि | १७७२.०० | १७७२.०० | १७७२.०० |

# Rainwater Collection System

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क ग्राहकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व.०८०।८१ | आ.व.०८१।८२ | आ.व.०८२।८३ |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | र.मि | १८०३.०० | १८०३.०० | १८०३.०० |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | र.मि | १८३३.०० | १८३३.०० | १८३३.०० |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 | र.मि | २९४१.०० | २९४१.०० | २९४१.०० |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | र.मि | २९९१.०० | २९९१.०० | २९९१.०० |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | र.मि | ३०४३.०० | ३०४३.०० | ३०४३.०० |
| | FOAMCORE Plain Both End (3mtrs length) SN-2 315 mm | र.मि | ३८९४.०० | ३८९४.०० | ३८९४.०० |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-2 | र.मि | ३९६१.०० | ३९६१.०० | ३९६१.०० |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-2 | र.मि | ४०२९.०० | ४०२९.०० | ४०२९.०० |
| | FOAMCORE Plain Both End (3mtrs length) SN-4 | र.मि | ४८१२.०० | ४८१२.०० | ४८१२.०० |
| | FOAMCORE Single Socket Self Fit (3mtrs length) SN-4 | र.मि | ४८९६.०० | ४८९६.०० | ४८९६.०० |
| | FOAMCORE Double Socket Self Fit (3mtrs length) SN-4 | र.मि | ४९८०.०० | ४९८०.०० | ४९८०.०० |
| | FOAMCORE Plain Both End (6mtrs length) SN-8 | र.मि | ६१२.०० | ६१२.०० | ६१२.०० |
| | FOAMCORE Single Socket (R/R) (6mtrs length) SN-8 | र.मि | ६२७.०० | ६२७.०० | ६२७.०० |
| | FOAMCORE Double Socket (R/R) (6mtrs length) SN-8 | र.मि | ६४३.०० | ६४३.०० | ६४३.०० |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-8 | र.मि | ६२३.०० | ६२३.०० | ६२३.०० |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-8 | र.मि | ६३५.०० | ६३५.०० | ६३५.०० |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | र.मि | ११३०.०० | ११३०.०० | ११३०.०० |
| | FOAMCORE Single Socket (R/R) (6mtrs length) SN-4 | र.मि | ११६४.०० | ११६४.०० | ११६४.०० |
| | FOAMCORE Double Socket (R/R) (6mtrs length) SN-4 | र.मि | ११९५.०० | ११९५.०० | ११९५.०० |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | र.मि | ११५१.०० | ११५१.०० | ११५१.०० |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | र.मि | ११७१.०० | ११७१.०० | ११७१.०० |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | र.मि | १७७२.०० | १७७२.०० | १७७२.०० |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | र.मि | १८०३.०० | १८०३.०० | १८०३.०० |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | र.मि | १८३४.०० | १८३४.०० | १८३४.०० |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | र.मि | २९४१.०० | २९४१.०० | २९४१.०० |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | र.मि | २९९१.०० | २९९१.०० | २९९१.०० |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | र.मि | ३०४२.०० | ३०४२.०० | ३०४२.०० |
| | FOAMCORE Plain Both End (6mtrs length) SN-2 | र.मि | ३८९४.०० | ३८९४.०० | ३८९४.०० |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-2 | र.मि | ३९६१.०० | ३९६१.०० | ३९६१.०० |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-2 | र.मि | ४०२९.०० | ४०२९.०० | ४०२९.०० |
| | FOAMCORE Plain Both End (6mtrs length) SN-4 | र.मि | ४८१२.०० | ४८१२.०० | ४८१२.०० |
| | FOAMCORE Single Socket Self Fit (6mtrs length) SN-4 | र.मि | ४८९६.०० | ४८९६.०० | ४८९६.०० |
| | FOAMCORE Double Socket Self Fit (6mtrs length) SN-4 | र.मि | ४९८०.०० | ४९८०.०० | ४९८०.०० |
| | DWV Coupler SN-8 110mm | गोटा | ३०८.०० | ३०८.०० | ३०८.०० |
| | DWV Coupler SN-4 160 mm | गोटा | ७४३.०० | ७४३.०० | ७४३.०० |
| | DWV Coupler SN-4 200 mm | गोटा | १५१९.०० | १५१९.०० | १५१९.०० |
| | DWV Coupler SN-4 250 mm | गोटा | २८३१.०० | २८३१.०० | २८३१.०० |
| | DWV Coupler SN-2 315mm | गोटा | ४५५४.०० | ४५५४.०० | ४५५४.०० |
| | DWV Coupler SN-4 315 mm | गोटा | ४९७२.०० | ४९७२.०० | ४९७२.०० |
| | DWV Long Radius Bend - 90 Degree SN-8 110mm | गोटा | १०५१.०० | १०५१.०० | १०५१.०० |
| | DWV Long Radius Bend - 90 Degree SN-4 160 mm | गोटा | २९२६.०० | २९२६.०० | २९२६.०० |
| | DWV Long Radius Bend - 90 Degree SN-4 200mm | गोटा | ५४६५.०० | ५४६५.०० | ५४६५.०० |
| | DWV Long Radius Bend - 90 Degree SN-4 250 mm | गोटा | १२२५१.०० | १२२५१.०० | १२२५१.०० |
| | DWV Long Radius Bend - 90 Degree SN-4 315 mm | गोटा | २९०९०.०० | २९०९०.०० | २९०९०.०० |

प्रमुख जिल्ला अधिकारी

# सिचाई संवन्धि कार्य

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| १ | Supply flexible.kink resistant pressure compensating inline tubing and resistance to UV damage and algae growth brown in colour with discharge 0.9GPH XF series pressure rating 0.58 to 4.1 bar wall thickness 1.2mm | मिटर | १५७.०० | १५७.०० | १५७.०० |
| २ | Supplyof Xeri bug emitter pressure compensating with selfpiercing barbs.flow rates 1.89LPH to7.57LPH UV resistant colour coded with working pressure 1.0to 3.5bar | गोटा | ३१.०० | ३१.०० | ३१.०० |
| ३ | **SPRINKLERS & ACCESSORIES** | | | | |
| | Unispray | गोटा | ६९३.०० | ६९३.०० | ६९३.०० |
| | Providing of Pop up spray head having and two piece stem ratchet ( 0 to 360 degrees) nozzle capable of covering 1.2*8.5 Bars with a STRIP NOZZLE discharge rate of 0.075lps.The Spray Head body, stem, nozzle ,ratchet and screen shall be constructed f heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover 15SST | गोटा | १२६०.०० | १२६०.०० | १२६०.०० |
| | Providing of Shrub spray head having variable adjustable arc ( 0 to 360 degrees) nozzle capable of covering 4.5-5.4m at 2.0 Bars with a discharge rate of 0.23- 0.33lps.The Spray nozzle and screen shall be constructed heavy-duty, ultraviolet resistant plastic and stainless steel with mutifunctional wiper seal with small exposed cover PA series | गोटा | १२६०.०० | १२६०.०० | १२६०.०० |
| | Gear rotors 5004 | गोटा | ३२५५.०० | ३२५५.०० | ३२५५.०० |
| | Providing of 1/2" Pop up Connecting Swing joint Assembly The tubing shall be made of polyetylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA Series | गोटा | ४०९.०० | ४०९.०० | ४०९.०० |
| | Providing of 3/4" Pop up Connecting Swing joint Assembly The tubing shall be made of polyetylene having wall thickness of 2.3mm ,a working pressure of 5.5 kg/cm2 at 43oC and a surge pressure of 16.6 kg/cm2. The fittings shall be made of UV resistant thermo plastic.SA | गोटा | ५०४.०० | ५०४.०० | ५०४.०० |
| | Providing and fixing of HDPE service saddle of varying size | | ८९२.०० | ८९२.०० | ८९२.०० |
| ४ | **VALVES & ACCESSORIES** | | | | |
| | Providing and fixing PVC Ball Valve security pivot to maintain lever in space,double water tight joint,direct injection stem non mechanical ,with a base which permits maximum penetration into the valve of size 63mm. | गोटा | ३९९०.०० | ३९९०.०० | ३९९०.०० |
| | Providing & fixing of a double acting Air release valve 3/4" made of high strength aluminium / plastic with fibre glass reinforced . The Air release valve shall be capable of both releasing and admitting air from and into the line. The working pressure shall be 5 bar. | गोटा | २२०५.०० | २२०५.०० | २२०५.०० |
| | 12" Rectangular Valve Box with greenlid and corrugated structure with unique shovel access slot and bolt hole knockout | गोटा | ७८७५.०० | ७८७५.०० | ७८७५.०० |
| | 6"Round box | गोटा | १३१२.०० | १३१२.०० | १३१२.०० |
| | Quick coupling valve made up of solid brass with locking cover corrosion resistant and stainless steel spring 3RC | गोटा | १४०४०.०० | १४०४०.०० | १४०४०.०० |
| | Key threads into top of QCV to provide water access 33DK | गोटा | १०२३७.०० | १०२३७.०० | १०२३७.०० |

प्रमुख जिल्ला अधिकारी

# Plastic Dustbin, Compost-Bin, Planter & Road Divider

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| १ | **LLDPE PLASTIC DUSTBIN - SMALL SIZE (सानो डस्टबिन)** (Capacity: 70 Litre) WITH BASE OF 12.5" * 12.5", TOP LID 17.5" * 17.5", TOTAL HEIGHT 29.5", HEIGHT WITHOUT LID 22.5", AND 4.5 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID | गोटा | ३१२०.०० | ३१२०.०० | ३१२०.०० |
| २ | **LLDPE PLASTIC DUSTBIN - MEDIUM SIZE (मझौला डस्टबिन)** (Capacity: 125 Litre) WITH BASE OF 14" * 14", TOP LID 20" * 20", HEIGHT (WITHOUT LID) 27.5", TOTAL HEIGHT 36.5", AND 6 KG PRODUCT WEIGHT, WITH OPENING ON BOTH SIDE OF TOP LID | गोटा | ४१६०.०० | ४१६०.०० | ४१६०.०० |
| ३ | **LLDPE PLASTIC LARGE WHEEL DUSTBIN (पांगाबाला ठूलो डस्टबिन)** (Capacity: 140 Litre) WITH BASE OF 16" * 14.5", TOP LID 25.5" * 21", HEIGHT 35", AND 10 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED. | गोटा | ७२८०.०० | ७२८०.०० | ७२८०.०० |
| ४ | **LLDPE PLASTIC EXTRA LARGE WHEEL DUSTBIN (पांगाबाला एक्स्ट्रा ठूलो डस्टबिन)** (Capacity: 300 Litre) WITH BASE OF 21" * 18", TOP LID 29" * 28", HEIGHT 42", AND 16 KG PRODUCT WEIGHT; WITH HANDLE AND WHEEL INSTALLED | गोटा | ८३२०.०० | ८३२०.०० | ८३२०.०० |
| ५ | **M.S. STAND, HOLDING CAPACITY: TWO SMALL DUSTBINS** SIZE: TOTAL HEIGHT: 62", TOTAL LENGTH: 41", TOTAL BASE WIDTH: 24", TOTAL WEIGHT: 19 KG | गोटा | ६२४०.०० | ६२४०.०० | ६२४०.०० |
| ६ | **M.S. STAND, HOLDING CAPACITY: TWO MEDIUM DUSTBINS** SIZE: TOTAL HEIGHT: 63", TOTAL LENGTH: 46", TOTAL BASE WIDTH: 24" TOTAL WEIGHT: 20 KG | गोटा | ८३२०.०० | ८३२०.०० | ८३२०.०० |
| ७ | **LLDPE ROTO MOLDED COMPOST-BIN WITH ACCESSORIES (कम्पोष्ट बिन फिटिङ सहित)** BIN DIMENSIONS: TOTAL HEIGHT: 665MM, HEXAGON SHAPED BASE WITH SIDE LENGTH: 250MM AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", FLAP OPENING: 245MM*125MM, LID/COVER DIAMETER: 355MM, BIN WEIGHT: 4.2 KGS; WITH COMPLETE SET OF ACCESSORIES IN PACKAGING INCLUDING SQUARE SCREENER/MESH (10.5" * 10.5"), POWDER COATED FOLDABLE TRAY (DIAMETER 17.25"), POWDER COATED LINE ROD (15" HEIGHT) & POWDER COATED SMALL SCOOP SHOVEL (9.5" HEIGHT). | गोटा | ४१६०.०० | ४१६०.०० | ४१६०.०० |
| ८ | **LLDPE ROAD-DIVIDER - SMALL ( रोड डिभाइडर , सानो साइज )** WITH HEXAGON SHAPED BASE WITH SIDE LENGTH: 8.5", AND HEXAGON LENGTH ACROSS THE CORNERS 16.5", AND TOP LENGTH 13.5", TOP STICKER AREA HEIGHT 6.75", BASE HEXAGON HEIGHT 2", OVERALL TOTAL PRODUCT HEIGHT 32". ORANGE IN COLOUR AND TOTAL PRODUCT WEIGHT OF 2.5 KG | गोटा | ३१२०.०० | ३१२०.०० | ३१२०.०० |
| ९ | **LLDPE ROAD-DIVIDER - LARGE ( रोड डिभाइडर, ठुलो साइज)** WITH BASE WIDTH 495MM, TOP WIDTH 215MM, LENGTH 1210MM AND HEIGHT 1060MM. ORANGE IN COLOUR AND MINIMUM 20 KG WEIGHT; ; WITH INLET & OUTLET FITTING, AND EMBOSSED 'WATER LEVEL' MARK. | गोटा | १७१६०.०० | १७१६०.०० | १७१६०.०० |
| १० | **LLDPE LARGE PLANTER (ठुलो प्लास्टिक गमला)** WITH BASE DIAMETER OF 23", TOP DIAMETER OF 30", TOTAL HEIGHT 27", WITH FULL OPENING ON TOP, WITH HOLES FOR DRAINAGE AT BASE. | गोटा | ५७२०.०० | ५७२०.०० | ५७२०.०० |

प्रमुख जिल्ला अधिकारी

# Sewage Treatment Plant

| सि.नं. | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| १ | Sewage Treatment Plant PWTS Series (1300 mm Dia X 1500 mm Height or 1.2 KLD) inlet /outlet pipe 100 mm X Vent 50 mm ,with BOD reduction upto 70%. ISO Certified. | गोटा | १२०७३६.० | १२०७३६.० | १२०७३६.० |
| २ | Sewage Treatment Plant PWTS Series (1440 mm Dia X 1550 mm Height or 1.6 KLD) inlet /outlet pipe 100 mm X Vent 50 mm,with BOD reduction upto 70%. ISO | गोटा | १६१३९२.० | १६१३९२.० | १६१३९२.० |
| ३ | Sewage Treatment Plant PWTS Series (1490 mm Dia X 1615 mm Height or 1.8 KLD ) inlet /outlet pipe 100mm X Vent 50mm ,with BOD reduction upto 70%. ISO Certified, | गोटा | २१५६००.० | २१५६००.० | २१५६००.० |
| ४ | Sewage Treatment Plant PWTS Series (1540 mm Dia X 1640 mm Height or 2 KLD) inlet/outlet pipe 100mm X Vent 50 mm,with BOD reduction upto 70%. ISO Certified. | गोटा | २७२२७२.० | २७२२७२.० | २७२२७२.० |
| ५ | Sewage Treatment Plant PWTS Series (1830 mm Dia X 1880 mm Height or 3 KLD ) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified, | गोटा | ३२१५५२.० | ३२१५५२.० | ३२१५५२.० |
| ६ | Sewage Treatment Plant PWTS series (1900 mm Dia X 2020 mm Height or 4 KLD ) inlet /outlet pipe 100mm X Vent 50 mm ,with BOD reduction upto 70%. ISO certified., | गोटा | ३७५७६०.० | ३७५७६०.० | ३७५७६०.० |
| ७ | Sewage Treatment Plant PWTS Series (1970 mm Dia X 2280 mm Height or 5 KLD) inlet/ outlet pipe 100mm X vent 50 mm,with BOD reduction upto 70%. ISO Certified, | गोटा | ४४९६८०.० | ४४९६८०.० | ४४९६८०.० |
| ८ | Sewage Treatment Plant PWTS series (2070 mm Dia X 2510 mm Height or 6 KLD ) inlet/outlet pipe 100mm X Vent 50 mm, with BOD reduction upto 70%. ISO Certified, | गोटा | ४८६६४०.० | ४८६६४०.० | ४८६६४०.० |

प्रमुख जिल्ला अधिकारी

# मेनहोल कभरहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.ब.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | **C.I. Manhole Cover including frame.** | | | | |
| १ | **Square Frame Medium Duty** | | | | |
| | i) 10" × 10" (4 Kg.) | सेट | ६७५.०० | ६७५.०० | ६७५.०० |
| | ii) 12" × 12" (5 Kg.) | सेट | ८३५.०० | ८३५.०० | ८३५.०० |
| | iii) 14" × 14" (7 Kg.) | सेट | १२४७.०० | १२४७.०० | १२४७.०० |
| | v) 16" × 16" (10 Kg.) | सेट | १६७१.०० | १६७१.०० | १६७१.०० |
| | vi) 18" × 18" (14 Kg.) | सेट | २५९८.०० | २५९८.०० | २५९८.०० |
| | viii) 20" × 20" (16 Kg.) | सेट | २९३०.०० | २९३०.०० | २९३०.०० |
| | ix) 22" × 22" (20 Kg.) | सेट | ३३५३.०० | ३३५३.०० | ३३५३.०० |
| | x) 24" × 24" (24 Kg.) | सेट | ४६५९.०० | ४६५९.०० | ४६५९.०० |
| | xi) 27" × 27" (31 Kg.) | सेट | ५८७१.०० | ५८७१.०० | ५८७१.०० |
| २ | **Square Frame Heavy Duty** | | | | |
| | iii) 14" × 14" (14 Kg.) | सेट | २५४९.०० | २५४९.०० | २५४९.०० |
| | viii) 20" × 20" (16 Kg.) | सेट | ४१४३.०० | ४१४३.०० | ४१४३.०० |
| | ix) 22" × 22" (22 Kg.) | सेट | ५६६५.०० | ५६६५.०० | ५६६५.०० |
| | xi) 27" × 27" (45 Kg.) | सेट | ८१०४.०० | ८१०४.०० | ८१०४.०० |
| ३ | **Rounded Manhole Cover** | | | | |
| | Round Manhole cover medium 450mm(22") | सेट | ४४८७.०० | ४४८७.०० | ४४८७.०० |
| | Round Manhole cover Heavy 450mm(22") | सेट | ८८४८.०० | ८८४८.०० | ८८४८.०० |
| | Round Manhole cover medium 500 mm(24") | सेट | ७०६३.०० | ७०६३.०० | ७०६३.०० |
| | Round Manhole cover Heavy 500 mm(24") | सेट | १०५६५.०० | १०५६५.०० | १०५६५.०० |
| | **Rounded Manhole Cover with square frame** | | | | |
| | i) 18" dia. with square frame (60 Kg.) | सेट | १००५०.०० | १००५०.०० | १००५०.०० |
| | ii) 20" dia. with square frame (70 Kg.) | ,, | ११७२२.०० | ११७२२.०० | ११७२२.०० |
| | iii) 20" dia. with square frame (100 Kg.) | ,, | १६७४७.०० | १६७४७.०० | १६७४७.०० |
| | iv) 22" dia. Medium class. (125 Kg.) | ,, | २१०३९.०० | २१०३९.०० | २१०३९.०० |
| | v) 22" dia. Heavy class. (208Kg.) | ,, | ३४९०२.०० | ३४९०२.०० | ३४९०२.०० |
| | vi) 24" dia. Medium class. (70 Kg.) | ,, | १२०५३.०० | १२०५३.०० | १२०५३.०० |
| | vii ) 24" dia. Heavy class (Load Test 8 Ton) (850 Kg.) | ,, | १४५४९.०० | १४५४९.०० | १४५४९.०० |
| | viii) 24" with square frame (IS:1726 ) (70 Kg.) | ,, | ११७७९.०० | ११७७९.०० | ११७७९.०० |
| | ix) 26"with square frame (IS:1726 ) (85 Kg.) | ,, | १४३०८.०० | १४३०८.०० | १४३०८.०० |
| | xi) 28" with square frame (IS:1726 ) (116 Kg.) | ,, | १९७४६.०० | १९७४६.०० | १९७४६.०० |
| | x) 30" with square frame (IS:1726 ) (100 Kg.) | | १६८२७.०० | १६८२७.०० | १६८२७.०० |
| | xi) 30" with square frame (IS:1726 ) (116 Kg.) | | १९७४६.०० | १९७४६.०० | १९७४६.०० |
| | xi) 32" with square frame (IS:1726 ) (208Kg.) | | ३४९०२.०० | ३४९०२.०० | ३४९०२.०० |
| ४ | **C.I. Tank Cover Locking Types- Round** | | | | |
| | 18" (8 Kg.) | सेट | १९३४.०० | १९३४.०० | १९३४.०० |

प्रमुख जिल्ला अधिकारी

# मेनहोल कभरहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.अ.क बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | 20" (12 Kg.) | ,, | २८३७.०० | २८३७.०० | २८३७.०० |
| | 22" (14 Kg.) | ,, | ३२२२.०० | ३२२२.०० | ३२२२.०० |
| | 24" (16 Kg.) | ,, | ३८६८.०० | ३८६८.०० | ३८६८.०० |
| | 28" (24 Kg.) | ,, | ५८०२.०० | ५८०२.०० | ५८०२.०० |
| ५ | C.I. Tank Cover Locking Types- Rectangular | | | | |
| | 18" x 18" (13 Kg.) | सेट | ३२२२.०० | ३२२२.०० | ३२२२.०० |
| | 24" x 24" (50 Kg.) | सेट | ११६०४.०० | ११६०४.०० | ११६०४.०० |
| | 18" x 24" (27 Kg.) | सेट | ६४४८.०० | ६४४८.०० | ६४४८.०० |
| ६ | C.I. Gully Gratings & Jali strip-Mediun Duty | | | | |
| | 4" | सेट | ११५.०० | ११५.०० | ११५.०० |
| | 5" | सेट | १५४.०० | १५४.०० | १५४.०० |
| | 6" | सेट | २०६.०० | २०६.०० | २०६.०० |
| | 10" | सेट | ७०८.०० | ७०८.०० | ७०८.०० |
| ७ | C.I. Gully Gratings & Jali Strip- Mediun Duty | | | | |
| | 4" x 4" | सेट | १०२.०० | १०२.०० | १०२.०० |
| | 5" x 5" | सेट | १२९.०० | १२९.०० | १२९.०० |
| | 6" x 6" | सेट | १५४.०० | १५४.०० | १५४.०० |
| | 9" x 9" | सेट | ४५१.०० | ४५१.०० | ४५१.०० |
| | 10" x 10" | सेट | ५८०.०० | ५८०.०० | ५८०.०० |
| | 12" x 12" | सेट | ८३८.०० | ८३८.०० | ८३८.०० |
| ८ | C.I. Gully Gratings | | | | |
| | i) 15"×18" Medium (18 Kg.) | सेट | ४२५५.०० | ४२५५.०० | ४२५५.०० |
| | ii) 15"×18" Heavy (25 Kg.) | सेट | ५८०२.०० | ५८०२.०० | ५८०२.०० |
| ९ | Grit Cover - फलामे एङ्गलको फ्रेमना फलामे पतिको जाली बनाई फेब्रिकेशन कार्य गरी, एक कोट Red oxide paint लगाई जडान गर्ने काम | के.जी. | १८७.०० | १८७.०० | १८७.०० |
| १० | Aluminum Grating 4" dia. | गोटा | ४८.०० | ४८.०० | ४८.०० |
| ११ | SMC Manhole Cover | | | | |
| | Frame Size 880mm (Dia.) *Cover Size 700mm (Dia.)-Round-Yellow and Grey (50 Ton Capacity) | गोटा | २८२९७.०० | २८२९७.०० | २८२९७.०० |
| | Frame Size 725mm (Dia.) *Cover Size 600 mm (Dia.)-Round-Yellow and Grey (40 Ton Capacity) | गोटा | १९३६१.०० | २०३६१.०० | २०३६१.०० |
| | Frame Size 725mm (Dia.) *Cover Size 600mm (Dia.) -Round-Yellow and Grey (10 Ton Capacity) | गोटा | १८३००.०० | १८३००.०० | १८३००.०० |
| | Frame Size 670mm*670mm *Cover Size 570mm*570mm-Square-Yellow and Grey (15 Ton Capacity) | गोटा | १०४२५.०० | ११४२५.०० | ११४२५.०० |

प्रमुख जिल्ला अधिकारी

# मेनहोल कभरहरु

| सि.नं. | सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. ०८०।८१ | आ.व. ०८१।८२ | आ.व. ०८२।८३ |
| | Frame Size 670mm*670mm-Cover Size 570mm*570mm-Square-Yellow and Grey (5 Ton Capacity) | गोटा | १३४९७.०० | १२२७२.०० | १२२७२.०० |
| | Frame Size 670mm*670mm-Cover Size*625mm*625mm-Square-Yellow and Grey (**Overlapping** 50 Ton Capacity) | गोटा | २००००.०० | २००००.०० | २००००.०० |
| | Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (5 Ton Capacity) | गोटा | ७८४८.०० | ७८४८.०० | ७८४८.०० |
| | Frame Size 570mm*570mm- Cover Size 475mm*475mm-Square-Yellow and Grey (2 Ton Capacity) | गोटा | ६५९९.०० | ६५९९.०० | ६५९९.०० |
| | Frame Size 570mm*570mm- Cover Size 525mm*525mm-Square-Yellow and Grey (**Overlapping** 15 Ton Capacity) | गोटा | १२०००.०० | १२०००.०० | १२०००.०० |
| | Frame Size 400mm*400mm-Cover Size 300mm*300mm-Square-Yellow and Grey (7.5 Ton Capacity) | गोटा | ७२५०.०० | ५३६१.०० | ५३६१.०० |
| | Frame Size 400mm*400mm - Cover 300mm*300mm-Square-Yellow and Grey (5 Ton Capacity) | गोटा | ३५२०.०० | २७७९.०० | २७७९.०० |
| | Frame Size 400mm*400mm – Cover Size 300mm*300mm-Square-Yellow and Grey (10 Ton Capacity-Jali) | गोटा | ७८००.०० | ७८००.०० | ७८००.०० |
| | SMC Manhole Set 600mm (Top Dia.) *1000mm (Height)*800mm (Bottom Dia.) including frame and cover (Complete Set) | सेट | ७५००.०० | ७५००.०० | ७५००.०० |
| | SMC water tank shield and footpath cover 610 mm x 510 mm-rectangular black cover. | गोटा | ६२४५.०० | ६२४५.०० | ६२४५.०० |
| | Manhole Cover Lock Set | सेट | १५००.०० | १५००.०० | १५००.०० |
| | **Plastic Prefab Manholes** | | | | |
| | **LLDPE PLASTIC MANHOLE (DN 1000MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap** | | | | |
| | Height 2.5 mtr | गोटा | ११४६००.०० | ११४६००.०० | ११४६००.०० |
| | Height 3 mtr | गोटा | १२४५५०.०० | १२४५५०.०० | १२४५५०.०० |
| | **LLDPE PLASTIC MANHOLE (DN 800MM SERIES) Includes Reducer Cone, Shaft, 2nos Gasket & End Cap** | | | | |
| | Height 2 mtr | गोटा | ७९९००.०० | ७९९००.०० | ७९९००.०० |
| | **LLDPE PLASTIC MANHOLE (DN 600MM SERIES) Includes Shaft, 2nos Gasket & End Cap** | | | | |
| | Height 2 mtr | गोटा | ४०८००.०० | ४०८००.०० | ४०८००.०० |
| | Height 4 mtr | गोटा | ५९५००.०० | ५९५००.०० | ५९५००.०० |
| | **LLDPE PLASTIC MANHOLE (DN 500MM SERIES) Includes Shaft, 2nos Gasket & End Cap** | | | | |
| | Height 4 mtr | गोटा | ४२५००.०० | ४२५००.०० | ४२५००.०० |

प्रमुख जिल्ला अधिकारी

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाढेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| A | **SWITCH & OUTLETS** | | | | |
| १ | **SWITCH SOCKET**-(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | One Gang one way switch | सेट | 58.00 | 58.00 | 58.00 |
| | One Gang two way switch | सेट | 69.00 | 69.00 | 69.00 |
| | One way bell switch | सेट | 72.00 | 72.00 | 72.00 |
| | Two gang one way switch | सेट | 96.00 | 96.00 | 96.00 |
| | Two gang one way switch with one bell push | सेट | 105.00 | 105.00 | 105.00 |
| | Two gang Full two way switch | सेट | 107.00 | 107.00 | 107.00 |
| | Three Gang one way switch | सेट | 127.00 | 127.00 | 127.00 |
| | Four gang one way switch | सेट | 161.00 | 161.00 | 161.00 |
| | Six gang one way switch ( 3x5 ) | सेट | 253.00 | 253.00 | 253.00 |
| | Eight gang one way switch | सेट | 304.00 | 304.00 | 304.00 |
| | Dimmer single 300 watt | सेट | 309.00 | 309.00 | 309.00 |
| | Dimmer single 750 watt | सेट | 459.00 | 459.00 | 459.00 |
| | 5 Step humming free dimmer | सेट | 407.00 | 407.00 | 407.00 |
| | 16Amp 3 Pin Plug Top | सेट | 121.00 | 121.00 | 121.00 |
| | 1 switch with dimmer | सेट | 368.00 | 368.00 | 368.00 |
| | 6/16 Amp , 2/3 Pin Power sockets with switch & indicator | सेट | 151.00 | 151.00 | 151.00 |
| | 6/16 Amp , Power sockets with switch , indicator & safety shutter | सेट | 169.00 | 169.00 | 169.00 |
| | 20/25 A Single phase A.C. motor Starter with 6/16 Amp safty shutter power socket | सेट | 371.00 | 371.00 | 371.00 |
| | 32A D.P. switch with fuse & indicator Surface Mounting | सेट | 206.00 | 206.00 | 206.00 |
| | 6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket shuttarad socket & 2 nos. Humming free 5 steps fan dimmer with indicator | सेट | 611.00 | 611.00 | 611.00 |
| | Blanking plate single | सेट | 40.00 | 40.00 | 40.00 |
| | Telephone socket single | सेट | 118.00 | 118.00 | 118.00 |
| | Telephone socket Double | सेट | 169.00 | 169.00 | 169.00 |
| | Angle / bottom holder | सेट | 35.00 | 35.00 | 35.00 |
| | Ceiling Rose | सेट | 35.00 | 35.00 | 35.00 |
| | Buzzer | सेट | 97.00 | 97.00 | 97.00 |
| | Musical bell | सेट | 222.00 | 222.00 | 222.00 |
| | T.V antena single Socket | सेट | 82.00 | 82.00 | 82.00 |
| | 6A 2/3 Pin unshuttered multi switch socket | सेट | 128.00 | 128.00 | 128.00 |
| | RJ 45 Computer Socket for modem | सेट | 234.00 | 234.00 | 234.00 |
| | Flush Mounting metallic Box for Plate Series switch / socket(78mm x 78mm x 50mm) | सेट | 35.00 | 35.00 | 35.00 |
| | Flush Mounting metallic Box for Plate Series switch / socket 78 x 140 x 50 | सेट | 63.00 | 63.00 | 63.00 |
| | Flush Mounting metallic Box for Plate Series switch / socket 78 x205 x 50 | सेट | 98.00 | 98.00 | 98.00 |
| २ | **Switch / socket outlet, Plate series** having round switch buttons & white sorrounding plate, suitable to fix on box size 3"x3" , -(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | 10A 1gang 1way Switch | सेट | 83.00 | 83.00 | 83.00 |
| | 10A 2gang 1way Switch | सेट | 163.00 | 163.00 | 163.00 |
| | 10A 3gang 1way Switch | सेट | 216.00 | 216.00 | 216.00 |
| | 10A 4gang 1way Switch | सेट | 350.00 | 350.00 | 350.00 |
| | 10A 5gang 1way Switch | सेट | 371.00 | 371.00 | 371.00 |
| | 10A 6gang 1way Switch | सेट | 617.00 | 617.00 | 617.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 10A 1gang 2way Switch | सेट | 144.00 | 144.00 | 144.00 |
| | 10A 2gang 2way Switch | सेट | 278.00 | 278.00 | 278.00 |
| | 10A 3gang 2way Switch | सेट | 407.00 | 407.00 | 407.00 |
| | 10A 4gang 2way Switch | सेट | 613.00 | 613.00 | 613.00 |
| | T V Socket outlet | सेट | 299.00 | 299.00 | 299.00 |
| | Telephone Socket | सेट | 268.00 | 268.00 | 268.00 |
| | 13A Universal socket outlet | सेट | 464.00 | 464.00 | 464.00 |
| | 13A Socket | सेट | 273.00 | 273.00 | 273.00 |
| | 15A switched Socket outlet | सेट | 443.00 | 443.00 | 443.00 |
| | 5A Socket | सेट | 340.00 | 340.00 | 340.00 |
| | RJ 45 8way Computer Socket | सेट | 824.00 | 824.00 | 824.00 |
| | TV and Telephone Socket | सेट | 592.00 | 592.00 | 592.00 |
| | 7+2 PIN SOCKET OUTLET | सेट | 927.00 | 927.00 | 927.00 |
| | 3+2 PIN SOCKET OUTLET | सेट | 577.00 | 577.00 | 577.00 |
| | X5 2+2 - 2 PIN SOCKET OUTLET | सेट | 783.00 | 783.00 | 783.00 |
| | SCHUKO SOCKET WITH ONE SWITCH | सेट | 505.00 | 505.00 | 505.00 |
| | Bell Press | सेट | 237.00 | 237.00 | 237.00 |
| | Blank Plate | सेट | 93.00 | 93.00 | 93.00 |
| | 400W Light Dimmer W/ Switch | सेट | 906.00 | 906.00 | 906.00 |
| | 400W Fan Controller / Multi Step Dimmer | सेट | 917.00 | 917.00 | 917.00 |
| | 5 Step Fan Controller | सेट | 896.00 | 896.00 | 896.00 |
| | 2 Pin Socket W/ Switch | सेट | 453.00 | 453.00 | 453.00 |
| | 13A Twin Socket | सेट | 680.00 | 680.00 | 680.00 |
| ३ | MODULAR SWITCH PLATES -संबन्धित उत्पादक राष्ट्रको गुणस्तर भिन्न प्राप्त | | | | |
| | 1 MODULAR PLATE | सेट | 148.00 | 148.00 | 148.00 |
| | 2 MODULAR PLATE | सेट | 148.00 | 148.00 | 148.00 |
| | 3 MODULAR PLATE | सेट | 192.00 | 192.00 | 192.00 |
| | 4 MODULAR PLATE | सेट | 221.00 | 221.00 | 221.00 |
| | 6 MODULAR PLATE | सेट | 301.00 | 301.00 | 301.00 |
| | 8 MODULAR PLATE | सेट | 354.00 | 354.00 | 354.00 |
| | 12 MODULAR PLATE | सेट | 482.00 | 482.00 | 482.00 |
| | 16 MODULAR PLATE | सेट | 562.00 | 562.00 | 562.00 |
| | 18 MODULAR PLATE | सेट | 593.00 | 593.00 | 593.00 |
| ४ | **SWITCHES** (संबन्धित उत्पादक राष्ट्रको गुणस्तर भिन्न प्राप्त) | | | | |
| | 10A 1 WAY SWITCH | सेट | 130.00 | 130.00 | 130.00 |
| | 10A 2 WAY SWITCH | सेट | 239.00 | 239.00 | 239.00 |
| | 16A 1 WAY SWITCH WITH INDICATOR | सेट | 283.00 | 283.00 | 283.00 |
| | 16A 1 WAY SWITCH | सेट | 252.00 | 252.00 | 252.00 |
| | 20A DP SWITCH WITH INDICATOR | सेट | 546.00 | 546.00 | 546.00 |
| | 32A DP SWITCH WITH INDICATOR | सेट | 655.00 | 655.00 | 655.00 |
| | 10A BELL PUSH | सेट | 252.00 | 252.00 | 252.00 |
| | 10A 2 MODULAR BELL PUSH | सेट | 372.00 | 372.00 | 372.00 |
| | 25A MOTOR STATER | सेट | 1162.00 | 1162.00 | 1162.00 |
| | 400W 1 MODULAR DIMMER | सेट | 673.00 | 673.00 | 673.00 |
| | 100W 2 MODULAR DIMMER | सेट | 1313.00 | 1313.00 | 1313.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | STEP REGULATOR 4 STEP DIMMER | | | | |
| | 20A 2 WAY SWITCH 1M | सेट | 690.00 | 690.00 | 690.00 |
| | 20A 1 WAY SWITCH WITH IND 1M | सेट | 396.00 | 396.00 | 396.00 |
| ५ | **SOCKETS** (अन्तिम उत्पादक राष्ट्रको युनसर पिन प्राप्त) | सेट | 480.00 | 480.00 | 480.00 |
| | 6A 2 PIN SOCKET | | | | |
| | 13A UNIVERSAL SOCKET | सेट | 212.00 | 212.00 | 212.00 |
| | 6/16A 3 PIN SOCKET | सेट | 279.00 | 279.00 | 279.00 |
| | RJ11 SOCKET | सेट | 429.00 | 429.00 | 429.00 |
| | TV SOCKET | सेट | 282.00 | 282.00 | 282.00 |
| | USB CHARGER | सेट | 226.00 | 226.00 | 226.00 |
| | BUZZER OFF | सेट | 2155.00 | 2155.00 | 2155.00 |
| | BLANK OFF | सेट | 536.00 | 536.00 | 536.00 |
| | LED FOOT LIGHT 2M | सेट | 50.00 | 50.00 | 50.00 |
| | LED PHASE INDICATOR | सेट | 1085.00 | 1085.00 | 1085.00 |
| | RJ 45 SOCKET | सेट | 285.00 | 285.00 | 285.00 |
| | CALL BELL INDICATOR | सेट | 819.00 | 819.00 | 819.00 |
| | MOVEMENT SENSOR | सेट | 2031.00 | 2031.00 | 2031.00 |
| ६ | **HOSPITALITY** | सेट | 7230.00 | 7230.00 | 7230.00 |
| | SAVER SOCKET 4M | | | | |
| | MECHANICAL KEY/TAG 32A - KEY FOB | सेट | 6296.00 | 6296.00 | 6296.00 |
| | DND MMR INSIDE ROOM UNIT | सेट | 1500.00 | 1500.00 | 1500.00 |
| | DND MMR OUTSIDE ROOM UNIT | सेट | 1301.00 | 1301.00 | 1301.00 |
| ७ | **MODULAR SWITCH IN GANG MODULE WHITE** | सेट | 925.00 | 925.00 | 925.00 |
| | 1 GANG ONE WAY SWITCH | | | | |
| | 2 GANG ONE WAY SWITCH | सेट | 278.00 | 278.00 | |
| | 3 GANG ONE WAY SWITCH | सेट | 408.00 | 408.00 | |
| | 4 GANG ONE WAY SWITCH | सेट | 582.00 | 582.00 | |
| | 6 GANG ONEW WAY SWITCH | सेट | 741.00 | 741.00 | |
| | 8 GANG ONE WAY SWITCH | सेट | 1081.00 | 1081.00 | |
| | 12 GANG ONE WAY SWITCH | सेट | 1394.00 | 1394.00 | |
| | 16 GANG ONE WAY SWITCH | सेट | 2042.00 | 2042.00 | |
| | 18 GANG ONE WAY SWITCH | सेट | 2642.00 | 2642.00 | |
| | 1 GANG TWO WAY SWITCH | सेट | 2933.00 | 2933.00 | |
| | 16A POWER SOCKET SET | सेट | 387.00 | 387.00 | |
| | 13A UNIVERSAL SOCKET SET | सेट | 873.00 | 873.00 | |
| | 400W DIMMER SET | सेट | 723.00 | 723.00 | |
| | 1000W DIMMER SET | सेट | 821.00 | 821.00 | |
| | RJ45 SOCKET SET | सेट | 1464.00 | 1464.00 | |
| | RJ11 SOCKET SET | सेट | 967.00 | 967.00 | |
| | BLANK PLATE | सेट | 430.00 | 430.00 | |
| | TV SOCKET SET | सेट | 50.00 | 50.00 | |
| | BELL PUSH SET | सेट | 374.00 | 374.00 | |
| | 20A DP SWITCH WITH INDICATOR SET | सेट | 400.00 | 400.00 | |
| | 32A D.P SWITCH WITH INDICATOR SET | सेट | 694.00 | 694.00 | |
| ८ | **GI METAL BOX RATES** | सेट | 803.00 | 803.00 | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | GI METAL BOX 1/2 MODULE 3*3 | सेट | 103.00 | 103.00 | 103.00 |
| | GI METAL BOX 3 MODULE 3*4 | सेट | 128.00 | 128.00 | 128.00 |
| | GI METAL BOX 4 MODULE 3*5 | सेट | 141.00 | 141.00 | 141.00 |
| | GI METAL BOX 6 MODULE 3*8 | सेट | 210.00 | 210.00 | 210.00 |
| | GI METAL BOX 8 MODULE HORIZONTAL 3*9 | सेट | 267.00 | 267.00 | 267.00 |
| | GI METAL BOX 8 MODULE SQUARE 5*5 | सेट | 267.00 | 267.00 | 267.00 |
| | GI METAL BOX 12/16 MODULE 6*8 | सेट | 405.00 | 405.00 | 405.00 |
| | GI METAL BOX 18 MODULE 8*8 | सेट | 462.00 | 462.00 | 462.00 |
| ९ | **NON MODULAR SWITCHES LOCAL BRAND** | | | | |
| | 16A MULTI POWER SOCKET | सेट | 325.00 | 325.00 | 325.00 |
| | 16A POWER MULTI SOCKET + USB | सेट | 800.00 | 800.00 | 800.00 |
| | 16A DOUBLE MULTI POWER SOCKET | सेट | 665.00 | 665.00 | 665.00 |
| | 2 GANG + SOCKET SWITCH | सेट | 320.00 | 320.00 | 320.00 |
| | 4 GANG + SOCKET SWTICH | सेट | 525.00 | 525.00 | 525.00 |
| | 6 GANG + SOCKET SWITCH | सेट | 640.00 | 640.00 | 640.00 |
| | 1 GANG SWITCH | सेट | 135.00 | 135.00 | 135.00 |
| | 2 GANG SWITCH | सेट | 200.00 | 200.00 | 200.00 |
| | 3 GANG SWITCH | सेट | 267.00 | 267.00 | 267.00 |
| | 4 GANG SWITCH | सेट | 350.00 | 350.00 | 350.00 |
| | 6 GANG SWITCH | सेट | 525.00 | 525.00 | 525.00 |
| | 8 GANG SWITCH | सेट | 655.00 | 655.00 | 655.00 |
| | 10 GANG SWITCH | सेट | 800.00 | 800.00 | 800.00 |
| | DIMMER KNOB | सेट | 445.00 | 445.00 | 445.00 |
| | 2 PIN SOCKET KNOB | सेट | 100.00 | 100.00 | 100.00 |
| | 2 WAY SWITCH KNOB | सेट | 94.00 | 94.00 | 94.00 |
| | DOOR BELL KNOB | सेट | 94.00 | 94.00 | 94.00 |
| | 1 GANG WATER PROOF BELL PUSH SWITCH | सेट | 175.00 | 175.00 | 175.00 |
| | 20A D.P SWITCH | सेट | 445.00 | 445.00 | 445.00 |
| | 45A D P SWITCH | सेट | 660.00 | 660.00 | 660.00 |
| | TV SOCKET | सेट | 206.00 | 206.00 | 206.00 |
| | TELEPHONE SOCKET | सेट | 206.00 | 206.00 | 206.00 |
| | RJ45 SOCKET KNOB | सेट | 290.00 | 290.00 | 290.00 |
| | TV+ TELEPHONE SOCKET | सेट | 275.00 | 275.00 | 275.00 |
| | 1 GANG PLATE | सेट | 94.00 | 94.00 | 94.00 |
| | 2 GANG PLATE | सेट | 94.00 | 94.00 | 94.00 |
| | 3X3 WOODEN PLATE | सेट | 125.00 | 125.00 | 125.00 |
| | 3X5 WOODEN PLATE | सेट | 165.00 | 165.00 | 165.00 |
| १० | **White Plate series modular type(polycarbonate) SWTTCH SOCKET** (संविधिवत उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | One Gang one way switch | सेट | 100.00 | 100.00 | |
| | One Gang two way switch | सेट | 112.00 | 112.00 | |
| | One way bell switch | सेट | 112.00 | 112.00 | |
| | Two gang one way switch | सेट | 133.00 | 133.00 | |
| | Two gang one way switch with one bell push | सेट | 146.00 | 146.00 | |
| | Two gang Full two way switch | सेट | 158.00 | 158.00 | |
| | Three Gang one way switch | सेट | 167.00 | 167.00 | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Four gang one way switch | सेट | 202.00 | 202.00 | |
| | Six gang one way switch | सेट | 307.00 | 307.00 | |
| | Eight gang one way switch | सेट | 374.00 | 374.00 | |
| | Dimmer single 400 watt | सेट | 486.00 | 486.00 | |
| | 1 switch with dimmer | सेट | 499.00 | 499.00 | |
| | 6/16 Amp , 2/3 Pin Power sockets with switch & indicator | सेट | 260.00 | 260.00 | |
| | 6/13 Amp , Power sockets with switch , indicator | सेट | 263.00 | 263.00 | |
| | 20 A D.P. switch with fuse & indicator Surface Mounting | सेट | 354.00 | 354.00 | |
| | 4 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator | सेट | 391.00 | 391.00 | |
| | 6 Gang ( 86 mm x 220 mm ) switch 2/3 pin switch socket with indicator | सेट | 474.00 | 474.00 | |
| | Blanking plate single | सेट | 62.00 | 62.00 | |
| | Telephone socket single | सेट | 152.00 | 152.00 | |
| | Telephone socket Double | सेट | 249.00 | 249.00 | |
| | T.V.antena single Socket | सेट | 142.00 | 142.00 | |
| | RJ 45 Computer Socket for modem | सेट | 206.00 | 206.00 | |
| | CAT-6 Computer Socket for modem | सेट | 321.00 | 321.00 | |
| ११ | **Modular Type Switch Socket set** (सर्वन्धित उत्पादक राष्ट्रको गुणस्तर भिन्न भएमा) | | | | |
| | 1P – 6A/10A 1 way switch | गोटा | 139.00 | 139.00 | 139.00 |
| | 1P – 16A/20A 1 way switch | गोटा | 223.00 | 223.00 | 223.00 |
| | 1P – 25A 1 way switch | गोटा | 326.00 | 326.00 | 326.00 |
| | 1P – 6A/10A 2 way switch | गोटा | 167.00 | 167.00 | 167.00 |
| | 1P – 16A/20A 2 way switch | गोटा | 253.00 | 253.00 | 253.00 |
| | 1P – 6A push button | गोटा | 184.00 | 184.00 | 184.00 |
| | 1 gang blanking module | गोटा | 43.00 | 43.00 | 43.00 |
| | 2 gang blanking module | गोटा | 86.00 | 86.00 | 86.00 |
| १२ | **FAN REGULATOR / DIMMER** | | | | |
| | Step type fan regulator | गोटा | 638.00 | 638.00 | 638.00 |
| | 60 – 500 W dimmer | गोटा | 797.00 | 797.00 | 797.00 |
| | 1000 W dimmer | गोटा | 1524.00 | 1524.00 | 1524.00 |
| १३ | **SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS** | | | | |
| | 6A – multi socket 5 pin | गोटा | 240.00 | 240.00 | 240.00 |
| | 6/16A twin socket 3 pin (flushed) | गोटा | 332.00 | 332.00 | 332.00 |
| | 6/16A twin socket 3 pin (projected) | गोटा | 332.00 | 332.00 | 332.00 |
| | 25A 3 pin socket | गोटा | 401.00 | 401.00 | 401.00 |
| | 13A 3 pin socket | गोटा | 270.00 | 270.00 | 270.00 |
| | RJ 11 telephone jack | गोटा | 159.00 | 159.00 | 159.00 |
| | RJ 45 cat.6e computer socket | गोटा | 557.00 | 557.00 | 557.00 |
| | TV socket | गोटा | 161.00 | 161.00 | 161.00 |
| | **HOSPITALITY RANGE** | | | | |
| | 250V/110V shaver socket | गोटा | 4355.00 | 4355.00 | 4355.00 |
| | Indicator (DO NOT DISTURB) | गोटा | 180.00 | 180.00 | 180.00 |
| | LED yellow night lamp | गोटा | 560.00 | 560.00 | 560.00 |
| | LED Blue night lamp | गोटा | 560.00 | 560.00 | 560.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १४ | **FRONT PLATE (COMPATIBLE TO MARKET BOXES)** | गोटा | | | |
| | 1 module front plate | गोटा | 72.00 | 72.00 | 72.00 |
| | 2 module front plate | गोटा | 77.00 | 77.00 | 77.00 |
| | 3 module front plate | गोटा | 84.00 | 84.00 | 84.00 |
| | 4 module front plate | गोटा | 89.00 | 89.00 | 89.00 |
| | 6 module front plate | गोटा | 162.00 | 162.00 | 162.00 |
| | 8 module front plate(4+4) | गोटा | 217.00 | 217.00 | 217.00 |
| | 8 module front plate (Horizontal) | गोटा | 174.00 | 174.00 | 174.00 |
| | 12 module front plate | गोटा | 260.00 | 260.00 | 260.00 |
| | 18 module front plate | गोटा | 350.00 | 350.00 | 350.00 |
| १५ | **Modular Type Switch Socket** (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | **Seperate Module for Modular Switch & Socket** | | | | |
| | 1P – 6A/10A 1 way switch | गोटा | 90.00 | 90.00 | 90.00 |
| | 1P – 16A/20A 1 way switch | गोटा | 150.00 | 150.00 | 150.00 |
| | 1P – 6A/10A 2 way switch | गोटा | 139.00 | 139.00 | 139.00 |
| | 1P – 16A/20A 2 way switch | गोटा | 182.00 | 182.00 | 182.00 |
| | 1P – 6A push button | गोटा | 139.00 | 139.00 | 139.00 |
| | 1 gang blanking module | गोटा | 42.00 | 42.00 | 42.00 |
| | 2 gang blanking module | गोटा | 81.00 | 81.00 | 81.00 |
| | **Modular Switch, Sockets, Plates** | | | | |
| | 6A SWITCH 1W 1 MODULE | गोटा | 137.60 | 137.60 | 137.60 |
| | 6A SWITCH 2W 1 MODULE | गोटा | 265.60 | 265.60 | 265.60 |
| | 6A SWITCH 1W 1 MODULE WITH INDICATOR | गोटा | 265.60 | 265.60 | 265.60 |
| | 10A SWITCH 1W 2 MODULE | गोटा | 323.20 | 323.20 | 323.20 |
| | 10A SWITCH 2W 2 MODULE | गोटा | 380.80 | 380.80 | 380.80 |
| | 10A INTERMEDIATE SWITCH 2 MODULE | गोटा | 2153.60 | 2153.60 | 2153.60 |
| | 10A SWITCH 1W WITH INDICATOR 2 MODULE | गोटा | 412.80 | 412.80 | 412.80 |
| | 16A SWITCH 1W 1 MODULE | गोटा | 300.80 | 300.80 | 300.80 |
| | 16A SWITCH 2W 1 MODULE | गोटा | 377.60 | 377.60 | 377.60 |
| | 16A SWITCH 1W WITH INDICATOR 1 MODULE | गोटा | 390.40 | 390.40 | 390.40 |
| | 20A SWITCH 1W 1 MODULE | गोटा | 441.60 | 441.60 | 441.60 |
| | 20A DP SWITCH 1W 2 MODULE | गोटा | 649.60 | 649.60 | 649.60 |
| | 20A DP SWITCH 1W WITH INDICATOR 2 MODULE | गोटा | 662.40 | 662.40 | 662.40 |
| | 20A SWITCH 2W 2 MODULE | गोटा | 742.40 | 742.40 | 742.40 |
| | 25 A SP 1W SWITCH WITH INDICATOR 1 MODULE | गोटा | 460.80 | 460.80 | 460.80 |
| | 32A DP SWITCH WITH INDICATOR 2 MODULE | गोटा | 896.00 | 896.00 | 896.00 |
| | 6/16 A 2 PIN EURO US SOCKET 1 MODULE | गोटा | 483.20 | 483.20 | 483.20 |
| | 16A 3 PIN SWITCHED SOCKET 3 MODULE | गोटा | 950.40 | 950.40 | 950.40 |
| | MULTISTANDARD SOCKETS/16/13 A 2/3 PIN FOR 250 VAC 15A 2PIN 2 M | गोटा | 505.60 | 505.60 | 505.60 |
| | 6A 5 PIN UNIVERSAL SOCKET 2 MODULE | गोटा | 390.40 | 390.40 | 390.40 |
| | 6/16 A SOCKET 3 MODULE | गोटा | 598.40 | 598.40 | 598.40 |
| | 6/16 A SOCKET 2 MODULE | गोटा | 505.60 | 505.60 | 505.60 |
| | 6/16A EURO SOCKET 2 MODULE | गोटा | 524.80 | 524.80 | 524.80 |
| | 25A SOCKET 2 MODULE | गोटा | 505.60 | 505.60 | 505.60 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.कं. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 6A 3 PIN ISI SOCKET 2M | गोटा | 252.80 | 252.80 | 252.80 |
| | ROTARY LIGHT DIMMER 400W 1 MODULE | गोटा | 899.20 | 899.20 | 899.20 |
| | ROTARY LIGHT DIMMER 500W 2 MODULE | गोटा | 1148.80 | 1148.80 | 1148.80 |
| | REMOVABLE LED LAMP 2 MODULE | गोटा | 3696.00 | 3696.00 | 3696.00 |
| | LED SKIRTING LIGHT 3 MODULE | गोटा | 771.00 | 771.00 | 771.00 |
| | INDICATOR UNIT 1 MODULE WITH TRANSPARENT LED AND COLORED LABELS | गोटा | 816.00 | 816.00 | 816.00 |
| | BELL CALL INDICATOR 240V 1 MODULE | गोटा | 1529.60 | 1529.60 | 1529.60 |
| | BUZZER 230 V 1 MODULE | गोटा | 1027.20 | 1027.20 | 1027.20 |
| | INFRARED SENSOR 400W 2 MODULE | गोटा | 2444.80 | 2444.80 | 2444.80 |
| | REMOTE CONTROL UNIT FOR LIGHT & FAN 4 MODULE | गोटा | 5869.00 | 5869.00 | 5869.00 |
| | REMOTE CONTROL HAND UNIT | गोटा | 908.00 | 908.00 | 908.00 |
| | 16A KEY CARD SWITCH 2 MODULE | गोटा | 4950.40 | 4950.40 | 4950.40 |
| | CREDIT CARD SIZE KEY FOB | गोटा | 166.40 | 166.40 | 166.40 |
| | DND & MMR INDICATOR WITH BELL PUSH 1+1 MODULE | गोटा | 544.00 | 544.00 | 544.00 |
| | INTERNAL CONTROL UNIT FOR DND &MMR 1+1 MODULE | गोटा | 441.60 | 441.60 | 441.60 |
| | SHAVER SOCKET 120/240 V MONOBLOCK WITH PLATE 2 MODULE | गोटा | 3804.80 | 3804.80 | 3804.80 |
| | RJ45 UTP CAT 5 TOOLESS WITH SHUTTER 1 M GREY | गोटा | 761.60 | 761.60 | 761.60 |
| | RJ45 UTP CAT 6 TOOLESS WITH SHUTTER 1 M GREY | गोटा | 1068.80 | 1068.80 | 1068.80 |
| | PRETERMINATED AUDIO VIDEO CONNECTOR 1 MODULE | गोटा | 2057.60 | 2057.60 | 2057.60 |
| | PRETERMINATED HDMI SOCKET1 MODULE | गोटा | 2528.00 | 2528.00 | 2528.00 |
| | PRETERMINATED PROJECTOR CONNECTOR 1 MODULE | गोटा | 2528.00 | 2528.00 | 2528.00 |
| | VOLUME CONTROLLER 2 MODULE | गोटा | 1625.60 | 1625.60 | 1625.60 |
| | 16A MOTOR STARTER 2 MODULE | गोटा | 976.00 | 976.00 | 976.00 |
| | 25A MOTOR STARTER 2 MODULE | गोटा | 976.00 | 976.00 | 976.00 |
| | VOLTAGE SURGE PROTECCTOR 230V 1 MODULE | गोटा | 3084.80 | 3084.80 | 3084.80 |
| | 16A SP MCB 1 C CURVE 1 M | गोटा | 646.40 | 646.40 | 646.40 |
| | 20A SP MCB 1 C CURVE 1 M | गोटा | 646.40 | 646.40 | 646.40 |
| | 32A SP MCB 1 C CURVE 1 M | गोटा | 646.40 | 646.40 | 646.40 |
| | USB CHARGER 1000 mA 1 MODULAR TYPE A | गोटा | 1616.00 | 1616.00 | 1616.00 |
| | USB CHARGER 1500 mA 1 MODULAR TYPE A | गोटा | 1551.00 | 1551.00 | 1551.00 |
| | DOUBLE USB CHARGER 3000 Ma 2 MODULE | गोटा | 3744.00 | 3744.00 | 3744.00 |
| | USB CHARGER 1500 mA 1 MODULAR C TYPE | गोटा | 1798.40 | 1798.40 | 1798.40 |
| | COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A | गोटा | 4316.80 | 4316.80 | 4316.80 |
| | COMBI TWIN USB 2400 m A MULTISTANDARD SOCKET TYPE A & TYPE C | गोटा | 4752.00 | 4752.00 | 4752.00 |
| | COMBI TWIN USB 3.1A EURO SOCKET TYPE A -2 MODULE | गोटा | 2825.60 | 2825.60 | 2825.60 |
| | COMBI TWIN USB 3.1A EURO SOCKET TYPE A & TYPE C -2 MODULE | गोटा | 3763.20 | 3763.20 | 3763.20 |
| | WIRELESS CHARGER +TYPE-A USB 1A-5V/5W CHARGER WITH ONE 2.4A/12W | गोटा | 10256.00 | 10256.00 | 10256.00 |
| | LOUDSPEAKER FOR FALSE CEILING & PLASTER BOARD 8 OHMS 10W | गोटा | 3260.80 | 3260.80 | 3260.80 |
| | BLUETOOTH SOUND DIFFUSION 2 MODULE | गोटा | 7190.40 | 7190.40 | 7190.40 |
| | ROTARY LED DIMMER 50 W | गोटा | 3324.80 | 3324.80 | 3324.80 |
| | 6A TOUCH SWITCH 1W 2 MODULE | गोटा | 4956.80 | 4956.80 | 4956.80 |

# विद्युतिय सामाग्रीहरु

| क्र.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.कं. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 6A TOUCH SWITCH 2W 2 MODULE | गोटा | 5728.00 | 5728.00 | 5728.00 |
| | 16A TOUCH SWITCH 1W 2 MODULE | गोटा | 5728.00 | 5728.00 | 5728.00 |
| | 6A TOUCH BELL PUSH 2 MODULE | गोटा | 4956.80 | 4956.80 | 4956.80 |
| | TOUCH FAN REGULATOR 100W 2 MODULE | गोटा | 5728.00 | 5728.00 | 5728.00 |
| | 300 W UNIVERSAL LED TOUCH LIGHT SCROLL DIMMING 2 MODULE | गोटा | 5728.00 | 5728.00 | 5728.00 |
| | READING LIGHT RED | गोटा | 2873.60 | 2873.60 | 2873.60 |
| | CABLE OUTLET 8 mm 1 MODULE | गोटा | 246.40 | 246.40 | 246.40 |
| | BLANKING PLATE 1 MODULE | गोटा | 63.00 | 63.00 | 63.00 |
| | BLANKING PLATE 2 MODULE | गोटा | 86.40 | 86.40 | 86.40 |
| | CLASSIC WHITE PLATE+ FRAME 1 M | गोटा | 201.60 | 201.60 | |
| | CLASSIC WHITE PLATE+ FRAME 2 M | गोटा | 201.60 | 201.60 | |
| | CLASSIC WHITE PLATE+ FRAME 3 M | गोटा | 259.20 | 259.20 | |
| | CLASSIC WHITE PLATE+ FRAME 4 M | गोटा | 291.20 | 291.20 | |
| | CLASSIC WHITE PLATE + FRAME 6M | गोटा | 361.60 | 361.60 | |
| | CLASSIC WHITE PLATE+ FRAME 8 M (H) | गोटा | 464.00 | 464.00 | |
| | CLASSIC WHITE PLATE + FRAME 2 X 4M | गोटा | 489.60 | 489.60 | |
| | CLASSIC WHITE PLATE+ FRAME 9M | गोटा | 518.40 | 518.40 | |
| | CLASSIC WHITE PLATE+ FRAME 12 M | गोटा | 675.20 | 675.20 | |
| | CLASSIC WHITE PLATE+ FRAME 16M | गोटा | 784.00 | 784.00 | |
| | CLASSIC WHITE PLATE+ FRAME 18 M | गोटा | 1062.40 | 1062.40 | |
| | BRUSHED SILVER PLATE+ FRAME 1M | गोटा | 265.60 | 265.60 | |
| | BRUSHED SILVER PLATE+ FRAME 2M | गोटा | 265.60 | 265.60 | |
| | BRUSHED SILVER PLATE+ FRAME 3M | गोटा | 371.20 | 371.20 | |
| | BRUSHED SILVER PLATE+ FRAME 4M | गोटा | 384.00 | 384.00 | |
| | BRUSHED SILVER PLATE+ FRAME 6M | गोटा | 496.00 | 496.00 | |
| | BRUSHED SILVER PLATE+ FRAME 8M(H) | गोटा | 646.40 | 646.40 | |
| | BRUSHED SILVER PLATE+ FRAME 2X 4M | गोटा | 646.40 | 646.40 | |
| | BRUSHED SILVER PLATE+ FRAME 9M | गोटा | 700.80 | 700.80 | |
| | BRUSHED SILVER PLATE+ FRAME 12M | गोटा | 928.00 | 928.00 | |
| | BRUSHED SILVER PLATE+ FRAME 16M | गोटा | 1068.80 | 1068.80 | |
| | BRUSHED SILVER PLATE+ FRAME 18M | गोटा | 1446.40 | 1446.40 | |
| | ALU SUN SET PLATE + FRAME 1M | गोटा | 259.20 | 259.20 | |
| | ALU SUN SET PLATE + FRAME 2M | गोटा | 259.20 | 259.20 | |
| | ALU SUN SET PLATE – FRAME 3M | गोटा | 355.20 | 355.20 | |
| | ALU SUN SET PLATE + FRAME 4M | गोटा | 380.80 | 380.80 | |
| | ALU SUN SET PLATE + FRAME 6M | गोटा | 489.60 | 489.60 | |
| | ALU SUN SET PLATE + FRAME 8M(H) | गोटा | 627.20 | 627.20 | |
| | ALU SUN SET PLATE + FRAME 2 X 4 M | गोटा | 630.40 | 630.40 | |
| | ALU SUN SET PLATE + FRAME 9M | गोटा | 678.40 | 678.40 | |
| | ALU SUN SET PLATE + FRAME 12M | गोटा | 896.00 | 896.00 | |
| | ALU SUN SET PLATE + FRAME 16M | गोटा | 1027.20 | 1027.20 | |
| | ALU SUN SET PLATE + FRAME 18M | गोटा | 1420.80 | 1420.80 | |
| | CHAMPAGNE PLATE + FRAME 1M | गोटा | 259.20 | 259.20 | |
| | CHAMPAGNE PLATE +FRAME 2M | गोटा | 259.20 | 259.20 | |
| | CHAMPAGNE PLATE + FRAME 3M | गोटा | 355.20 | 355.20 | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | CHAMPAGNE PLATE + FRAME 4M | गोटा | 380.80 | 380.80 | |
| | CHAMPAGNE PLATE + FRAME 6M | गोटा | 489.60 | 489.60 | |
| | CHAMPAGNE PLATE + FRAME 8M(H) | गोटा | 627.20 | 627.20 | |
| | CHAMPAGNE PLATE + FRAME 2 X 4 M | गोटा | 630.40 | 630.40 | |
| | CHAMPAGNE PLATE + FRAME 9M | गोटा | 678.40 | 678.40 | |
| | CHAMPAGNE PLATE + FRAME 12M | गोटा | 896.00 | 896.00 | |
| | CHAMPAGNE PLATE + FRAME 16M | गोटा | 1027.20 | 1027.20 | |
| | CHAMPAGNE PLATE + FRAME 18M | गोटा | 1420.80 | 1420.80 | |
| | MATT SILVER PLATE + FRAME 1M | गोटा | 259.20 | 259.20 | |
| | MATT SILVER PLATE + FRAME 2M | गोटा | 259.20 | 259.20 | |
| | MATT SILVER PLATE + FRAME 3M | गोटा | 355.20 | 355.20 | |
| | MATT SILVER PLATE + FRAME 4M | गोटा | 380.80 | 380.80 | |
| | MATT SILVER PLATE + FRAME 6M | गोटा | 489.60 | 489.60 | |
| | MATT SILVER PLATE + FRAME 8M(H) | गोटा | 627.20 | 627.20 | |
| | MATT SILVER PLATE + FRAME 2 X 4 M | गोटा | 630.40 | 630.40 | |
| | MATT SILVER PLATE + FRAME 9M | गोटा | 678.40 | 678.40 | |
| | MATT SILVER PLATE + FRAME 12M | गोटा | 896.00 | 896.00 | |
| | MATT SILVER PLATE + FRAME 16M | गोटा | 1027.20 | 1027.20 | |
| | MATT SILVER PLATE + FRAME 18M | गोटा | 1420.80 | 1420.80 | |
| १६ | **FAN REGULATOR / DIMMER** | | | | |
| | Step type fan regulator | गोटा | 731.00 | 731.00 | 731.00 |
| | 60 – 500 W dimmer | गोटा | 623.00 | 623.00 | 623.00 |
| | FAN STEP REGULATOR 100W 1 MODULE | गोटा | 822.40 | 822.40 | 822.40 |
| | FAN STEP REGULATOR 100W 360 DEGREE 2 MODULE | गोटा | 1017.60 | 1017.60 | 1017.60 |
| | FAN STEP REGULATOR 120W360 DEGREE 2 MODULE | गोटा | 1164.80 | 1164.80 | 1164.80 |
| | FAN STEP REGULATOR 70W 2 MODULE | गोटा | 1113.60 | 1113.60 | 1113.60 |
| | FAN REGULATOR 100W 8 STEP 2M | गोटा | 915.20 | 915.20 | 915.20 |
| १७ | **SOCKETS / TELEPHONE / COMPUTER SOCKETS / TV SOCKETS** | | | | |
| | 6A – multi socket 5 pin | गोटा | 193.00 | 193.00 | 193.00 |
| | 6/16A twin socket 3 pin (flushed) | गोटा | 300.00 | 300.00 | 300.00 |
| | 6/16A twin socket 3 pin (projected) | गोटा | 300.00 | 300.00 | 300.00 |
| | 13A 3 pin socket | गोटा | 193.00 | 193.00 | 193.00 |
| | RJ 11 telephone jack | गोटा | 150.00 | 150.00 | 150.00 |
| | RJ 45 cat.6e computer socket | गोटा | 247.00 | 247.00 | 247.00 |
| | TV COAXIAL SOCKET 1 MODULE | गोटा | 290.00 | 290.00 | 290.00 |
| | TELEPHONE SOCKET RJ 11 1 MODULE | गोटा | 277.00 | 277.00 | 277.00 |
| | TELEPHONE SOCKET DOUBLE RJ 11 1MODULE | गोटा | 474.00 | 474.00 | 474.00 |
| १८ | **TV socket** | गोटा | 150.00 | 150.00 | 150.00 |
| | 1 module front plate | गोटा | 118.00 | 118.00 | 118.00 |
| | 2 module front plate | गोटा | 118.00 | 118.00 | 118.00 |
| | 3 module front plate | गोटा | 154.00 | 154.00 | 154.00 |
| | 4 module front plate | गोटा | 172.00 | 172.00 | 172.00 |
| | 6 module front plate | गोटा | 237.00 | 237.00 | 237.00 |
| | 8 module front plate(4+4) | गोटा | 318.00 | 318.00 | 318.00 |
| | 8 module front plate (Horizontal) | गोटा | 326.00 | 326.00 | 326.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 12 module front plate | गोटा | 379.00 | 379.00 | 379.00 |
| | 18 module front plate | गोटा | 473.00 | 473.00 | 473.00 |
| १९ | **BELL INDICATOR** | | | | |
| | 4 way bell indicator with plate | सेट | 1255.00 | 1255.00 | 1255.00 |
| | 6 way " " " " | सेट | 2049.00 | 2049.00 | 2049.00 |
| | 8 way " " " " | सेट | 2851.00 | 2851.00 | 2851.00 |
| | 12 way " " " " | सेट | 4395.00 | 4395.00 | 4395.00 |
| | 5A PUSH BUTTON SP 1 MODULE | सेट | 214.00 | 214.00 | 214.00 |
| | 6A PUSH BUTTON SP WITH INDICATOR 1 MODULE | सेट | 314.00 | 314.00 | 314.00 |
| | 6A BELL PUSH 1 MODULE | सेट | 281.00 | 281.00 | 281.00 |
| | 6A BELL PUSH WITH INDICATOR 1 MODULE | सेट | 332.00 | 332.00 | 332.00 |
| | 6A BELL PUSH 2 MODULE | सेट | 377.00 | 377.00 | 377.00 |
| | 6A BELL PUSH WITH INDICATOR 2 MODULE | सेट | 556.00 | 556.00 | 556.00 |
| | BELL CALL INDICATOR 240V 1 MODULE | सेट | 1530.00 | 1530.00 | 1530.00 |
| २० | **Flush mounting galvanized Metal box for modular type switch & socket-(संवैधित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त)** | | | | |
| | 1module metal box having L x B x Depth =(78x78x45)mm | सेट | 54.00 | 54.00 | 54.00 |
| | 2 module " " =(78x78x45)mm | सेट | 54.00 | 54.00 | 54.00 |
| | 3 gang " " " =(78x100x45)mm | सेट | 58.00 | 58.00 | 58.00 |
| | 4 gang " " =(78x140x50)mm | सेट | 71.00 | 71.00 | 71.00 |
| | 5 gang " " =(78x205x50)mm | सेट | 139.00 | 139.00 | 139.00 |
| | 6 gang " " =(78x205x50)mm | सेट | 142.00 | 142.00 | 142.00 |
| | 8 module metal box (4+4) =(78x230x60)mm | सेट | 189.00 | 189.00 | 189.00 |
| | 8 module metal box (Horizontal) =(135x120x60)mm | सेट | 189.00 | 189.00 | 189.00 |
| | 12 module metal box =(135x120x60)mm | सेट | 241.00 | 241.00 | 241.00 |
| | TV socket metal box | सेट | 54.00 | 54.00 | 54.00 |
| | Telephone socket metal box | सेट | 54.00 | 54.00 | 54.00 |
| २१ | **METAL Junction BOX** | | | | |
| | 4"×4" | सेट | 104.00 | 104.00 | 104.00 |
| | 4"×6" | सेट | 156.00 | 156.00 | 156.00 |
| | 6"×8" | सेट | 247.00 | 247.00 | 247.00 |
| | 8"×10" | सेट | 364.00 | 364.00 | 364.00 |
| | 8"×12" | सेट | 364.00 | 364.00 | 364.00 |
| २२ | **PVC Junction Box** | सेट | 35.00 | 35.00 | 35.00 |
| | 4"×6" | सेट | 32.00 | 32.00 | 32.00 |
| | 6"×8" | सेट | 48.00 | 48.00 | 48.00 |
| | 8"×10" | सेट | 69.00 | 69.00 | 69.00 |
| | 8" x12" | सेट | 134.00 | 134.00 | 134.00 |
| | PVC Junction box cover | सेट | 150.00 | 150.00 | 150.00 |
| २३ | **PVC Box for MCB** | | | | |
| | 1-pole PVC box GPS | सेट | 84.00 | 84.00 | 84.00 |
| | 2- pole PVC " " | सेट | 84.00 | 84.00 | 84.00 |
| | 3 and 4-pole PVC " " | सेट | 135.00 | 135.00 | 135.00 |
| २४ | **Industrial Plug & Sockets** | | | | |
| | Industrial type Plug & Socket with required IP protection | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 16/20 Amp 3 Pin Socket with required IP protection | गोटा | 3848.00 | 3848.00 | 3848.00 |
| | 16/20 Amp 4 Pin Socket with required IP protection | गोटा | 4223.00 | 4223.00 | 4223.00 |
| | 16/20 Amp 5 Pin Socket with required IP protection | गोटा | 4223.00 | 4223.00 | 4223.00 |
| | 32 Amp 3 Pin Socket with required IP protection | गोटा | 4375.00 | 4375.00 | 4375.00 |
| | 32 Amp 4 Pin Socket with required IP protection | गोटा | 4913.00 | 4913.00 | 4913.00 |
| | 32 Amp 5 Pin Socket with required IP protection | गोटा | 4913.00 | 4913.00 | 4913.00 |
| | 63 Amp 3 Pin Socket with required IP protection | गोटा | 11182.00 | 11182.00 | 11182.00 |
| | 63 Amp 4 Pin Socket with required IP protection | गोटा | 10192.00 | 10192.00 | 10192.00 |
| | 63 Amp 5 Pin Socket with required IP protection | गोटा | 10192.00 | 10192.00 | 10192.00 |
| | 16/20 Amp 3 Pin Plug with required IP protection | गोटा | 1941.00 | 1941.00 | 1941.00 |
| | 16/20 Amp 4 Pin Plug with required IP protection | गोटा | 2714.00 | 2714.00 | 2714.00 |
| | 16/20 Amp 5 Pin Plug with required IP protection | गोटा | 2269.00 | 2269.00 | 2269.00 |
| | 32 Amp 3 Pin Plug with required IP protection | गोटा | 3345.00 | 3345.00 | 3345.00 |
| | 32 Amp 4 Pin Plug with required IP protection | गोटा | 3415.00 | 3415.00 | 3415.00 |
| | 32 Amp 5 Pin Plug with required IP protection | गोटा | 2795.00 | 2795.00 | 2795.00 |
| | 63 Amp 3 Pin Plug with required IP protection | गोटा | 10095.00 | 10095.00 | 10095.00 |
| | 63 Amp 4 Pin Plug with required IP protection | गोटा | 8095.00 | 8095.00 | 8095.00 |
| | 63 Amp 5 Pin Plug with required IP protection | गोटा | 7089.00 | 7089.00 | 7089.00 |
| २५ | **Outdoor Junction Box:** IP 66/IP67/IP69 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, made out of PC-GFS Polycarbonate/ Polypropylene including the required number of cable glands with following standards:<br>• VDE approved, DNV GL-certificate No-TAE00000EB, and certified in accordance with the new international standard IEC 60670-22<br>• Fire retardant & self-extinguishing in accordance with IEC 60 695-2-11, DIN VDE 0304 Part 3, UL Subject 94 for Flammability V-0. It should be tested at Glow Wire test for 960 deg. Cent. | | | | |
| | 93 x 93 x 62, Dimensions(mm) | गोटा | 1427.00 | 1427.00 | 1427.00 |
| | 104 x 104 x 70, Dimensions(mm) | गोटा | 1684.00 | 1684.00 | 1684.00 |
| | 104 x 104 x 70, Dimensions(mm) | गोटा | 1754.00 | 1754.00 | 1754.00 |
| | 130 x 130 x 77, Dimensions(mm) | गोटा | 2292.00 | 2292.00 | 2292.00 |
| | 130 x 130 x 77, Dimensions(mm) | गोटा | 3193.00 | 3193.00 | 3193.00 |
| | 130 x 180 x 77, Dimensions(mm) | गोटा | 3731.00 | 3731.00 | 3731.00 |
| | 130 x 180 x 77, Dimensions(mm) | गोटा | 4094.00 | 4094.00 | 4094.00 |
| | 155 x 210 x 92, Dimensions(mm) | गोटा | 4761.00 | 4761.00 | 4761.00 |
| | 155 x 210 x 92, Dimensions(mm) | गोटा | 5334.00 | 5334.00 | 5334.00 |
| | 205 x 255 x 112, Dimensions(mm) | गोटा | 28649.00 | 28649.00 | 28649.00 |
| | 225 x 295 x 122, Dimensions(mm) | गोटा | 30099.00 | 30099.00 | 30099.00 |
| | 255 x 355 x 122, Dimensions(mm) | गोटा | 8376.00 | 8376.00 | 8376.00 |
| २६ | **Junction Box for Underground/Underwater Application:** IP 68 with IK 08/09 in accordance with IEC 60529 and EN 50298-98, Thermoplastic PC – GFS Polycarbonate Junction Box shall be suitable for installation in the ground (underground – buried applications) without traffic loads. The junction box shall fulfill the following standards:<br>IEC 60670-22: Particular requirements for connecting boxes and enclosures.<br>IEC 60695 – 2 – 11: Flame – retardant & Self-extinguishing. Glow Wire tested at minimum 960 deg C.<br>DIN VDE V 0606 – 22 – 100: Cable junction boxes for encapsulating | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 93 x 93 x 62, Dimensions(mm) | गोटा | 10028.00 | 10028.00 | 10028.00 |
| | 104 x 104 x 70, Dimensions(mm) | गोटा | 12044.00 | 12044.00 | 12044.00 |
| | 104 x 104 x 70, Dimensions(mm) | गोटा | 12160.00 | 12160.00 | 12160.00 |
| | 130 x 130 x 77, Dimensions(mm) | गोटा | 15608.00 | 15608.00 | 15608.00 |
| | 130 x 130 x 77, Dimensions(mm) | गोटा | 16074.00 | 16074.00 | 16074.00 |
| | 130 x 180 x 77, Dimensions(mm) | गोटा | 19126.00 | 19126.00 | 19126.00 |
| | 130 x 180 x 77, Dimensions(mm) | गोटा | 20407.00 | 20407.00 | 20407.00 |
| २७ | Encapsulating/Waterproofing Gel Compound: Gel, suitable for Low voltage, free from halogen & silicon content, with self-life of 2 years, dielectric strength of 10kv/mm and should withstand temperature of 1000c (long time)-1400c (short time). | | | | |
| | 350 ml, Packet | गोटा | 9073.00 | 9073.00 | 9073.00 |
| | 500 ml, Packet | गोटा | 10925.00 | 10925.00 | 10925.00 |
| | 850 ml, Packet | गोटा | 14490.00 | 14490.00 | 14490.00 |
| | 1200 ml, Drum | गोटा | 16726.00 | 16726.00 | 16726.00 |
| | 2000 ml, Drum | गोटा | 14979.00 | 14979.00 | 14979.00 |
| | 5000 ml, Drum | गोटा | 33849.00 | 33849.00 | 33849.00 |
| | 10000 ml, Drum | गोटा | 66183.00 | 66183.00 | 66183.00 |
| २८ | DB Box Condensation Protection Passive Measure: for preventing condensation in panels and DB's, having performance range temperature range of -30 deg C to +90 deg C. The Condensation Bag/Pouch shall be Environment friendly and can be disposal of in regular trash. | | | | |
| | 50 x 75 , Dimensions(mm) | गोटा | 605.00 | 605.00 | 605.00 |
| | 75 x 100, Dimensions(mm) | गोटा | 1118.00 | 1118.00 | 1118.00 |
| | 100 x 150, Dimensions(mm) | गोटा | 2154.00 | 2154.00 | 2154.00 |
| | 150 x 150, Dimensions(mm) | गोटा | 3203.00 | 3203.00 | 3203.00 |
| २९ | Polycarbonate Thermoplastic Box: IP 64/IP65/IP66 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 featured with UV resistance in accordance with IEC 61439-1, Confirming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property. | | | | |
| | 300 x 150 x 170, Dimensions(mm) | गोटा | 7008.00 | 7008.00 | 7008.00 |
| | 300 x 300 x 170, Dimensions(mm) | गोटा | 10113.00 | 10113.00 | 10113.00 |
| | 300 x 450 x 170, Dimensions(mm) | गोटा | 13185.00 | 13185.00 | 13185.00 |
| | 300 x 600 x 170, Dimensions(mm) | गोटा | 16353.00 | 16353.00 | 16353.00 |
| | 450 x 600 x 170, Dimensions(mm) | गोटा | 28700.00 | 28700.00 | 28700.00 |
| | 600 x 600 x 170, Dimensions(mm) | गोटा | 36201.00 | 36201.00 | 36201.00 |
| | 300 x 300 x 214, Dimensions(mm) | गोटा | 10762.00 | 10762.00 | 10762.00 |
| | 300 x 450 x 214, Dimensions(mm) | गोटा | 14327.00 | 14327.00 | 14327.00 |
| | 300 x 600 x 214, Dimensions(mm) | गोटा | 17879.00 | 17879.00 | 17879.00 |
| | 300 x 300 x 180, Dimensions(mm) | गोटा | 11624.00 | 11624.00 | 11624.00 |
| ३० | Cable Glands and Locknuts: IP 68 Cable Glands and LocknutsMade from Polyamide Material | | | | |
| | M 12 x 1.5 | गोटा | 77.00 | 77.00 | 77.00 |
| | M 16 x 1.5 | गोटा | 79.00 | 79.00 | 79.00 |
| | M 20 x 1.5 | गोटा | 107.00 | 107.00 | 107.00 |
| | M 25 x 1.5 | गोटा | 187.00 | 187.00 | 187.00 |
| | M 32 x 1.5 | गोटा | 255.00 | 255.00 | 255.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | M 40 x 1.5 | गोटा | 531.00 | 531.00 | 531.00 |
| | M 50 x 1.5 | गोटा | 823.00 | 823.00 | 823.00 |
| | M 63 x 1.5 | गोटा | 1289.00 | 1289.00 | 1289.00 |
| | | | | | |
| **B** | **LT- PANELS & Distribution Board** | | | | |
| | **General & Mid Segment** | | | | |
| ३१ | Distribution board (DB) - factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof made of 16 SWG sheet steel provided with hinged gasketted door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc. | | | | |
| | 4 way **SPN DB** Double Cover | सेट | 1130.00 | 1130.00 | 1130.00 |
| | 6 way SPN DB " " | सेट | 1185.00 | 1185.00 | 1185.00 |
| | 8 way SPN DB " " | सेट | 1479.00 | 1479.00 | 1479.00 |
| | 12 way SPN DB " " | सेट | 1753.00 | 1753.00 | 1753.00 |
| | 16 way SPN DB " " | सेट | 1874.00 | 1874.00 | 1874.00 |
| | 2-4 way TPN DB Double Cover | सेट | 2786.00 | 2786.00 | 2786.00 |
| | 6 way TPN " " " | सेट | 3131.00 | 3131.00 | 3131.00 |
| | 8 way TPN " " " Vertical | सेट | 6057.00 | 6057.00 | 6057.00 |
| | 12 way TPN " " " Vertical | सेट | 8070.00 | 8070.00 | 8070.00 |
| | **Standard Segment** | | | | |
| ३२ | Distribution Box : factory fabricated and factory assembled, sheet steel clad powder coated, wall/recess mounting dust and vermin proof (IP 43 & IK 09 ingress protection) double door vertical/horizontal type Distribution Boards conforming IEC: 61439-3, fabricated from 16 SWG sheet steel provided with hinged gasketted door with padlocking facility and including suitably rated PVC insulated pin/fork type copper busbars with interconnections and neutral bar assembly, earthing terminals etc. | | | | |
| | 4 WAY SPN DB BOX (DOUBLE DOOR) | सेट | 3135.00 | 3135.00 | 3135.00 |
| | 8 WAY SPN DB BOX (DOUBLE DOOR) | सेट | 3870.00 | 3870.00 | 3870.00 |
| | 12 WAY SPN DB BOX (DOUBLE DOOR) | सेट | 4652.00 | 4652.00 | 4652.00 |
| | 16 WAY SPN DB BOX (DOUBLE DOOR) | सेट | 5902.00 | 5902.00 | 5902.00 |
| | 18 WAY SPN DB BOX (DOUBLE DOOR) | सेट | 6036.00 | 6036.00 | 6036.00 |
| | 20 WAY SPN DB BOX (DOUBLE DOOR) | सेट | 7322.00 | 7322.00 | 7322.00 |
| | 4 WAY SPN DB BOX (SINGLE DOOR) | सेट | 2356.00 | 2356.00 | 2356.00 |
| | 8 WAY SPN DB BOX(SINGLE DOOR) | सेट | 2874.00 | 2874.00 | 2874.00 |
| | 12 WAY SPN DB BOX(SINGLE DOOR) | सेट | 3398.00 | 3398.00 | 3398.00 |
| | 16 WAY SPN DB BOX(SINGLE DOOR) | सेट | 4150.00 | 4150.00 | 4150.00 |
| | 4 WAY TPN DB BOX (DOUBLE DOOR) | सेट | 7660.00 | 7660.00 | 7660.00 |
| | 6 WAY TPN DB BOX (DOUBLE DOOR) | सेट | 9539.00 | 9539.00 | 9539.00 |
| | 8 WAY TPN DB BOX (DOUBLE DOOR) | सेट | 11392.00 | 11392.00 | 11392.00 |
| | 12 WAY TPN DB BOX (DOUBLE DOOR) | सेट | 17062.00 | 17062.00 | 17062.00 |
| | 16 WAY TPN DB BOX (DOUBLE DOOR) | सेट | 21152.00 | 21152.00 | 21152.00 |
| | 20 WAY TPN DB BOX (DOUBLE DOOR) | सेट | 29612.00 | 29612.00 | 29612.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 2 ROW OF 14M DB (DOUBLE DOOR) | सेट | 9816.00 | 9816.00 | 9816.00 |
| | 3 ROW OF 14M DB (DOUBLE DOOR) | सेट | 11737.00 | 11737.00 | 11737.00 |
| | 4 ROW OF 14M DB (DOUBLE DOOR) | सेट | 12785.00 | 12785.00 | 12785.00 |
| | 3 ROW OF 14M DB +MCCB (DOUBLE DOOR) | सेट | 12782.00 | 12782.00 | 12782.00 |
| | 4WAY +12 TPN DB'S (DOUBLE DOOR) | सेट | 22883.00 | 22883.00 | 22883.00 |
| | 6WAY +18 TPN DB'S (DOUBLE DOOR) | सेट | 25997.00 | 25997.00 | 25997.00 |
| | 8WAY +24 TPN DB'S (DOUBLE DOOR) | सेट | 28614.00 | 28614.00 | 28614.00 |
| | 12WAY +36 TPN DB'S (DOUBLE DOOR) | सेट | 39010.00 | 39010.00 | 39010.00 |
| | 4WAY +12 +12 7 SEGMENT DB'S (DOUBLE DOOR) | सेट | 27469.00 | 27469.00 | 27469.00 |
| | 4WAY +12 +18 7 SEGMENT DB'S (DOUBLE DOOR) | सेट | 31443.00 | 31443.00 | 31443.00 |
| | 4WAY +12 +24 7 SEGMENT DB'S (DOUBLE DOOR) | सेट | 36355.00 | 36355.00 | 36355.00 |
| | 4WAY +12 +36 7 SEGMENT DB'S (DOUBLE DOOR) | सेट | 41004.00 | 41004.00 | 41004.00 |
| | 63A+160 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR) | सेट | 6818.00 | 6818.00 | 6818.00 |
| | 250 MCCB BOX 3&4P ENCLOUSER (DOUBLE DOOR) | सेट | 12057.00 | 12057.00 | 12057.00 |
| | 100 MCCB -TP 3&4P ENCLOUSER (DOUBLE DOOR) | सेट | 3643.00 | 3643.00 | 3643.00 |
| | DP/TP ENCLOUSER FOR MCB(SINGLE DOOR) | सेट | 1213.00 | 1213.00 | 1213.00 |
| | FP ENCLOUSER FOR MCB(SINGLE DOOR) | सेट | 1213.00 | 1213.00 | 1213.00 |
| | **Panel Board Thermoplastic Polycarbonate** | | | | |
| ३३ | Distribution Board Thermoplastic Polycarbonate: IP 65 with IK 08/09 in accordance with IEC 60529 and EN 50298-98 made of Thermoplastics PS Polystyrene Outdoor MCB Distribution Boards suitable for 1-54 MCB modules with fixed plug-in terminal for PE/N, Conforming to IEC 60 695-2-11 with 700-1000C glow wire test with flame retardant, self-extinguishing property | | | | |
| | 3 Modules | गोटा | 3986.00 | 3986.00 | 3986.00 |
| | 4 Modules | गोटा | 5033.00 | 5033.00 | 5033.00 |
| | 6 Modules | गोटा | 5762.00 | 5762.00 | 5762.00 |
| | 9 Modules | गोटा | 7197.00 | 7197.00 | 7197.00 |
| | 12 Modules | गोटा | 11811.00 | 11811.00 | 11811.00 |
| | 18 Modules | गोटा | 14105.00 | 14105.00 | 14105.00 |
| | 24 Modules | गोटा | 16773.00 | 16773.00 | 16773.00 |
| | 2 row 36 Modules | गोटा | 21665.00 | 21665.00 | 21665.00 |
| | 3 row 36 Modules | गोटा | 21047.00 | 21047.00 | 21047.00 |
| | 4 row 48 Modules | गोटा | 27396.00 | 27396.00 | 27396.00 |
| | 3 row 54 Modules | गोटा | 30366.00 | 30366.00 | 30366.00 |
| | | | | | |
| ३४ | **Panel Board:-** Floor/Wall Mounted, double door, powder coated enclosed (50-80microns), treated with seven (7) tank processes with push-button lock, safety Acrilic Sheet Cover with a warning sign at exposed portion, DB name embossed in Metal tag, ferrule, spreaders, rotor handle in all incoming and made of 1.6/2 mm metal sheet including Copper neutral bar, phase bar and earth bus bar with color-coded heat shrinkable insulating sleeves) with adequate space for Incoming and outgoing cables, complete internal wiring with as per the drawing, specification, and instruction, all complete. The panel shall conform to IS 8623 (Part 1 & 2) and IS 13947, having a degree of protection of enclosure as per IS/IEC 60529. | | | | |

# विद्युतिय सामाग्रीहरु

| क्र.सं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 60/75/100 AMP, 9"×36"×48" size | सेट | 22366.00 | 22366.00 | 22366.00 |
| | 60/75/100 AMP "12×36"×48" size | सेट | 26627.00 | 26627.00 | 26627.00 |
| | 60/75/100 AMP 9"×48"×60" size | सेट | 37278.00 | 37278.00 | 37278.00 |
| | 60/75100 AMP 12"×49"×60" size | सेट | 44378.00 | 44378.00 | 44378.00 |
| | 150/200 AMP 9"×38"×52" size | सेट | 24851.00 | 24851.00 | 24851.00 |
| | 150/200 AMP 12"×38"×52" size | सेट | 24851.00 | 24851.00 | 24851.00 |
| | 150/200 AMP 9" ×42"×56 "size | सेट | 27675.00 | 27675.00 | 27675.00 |
| | 150/200 AMP 12"×42"×56" size | सेट | 29432.00 | 29432.00 | 29432.00 |
| | 250/300AMP 12"×48"×60"size | सेट | 36040.00 | 36040.00 | 36040.00 |
| | 250/300AMP 12"×52"×62" size | सेट | 40344.00 | 40344.00 | 40344.00 |
| | 400 AMP 12"×52"×66" size | सेट | 42947.00 | 42947.00 | 42947.00 |
| ३५ | **Manual Change over Panel Type** - संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त | | | | |
| | 63 Amp FP | गोटा | 12135.00 | 12135.00 | 12135.00 |
| | 80 Amp FP | गोटा | 13426.00 | 13426.00 | 13426.00 |
| | 100 Amp FP | गोटा | 19020.00 | 19020.00 | 19020.00 |
| | 125 Amp FP | गोटा | 20053.00 | 20053.00 | 20053.00 |
| | 160 Amp FP | गोटा | 26336.00 | 26336.00 | 26336.00 |
| | 200 Amp FP | गोटा | 27196.00 | 27196.00 | 27196.00 |
| | 250 Amp FP | गोटा | 28918.00 | 28918.00 | 28918.00 |
| | 315 Amp FP | गोटा | 36578.00 | 36578.00 | 36578.00 |
| | **OPEN EXECUTION** | | | | |
| | CHANGEOVER SD FRI 63A WITH EXTENDED HANDLE | गोटा | 10027.00 | 10027.00 | 10027.00 |
| | CHANGEOVER SD FRI 100A WITH EXTENDED HANDLE | गोटा | 13218.00 | 13218.00 | 13218.00 |
| | CHANGEOVER SD CO FRI 125A OPEN EXECUTION | गोटा | 20101.00 | 20101.00 | 20101.00 |
| | CHANGEOVER SD CO FRI 160A OPEN EXECUTION | गोटा | 21725.00 | 21725.00 | 21725.00 |
| | CHANGEOVER SD CO FRI 200A OPEN EXECUTION | गोटा | 26384.00 | 26384.00 | 26384.00 |
| | CHANGEOVER SD CO FRI 250A OPEN EXECUTION | गोटा | 38818.00 | 38818.00 | 38818.00 |
| | CHANGEOVER SD CO FRI 315A OPEN EXECUTION | गोटा | 40881.00 | 40881.00 | 40881.00 |
| | CHANGEOVER SD CO FRI 400A OPEN EXECUTION | गोटा | 60257.00 | 60257.00 | 60257.00 |
| | CHANGEOVER SD CO FRI 630A OPEN EXECUTION | गोटा | 71026.00 | 71026.00 | 71026.00 |
| | CHANGEOVER SD CO FRI 800A OPEN EXECUTION | गोटा | 102883.00 | 102883.00 | 102883.00 |
| | CHANGEOVER SD CO FRI 1000A OPEN EXECUTION | गोटा | 184354.00 | 184354.00 | 184354.00 |
| | CHANGEOVER SD WITH CENTER OPERATION 1250A | गोटा | 244935.00 | 244935.00 | 244935.00 |
| | CHANGEOVER SD WITH CENTER OPERATION 1600A | गोटा | 289848.00 | 289848.00 | 289848.00 |
| | CHANGEOVER SD WITH CENTER OPERATION 2000A | गोटा | 394716.00 | 394716.00 | 394716.00 |
| | **Sheet Steel Enclosure** | | | | |
| | CHANGEOVER SD FRI 63A IN SS ENCL ENT HANDLE | गोटा | 14555.00 | 14555.00 | 14555.00 |
| | CHANGEOVER SD FRI 100A IN SS ENCL ENT HANDLE | गोटा | 18565.00 | 18565.00 | 18565.00 |
| | CHANGEOVER SD CO FR2 125A IN SS ENCL | गोटा | 27052.00 | 27052.00 | 27052.00 |
| | CHANGEOVER SD CO FR2 160A IN SS ENCL | गोटा | 30196.00 | 30196.00 | 30196.00 |
| | CHANGEOVER SD CO FR2 200A IN SS ENCL | गोटा | 34917.00 | 34917.00 | 34917.00 |
| | CHANGEOVER SD CO FR2 250A IN SS ENCL | गोटा | 49357.00 | 49357.00 | 49357.00 |
| | CHANGEOVER SD CO FR2 315A IN SS ENCL | गोटा | 51734.00 | 51734.00 | 51734.00 |
| | CHANGEOVER SD CO FR2 400A IN SS ENCL | गोटा | 75392.00 | 75392.00 | 75392.00 |
| | CHANGEOVER SD CO FR2 630A IN SS ENCL | गोटा | 89827.00 | 89827.00 | 89827.00 |
| | CHANGEOVER SD FR2 800A IN SS ENCL | गोटा | 135774.00 | 135774.00 | 135774.00 |
| | CHANGEOVER SD FR2 1000A IN SS ENCL | गोटा | 238668.00 | 238668.00 | 238668.00 |
| | **Panel Board Thermoplastic Polycarbonate** | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ३६ | Panel Board Thermoplastic Polycarbonate : IP 65/54 rated Panel Boards in accordance with IEC 60 439-1 (IS8623) and IEC 60 439-2 for power switchgear and control gear assembly, made of high quality Polycarbonate PC-GFS, Shock Proof, Polyurethane gaskets, fernuling, rust free, corrosion free, acid and chemical resistant, fire retardant, self- extinguishing, having high impact against mechanical load, made of halogen and silicon free recyclable material conform to ROHS directive 2002/95/EC. The panel boards must include TPNE copper bus bar including necessary accessories for internal wiring at the board excluding cost of MCCB/MCB & measuring instrument | | | | |
| | 60/75/100 Amp, 9"x36"x48" size | सेट | 163836.00 | 163836.00 | 163836.00 |
| | 60/75/100 AMP, 12"x36"x48" size | सेट | 163836.00 | 163836.00 | 163836.00 |
| | 60/75/100 AMP, 9"x48"x60" size | सेट | 274932.00 | 274932.00 | 274932.00 |
| | 60/75/100 AMP, 15"x49"x60" size | सेट | 274932.00 | 274932.00 | 274932.00 |
| | 150/200 AMP, 9"x38"x52" size | सेट | 174468.00 | 174468.00 | 174468.00 |
| | 150/200 AMP, 12"x38"x52" size | सेट | 174468.00 | 174468.00 | 174468.00 |
| | 150/200 AMP, 9"x42"x56" size | सेट | 210120.00 | 210120.00 | 210120.00 |
| | 150/200 AMP, 12"x42"x56" size | सेट | 210120.00 | 210120.00 | 210120.00 |
| | 250/300 AMP, 12"x48"x60" size | सेट | 274932.00 | 274932.00 | 274932.00 |
| | 250/300 AMP, 12"x52"x62" size | सेट | 296004.00 | 296004.00 | 296004.00 |
| | 400 AMP, 12"x52"x66" size | सेट | 317124.00 | 317124.00 | 317124.00 |
| | | | | | |
| ३७ | **Panel Board measurement instrument** | | | | |
| | 0-500 volt meter | पिस | 1068.00 | 1068.00 | 1068.00 |
| | 60/100 Amp meter | पिस | 1022.00 | 1022.00 | 1022.00 |
| | Panel Indicator | पिस | 247.00 | 247.00 | 247.00 |
| | 2 Amp glass fuse with holder 12 mm size | पिस | 139.00 | 139.00 | 139.00 |
| | AMP meter selector switch | पिस | 677.00 | 677.00 | 677.00 |
| | volt meter selector switch | पिस | 742.00 | 742.00 | 742.00 |
| | 60/100 Amp C.T. coil per set 3 Pcs | पिस | 1495.00 | 1495.00 | 1495.00 |
| | 150-200AMP C.T coil 3 PC / Set | गोटा | 1861.00 | 1861.00 | 1861.00 |
| | 250-300 AMP " " | गोटा | 2528.00 | 2528.00 | 2528.00 |
| | 400/500/600AMP " " | गोटा | 3712.00 | 3712.00 | 3712.00 |
| | Kilo watt hour energy meter single phase | पिस | 2372.00 | 2372.00 | 2372.00 |
| | Kilo watt hour energy meter 3 phase direct | पिस | 10683.00 | 10683.00 | 10683.00 |
| C | **SWITCH GEARS** | | | | |
| ३८ | **Miniature Circuits Breaker (MCB)**, (संबन्धित उत्पादक राष्ट्रको दुणस्तर चिन्ह प्राप्त) | | | | |
| | **Single Pole** | | | | |
| | 6-32 amp MCB SP (single pole) | गोटा | 215.00 | 215.00 | 215.00 |
| | 40A SP 10 KA MCB | गोटा | 782.00 | 782.00 | 782.00 |
| | 63A SP 10 KA MCB | गोटा | 853.00 | 853.00 | 853.00 |
| | **Double Pole** | | | | |
| | 6-32 amp MCB DP (Double pole) | गोटा | 1065.00 | 1065.00 | 1065.00 |
| | 40A DP 10 KA MCB | गोटा | 1671.00 | 1671.00 | 1671.00 |
| | 63A DP 10 KA MCB | गोटा | 1880.00 | 1880.00 | 1880.00 |
| | **Three Pole** | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 6-32 amp MCB TP (Triple pole) | गोटा | 1744.00 | 1744.00 | 1744.00 |
| | 40A TP 10 KA MCB | गोटा | 2559.00 | 2559.00 | 2559.00 |
| | 63A TP 10 KA MCB | गोटा | 2705.00 | 2705.00 | 2705.00 |
| | **Four Pole** | | | | |
| | 10-32 amp MCB FP (Four pole) | गोटा | 2235.00 | 2235.00 | 2235.00 |
| | 40A FP 10 KA MCB | गोटा | 3269.00 | 3269.00 | 3269.00 |
| | 63A FP 10 KA MCB | गोटा | 3342.00 | 3342.00 | 3342.00 |
| ३९ | **Miniature Circuits Breaker (MCB)** (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | 0.5-5 amp MCB SP (single pole) | गोटा | 269.00 | 269.00 | 269.00 |
| | 6-32 amp MCB SP (single pole) | गोटा | 172.00 | 172.00 | 172.00 |
| | 6-32 amp MCB DP (Double pole) | गोटा | 645.00 | 645.00 | 645.00 |
| | 6-32 amp MCB TP (Triple pole) | गोटा | 1291.00 | 1291.00 | 1291.00 |
| | 32 amp MCB TPN | गोटा | 1560.00 | 1560.00 | 1560.00 |
| | 40-63 amp MCB DP | गोटा | 1022.00 | 1022.00 | 1022.00 |
| | 40-63 amp MCB TP | गोटा | 1452.00 | 1452.00 | 1452.00 |
| | 40-63 amp MCB TPN | गोटा | 1936.00 | 1936.00 | 1936.00 |
| ४० | **Residual Current Circuit Breaker (RCCB)** (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | **Two Pole** | | | | |
| | 25A 30mA 2 POLE RCCB | गोटा | 2873.00 | 2873.00 | 2873.00 |
| | 25A 100mA 2 POLE RCCB | गोटा | 3890.00 | 3890.00 | 3890.00 |
| | 25A 300mA DP RCCB | गोटा | 3890.00 | 3890.00 | 3890.00 |
| | 40A30mA DP RCCB | गोटा | 4204.00 | 4204.00 | 4204.00 |
| | 40A 100mA DP RCCB | गोटा | 4449.00 | 4449.00 | 4449.00 |
| | 40A 300mA DP RCCB | गोटा | 4449.00 | 4449.00 | 4449.00 |
| | 63A 30mA DP RCCB | गोटा | 5238.00 | 5238.00 | 5238.00 |
| | 63A 300mA DP RCCB | गोटा | 5368.00 | 5368.00 | 5368.00 |
| | **Four Pole** | | | | |
| | 25A 30mA Four Pole RCCB | गोटा | 4919.00 | 4919.00 | 4919.00 |
| | 25A 100mAFour Pole RCCB | गोटा | 5097.00 | 5097.00 | 5097.00 |
| | 25A 300mA Four Pole RCCB | गोटा | 5097.00 | 5097.00 | 5097.00 |
| | 40A 30mA Four Pole RCCB | गोटा | 4940.00 | 4940.00 | 4940.00 |
| | 40A 100mAFour Pole RCCB | गोटा | 5175.00 | 5175.00 | 5175.00 |
| | 40A 300mA Four Pole RCCB | गोटा | 5175.00 | 5175.00 | 5175.00 |
| | 63A 30mA Four Pole RCCB | गोटा | 5666.00 | 5666.00 | 5666.00 |
| | 63A 100mAFour Pole RCCB | गोटा | 5948.00 | 5948.00 | 5948.00 |
| | 63A 300mA Four Pole RCCB | गोटा | 5948.00 | 5948.00 | 5948.00 |
| | 100A 300mA Four Pole RCCB | गोटा | 9974.00 | 9974.00 | 9974.00 |
| ४१ | **Moulded Case Circuit Breaker** (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | 15 A-100 A 3 POLE, 10 KA | गोटा | 4132.00 | 4132.00 | 4132.00 |
| | 15 A-100 A 4 POLE, 19 KA | गोटा | 6067.00 | 6067.00 | 6067.00 |
| | 16A-63A 3P MCCB 10 KA FTFM | गोटा | 3723.00 | 3723.00 | 3723.00 |
| | 80A 3P MCCB 10 KA FTFM - SPRD | गोटा | 4334.00 | 4334.00 | 4334.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 100A 3P MCCB 10 KA FTFM - SPRD | गोटा | 4334.00 | 4334.00 | 4334.00 |
| | 125A 3P MCCB 10 KA FTFM + SPRD | गोटा | 6143.00 | 6143.00 | 6143.00 |
| | 15 A-100 A 3 POLE, 10 KA | गोटा | 8500.00 | 8500.00 | 8500.00 |
| | 125 A 3 POLE, 16 KA | गोटा | 9196.00 | 9196.00 | 9196.00 |
| | 160 A 3 POLE, 16 KA | गोटा | 11858.00 | 11858.00 | 11858.00 |
| | 15 A-100 A 4 POLE, 19 KA | गोटा | 11330.00 | 11330.00 | 11330.00 |
| | 125 A 4 POLE, 16 KA | गोटा | 11402.00 | 11402.00 | 11402.00 |
| | 160 A 4 POLE, 16 KA | गोटा | 14928.00 | 14928.00 | 14928.00 |
| | 125A 3P MCCB 18 KA TM 9 PIN | गोटा | 13420.00 | 13420.00 | 13420.00 |
| ४२ | **Moulded Case Circuit Breaker** (As per IS/IEC 60947-2 and Utilization Catagoerie -B, Icu=Ics=100% with spreader) | | | | |
| | 16A 3P MCCB 16/25 KA | गोटा | 9936.00 | 9936.00 | 9936.00 |
| | 20A-63A 3P MCCB 16/25 KA | गोटा | 10153.00 | 10153.00 | 10153.00 |
| | 80A 3P MCCB 16/25 KA | गोटा | 10648.00 | 10648.00 | 10648.00 |
| | 100A 3P MCCB 16/25 KA | गोटा | 10648.00 | 10648.00 | 10648.00 |
| | 125A 3P MCCB 16/25 KA | गोटा | 14454.00 | 14454.00 | 14454.00 |
| | 160A 3P MCCB 16/25 KA | गोटा | 22220.00 | 22220.00 | 22220.00 |
| | 200A 3P MCCB 25 KA | गोटा | 30250.00 | 30250.00 | 30250.00 |
| | 250A 3P MCCB 25 KA | गोटा | 32318.00 | 32318.00 | 32318.00 |
| | 16A - 100 A 3P MCCB 36 KA | गोटा | 12592.00 | 12592.00 | 12592.00 |
| | 125A 3P MCCB 36 KA | गोटा | 19981.00 | 19981.00 | 19981.00 |
| | 160A 3P MCCB 36 KA | गोटा | 26559.00 | 26559.00 | 26559.00 |
| | 200A 3P MCCB 36 KA | गोटा | 31581.00 | 31581.00 | 31581.00 |
| | 250A 3P MCCB 36 KA | गोटा | 35541.00 | 35541.00 | 35541.00 |
| | 320A 3P MCCB 36 KA | गोटा | 41222.00 | 41222.00 | 41222.00 |
| | 400A 3P MCCB 36 KA | गोटा | 41258.00 | 41258.00 | 41258.00 |
| | 500A 3P MCCB 36 KA | गोटा | 47641.00 | 47641.00 | 47641.00 |
| | 630A 3P MCCB 36 KA | गोटा | 54010.00 | 54010.00 | 54010.00 |
| | 800A 3P MCCB 36 KA | गोटा | 79653.00 | 79653.00 | 79653.00 |
| | 1000A 3P MCCB 36 KA | गोटा | 103968.00 | 103968.00 | 103968.00 |
| | 1250A 3P MCCB 36 KA | गोटा | 148555.00 | 148555.00 | 148555.00 |
| | 125A 3P MCCB 50 KA | गोटा | 25927.00 | 25927.00 | 25927.00 |
| | 160A 3P MCCB 50 KA | गोटा | 32642.00 | 32642.00 | 32642.00 |
| | 200A 3P MCCB 50 KA | गोटा | 30723.00 | 30723.00 | 30723.00 |
| | 250A 3P MCCB 50 KA | गोटा | 33805.00 | 33805.00 | 33805.00 |
| | 320A 3P MCCB 50 KA | गोटा | 39557.00 | 39557.00 | 39557.00 |
| | 400A 3P MCCB 50 KA | गोटा | 39688.00 | 39688.00 | 39688.00 |
| | 500A 3P MCCB 50 KA | गोटा | 47146.00 | 47146.00 | 47146.00 |
| | 630A 3P MCCB 50 KA | गोटा | 61050.00 | 61050.00 | 61050.00 |
| | 800A 3P MCCB 50 KA | गोटा | 94743.00 | 94743.00 | 94743.00 |
| | 1000A 3P MCCB 50 KA | गोटा | 150300.00 | 150300.00 | 150300.00 |
| | 1250A 3P MCCB 50 KA | गोटा | 183903.00 | 183903.00 | 183903.00 |
| | 800 A 3 POLE, 70 KA | गोटा | 142236.00 | 142236.00 | 142236.00 |
| | 1000 A 3 POLE, 70 KA | गोटा | 215390.00 | 215390.00 | 215390.00 |
| | 1250A 3 POLE, 70 KA | गोटा | 220656.00 | 220656.00 | 220656.00 |
| | 16A 4P MCCB 16/25 KA | गोटा | 13812.00 | 13812.00 | 13812.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 20A 4P MCCB 16/25 KA | गोटा | 14195.00 | 14195.00 | 14195.00 |
| | 25A 4P MCCB 16/25 KA | गोटा | 14195.00 | 14195.00 | 14195.00 |
| | 32A 4P MCCB 16/25 KA | गोटा | 14195.00 | 14195.00 | 14195.00 |
| | 40A 4P MCCB 16/25 KA | गोटा | 14195.00 | 14195.00 | 14195.00 |
| | 50A 4P MCCB 16/25 KA | गोटा | 16978.00 | 16978.00 | 16978.00 |
| | 63A 3P MCCB 16/25 KA | गोटा | 13812.00 | 13812.00 | 13812.00 |
| | 80A 4P MCCB 16/25 KA | गोटा | 16978.00 | 16978.00 | 16978.00 |
| | 100A 4P MCCB 16/25 KA | गोटा | 17308.00 | 17308.00 | 17308.00 |
| | 125A 4P MCCB 16/25 KA | गोटा | 21472.00 | 21472.00 | 21472.00 |
| | 160A 4P MCCB 16/25 KA | गोटा | 27555.00 | 27555.00 | 27555.00 |
| | 200A 4P MCCB 25 KA | गोटा | 38445.00 | 38445.00 | 38445.00 |
| | 250A 4P MCCB 25 KA | गोटा | 40529.00 | 40529.00 | 40529.00 |
| | 16A - 100 A 4P MCCB 36 KA | गोटा | 15712.00 | 15712.00 | 15712.00 |
| | 125A 4P MCCB 36 KA | गोटा | 24810.00 | 24810.00 | 24810.00 |
| | 160A 4P MCCB 36 KA | गोटा | 31548.00 | 31548.00 | 31548.00 |
| | 200A 4P MCCB 36 KA | गोटा | 38852.00 | 38852.00 | 38852.00 |
| | 250A 4P MCCB 36 KA | गोटा | 43417.00 | 43417.00 | 43417.00 |
| | 320A 4P MCCB 36 KA | गोटा | 51480.00 | 51480.00 | 51480.00 |
| | 400A 4P MCCB 36 KA | गोटा | 52332.00 | 52332.00 | 52332.00 |
| | 500A 4P MCCB 36 KA | गोटा | 64916.00 | 64916.00 | 64916.00 |
| | 630A 4P MCCB 36 KA | गोटा | 71940.00 | 71940.00 | 71940.00 |
| | 800A 4P MCCB 36 KA | गोटा | 89616.00 | 89616.00 | 89616.00 |
| | 1000A 4P MCCB 36 KA | गोटा | 131436.00 | 131436.00 | 131436.00 |
| | 1250A 4P MCCB 36 KA | गोटा | 158119.00 | 158119.00 | 158119.00 |
| | 125A 4P MCCB 50 KA | गोटा | 29073.00 | 29073.00 | 29073.00 |
| | 200A 4P MCCB 50 KA | गोटा | 38406.00 | 38406.00 | 38406.00 |
| | 250A 4P MCCB 50 KA | गोटा | 41474.00 | 41474.00 | 41474.00 |
| | 320A 4P MCCB 50 KA | गोटा | 48886.00 | 48886.00 | 48886.00 |
| | 400A 4P MCCB 50 KA | गोटा | 49562.00 | 49562.00 | 49562.00 |
| | 500A 4P MCCB 50 KA | गोटा | 59536.00 | 59536.00 | 59536.00 |
| | 630A 4P MCCB 50 KA | गोटा | 63467.00 | 63467.00 | 63467.00 |
| | 800A 4P MCCB 50 KA | गोटा | 108020.00 | 108020.00 | 108020.00 |
| | 1000A 4P MCCB 50 KA | गोटा | 209456.00 | 209456.00 | 209456.00 |
| | 1250A 4P MCCB 50 KA | गोटा | 264550.00 | 264550.00 | 264550.00 |
| | 800 A 4 POLE, 70 KA | गोटा | 164896.00 | 164896.00 | 164896.00 |
| | 1000 A 4 POLE, 70 KA | गोटा | 304968.00 | 304968.00 | 304968.00 |
| | 1250A 4 POLE, 70 KA | गोटा | 351662.00 | 351662.00 | 351662.00 |
| ४३ | **MCB/ISOLATOR** संबन्धित उत्पादक संस्थाको पुनरस्वर भिन्न प्राप्त | | | | |
| | B CURVE MCB SP 6A-32A | गोटा | 249.00 | 249.00 | 249.00 |
| | B CURVE MCB SP 40A | गोटा | 293.00 | 293.00 | 293.00 |
| | B CURVE MCB SP 50A-63A | गोटा | 293.00 | 293.00 | 293.00 |
| | C CURVE MCB SP 0.5-4A | गोटा | 293.00 | 293.00 | 293.00 |
| | C CURVE MCB SP 6-32A | गोटा | 249.00 | 249.00 | 249.00 |
| | C CURVE MCB SP 40A | गोटा | 465.00 | 465.00 | 465.00 |
| | C CURVE MCB SP 50-63A | गोटा | 465.00 | 465.00 | 465.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | C CURVE MCB SPN 0.5-4A | गोटा | 500.00 | 500.00 | 500.00 |
| | C CURVE MCB SPN 6-32A | गोटा | 535.00 | 535.00 | 535.00 |
| | C CURVE MCB SPN 40A | गोटा | 585.00 | 585.00 | 585.00 |
| | C CURVE MCB SPN 50-63A | गोटा | 585.00 | 585.00 | 585.00 |
| | C CURVE MCB DP 0.5-4A | गोटा | 644.00 | 644.00 | 644.00 |
| | C CURVE MCB DP 6-32A | गोटा | 589.00 | 589.00 | 589.00 |
| | C CURVE MCB DP 40A | गोटा | 644.00 | 644.00 | 644.00 |
| | C CURVE MCB DP 50-63A | गोटा | 644.00 | 644.00 | 644.00 |
| | C CURVE MCB TP 0.5-4A | गोटा | 966.00 | 966.00 | 966.00 |
| | C CURVE MCB TP 6-32A | गोटा | 884.00 | 884.00 | 884.00 |
| | C CURVE MCB TP 40A | गोटा | 966.00 | 966.00 | 966.00 |
| | C CURVE MCB TP 50-63A | गोटा | 966.00 | 966.00 | 966.00 |
| | C CURVE MCB TPN 0.5-4A | गोटा | 1259.00 | 1259.00 | 1259.00 |
| | C CURVE MCB TPN 6-32A | गोटा | 1152.00 | 1152.00 | 1152.00 |
| | C CURVE MCB TPN 40A | गोटा | 1259.00 | 1259.00 | 1259.00 |
| | C CURVE MCB TPN 50-63A | गोटा | 1259.00 | 1259.00 | 1259.00 |
| | C CURVE MCB FP 0.5-4A | गोटा | 1347.00 | 1347.00 | 1347.00 |
| | C CURVE MCB FP 6-32A | गोटा | 1232.00 | 1232.00 | 1232.00 |
| | C CURVE MCB FP 40A | गोटा | 1347.00 | 1347.00 | 1347.00 |
| | C CURVE MCB FP 50-63A | गोटा | 1347.00 | 1347.00 | 1347.00 |
| | ISOLATOR DP 40A | गोटा | 575.00 | 575.00 | 575.00 |
| | ISOLATOR DP 63A | गोटा | 575.00 | 575.00 | 575.00 |
| | ISOLATOR DP 80-100A | गोटा | 601.00 | 601.00 | 601.00 |
| | ISOLATOR DP 125A | गोटा | 638.00 | 638.00 | 638.00 |
| | ISOLATOR FP 40A | गोटा | 942.00 | 942.00 | 942.00 |
| | ISOLATOR FP 63A | गोटा | 942.00 | 942.00 | 942.00 |
| | ISOLATOR FP 80-100A | गोटा | 1042.00 | 1042.00 | 1042.00 |
| | ISOLATOR FP 125A | गोटा | 1042.00 | 1042.00 | 1042.00 |
| | RCCB DP 25A 30mA | गोटा | 3704.00 | 3704.00 | 3704.00 |
| | RCCB DP 40A 30mA | गोटा | 3704.00 | 3704.00 | 3704.00 |
| | RCCB DP 63A 30mA | गोटा | 3704.00 | 3704.00 | 3704.00 |
| | RCCB DP 25A 100mA | गोटा | 3493.00 | 3493.00 | 3493.00 |
| | RCCB DP 40A 100mA | गोटा | 3493.00 | 3493.00 | 3493.00 |
| | RCCB DP 63A 100mA | गोटा | 3493.00 | 3493.00 | 3493.00 |
| | RCCB DP 25A 300mA | गोटा | 3493.00 | 3493.00 | 3493.00 |
| | RCCB DP 40A 300mA | गोटा | 3493.00 | 3493.00 | 3493.00 |
| | RCCB DP 63A 300mA | गोटा | 3493.00 | 3493.00 | 3493.00 |
| | RCCB FP 25A 30mA | गोटा | 4339.00 | 4339.00 | 4339.00 |
| | RCCB FP 40A 30mA | गोटा | 4339.00 | 4339.00 | 4339.00 |
| | RCCB FP 63A 30mA | गोटा | 4339.00 | 4339.00 | 4339.00 |
| | RCCB FP 25A 100mA | गोटा | 4182.00 | 4182.00 | 4182.00 |
| | RCCB FP 40A 100mA | गोटा | 4182.00 | 4182.00 | 4182.00 |
| | RCCB FP 63A 100mA | गोटा | 4182.00 | 4182.00 | 4182.00 |
| | RCCB FP 25A 300mA | गोटा | 4182.00 | 4182.00 | 4182.00 |
| | RCCB FP 40A 300mA | गोटा | 4182.00 | 4182.00 | 4182.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | RCCB FP 63A 300mA | गोटा | 4182.00 | 4182.00 | 4182.00 |
| ४४ | **MCB/ISOLATOR/RCCB** (As per IS/IEC 60898-1(2002) for MCB; IEC 60947-3 for Isolator, IS 12640-1 for RCCB, Icu=Ics=100%, 10kA) | | | | |
| | B-Curve, MCB 6-32A (SINGLE POLE) | गोटा | 323.00 | 323.00 | 323.00 |
| | C-Curve,MCB 6-32A (SINGLE POLE) | गोटा | 537.00 | 537.00 | 537.00 |
| | C-Curve,MCB 40A (SINGLE POLE) | गोटा | 1189.00 | 1189.00 | 1189.00 |
| | C-Curve,MCB 63A (SINGLE POLE) | गोटा | 1189.00 | 1189.00 | 1189.00 |
| | MCB 6-32A (DOUBLE POLE) | गोटा | 1654.00 | 1654.00 | 1654.00 |
| | MCB 40A(DOUBLE POLE) | गोटा | 2663.00 | 2663.00 | 2663.00 |
| | MCB 63A(DOUBLE POLE) | गोटा | 2663.00 | 2663.00 | 2663.00 |
| | MCB 6-32A(TRIPPLE POLE) | गोटा | 2701.00 | 2701.00 | 2701.00 |
| | MCB 40A(TRIPPLE POLE) | गोटा | 4124.00 | 4124.00 | 4124.00 |
| | MCB 63A(TRIPPLE POLE) | गोटा | 4124.00 | 4124.00 | 4124.00 |
| | MCB 6-32A(FOUR POLE) | गोटा | 3646.00 | 3646.00 | 3646.00 |
| | MCB 40A (FOUR POLE) | गोटा | 5258.00 | 5258.00 | 5258.00 |
| | MCB 63A (FOUR POLE) | गोटा | 5258.00 | 5258.00 | 5258.00 |
| | ISOLATOR 32A 240V(DOUBLE POLE) | गोटा | 899.00 | 899.00 | 899.00 |
| | ISOLATOR 40A 240v(DOUBLE POLE) | गोटा | 992.00 | 992.00 | 992.00 |
| | ISOLATOR 63A 240v(DOUBLE POLE) | गोटा | 1309.00 | 1309.00 | 1309.00 |
| | ISOLATOR 32A 415v(TRIPPLE POLE) | गोटा | 1610.00 | 1610.00 | 1610.00 |
| | ISOLATOR 40A 415v(TRIPPLE POLE) | गोटा | 1724.00 | 1724.00 | 1724.00 |
| | ISOLATOR 63A 415v(TRIPPLE POLE) | गोटा | 2041.00 | 2041.00 | 2041.00 |
| | ISOLATOR 32A 415v (FOUR POLE) | गोटा | 1768.00 | 1768.00 | 1768.00 |
| | ISOLATOR 40A 415v (FOUR POLE) | गोटा | 2195.00 | 2195.00 | 2195.00 |
| | ISOLATOR 63A 415v (FOUR POLE) | गोटा | 2406.00 | 2406.00 | 2406.00 |
| | RCBO 10A 30MA-2M SPN(DOUBLE POLE) | गोटा | 8339.00 | 8339.00 | 8339.00 |
| | RCBO 16A 30MA-2M SPN(DOUBLE POLE) | गोटा | 8339.00 | 8339.00 | 8339.00 |
| | RCBO 20A 30MA-2M SPN(DOUBLE POLE) | गोटा | 8339.00 | 8339.00 | 8339.00 |
| | RCBO 25A 30MA-2M SPN(DOUBLE POLE) | गोटा | 8339.00 | 8339.00 | 8339.00 |
| | RCBO 32A 30MA-2M SPN(DOUBLE POLE) | गोटा | 8757.00 | 8757.00 | 8757.00 |
| | RCBO 16A 30mA 4M(DOUBLE POLE) | गोटा | 6868.00 | 6868.00 | 6868.00 |
| | RCBO 25A 30mA 4M(DOUBLE POLE) | गोटा | 6868.00 | 6868.00 | 6868.00 |
| | RCBO 32A 30MA 4M(DOUBLE POLE) | गोटा | 7520.00 | 7520.00 | 7520.00 |
| | RCBO 40A 30MA 4M(DOUBLE POLE) | गोटा | 8944.00 | 8944.00 | 8944.00 |
| | RCBO 16A 30mA 7M (FOUR POLE) | गोटा | 9682.00 | 9682.00 | 9682.00 |
| | RCBO 25A 30mA 7M (FOUR POLE) | गोटा | 9682.00 | 9682.00 | 9682.00 |
| | RCBO 32A 30MA 7M (FOUR POLE) | गोटा | 9987.00 | 9987.00 | 9987.00 |
| | RCBO 40A 30MA 7M (FOUR POLE) | गोटा | 10137.00 | 10137.00 | 10137.00 |
| | RCBO 63A 30MA 7M (FOUR POLE) | गोटा | 12005.00 | 12005.00 | 12005.00 |
| | RCCB 25A 30MA 2M (DOUBLE POLE) | गोटा | 5852.00 | 5852.00 | 5852.00 |
| | RCCB 40A 30MA 2M (DOUBLE POLE) | गोटा | 6851.00 | 6851.00 | 6851.00 |
| | RCCB 63A 30MA 2M (DOUBLE POLE) | गोटा | 8188.00 | 8188.00 | 8188.00 |
| | RCCB 25A 30MA 240v 4M (FOUR POLE) | गोटा | 8061.00 | 8061.00 | 8061.00 |
| | RCCB 40A 30MA 240v 4M (FOUR POLE) | गोटा | 7961.00 | 7961.00 | 7961.00 |
| | RCCB 63A 30MA 240v 4M (FOUR POLE) | गोटा | 9238.00 | 9238.00 | 9238.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | | | | | |
| D | **WIRES, CABLE & ACCESSERIES** | | | | |
| ४४ | **CABLE SHOE** | | | | |
| | 16 sq.mm cable shoe | गोटा | 66.00 | 66.00 | 66.00 |
| | 25 sq.mm " " | गोटा | 86.00 | 86.00 | 86.00 |
| | 35 sq.mm " " | गोटा | 66.00 | 66.00 | 66.00 |
| | 50 sq.mm " " | गोटा | 78.00 | 78.00 | 78.00 |
| | 70 sq.mm " " | गोटा | 96.00 | 96.00 | 96.00 |
| | 95 sq.mm " " | गोटा | 149.00 | 149.00 | 149.00 |
| | 150 sq.mm " " | गोटा | 224.00 | 224.00 | 224.00 |
| | 195 sq.mm " " | गोटा | 318.00 | 318.00 | 318.00 |
| | 250 sq.mm " " | गोटा | 506.00 | 506.00 | 506.00 |
| | | | | | |
| ४५ | **COPPER CONDUCTOR /WIRE /CABLE (PER COIL~(90 RM) NS marked** | | | | |
| | 1/18 size p.v.c. insulated copper wire/ cable | क्वायल | 990.00 | 990.00 | 990.00 |
| | 3/22 " " " | क्वायल | 1183.00 | 1183.00 | 1183.00 |
| | 3/20 " " " | क्वायल | 1883.00 | 1883.00 | 1883.00 |
| | 7/22 " " " | क्वायल | 2636.00 | 2636.00 | 2636.00 |
| | 7/20 " " " | क्वायल | 4303.00 | 4303.00 | 4303.00 |
| | 7/18 " " " | क्वायल | 6777.00 | 6777.00 | 6777.00 |
| | 7/16 " " " | क्वायल | 13985.00 | 13985.00 | 13985.00 |
| | 19/18 " " " | क्वायल | 18827.00 | 18827.00 | 18827.00 |
| | 19/16 " " " | क्वायल | 37654.00 | 37654.00 | 37654.00 |
| | 2/20 " " " | क्वायल | 1430.00 | 1430.00 | 1430.00 |
| | 2/22 " " " | क्वायल | 968.00 | 968.00 | 968.00 |
| ४७ | FR PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Annelled Plain Copper and FR PVC Insulated Single Core Wires as per IS 694/2010 | | | | |
| | Size 1 C *0.75 SQMM | र.मी | 22.00 | 22.00 | 22.00 |
| | Size 1 C *1 SQMM | र.मी | 31.00 | 31.00 | 31.00 |
| | Size 1 C *1.5 SQMM | र.मी | 45.00 | 45.00 | 45.00 |
| | Size 1 C *2.5SQMM | र.मी | 75.00 | 75.00 | 75.00 |
| | Size 1 C *4SQMM | र.मी | 109.00 | 109.00 | 109.00 |
| | Size 1 C *6SQMM | र.मी | 166.00 | 166.00 | 166.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ४८ | FRLS PVC Insulated Wires(1100 V Conductor Composed of Multi Stranded Anneled Plain Copper and FR LSH PVC Insulated Single Core Wires as per IS 694/2010 | | | | |
| | Size 1 C *0.75 SQMM | र.मी | 25.00 | 25.00 | 25.00 |
| | Size 1 C *1 SQMM | र.मी | 33.00 | 33.00 | 33.00 |
| | Size 1 C *1.5 SQMM | र.मी | 49.00 | 49.00 | 49.00 |
| | Size 1 C *2.5SQMM | र.मी | 79.00 | 79.00 | 79.00 |
| | Size 1 C *4SQMM | र.मी | 116.00 | 116.00 | 116.00 |
| | Size 1 C *6SQMM | र.मी | 175.00 | 175.00 | 175.00 |
| | | | | | |
| ४९ | Multistrand Flexible wire for house wiring (90meter per coil ) NS marked Eqv. | | | | |
| | 1.0 mm PVC insulated Copper wire | क्वायल | 1075.00 | 1075.00 | 1075.00 |
| | 1.5 mm PVC insulated Copper wire | क्वायल | 1721.00 | 1721.00 | 1721.00 |
| | 2.5 mm PVC insulated Copper wire | क्वायल | 2528.00 | 2528.00 | 2528.00 |
| | 4.0 mm PVC insulated Copper wire | क्वायल | 4088.00 | 4088.00 | 4088.00 |
| | 6.0 mm PVC insulated Copper wire | क्वायल | 6455.00 | 6455.00 | 6455.00 |
| | 10.0mm PVC insulated Copper wire | क्वायल | 10758.00 | 10758.00 | 10758.00 |
| | | | | | |
| ५० | **Concentric Cable NS marked Eqv.** | | | | |
| | 4mm size concentric cable | र.मी | 24.00 | 24.00 | 24.00 |
| | 6mm size " " | र.मी | 27.00 | 27.00 | 27.00 |
| | 10mm size concentric cable | र.मी | 40.00 | 40.00 | 40.00 |
| | 16mm size " " | र.मी | 69.00 | 69.00 | 69.00 |
| | 25mm size " " | र.मी | 92.00 | 92.00 | 92.00 |
| | | | | | |
| ५१ | **Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694** | | | | |
| ५१.१ | **a) 2 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694** | | | | |
| | 1.5 mm2 | र.मी | 112.00 | 112.00 | 112.00 |
| | 2.5 mm2 | र.मी | 152.00 | 152.00 | 152.00 |
| | 4.0 mm2 | र.मी | 211.00 | 211.00 | 211.00 |
| | 6.0 mm2 | र.मी | 273.00 | 273.00 | 273.00 |
| | 10.0 mm2 | र.मी | 413.00 | 413.00 | 413.00 |
| | 16.0 mm2 | र.मी | 574.00 | 574.00 | 574.00 |
| | 25.0 mm2 | र.मी | 852.00 | 852.00 | 852.00 |
| | 35.0 mm2 | र.मी | 1141.00 | 1141.00 | 1141.00 |
| | 50.0 mm2 | र.मी | 1534.00 | 1534.00 | 1534.00 |
| | 70.0 mm2 | र.मी | 2163.00 | 2163.00 | 2163.00 |
| | 95.0 mm2 | र.मी | 2956.00 | 2956.00 | 2956.00 |
| | 120.0 mm2 | र.मी | 3733.00 | 3733.00 | 3733.00 |

प्रमुख जिल्ला अधिकारी

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 150.0 mm2 | र.मी | 4613.00 | 4613.00 | 4613.00 |
| | 185.0 mm2 | र.मी | 5675.00 | 5675.00 | 5675.00 |
| | 240.0 mm2 | र.मी | 7378.00 | 7378.00 | 7378.00 |
| | 300.0 mm2 | र.मी | 9259.00 | 9259.00 | 9259.00 |
| | 400.0 mm2 | र.मी | 12384.00 | 12384.00 | 12384.00 |
| | | | | | |
| ५१.२ | b) 3 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 1.5 mm2 | र.मी | 140.00 | 140.00 | 140.00 |
| | 2.5 mm2 | र.मी | 196.00 | 196.00 | 196.00 |
| | 4.0 mm2 | र.मी | 280.00 | 280.00 | 280.00 |
| | 6.0 mm2 | र.मी | 372.00 | 372.00 | 372.00 |
| | 10.0 mm2 | र.मी | 577.00 | 577.00 | 577.00 |
| | 16.0 mm2 | र.मी | 806.00 | 806.00 | 806.00 |
| | 25.0 mm2 | र.मी | 1237.00 | 1237.00 | 1237.00 |
| | 35.0 mm2 | र.मी | 1673.00 | 1673.00 | 1673.00 |
| | 50.0 mm2 | र.मी | 2259.00 | 2259.00 | 2259.00 |
| | 70.0 mm2 | र.मी | 3197.00 | 3197.00 | 3197.00 |
| | 95.0 mm2 | र.मी | 4393.00 | 4393.00 | 4393.00 |
| | 120.0 mm2 | र.मी | 5554.00 | 5554.00 | 5554.00 |
| | 150.0 mm2 | र.मी | 6846.00 | 6846.00 | 6846.00 |
| | 185.0 mm2 | र.मी | 8450.00 | 8450.00 | 8450.00 |
| | 240.0 mm2 | र.मी | 11009.00 | 11009.00 | 11009.00 |
| | 300.0 mm2 | र.मी | 13809.00 | 13809.00 | 13809.00 |
| | 400.0 mm2 | र.मी | 18489.00 | 18489.00 | 18489.00 |
| | | | | | |
| ५१.३ | c) 3.5 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 25.0 mm2 | र.मी | 1484.00 | 1484.00 | 1484.00 |
| | 35.0 mm2 | र.मी | 1934.00 | 1934.00 | 1934.00 |
| | 50.0 mm2 | र.मी | 2667.00 | 2667.00 | 2667.00 |
| | 70.0 mm2 | र.मी | 3761.00 | 3761.00 | 3761.00 |
| | 95.0 mm2 | र.मी | 5145.00 | 5145.00 | 5145.00 |
| | 120.0 mm2 | र.मी | 6629.00 | 6629.00 | 6629.00 |
| | 150.0 mm2 | र.मी | 7933.00 | 7933.00 | 7933.00 |
| | 185.0 mm2 | र.मी | 9934.00 | 9934.00 | 9934.00 |
| | 240.0 mm2 | र.मी | 12883.00 | 12883.00 | 12883.00 |
| | 300.0 mm2 | र.मी | 16119.00 | 16119.00 | 16119.00 |
| | 400.0 mm2 | र.मी | 21493.00 | 21493.00 | 21493.00 |
| | | | | | |
| ५१.४ | d) 4 Core, Copper Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 1.5 mm2 | र.मी | 168.00 | 168.00 | 168.00 |
| | 2.5 mm2 | र.मी | 243.00 | 243.00 | 243.00 |
| | 4.0 mm2 | र.मी | 354.00 | 354.00 | 354.00 |
| | 6.0 mm2 | र.मी | 484.00 | 484.00 | 484.00 |
| | 10.0 mm2 | र.मी | 728.00 | 728.00 | 728.00 |
| | 16.0 mm2 | र.मी | 1054.00 | 1054.00 | 1054.00 |
| | 25.0 mm2 | र.मी | 1627.00 | 1627.00 | 1627.00 |
| | 35.0 mm2 | र.मी | 2212.00 | 2212.00 | 2212.00 |
| | 50.0 mm2 | र.मी | 3002.00 | 3002.00 | 3002.00 |
| | 70.0 mm2 | र.मी | 4247.00 | 4247.00 | 4247.00 |
| | 95.0 mm2 | र.मी | 5830.00 | 5830.00 | 5830.00 |
| | 120.0 mm2 | र.मी | 7388.00 | 7388.00 | 7388.00 |
| | 150.0 mm2 | र.मी | 9119.00 | 9119.00 | 9119.00 |
| | 185.0 mm2 | र.मी | 11250.00 | 11250.00 | 11250.00 |
| | 240.0 mm2 | र.मी | 14661.00 | 14661.00 | 14661.00 |
| | 300.0 mm2 | र.मी | 18399.00 | 18399.00 | 18399.00 |
| | 400.0 mm2 | र.मी | 24637.00 | 24637.00 | 24637.00 |
| ५२ | **Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivulent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694** | | | | |
| ५२.१ | **a) 1 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694** | | | | |
| | 10.0 mm2 | र.मी | 174.00 | 174.00 | 174.00 |
| | 16.0 mm2 | र.मी | 258.00 | 258.00 | 258.00 |
| | 25.0 mm2 | र.मी | 397.00 | 397.00 | 397.00 |
| | 35.0 mm2 | र.मी | 543.00 | 543.00 | 543.00 |
| | 50.0 mm2 | र.मी | 738.00 | 738.00 | 738.00 |
| | 70.0 mm2 | र.मी | 1039.00 | 1039.00 | 1039.00 |
| | 95.0 mm2 | र.मी | 1444.00 | 1444.00 | 1444.00 |
| | 120.0 mm2 | र.मी | 1828.00 | 1828.00 | 1828.00 |
| | 150.0 mm2 | र.मी | 2256.00 | 2256.00 | 2256.00 |
| | 185.0 mm2 | र.मी | 2782.00 | 2782.00 | 2782.00 |
| | 240.0 mm2 | र.मी | 3628.00 | 3628.00 | 3628.00 |
| | 300.0 mm2 | र.मी | 4560.00 | 4560.00 | 4560.00 |
| | 400.0 mm2 | र.मी | 6161.00 | 6161.00 | 6161.00 |
| ५२.२ | **b) 2 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivulent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694** | | | | |
| | 1.5 mm2 | र.मी | 82.00 | 82.00 | 82.00 |
| | 2.5 mm2 | र.मी | 115.00 | 115.00 | 115.00 |
| | 4.0 mm2 | र.मी | 171.00 | 171.00 | 171.00 |
| | 6.0 mm2 | र.मी | 233.00 | 233.00 | 233.00 |
| | 10.0 mm2 | र.मी | 367.00 | 367.00 | 367.00 |
| | 16.0 mm2 | र.मी | 515.00 | 515.00 | 515.00 |
| | 25.0 mm2 | र.मी | 797.00 | 797.00 | 797.00 |

प्रमुख जिल्ला अधिकारी

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 35.0 mm2 | र.मी | 1082.00 | 1082.00 | 1082.00 |
| | 50.0 mm2 | र.मी | 1475.00 | 1475.00 | 1475.00 |
| | 70.0 mm2 | र.मी | 2095.00 | 2095.00 | 2095.00 |
| | 95.0 mm2 | र.मी | 2878.00 | 2878.00 | 2878.00 |
| | 120.0 mm2 | र.मी | 3646.00 | 3646.00 | 3646.00 |
| | 150.0 mm2 | र.मी | 4513.00 | 4513.00 | 4513.00 |
| | 185.0 mm2 | र.मी | 5570.00 | 5570.00 | 5570.00 |
| | 240.0 mm2 | र.मी | 7261.00 | 7261.00 | 7261.00 |
| | 300.0 mm2 | र.मी | 9128.00 | 9128.00 | 9128.00 |
| | 400.0 mm2 | र.मी | 12235.00 | 12235.00 | 12235.00 |
| | | | | | |
| ५२.३ | c) 3 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 1.5 mm2 | र.मी | 109.00 | 109.00 | 109.00 |
| | 2.5 mm2 | र.मी | 159.00 | 159.00 | 159.00 |
| | 4.0 mm2 | र.मी | 233.00 | 233.00 | 233.00 |
| | 6.0 mm2 | र.मी | 326.00 | 326.00 | 326.00 |
| | 10.0 mm2 | र.मी | 521.00 | 521.00 | 521.00 |
| | 16.0 mm2 | र.मी | 756.00 | 756.00 | 756.00 |
| | 25.0 mm2 | र.मी | 1187.00 | 1187.00 | 1187.00 |
| | 35.0 mm2 | र.मी | 1621.00 | 1621.00 | 1621.00 |
| | 50.0 mm2 | र.मी | 2200.00 | 2200.00 | 2200.00 |
| | 70.0 mm2 | र.मी | 3132.00 | 3132.00 | 3132.00 |
| | 95.0 mm2 | र.मी | 4324.00 | 4324.00 | 4324.00 |
| | 120.0 mm2 | र.मी | 5483.00 | 5483.00 | 5483.00 |
| | 150.0 mm2 | र.मी | 6772.00 | 6772.00 | 6772.00 |
| | 185.0 mm2 | र.मी | 8370.00 | 8370.00 | 8370.00 |
| | 240.0 mm2 | र.मी | 10932.00 | 10932.00 | 10932.00 |
| | 300.0 mm2 | र.मी | 13732.00 | 13732.00 | 13732.00 |
| | 400.0 mm2 | र.मी | 18411.00 | 18411.00 | 18411.00 |
| | | | | | |
| ५२.४ | d) 3.5 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 25.0 mm2 | र.मी | 1447.00 | 1447.00 | 1447.00 |
| | 35.0 mm2 | र.मी | 1884.00 | 1884.00 | 1884.00 |
| | 50.0 mm2 | र.मी | 2615.00 | 2615.00 | 2615.00 |
| | 70.0 mm2 | र.मी | 3708.00 | 3708.00 | 3708.00 |
| | 95.0 mm2 | र.मी | 5096.00 | 5096.00 | 5096.00 |
| | 120.0 mm2 | र.मी | 6592.00 | 6592.00 | 6592.00 |
| | 150.0 mm2 | र.मी | 7884.00 | 7884.00 | 7884.00 |
| | 185.0 mm2 | र.मी | 9897.00 | 9897.00 | 9897.00 |
| | 240.0 mm2 | र.मी | 12870.00 | 12870.00 | 12870.00 |
| | 300.0 mm2 | र.मी | 16615.00 | 16615.00 | 16615.00 |
| | 400.0 mm2 | र.मी | 21530.00 | 21530.00 | 21530.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामारीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ५२.५ | e) 4 Core, Copper Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 1.5 mm2 | र.मी | 134.00 | 134.00 | 134.00 |
| | 2.5 mm2 | र.मी | 199.00 | 199.00 | 199.00 |
| | 4.0 mm2 | र.मी | 298.00 | 298.00 | 298.00 |
| | 6.0 mm2 | र.मी | 419.00 | 419.00 | 419.00 |
| | 10.0 mm2 | र.मी | 679.00 | 679.00 | 679.00 |
| | 16.0 mm2 | र.मी | 1017.00 | 1017.00 | 1017.00 |
| | 25.0 mm2 | र.मी | 1589.00 | 1589.00 | 1589.00 |
| | 35.0 mm2 | र.मी | 2172.00 | 2172.00 | 2172.00 |
| | 50.0 mm2 | र.मी | 2962.00 | 2962.00 | 2962.00 |
| | 70.0 mm2 | र.मी | 4219.00 | 4219.00 | 4219.00 |
| | 95.0 mm2 | र.मी | 5808.00 | 5808.00 | 5808.00 |
| | 120.0 mm2 | र.मी | 7378.00 | 7378.00 | 7378.00 |
| | 150.0 mm2 | र.मी | 9128.00 | 9128.00 | 9128.00 |
| | 185.0 mm2 | र.मी | 11282.00 | 11282.00 | 11282.00 |
| | 240.0 mm2 | र.मी | 14719.00 | 14719.00 | 14719.00 |
| | 300.0 mm2 | र.मी | 18495.00 | 18495.00 | 18495.00 |
| | 400.0 mm2 | र.मी | 24795.00 | 24795.00 | 24795.00 |
| | | | | | |
| ५३ | Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| ५३.१ | a) 2 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 2.5 mm2 | र.मी | 96.00 | 96.00 | 96.00 |
| | 4.0 mm2 | र.मी | 114.00 | 114.00 | 114.00 |
| | 6.0 mm2 | र.मी | 132.00 | 132.00 | 132.00 |
| | 10.0 mm2 | र.मी | 160.00 | 160.00 | 160.00 |
| | 16.0 mm2 | र.मी | 181.00 | 181.00 | 181.00 |
| | 25.0 mm2 | र.मी | 220.00 | 220.00 | 220.00 |
| | 35.0 mm2 | र.मी | 248.00 | 248.00 | 248.00 |
| | 50.0 mm2 | र.मी | 305.00 | 305.00 | 305.00 |
| | 70.0 mm2 | र.मी | 397.00 | 397.00 | 397.00 |
| | 95.0 mm2 | र.मी | 493.00 | 493.00 | 493.00 |
| | 120.0 mm2 | र.मी | 592.00 | 592.00 | 592.00 |
| | 150.0 mm2 | र.मी | 723.00 | 723.00 | 723.00 |
| | 185.0 mm2 | र.मी | 882.00 | 882.00 | 882.00 |
| | 240.0 mm2 | र.मी | 1070.00 | 1070.00 | 1070.00 |
| | 300.0 mm2 | र.मी | 1314.00 | 1314.00 | 1314.00 |
| | 400.0 mm2 | र.मी | 1661.00 | 1661.00 | 1661.00 |
| | | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ५३.२ | b) 3 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 1.5 mm2 | र.मी | | 0.00 | |
| | 2.5 mm2 | र.मी | 111.00 | 111.00 | 111.00 |
| | 4.0 mm2 | र.मी | 132.00 | 132.00 | 132.00 |
| | 6.0 mm2 | र.मी | 153.00 | 153.00 | 153.00 |
| | 10.0 mm2 | र.मी | 192.00 | 192.00 | 192.00 |
| | 16.0 mm2 | र.मी | 210.00 | 210.00 | 210.00 |
| | 25.0 mm2 | र.मी | 284.00 | 284.00 | 284.00 |
| | 35.0 mm2 | र.मी | 330.00 | 330.00 | 330.00 |
| | 50.0 mm2 | र.मी | 412.00 | 412.00 | 412.00 |
| | 70.0 mm2 | र.मी | 539.00 | 539.00 | 539.00 |
| | 95.0 mm2 | र.मी | 695.00 | 695.00 | 695.00 |
| | 120.0 mm2 | र.मी | 836.00 | 836.00 | 836.00 |
| | 150.0 mm2 | र.मी | 1006.00 | 1006.00 | 1006.00 |
| | 185.0 mm2 | र.मी | 1244.00 | 1244.00 | 1244.00 |
| | 240.0 mm2 | र.मी | 1544.00 | 1544.00 | 1544.00 |
| | 300.0 mm2 | र.मी | 1877.00 | 1877.00 | 1877.00 |
| | 400.0 mm2 | र.मी | 2390.00 | 2390.00 | 2390.00 |
| | | | | | |
| ५३.३ | c) 3.5 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 25.0 mm2 | र.मी | 330.00 | 330.00 | 330.00 |
| | 35.0 mm2 | र.मी | 387.00 | 387.00 | 387.00 |
| | 50.0 mm2 | र.मी | 496.00 | 496.00 | 496.00 |
| | 70.0 mm2 | र.मी | 656.00 | 656.00 | 656.00 |
| | 95.0 mm2 | र.मी | 829.00 | 829.00 | 829.00 |
| | 120.0 mm2 | र.मी | 1031.00 | 1031.00 | 1031.00 |
| | 150.0 mm2 | र.मी | 1215.00 | 1215.00 | 1215.00 |
| | 185.0 mm2 | र.मी | 1495.00 | 1495.00 | 1495.00 |
| | 240.0 mm2 | र.मी | 1860.00 | 1860.00 | 1860.00 |
| | 300.0 mm2 | र.मी | 2260.00 | 2260.00 | 2260.00 |
| | 400.0 mm2 | र.मी | 2790.00 | 2790.00 | 2790.00 |
| | | | | | |
| ५३.४ | d) 4 Core, Aluminum Conductor, Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 2.5 mm2 | र.मी | 128.00 | 128.00 | 128.00 |
| | 4.0 mm2 | र.मी | 153.00 | 153.00 | 153.00 |
| | 6.0 mm2 | र.मी | 188.00 | 188.00 | 188.00 |
| | 10.0 mm2 | र.मी | 206.00 | 206.00 | 206.00 |
| | 16.0 mm2 | र.मी | 260.00 | 260.00 | 260.00 |
| | 25.0 mm2 | र.मी | 355.00 | 355.00 | 355.00 |
| | 35.0 mm2 | र.मी | 415.00 | 415.00 | 415.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 50.0 mm2 | र.मी | 546.00 | 546.00 | 546.00 |
| | 70.0 mm2 | र.मी | 708.00 | 708.00 | 708.00 |
| | 95.0 mm2 | र.मी | 889.00 | 889.00 | 889.00 |
| | 120.0 mm2 | र.मी | 1105.00 | 1105.00 | 1105.00 |
| | 150.0 mm2 | र.मी | 1346.00 | 1346.00 | 1346.00 |
| | 185.0 mm2 | र.मी | 1629.00 | 1629.00 | 1629.00 |
| | 240.0 mm2 | र.मी | 2040.00 | 2040.00 | 2040.00 |
| | 300.0 mm2 | र.मी | 2472.00 | 2472.00 | 2472.00 |
| | 400.0 mm2 | र.मी | 3165.00 | 3165.00 | 3165.00 |
| | | | | | |
| ५४ | **Aluminium conductor unarmoured (power) cable NS marked or eqv.** | | | | |
| ५४.१ | **a) 1 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694** | | | | |
| | 16.0 mm2 | र.मी | 54.00 | 54.00 | 54.00 |
| | 25.0 mm2 | र.मी | 75.00 | 75.00 | 75.00 |
| | 35.0 mm2 | र.मी | 93.00 | 93.00 | 93.00 |
| | 50.0 mm2 | र.मी | 118.00 | 118.00 | 118.00 |
| | 70.0 mm2 | र.मी | 153.00 | 153.00 | 153.00 |
| | 95.0 mm2 | र.मी | 203.00 | 203.00 | 203.00 |
| | 120.0 mm2 | र.मी | 248.00 | 248.00 | 248.00 |
| | 150.0 mm2 | र.मी | 308.00 | 308.00 | 308.00 |
| | 185.0 mm2 | र.मी | 383.00 | 383.00 | 383.00 |
| | 240.0 mm2 | र.मी | 468.00 | 468.00 | 468.00 |
| | 300.0 mm2 | र.मी | 581.00 | 581.00 | 581.00 |
| | 400.0 mm2 | र.मी | 737.00 | 737.00 | 737.00 |
| | 630.0 mm2 | र.मी | 1215.00 | 1215.00 | 1215.00 |
| | | | | | |
| ५४.२ | **b) 2 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694** | | | | |
| | 2.5 mm2 | र.मी | 50.00 | 50.00 | 50.00 |
| | 4.0 mm2 | र.मी | 64.00 | 64.00 | 64.00 |
| | 6.0 mm2 | र.मी | 82.00 | 82.00 | 82.00 |
| | 10.0 mm2 | र.मी | 104.00 | 104.00 | 104.00 |
| | 16.0 mm2 | र.मी | 139.00 | 139.00 | 139.00 |
| | 25.0 mm2 | र.मी | 156.00 | 156.00 | 156.00 |
| | 35.0 mm2 | र.मी | 185.00 | 185.00 | 185.00 |
| | 50.0 mm2 | र.मी | 238.00 | 238.00 | 238.00 |
| | 70.0 mm2 | र.मी | 316.00 | 316.00 | 316.00 |
| | 95.0 mm2 | र.मी | 400.00 | 400.00 | 400.00 |
| | 120.0 mm2 | र.मी | 493.00 | 493.00 | 493.00 |
| | 150.0 mm2 | र.मी | 613.00 | 613.00 | 613.00 |
| | 185.0 mm2 | र.मी | 758.00 | 758.00 | 758.00 |
| | 240.0 mm2 | र.मी | 936.00 | 936.00 | 936.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 300.0 mm2 | र.मी | 1162.00 | 1162.00 | 1162.00 |
| | 400.0 mm2 | र.मी | 1491.00 | 1491.00 | 1491.00 |
| | | | | | |
| ५.४.३ | c) 3 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 2.5 mm2 | र.मी | 57.00 | 57.00 | 57.00 |
| | 4.0 mm2 | र.मी | 75.00 | 75.00 | 75.00 |
| | 6.0 mm2 | र.मी | 93.00 | 93.00 | 93.00 |
| | 10.0 mm2 | र.मी | 124.00 | 124.00 | 124.00 |
| | 16.0 mm2 | र.मी | 167.00 | 167.00 | 167.00 |
| | 25.0 mm2 | र.मी | 252.00 | 252.00 | 252.00 |
| | 35.0 mm2 | र.मी | 270.00 | 270.00 | 270.00 |
| | 50.0 mm2 | र.मी | 344.00 | 344.00 | 344.00 |
| | 70.0 mm2 | र.मी | 461.00 | 461.00 | 461.00 |
| | 95.0 mm2 | र.मी | 613.00 | 613.00 | 613.00 |
| | 120.0 mm2 | र.मी | 752.00 | 752.00 | 752.00 |
| | 150.0 mm2 | र.मी | 921.00 | 921.00 | 921.00 |
| | 185.0 mm2 | र.मी | 1155.00 | 1155.00 | 1155.00 |
| | 240.0 mm2 | र.मी | 1452.00 | 1452.00 | 1452.00 |
| | 300.0 mm2 | र.मी | 1785.00 | 1785.00 | 1785.00 |
| | 400.0 mm2 | र.मी | 2302.00 | 2302.00 | 2302.00 |
| | | | | | |
| ५.४.४ | d) 3.5 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II,IS 1554 Part I & Part II and IS - 694 | | | | |
| | 25.0 mm2 | र.मी | 273.00 | 273.00 | 273.00 |
| | 35.0 mm2 | र.मी | 330.00 | 330.00 | 330.00 |
| | 50.0 mm2 | र.मी | 436.00 | 436.00 | 436.00 |
| | 70.0 mm2 | र.मी | 596.00 | 596.00 | 596.00 |
| | 95.0 mm2 | र.मी | 772.00 | 772.00 | 772.00 |
| | 120.0 mm2 | र.मी | 988.00 | 988.00 | 988.00 |
| | 150.0 mm2 | र.मी | 1158.00 | 1158.00 | 1158.00 |
| | 185.0 mm2 | र.मी | 1452.00 | 1452.00 | 1452.00 |
| | 240.0 mm2 | र.मी | 1848.00 | 1848.00 | 1848.00 |
| | 300.0 mm2 | र.मी | 2266.00 | 2266.00 | 2266.00 |
| | 400.0 mm2 | र.मी | 2914.00 | 2914.00 | 2914.00 |
| ५.४.५ | e) 4 Core, Aluminum Conductor, Un-Armoured Power Cables (XLPE and PVC Insulation) IS marked or equivalent as per IS 7098 Part I & Part II, IS 1554 Part I & Part II and IS - 694 | | | | |
| | 1.5 mm2 | र.मी | | | |
| | 2.5 mm2 | र.मी | 64.00 | 64.00 | 64.00 |
| | 4.0 mm2 | र.मी | 89.00 | 89.00 | 89.00 |
| | 6.0 mm2 | र.मी | 107.00 | 107.00 | 107.00 |
| | 10.0 mm2 | र.मी | 160.00 | 160.00 | 160.00 |
| | 16.0 mm2 | र.मी | 216.00 | 216.00 | 216.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 25.0 mm2 | र.मी | 302.00 | 302.00 | 302.00 |
| | 35.0 mm2 | र.मी | 372.00 | 372.00 | 372.00 |
| | 50.0 mm2 | र.मी | 504.00 | 504.00 | 504.00 |
| | 70.0 mm2 | र.मी | 666.00 | 666.00 | 666.00 |
| | 95.0 mm2 | र.मी | 864.00 | 864.00 | 864.00 |
| | 120.0 mm2 | र.मी | 1095.00 | 1095.00 | 1095.00 |
| | 150.0 mm2 | र.मी | 1356.00 | 1356.00 | 1356.00 |
| | 185.0 mm2 | र.मी | 1661.00 | 1661.00 | 1661.00 |
| | 240.0 mm2 | र.मी | 2107.00 | 2107.00 | 2107.00 |
| | 300.0 mm2 | र.मी | 2581.00 | 2581.00 | 2581.00 |
| | 400.0 mm2 | र.मी | 3342.00 | 3342.00 | 3342.00 |
| | | | | | |
| E | **CABLE MANAGEMENT** | | | | |
| | **Pregalvanized Cable Tray & Raceways** | | | | |
| ४५ | **LADDER CABLE TRAY Pre Galvanized** | | | | |
| | Pre Galvanized (275Gsm) Bolted Rungs Type 100mm ladder Cable Tray | र.मी | 3368.00 | 3368.00 | 1514.00 |
| | Pre Galvanized (275Gsm) Bolted Rungs Type 150mm ladder Cable Tray | र.मी | 2611.00 | 2611.00 | 1723.00 |
| | Pre Galvanized (275Gsm) Bolted Rungs Type 200mm ladder Cable Tray | र.मी | 1932.00 | 1932.00 | 1932.00 |
| | Pre Galvanized (275Gsm) Bolted Rungs Type 300mm ladder Cable Tray | र.मी | 1723.00 | 1723.00 | 2611.00 |
| | Pre Galvanized (275Gsm) Bolted Rungs Type 400mm ladder Cable Tray | र.मी | 1514.00 | 1514.00 | 3368.00 |
| ४६ | **Raceways Pre Galvanized (275 Gsm) Joggled Wire Ducts** | | | | |
| | **Raceways 2mm Thk** WDJ [PG275GSM] Base With Cover & Strap-100mm | र.मी | 2689.00 | 2689.00 | 2689.00 |
| | **Raceways 2mm Thk** WDJ [PG275GSM] Base With Cover & Strap-150mm | र.मी | 3394.00 | 3394.00 | 3394.00 |
| | **Raceways 2mm Thk** WDJ [PG275GSM] Base With Cover & Strap-200mm | र.मी | 3655.00 | 3655.00 | 3655.00 |
| ४७ | **Perforated Cable Tray 1.6mm Thick, Pre Galvanized** | | | | |
| | Perforated Cable Tray **PCT 100MM** Pre-Galvanized (275GSM) | र.मी | 1350.00 | 1350.00 | 1350.00 |
| | Perforated Cable Tray PCT **150MM** Pre-Galvanized (275GSM) | र.मी | 1680.00 | 1680.00 | 1680.00 |
| | Perforated Cable Tray **PCT 200MM** Pre-Galvanized (275GSM) | र.मी | 2040.00 | 2040.00 | 2040.00 |
| | Perforated Cable Tray **PCT 300MM** Pre-Galvanized (275GSM) | र.मी | 2400.00 | 2400.00 | 2400.00 |
| | Perforated Cable Tray **PCT 450MM** Pre-Galvanized (275GSM) | र.मी | 3660.00 | 3660.00 | 3660.00 |
| | Perforated Cable Tray **PCT 600MM** Pre-Galvanized (275GSM) | र.मी | 4680.00 | 4680.00 | 4680.00 |
| ४८ | **Perforated Cable Tray 2mm Thick, Pre Galvanized (275 Gsm)** | | | | |
| | Perforated Cable Tray **PCT 100MM** Pre-Galvanized (275GSM) | र.मी | 1222.00 | 1222.00 | 1222.00 |
| | Perforated Cable Tray **PCT 150MM** Pre-Galvanized (275GSM) | र.मी | 1508.00 | 1508.00 | 1508.00 |
| | Perforated Cable Tray **PCT 200MM** Pre-Galvanized (275GSM) | र.मी | 1846.00 | 1846.00 | 1846.00 |
| | Perforated Cable Tray **PCT 300MM** Pre-Galvanized (275GSM) | र.मी | 2132.00 | 2132.00 | 2132.00 |
| | Perforated Cable Tray **PCT 450MM** Pre-Galvanized (275GSM) | र.मी | 3286.00 | 3286.00 | 3286.00 |
| | Perforated Cable Tray **PCT 600MM** Pre-Galvanized (275GSM) | र.मी | 4191.00 | 4191.00 | 4191.00 |

# विद्युतिय सामाग्रीहरु

| सि.न | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ५९ | **Perforated Cable Tray With 2 mm Thick PRE GALVANIZED (275GSM) With COVER** | | | | |
| | Perforated Cable Tray with **2mm Thk Cover PCT 100MM** Pre-Galvanized | रमी | 2055.00 | 2055.00 | 2055.00 |
| | Perforated Cable Tray with **2mm Thk Cover PCT 300MM** Pre-Galvanized | रमी | 4212.00 | 4212.00 | 4212.00 |
| | Perforated Cable Tray with **2mm Thk Cover PCT 450MM** Pre-Galvanized | रमी | 6500.00 | 6500.00 | 6500.00 |
| | Rigid round conduit Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5•C to +60•C ,durable and impact resistant | | | | |
| | | | | | |
| ६० | **CABLE SUPPORT SYSTEM - FINISH - (275GSM)** | | | | |
| | **Slotted Z Section** - (2500MM LONG) Pre Galvanized (PG 275) | रमी | 835.00 | 835.00 | 835.00 |
| | **Rung sloted "C CHANEL"** - Pre Galvanized (PG 275) | रमी | 548.00 | 548.00 | 548.00 |
| | **Punched Flate** 30x5mm THK,HDG 65 Micron (PG 275GSM) | रमी | 783.00 | 783.00 | 783.00 |
| | **Splice plate** 35x200x2.00 (PG 120)/ Coupler plate 38x110mm | गोटा | 574.00 | 574.00 | 574.00 |
| | **Splice plate** 62x90x2.00 (PG 120)/Coupler plate 62x110mm | गोटा | 600.00 | 600.00 | 600.00 |
| | **M8-Threaded rod** Electroplated,1000 mm long | रमी | 198.00 | 198.00 | 198.00 |
| | **M10-Threaded rod** Electroplated,1000 mm long | रमी | 302.00 | 302.00 | 302.00 |
| | **Rod coupler**, M-8,Electroplated | गोटा | 99.00 | 99.00 | 99.00 |
| | **Rod coupler**, M-10,Electroplated | गोटा | 109.00 | 109.00 | 109.00 |
| | WDJ Coupler 100,150 & 200 mm | गोटा | 600.00 | 600.00 | 600.00 |
| | 275 gsm Pregalvanized **Junction Box** | गोटा | 2611.00 | 2611.00 | 2611.00 |
| | Coupler for BRT 900,750,450,300 & 150MM | गोटा | 261.00 | 261.00 | 261.00 |
| | Coupler for PCT 600,450,300,200,150 & 100MM | गोटा | 287.00 | 287.00 | 287.00 |
| | Bottle Bracket for BRT 100 X50MM | गोटा | 261.00 | 261.00 | 261.00 |
| | Bottle Bracket for BRT 150 X50MM | गोटा | 417.00 | 417.00 | 417.00 |
| | Bottle Bracket for PCT 200 X50MM | गोटा | 574.00 | 574.00 | 574.00 |
| | METAL GRIP/FASTNER | गोटा | 94.00 | 94.00 | 94.00 |
| | BRT Reducer Bend 450-150, 50 mm Height ,PG275GSM | गोटा | 5222.00 | 5222.00 | 5222.00 |
| | BRT Hardware/PCT Hardware | गोटा | 31.00 | 31.00 | 31.00 |
| | | | | | |
| | **uPVC CONDUITS & ACCESSERIES** | | | | |
| ६१ | **FRLS Conduit of MEDIUM/HEAVY MECHANICAL STRESS(MMS)** | | | | |
| | 20MM MMS/HMS Ivory/Black/Grey/White/Red/ Yellow/Blue/Green, FRLS Conduit (2.5 meters per piece) | गोटा | 115.00 | 115.00 | 115.00 |
| | 25MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit (2.5 meters per piece) | गोटा | 144.00 | 144.00 | 144.00 |
| | 32MM MMS/HMS Ivory/Black/Grey/White/Red/Yellow/ Blue/Green, FRLS Conduit (2.5 meters per piece) | गोटा | 271.00 | 271.00 | 271.00 |
| | Circular Boxes and Adapter boxes are provided with M4 brass insert with a load suspension capacity of 3Kgs at 60°C Unplasticised Polyvinyl Chloride(uPVC) pipes,laser engraved,Fire retardant corrosion free FRLS with thermal resistance from -5•C to +60•C ,durable and impact resistant | | | | |
| | 20mm 1 way/2way/3way/4way with cover/without cover | गोटा | 93.00 | 93.00 | 93.00 |
| | 25mm 1 way/2way/3way/4way with cover/without cover | गोटा | 104.00 | 104.00 | 104.00 |
| | 32mm 1 way/2way/3way/4way with cover/without cover | गोटा | 222.00 | 222.00 | 222.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| ६२ | **DEEP TYPE** | | | | |
| | 20mm 1 way/2way/3way/4way with cover/without cover | गोटा | 150.00 | 150.00 | 150.00 |
| | 25mm 1 way/2way/3way/4way with cover/without cover | गोटा | 178.00 | 178.00 | 178.00 |
| | 32mm 1 way/2way/3way/4way with cover/without cover | गोटा | 234.00 | 234.00 | 234.00 |
| ६३ | **SADDLE,COUPLER,BEND, ELBOW,TEE,BUSH ADAPTOR** | | | | |
| | 20/25MM Round U Clip/Space Bar saddle | गोटा | 43.00 | 43.00 | 43.00 |
| | 20/25MM Coupler | गोटा | 26.00 | 26.00 | 26.00 |
| | 20/25 mm slip type Bend | गोटा | 92.00 | 92.00 | 92.00 |
| | 20/25mm Round Elbow | गोटा | 45.00 | 45.00 | 45.00 |
| | 20/25mm Round Tee | गोटा | 63.00 | 63.00 | 63.00 |
| | 20/25mm Male/female Bush Adaptor | गोटा | 41.00 | 41.00 | 41.00 |
| ६४ | **POLY PROPLENE CORRUGATED FLEXIBLE CONDUITS PIPE** | | | | |
| | 16/20/25 MM Flexiable conduits pipe | र.मी | 94.00 | 94.00 | 94.00 |
| | 32/40mm flexiable conduits pipe | र.मी | 183.00 | 183.00 | 183.00 |
| ६५ | **FRPP(FIRE RETARDANT POLY PROPLENE CORRUGATED FLEXIABLE CONDUITS** | | | | |
| | 16/20/25 MM FLEXIABLE CONDUITS PIPE | र.मी | 124.00 | 124.00 | 124.00 |
| | 32/40 MM FLEXIABLE CONDUITS PIPE | र.मी | 213.00 | 213.00 | 213.00 |
| ६६ | **FLEXIABLE PIPE GLAND** | | | | |
| | 16/20/25MM PVC GLAND | गोटा | 78.00 | 78.00 | 78.00 |
| | 32/40MM PVC GLAND | गोटा | 111.00 | 111.00 | 111.00 |
| ६७ | ■**PVC MINI/MAXI TRUNKING PROFILE(LISTY)** made with unplasticides polyvinyl chloride with fast installation,easy maintenance,secure and elegant look,durable and impact resistance, fire retardant,corrosion free, thermal resistance from -5•C to +60•C. | | | | |
| | 16x16mm | र.मी | 46.00 | 46.00 | 46.00 |
| | 25x15mm | र.मी | 60.00 | 60.00 | 60.00 |
| | 50x50mm | र.मी | 499.00 | 499.00 | 499.00 |
| | 50x100mm | र.मी | 1934.00 | 1934.00 | 1934.00 |
| ६८ | **PVC Listy Double Lock** | | | | |
| | ½" breadth | सेट | 32.00 | 32.00 | 32.00 |
| | ¾" | सेट | 48.00 | 48.00 | 48.00 |
| | 1" | सेट | 69.00 | 69.00 | 69.00 |
| | 1½" | सेट | 134.00 | 134.00 | 134.00 |
| | 2" | सेट | 150.00 | 150.00 | 150.00 |
| ६९ | **Accessories** | | | | |
| | ½"–2" size Saddle | र.मी | 8.00 | 8.00 | 8.00 |
| | Grips | गोटा | 6.00 | 6.00 | 6.00 |
| | Steel screws | गोटा | 2.00 | 2.00 | 2.00 |
| | PVC Tape | गोटा | 15.00 | 15.00 | 15.00 |
| | | | | | |
| **F** | **FANS** | | | | |
| ७० | **TABLE FAN, CEILING FANS & EXHAUST Fans,** (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | 36" size ceiling Fan | गोटा | 2259.00 | 2259.00 | |
| | 42" size " " | गोटा | 2366.00 | 2366.00 | |
| | 48" size " " | गोटा | 2151.00 | 2151.00 | |
| | 56" size " " | गोटा | 2689.00 | 2689.00 | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 6" Exhaust Fan | गोटा | 1560.00 | 1560.00 | |
| | 8" EXHAUST FAN PLASTIC WHITE | गोटा | 1984.00 | 1984.00 | |
| | 9" Exhaust Fan | गोटा | 2365.00 | 2365.00 | |
| | 10" EXHAUST FAN PLASTIC WHITE | गोटा | 2151.00 | 2151.00 | |
| | 16" size wall fan | गोटा | 2959.00 | 2959.00 | |
| | 12" size exhaust fan | गोटा | 2736.00 | 2736.00 | |
| | 16" TABLE FAN | गोटा | 2747.00 | 2747.00 | |
| | 18" TABLE FAN GOLD | गोटा | 3013.00 | 3013.00 | |
| | 16" WALL FAN | गोटा | 2334.00 | 2334.00 | |
| | 18" STAND FAN GOLD | गोटा | 3446.00 | 3446.00 | |
| | 16" STAND FAN | गोटा | 2778.00 | 2778.00 | |
| | 16" STAND FAN 3 BLADES | गोटा | 2376.00 | 2376.00 | |
| | 18" WALL FAN REMOTE | गोटा | 3300.00 | 3300.00 | |
| ७१ | **Decorative Fans** | | | | |
| | 56" Ceiling Fan | गोटा | 3975.00 | 3975.00 | |
| | 48"Ceiling Fan | गोटा | 3425.00 | 3425.00 | |
| ७२ | **Ceiling Fans** | | | | |
| | 56" Ceiling Fan | गोटा | 3700.00 | 3700.00 | 3700.00 |
| | 48" Power Saver Ceiling Fan -50 W | गोटा | 3800.00 | 3800.00 | 3800.00 |
| | 36" Ceiling Fan | गोटा | 2900.00 | 2900.00 | 2900.00 |
| | 24" Ceiling Fan (High Speed) | गोटा | 2800.00 | 2800.00 | 2800.00 |
| ७३ | **Table / Pedestal / Wall Fans** | | | | |
| | 18" Table/Pedstal/Wall Fan | गोटा | 6900.00 | 6900.00 | 6900.00 |
| | 20" Tabel/ Pedstal/Wall Fan | गोटा | 7480.00 | 7480.00 | 7480.00 |
| | 16" Pedestal Fan | गोटा | 5150.00 | 5150.00 | 5150.00 |
| | 16" High Speed Table Fan | गोटा | 4500.00 | 4500.00 | 4500.00 |
| | 16" High Speed Wall Fan | गोटा | 4500.00 | 4500.00 | 4500.00 |
| ७४ | **Ventilation / Exhaust Fans** | | | | |
| | 6" Ventilation Exhaust Fan | गोटा | 2000.00 | 2000.00 | 2000.00 |
| | 8" Ventilation Exhaust Fan | गोटा | 2090.00 | 2090.00 | 2090.00 |
| | 10" Ventilation Exhaust Fan | गोटा | 2475.00 | 2475.00 | 2475.00 |
| | 4" Moduler Ventilation Exhaust | गोटा | 2200.00 | 2200.00 | 2200.00 |
| | 6" Moduler Ventilation Exhaust | गोटा | 2475.00 | 2475.00 | 2475.00 |
| | 9"Open Metal Exhaust | गोटा | 2975.00 | 2975.00 | 2975.00 |
| | 12"Open Metal Exhaust | गोटा | 3475.00 | 3475.00 | 3475.00 |
| | | | | | |
| **G** | **Luminaires & Fixtures** | | | | |
| ७५ | **LED BULB** | | | | |
| | 0.5W , LED with E14/B22/E27 Base, Color/3000K/4000K/6500K | गोटा | 63.00 | 63.00 | 63.00 |
| | 3W , LED with E14/B22/E27 Base, 3000K/4000K/6500K | गोटा | 124.00 | 124.00 | 124.00 |
| | 5W , LED with E14/B22/E27 Base, 3000K/4000K/6500K | गोटा | 139.00 | 139.00 | 139.00 |
| | 7W , LED with E14/B22/E27 Base, 3000K/4000K/6500K | गोटा | 183.00 | 183.00 | 183.00 |
| | 9W , LED with E14/B22/E27 Base, 3000K/4000K/6500K | गोटा | 183.00 | 183.00 | 183.00 |
| | 12W , LED with E14/B22/E27 Base, 3000K/4000K/6500K | गोटा | 270.00 | 270.00 | 270.00 |
| | 14/15W , LED with E14/B22/E27 Base, 3000K/4000K/6500K | गोटा | 342.00 | 342.00 | 342.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 20/23W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500 | गोटा | 522.00 | 522.00 | 522.00 |
| | 30W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K | गोटा | 783.00 | 783.00 | 783.00 |
| | 40W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K | गोटा | 1007.00 | 1007.00 | 1007.00 |
| | 50W , High Power LED with E14/B22/E27 Base, 3000K/4000K/6500K | गोटा | 1262.00 | 1262.00 | 1262.00 |
| | 4W E14 TAIL WARM | गोटा | 250.00 | 250.00 | 250.00 |
| | 4W E14 NON TAIL WARM | गोटा | 230.00 | 230.00 | 230.00 |
| | **SMART LED BULB** | | | | |
| | 3W/5W @100lm/watt dimmable with 220+ Beam Angle 2700k-6500k, IP44 E14 Aluminium+ ThermoPlastic LED Candle Bulb | गोटा | 455.00 | 455.00 | 455.00 |
| | | | | | |
| ७६ | **Fluorescent Tube light (FTL)** set including Tube,condenser, starter , lamp holder,channel/harnen made with pre-phosphated & powder coated CRCA steel all complete accessories pre wired upto a terminal block (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | 1×20 watt FTL (Patti fittings) | सेट | 484.00 | 484.00 | 484.00 |
| | 1×40 watt FTL ,Energy saving electronic striplite with electronic choke(ballast) Surface mounting (Patti Fitting) | सेट | 809.00 | 809.00 | 809.00 |
| | 1×20 watt FTL (Mirrolta) WRF 20120 | सेट | 914.00 | 914.00 | 914.00 |
| | 1×40 watt FTL with attractive & functional decorative battens WRF20140 | सेट | 1065.00 | 1065.00 | 1065.00 |
| | 1×40 watt FTL box fittings | सेट | 1210.00 | 1210.00 | 1210.00 |
| | 2×40 watt FTL box fittings | सेट | 1828.00 | 1828.00 | 1828.00 |
| | 1×40 watt FTL Industrial channel | सेट | 1861.00 | 1861.00 | 1861.00 |
| | 2×40 watt FTL Industrial channel | सेट | 2388.00 | 2388.00 | 2388.00 |
| | 1×40 watt FTL, opalite with opal Arcylic dissuser | सेट | 1936.00 | 1936.00 | 1936.00 |
| | 2×40 watt FTL, oplite with opal Arcylic dissuser | सेट | 3227.00 | 3227.00 | 3227.00 |
| | 4×20 watt FTL, oplite WCF 93418 | सेट | 5650.00 | 5650.00 | 5650.00 |
| | 4×20 watt FTL **mirror optic**, surface/recessed mounting | सेट | 5650.00 | 5650.00 | 5650.00 |
| | 1×40 watt FTL mirror optic with electronic choke. Surface / recessed mounting | सेट | 3712.00 | 3712.00 | 3712.00 |
| | 2×40 watt FTL **mirror optic** surface/recessed mounting with electronic choke | सेट | 4518.00 | 4518.00 | 4518.00 |
| | 4 x 14 watt FTL T5 with electronic ballast direct / indirect , surface / recessed with paralite P5 luver Complete set | सेट | 9800.00 | 9800.00 | 9800.00 |
| | 3X14W FTL-T5 low glare fixture with specular reflector, parabolic louvers & electronic ballast surface /recessed Armstrong ceiling | सेट | 8611.00 | 8611.00 | 8611.00 |
| ७७ | **Compact Fluorescent Lamp (CFL) based Luminaries set all complete** . (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | 2 x 18 W **CFL** recessed/surface mounting mirror Optic Complete Set | सेट | 2678.00 | 2678.00 | 2678.00 |
| | 1 x11 W CFL mirror Optic surface/recessed mounting complete set | सेट | 1914.00 | 1914.00 | 1914.00 |
| | 2 x11 W CFL mirror Optic Surface mounting complete set | सेट | 2366.00 | 2366.00 | 2366.00 |
| | 2 x 36 watt CFL 4pin with electronic ballast direct / indirect , surface / recessed with luver Complete set | सेट | 6336.00 | 6336.00 | 6336.00 |
| | 3x36 W CFL -4 pin low glare fixture with P 5 louvres & electronic ballast complete set | सेट | 7127.00 | 7127.00 | 7127.00 |
| | Recess mounting Direct Indirect LED luminare | सेट | 11296.00 | 11296.00 | 11296.00 |
| | Recess mounting Direct Indirect LED luminare | सेट | 14685.00 | 14685.00 | 14685.00 |
| | Recess Surface mounted LED luminate | सेट | 13932.00 | 13932.00 | 13932.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Hight efficiency circular LED Down Lighter | सेट | 3389.00 | 3389.00 | 3389.00 |
| | Designer LED Streetlight with pressure die cast housing suitable for secondary roads | सेट | 15249.00 | 15249.00 | 15249.00 |
| | IP20 and IP 65 non integral flexible LED Strip Light | सेट | 1130.00 | 1130.00 | 1130.00 |
| | Circular LED wall/Dome Light suitable for true ceiling | सेट | 3389.00 | 3389.00 | 3389.00 |
| | Square LED Wall/Dome light suitable for true ceiling | सेट | 3389.00 | 3389.00 | 3389.00 |
| | Recess mounted indirect and direct luminares | सेट | 6401.00 | 6401.00 | 6401.00 |
| | 2x36 Watt CFL Surface Mirror Optic | सेट | 6401.00 | 6401.00 | 6401.00 |
| ७८ | **LUMINARIES Accessories**-(संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | 500 watt halogen rod | गोटा | 242.00 | 242.00 | 242.00 |
| | 1000 watt halogen rod | गोटा | 290.00 | 290.00 | 290.00 |
| | 70Watt SON Lamp (Sodium Vapour) | गोटा | 871.00 | 871.00 | 871.00 |
| | 150 watt sodium vapour bulb | गोटा | 1355.00 | 1355.00 | 1355.00 |
| | 250 watt sodium vapour bulb | गोटा | 1775.00 | 1775.00 | 1775.00 |
| | 20-40 watt FTL rod | गोटा | 83.00 | 83.00 | 83.00 |
| | 20-40 watt FTL Copper chowk. | गोटा | 269.00 | 269.00 | 269.00 |
| | 20-40W FTL Electronic Chowk with high power factor & instant flicker free start | गोटा | 430.00 | 430.00 | 430.00 |
| | Acrlye cover for 4×20 FTL | गोटा | 1033.00 | 1033.00 | 1033.00 |
| | FTL starter | गोटा | 19.00 | 19.00 | 19.00 |
| | 8 W to11W, C.F.L Direct fit | गोटा | 242.00 | 242.00 | 242.00 |
| | 13 to 22W , C.F.L.Direct fit | गोटा | 312.00 | 312.00 | 312.00 |
| | 15-100 watt bulb ( ISI ) | गोटा | 27.00 | 27.00 | 27.00 |
| | 9W/86 (CFL) | गोटा | 172.00 | 172.00 | 172.00 |
| | 11W/86 (CFL) | गोटा | 182.00 | 182.00 | 182.00 |
| | 36W/86 (CFL) | गोटा | 435.00 | 435.00 | 435.00 |
| | 125W HPL-N (Murcury Vapour) | गोटा | 387.00 | 387.00 | 387.00 |
| | 250W HPL-N | गोटा | 914.00 | 914.00 | 914.00 |
| | **Solar LED bulb** | | | | |
| | 12V/2W LED bulb | गोटा | 377.00 | 377.00 | 377.00 |
| | 12V/3W LED bulb | गोटा | 430.00 | 430.00 | 430.00 |
| | 12V/4W LED bulb | गोटा | 484.00 | 484.00 | 484.00 |
| | | | | | |
| ७९ | **DOME/DOOM LIGHT** | | | | |
| | **DOOM LIGHT** | | | | |
| | 12W DOOM LIGHT WITH SENSOR 6500K | गोटा | 2976.00 | 2976.00 | 2976.00 |
| | 12W DOOM LIGHT WITH SENSOR 2700K | गोटा | 2976.00 | 2976.00 | 2976.00 |
| | 20W DOOM LIGHT LIPER RD 2700K | गोटा | 1827.00 | 1827.00 | 1827.00 |
| | 20W DOOM LIGHT LIPER RD 6500K | गोटा | 1827.00 | 1827.00 | 1827.00 |
| | 30W DOOM LIGHT LIPER RD 2700K | गोटा | 2297.00 | 2297.00 | 2297.00 |
| | 30W DOOM LIGHT LIPER RD 6500K | गोटा | 2297.00 | 2297.00 | 2297.00 |
| | 20W BALLKIT 6500K | गोटा | 1932.00 | 1932.00 | 1932.00 |
| | **Dome light** (संबन्धित उत्पादक राष्ट्रको गुणस्तर चिन्ह प्राप्त) | | | | |
| | 6" Milky type decorative dome light | सेट | 188.00 | 188.00 | 188.00 |
| | 6 " Brass base decorative dome light | सेट | 768.00 | 768.00 | 768.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 8"Milky type decorative dome light | सेट | 237.00 | 237.00 | 237.00 |
| | 8 " Brass base decorative dome light | सेट | 914.00 | 914.00 | 914.00 |
| | 8" Silver cast Milky base Decorative Dome Light | सेट | 1156.00 | 1156.00 | 1156.00 |
| | 6) 8" Silver cast Black Base base Decorative Dome Light | सेट | 592.00 | 592.00 | 592.00 |
| | Decorative Ceiling luminary with round opal cover suitable for housing the one number of CFL lamp of 9W /13W/18W including CFL (Surface Mounting Dome light) | सेट | 1266.00 | 1266.00 | 1266.00 |
| | | | | | |
| | **PANEL DOWN LIGHTS** | | | | |
| | **General Segment** | | | | |
| ८० | **RECESS PANEL DOWN LIGHT** | | | | |
| | LED light fixtures with Edgelit/Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: ≥70lm/w, IP≥20 (or as Mentioned), Drive: Non-Dummable, P.F.≥0.9, CRI≥70, Burning Life>15,000 hours having manufacture's warranted for minimum period of 1 years. | | | | |
| | 3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 372.00 | 372.00 | 372.00 |
| | 5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 464.00 | 464.00 | 464.00 |
| | 8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 640.00 | 640.00 | 640.00 |
| | 10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 700.00 | 700.00 | 700.00 |
| | 12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 756.00 | 756.00 | 756.00 |
| | 15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 800.00 | 800.00 | 800.00 |
| | 18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1008.00 | 1008.00 | 1008.00 |
| | 20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1056.00 | 1056.00 | 1056.00 |
| | | | | | |
| ८१ | **SURFACE PANEL DOWN LIGHT** | | | | |
| | LED light fixtures with Edgelit/Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: ≥70lm/w, IP≥20 (or as Mentioned), Drive: Non-Dummable, P.F.≥0.9, CRI≥70, Burning Life>15,000 hours having manufacture's warranted for minimum period of 1 years. | | | | |
| | 3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 612.00 | 612.00 | 612.00 |
| | 5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 775.20 | 775.20 | 775.20 |
| | 8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 880.00 | 880.00 | 880.00 |
| | 10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 940.00 | 940.00 | 940.00 |
| | 12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 996.00 | 996.00 | 996.00 |
| | 15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1080.00 | 1080.00 | 1080.00 |
| | 18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1248.00 | 1248.00 | 1248.00 |
| | 20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1296.00 | 1296.00 | 1296.00 |
| | **Mid Segment** | | | | |
| ८२ | **RECESS PANEL DOWN LIGHT, EDGELIT** | | | | |
| | LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: ≥75lm/w, IP≥20 (or as Mentioned), Drive: Non-Dummable, P.F.≥0.9, THD <15 %, CRI≥70, SPD: 2KV, Burning Life>25,000-35000 hours having manufacture's warranted for minimum period of 2 years | | | | |
| | 3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 560.00 | 560.00 | 560.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 928.00 | 928.00 | 928.00 |
| | 8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1200.00 | 1200.00 | 1200.00 |
| | 10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1200.00 | 1200.00 | 1200.00 |
| | 12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1200.00 | 1200.00 | 1200.00 |
| | 15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1360.00 | 1360.00 | 1360.00 |
| | 18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1840.00 | 1840.00 | 1840.00 |
| | 20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2040.00 | 2040.00 | 2040.00 |
| | | | | | |
| ८३ | **SURFACE PANEL DOWN LIGHT, EDGELIT** | | | | |
| | LED light fixtures with Edgelit LED Fixture, Voltage Range: 140V-270V, Housing: Edge(Moulded Die-Cast Al) with Cover (Al Sheet Metal), Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Luminous Efficacy: ≥75lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, THD <15 %, CRI≥70, SPD: 2KV, Burning Life>25,000-35000 hours having manufacture's warranted for minimum period of 2 years. | | | | |
| | 3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 720.00 | 720.00 | 720.00 |
| | 5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 928.00 | 928.00 | 928.00 |
| | 8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1360.00 | 1360.00 | 1360.00 |
| | 10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1360.00 | 1360.00 | 1360.00 |
| | 12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1360.00 | 1360.00 | 1360.00 |
| | 15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1520.00 | 1520.00 | 1520.00 |
| | 18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2080.00 | 2080.00 | 2080.00 |
| | 20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2480.00 | 2480.00 | 2480.00 |
| ८४ | **RECESS PANEL DOWN LIGHT, BACKLIT** | | | | |
| | LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: ≥75lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, THD <15 %, CRI≥70, SPD: 2KV, Burning Life>25,000-35000 hours having manufacture's warranted for minimum period of 2 years. | | | | |
| | 3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 692.00 | 692.00 | 692.00 |
| | 5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 660.00 | 660.00 | 660.00 |
| | 8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1200.00 | 1200.00 | 1200.00 |
| | 10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 968.00 | 968.00 | 968.00 |
| | 12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1200.00 | 1200.00 | 1200.00 |
| | 15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1364.00 | 1364.00 | 1364.00 |
| | 18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1680.00 | 1680.00 | 1680.00 |
| | 20/22W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1680.00 | 1680.00 | 1680.00 |
| | | | | | |
| ८५ | **SURFACE PANEL DOWN LIGHT, BACKLIT** | | | | |
| | LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast/Polycarbonate, Trim Shape: Square/Circle, Luminous Efficacy: ≥75lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, THD <15 %, CRI≥70, SPD: 2KV, Burning Life>25,000-35000 hours having manufacture's warranted for minimum period of 2 years. | | | | |
| | 3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 880.00 | 880.00 | 880.00 |
| | 5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1120.00 | 1120.00 | 1120.00 |
| | 8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 792.00 | 792.00 | 792.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मू.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1672.00 | 1672.00 | 1672.00 |
| | 12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1796.00 | 1796.00 | 1796.00 |
| | 15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1860.00 | 1860.00 | 1860.00 |
| | 18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2300.00 | 2300.00 | 2300.00 |
| | 20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2520.00 | 2520.00 | 2520.00 |
| | **Standard Segment** | | | | |
| ८६ | **RECESS PANEL DOWN LIGHT, BACKLIT** | | | | |
| | LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved , Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years | | | | |
| | 5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1160.00 | 1160.00 | 1160.00 |
| | 8/9W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1640.00 | 1640.00 | 1640.00 |
| | 12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1760.00 | 1760.00 | 1760.00 |
| | 15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1920.00 | 1920.00 | 1920.00 |
| | 18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2224.00 | 2224.00 | 2224.00 |
| | 22/24W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2400.00 | 2400.00 | 2400.00 |
| | | | | | |
| ८७ | **SURFACE PANEL DOWN LIGHT, BACKLIT** | | | | |
| | LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved , Trim/Frame: Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years. | | | | |
| | 5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1340.00 | 1340.00 | 1340.00 |
| | 8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1584.00 | 1584.00 | 1584.00 |
| | 12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1860.00 | 1860.00 | 1860.00 |
| | 15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2072.00 | 2072.00 | 2072.00 |
| | 18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2416.00 | 2416.00 | 2416.00 |
| | 20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2668.00 | 2668.00 | 2668.00 |
| | | | | | |
| ८८ | **DEEP RECCESSED DOWN LIGHT, BACKLIT** | | | | |
| | LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years | | | | |
| | 5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1000.00 | 1000.00 | 1000.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 8/9W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1360.00 | 1360.00 | 1360.00 |
| | 12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1632.00 | 1632.00 | 1632.00 |
| | 15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1920.00 | 1920.00 | 1920.00 |
| | 18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2224.00 | 2224.00 | 2224.00 |
| | 20/22W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2868.00 | 2868.00 | 2868.00 |
| | | | | | |
| | **COB DOWN LIGHTS** | | | | |
| | **General Segment** | | | | |
| ८९ | **COB DOWN LIGHT, RECESSED MOUNTED** | | | | |
| | COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, CRI≥70, Burning Life>25000-30,000 hours, Beam Angle: Narrow/Medium/Wide, having manufacture/s warranted for minimum period of 1 years | | | | |
| | 3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 301.60 | 301.60 | 301.60 |
| | 5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 740.00 | 740.00 | 740.00 |
| | 7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1188.00 | 1188.00 | 1188.00 |
| | 9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1220.00 | 1220.00 | 1220.00 |
| | 12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1064.00 | 1064.00 | 1064.00 |
| | 15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1760.00 | 1760.00 | 1760.00 |
| | 18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2400.00 | 2400.00 | 2400.00 |
| | 20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3024.00 | 3024.00 | 3024.00 |
| | 30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3392.00 | 3392.00 | 3392.00 |
| | | | | | |
| ९० | **COB DOWN LIGHT, SURFACE MOUNTED** | | | | |
| | COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Polycarbonate, Trim/Frame: Polycarbonate, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, CRI≥70, Burning Life>25000-30,000 hours, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser, having manufacture/s warranted for minimum period of 1 years | | | | |
| | 3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 720.00 | 720.00 | 720.00 |
| | 5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1020.00 | 1020.00 | 1020.00 |
| | 8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1292.00 | 1292.00 | 1292.00 |
| | 10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1496.00 | 1496.00 | 1496.00 |
| | 12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1688.00 | 1688.00 | 1688.00 |
| | 15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2040.00 | 2040.00 | 2040.00 |
| | 18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2480.00 | 2480.00 | 2480.00 |
| | 20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2880.00 | 2880.00 | 2880.00 |
| | 30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3520.00 | 3520.00 | 3520.00 |
| | **Mid Segment** | | | | |
| ९१ | **COB DOWN LIGHT, RECESSED MOUNTED** | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.ब.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, THD <10 %, CRI≥70, SPD: 2KV, CRI≥80, Burning Life>25000-30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years. | | | | |
| | 5W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1000.00 | 1000.00 | 1000.00 |
| | 5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1040.00 | 1040.00 | 1040.00 |
| | 7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1432.00 | 1432.00 | 1432.00 |
| | 9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1432.00 | 1432.00 | 1432.00 |
| | 12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1760.00 | 1760.00 | 1760.00 |
| | 15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2000.00 | 2000.00 | 2000.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2760.00 | 2760.00 | 2760.00 |
| | 20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3784.00 | 3784.00 | 3784.00 |
| | 30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 4640.00 | 4640.00 | 4640.00 |
| | | | | | |
| १२ | **COB DOWN LIGHT, SURFACE MOUNTED** | | | | |
| | COB DOWN LED light fixtures, Voltage Range: 140V-270V, Housing: Al Heat Sink, Trim/Frame: Die-Cast, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥90lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, THD <10 %, CRI≥70, SPD: 2KV, CRI≥80, Burning Life>25000-30000 hours, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser having manufacture's warranted for minimum period of 2 years. | | | | |
| | 3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 720.00 | 720.00 | 720.00 |
| | 5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1200.00 | 1200.00 | 1200.00 |
| | 8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1520.00 | 1520.00 | 1520.00 |
| | 10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1760.00 | 1760.00 | 1760.00 |
| | 12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1984.00 | 1984.00 | 1984.00 |
| | 15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2400.00 | 2400.00 | 2400.00 |
| | 18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3116.00 | 3116.00 | 3116.00 |
| | 20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3600.00 | 3600.00 | 3600.00 |
| | 30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 4400.00 | 4400.00 | 4400.00 |
| | **Standard Segment** | | | | |
| १३ | **COB DOWN LIGHT, RECESSED MOUNTED** | | | | |
| | COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years. | | | | |
| | 3W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1040.00 | 1040.00 | 1040.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 5/6W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1040.00 | 1040.00 | 1040.00 |
| | 7/8W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1432.00 | 1432.00 | 1432.00 |
| | 9/10W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1432.00 | 1432.00 | 1432.00 |
| | 12W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1760.00 | 1760.00 | 1760.00 |
| | 15W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2000.00 | 2000.00 | 2000.00 |
| | 18W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2760.00 | 2760.00 | 2760.00 |
| | 20-25W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 4320.00 | 4320.00 | 4320.00 |
| | 30-50W, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 4640.00 | 4640.00 | 4640.00 |
| | | | | | |
| १४ | **COB DOWN LIGHT, SURFACE MOUNTED** | | | | |
| | COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F ≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years | | | | |
| | 3W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1200.00 | 1200.00 | 1200.00 |
| | 5/6W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1440.00 | 1440.00 | 1440.00 |
| | 8W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1760.00 | 1760.00 | 1760.00 |
| | 10W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2000.00 | 2000.00 | 2000.00 |
| | 12W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2524.00 | 2524.00 | 2524.00 |
| | 15W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3040.00 | 3040.00 | 3040.00 |
| | 18W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3292.00 | 3292.00 | 3292.00 |
| | 20-25W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3840.00 | 3840.00 | 3840.00 |
| | 30-50W, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 5088.00 | 5088.00 | 5088.00 |
| | | | | | |
| १५ | Cylindrical COB DOWN light fixture, Voltage Range: 110V-300V, Housing: Mould Die-Cast Al with Company name embossed/ engraved/Laser Printing , Trim/Frame: Deep Die-Cast Al, Trim Shape: Square/Circle, Light Type: Tiltable/Trimless/Fixed, Luminous Efficacy: ≥70lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F ≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, Diffuser: Flicker Free, Beam Angle: Narrow/Medium/Wide, Beam Angle: Narrow/Medium/Wide, With Diffuser/without Diffuser compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years | | | | |
| | 7W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K | सेट | 11152.00 | 11152.00 | 11152.00 |
| | 12W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K | सेट | 11696.00 | 11696.00 | 11696.00 |
| | 15W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K | सेट | 12512.00 | 12512.00 | 12512.00 |
| | 18W, Cylindrical Downlight Luminaires, Suspended/Surface, 2700K/3000K/4000K/6000K/6500K | सेट | 13056.00 | 13056.00 | 13056.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | | | | | |
| | **COMMERCIAL LIGHTS** | | | | |
| | **General & Mid Segment** | | | | |
| ९६ | **RECESS PANEL DOWN LIGHT, BACKLIT** | | | | |
| | LED light fixtures with Backlit LED Fixture, Voltage Range: 140V-270V, Housing: Sheet Metal, Frame: Extruded aluminum, Trim Shape: Square/Rectangle, Luminous Efficacy: ≥100lm/w, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F≥0.9, THD<10 %, CRI≥70, SPD: 2.5 KV, Burning Life>25,000-30000 hours, LED Source: LED PCB with PC Lense or without having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years. | | | | |
| | 18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1268.00 | 1268.00 | 1268.00 |
| | 36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2160.00 | 2160.00 | 2160.00 |
| | 40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2880.00 | 2880.00 | 2880.00 |
| | 32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 5600.00 | 5600.00 | 5600.00 |
| ९७ | **SURFACE PANEL DOWN LIGHT, BACKLIT** | | | | |
| | 18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 1440.00 | 1440.00 | 1440.00 |
| | 36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 2880.00 | 2880.00 | 2880.00 |
| | 40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 3600.00 | 3600.00 | 3600.00 |
| | 32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K | सेट | 6400.00 | 6400.00 | 6400.00 |
| | | | | | |
| | **Standard Segment** | | | | |
| ९८ | **RECESS PANEL DOWN LIGHT, BACKLIT** | | | | |
| | LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years. | | | | |
| | 18/20/22/24W, 1ft X 1ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 1408.00 | 1408.00 | 1408.00 |
| | 36W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 2400.00 | 2400.00 | 2400.00 |
| | 40/45W, 2ft X 2ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 3200.00 | 3200.00 | 3200.00 |
| | 32/40W, 1ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 5760.00 | 5760.00 | 5760.00 |
| | 80W, 2ft X 4ft, Recess Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 9600.00 | 9600.00 | |
| ९९ | **SURFACE PANEL DOWN LIGHT, BACKLIT** | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Note: Surface mounted Frame/Templat is not allowed, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years. | | | | |
| | 18/20/22/24W, 1ft X 1ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 1600.00 | 1600.00 | 1600.00 |
| | 36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 3200.00 | 3200.00 | 3200.00 |
| | 40/45W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 4000.00 | 4000.00 | 4000.00 |
| | 32/40W, 1ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 6512.00 | 6512.00 | 6512.00 |
| | 80W, 2ft X 4ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 9680.00 | 9680.00 | 9680.00 |
| | | | | | |
| १०० | **Clean Room LIGHT** | | | | |
| | Clean Room LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface Housing: CRCA Sheet with Powder Coating, Frame: CRCA Sheet, Trim Shape: Square/Rectangle, IP≥20 (or as Mentioned), Drive: Non-Dimmable, P.F.≥0.9, Flicker Free Light, THD<10 %, CRI≥80, SPD: 4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, with options for bottom opening, top opening compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years. | | | | |
| | 36W, 2ft X 2ft, Surface Panel Down Light, 3000K/4000K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 33882.00 | 33882.00 | |
| | **LINEAR LIGHTS** | | | | |
| १०१ | **DOWN LIGHTER LINEAR LIGHTS** | | | | |
| | Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Recessed/Surface/ Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10 %, CRI≥80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip , Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Less in long lenth, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/ Manufacture for minimum period of 2 years. | | | | |
| | 1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth) | सेट | 3200.00 | 3200.00 | 3200.00 |
| | 1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth) | सेट | 3360.00 | 3360.00 | 3360.00 |
| | 1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth) | सेट | 4400.00 | 4400.00 | 4400.00 |
| | 1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth) | सेट | 5200.00 | 5200.00 | 5200.00 |
| | 1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth) | सेट | 6000.00 | 6000.00 | 6000.00 |
| १०२ | **UP-DOWN LIGHTER LINEAR LIGHTS** | | | | |

# विद्युतिय सामाग्रीहरु

| खि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. नाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Linear LED light fixtures with Backlit LED Fixture, Voltage Range: 110V-300V, Mounting: Suspended, Housing: CRCA Sheet or Aluminium Extruded; Finish: Color as per client, Trim Shape: Rectangle, IP≥20 (or as Mentioned), Drive: Ripple Free Non-Dimmable, P.F.≥0.9, THD<10 %, CRI>80, SPD: 2.5/4 KV, Burning Life>40,000-50000 hours, LED Source: Metal Based LED PCB Strip, Diffuser: Flicker Free, Even and uniform light, No dark spots, Joint Loss in long lenth, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture/s warranted from Authorized Dealer/ Manufacture for minimum period of 2 years. | | | | |
| | 1 to 1.2 meter Linear Luminaires, (25-35mm width x 25-35mm depth) | सेट | 3680.00 | 3680.00 | 3680.00 |
| | 1 to 1.2 meter Feet Linear Luminaires, (35mm width x 70-75mm depth) | सेट | 4560.00 | 4560.00 | 4560.00 |
| | 1 to 1.2 meter Linear Luminaires, (50mm width x 70-75mm depth) | सेट | 5760.00 | 5760.00 | 5760.00 |
| | 1 to 1.2 meter Linear Luminaires, (60-65mm width x 60-65mm depth) | सेट | 6800.00 | 6800.00 | 6800.00 |
| | 1 to 1.2 meter Linear Luminaires, (70-75mm width x 70-75mm depth) | सेट | 7600.00 | 7600.00 | 7600.00 |
| | | | | | |
| १०३ | **LED Trunking** | | | | |
| | LED Trunking Trunking based solution for large open areas with high ceiling requiring continuous linear installation. Luminaire is snap fit mount on trunking system, available in two lumen packs. Accessories need to be additionally ordered. | | | | |
| | 40W, 3000K/4000K/5700K/6000K/6500K | सेट | 8470.00 | 8470.00 | 8470.00 |
| | 57W, 3000K/4000K/5700K/6000K/6500K | सेट | 11670.00 | 11670.00 | 11670.00 |
| | LED HANGING KIT | सेट | 1882.00 | 1882.00 | 1882.00 |
| | | | | | |
| १०४ | **LED TUBELIGHTS** | | | | |
| | 4W, LED TUBE Only, T5, 3000K/4000K/6500K | सेट | 268.00 | 268.00 | 268.00 |
| | 4W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K | सेट | 304.00 | 304.00 | 304.00 |
| | 8W, LED TUBE Only, T5, 3000K/4000K/6500K | सेट | 304.00 | 304.00 | 304.00 |
| | 8W, LED TUBE Box/Patti with reflector, T5, 3000K/4000K/6500K | सेट | 408.00 | 408.00 | 408.00 |
| | 18/20W, LED TUBE Only, T8, 3000K/4000K/6500K | सेट | 496.00 | 496.00 | 496.00 |
| | 18/20W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K | सेट | 408.00 | 408.00 | 408.00 |
| | 36/40W, LED TUBE Only, T8, 3000K/4000K/6500K | सेट | 2376.00 | 2376.00 | 2376.00 |
| | 36/40W, LED TUBE Box/Patti with reflector, T8, 3000K/4000K/6500K | सेट | 2228.00 | 2228.00 | 2228.00 |
| | INDUSTRIAL T-LED BOX TYPE PATTI, 1X4 box type patti T-Led 1x20w | सेट | 2956.00 | 2956.00 | 2956.00 |
| | INDUSTRIAL T-LED BOX TYPE PATTI, 2X4 box type patti T-Led 2x20w | सेट | 3580.00 | 3580.00 | 3580.00 |
| | Industrial Reflector 2X4 box type patti T-Led 2x20w | सेट | 2956.00 | 2956.00 | 2956.00 |
| | | | | | |
| १०५ | **BATTEN LIGHTS** | | | | |
| | 18/20W, 4 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser | सेट | 496.00 | 496.00 | 496.00 |
| | 8/10W, 2Foot Linear Batten, Polycarbonate Extruded, PC Diffuser | सेट | 464.00 | 464.00 | 464.00 |
| | 4/5W, 1 Feet Linear Batten, Polycarbonate Extruded, PC Diffuser | सेट | 360.00 | 360.00 | 360.00 |
| | 36/40/52W, 4 Feet Linear Batten, Aluminium Extruded, PC Diffuser, 35-40mm Width | सेट | 2376.00 | 2376.00 | 2376.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 18/20W, 4 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser | सेट | 624.00 | 624.00 | 624.00 |
| | 8/10W,2 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser | सेट | 544.00 | 544.00 | 544.00 |
| | 4/5W,1 Feet Linear Batten, Aluminium Extruded, Polycarbonate Diffuser | सेट | 496.00 | 496.00 | 496.00 |
| | 36/40W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire | सेट | 7529.00 | 7529.00 | 7529.00 |
| | 18/20W Industrial Batten 4 Ft IP65 Dust and Waterproof LED luminaire | सेट | 5647.00 | 5647.00 | 5647.00 |
| | 18 Watt, Batten 4 ftLED luminaire with PIR Sensors | सेट | 8381.00 | 8381.00 | |
| | 34 Watt Batten 4 ftLED luminaire with PIR Sensors | सेट | 11932.00 | 11932.00 | |
| | 47Watt Batten 4 ftLED luminaire with PIR Sensors | सेट | 15341.00 | 15341.00 | |
| | | | | | |
| १०६ | **LED STRIP LIGHTS** | | | | |
| | 24W/36W IP20/IP65/IP67 Waterpeoof WW/CW/R/G/B,60 LED/Meter 12v,2A long life,Eco-friendly,Energy saving LED strip light | गोटा | 570.00 | 570.00 | 570.00 |
| | Power adaptor 2A/5A | गोटा | 2100.00 | 2100.00 | 2100.00 |
| १०७ | **STRIP/COVE/ROPE LIGHT** | | | | |
| | LED cove lighting with 6W/mtr with high efficient led chips,warm white(3000k)/natural white(4000k)/Cool day light(6500k) for wider options,with good colour rendering(CRI-80),No harmful UV/IR radiation, | | | | |
| | 24W/28W LED strip light(5Mtr roll) IP20 | र.मी. | 538.00 | 538.00 | 538.00 |
| | 2A LED driver for strip light | गोटा | 1275.00 | 1275.00 | 1275.00 |
| | Rope light IP 66 400lm/watt LED Rope light | र.मी. | 480.00 | 480.00 | 480.00 |
| | IP 66 driver for rope light | गोटा | 675.00 | 675.00 | 675.00 |
| १०८ | **LED TRACK LIGHTS** | | | | |
| | 3W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light | गोटा | 1450.00 | 1450.00 | 1450.00 |
| | 6W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light | गोटा | 1950.00 | 1950.00 | 1950.00 |
| | 9W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light | गोटा | 2650.00 | 2650.00 | 2650.00 |
| | 16W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light | गोटा | 4400.00 | 4400.00 | 4400.00 |
| | 24W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light | गोटा | 5350.00 | 5350.00 | 5350.00 |
| | 30W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light | गोटा | 6350.00 | 6350.00 | 6350.00 |
| | 40W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light | गोटा | 8650.00 | 8650.00 | 8650.00 |
| | 50W @100lm/watt IP20 24°-36° Beam angle AC 90-300v,50Hz Pressure Die-cast Aluminium Track/Surface Mounted LED track light | गोटा | 9300.00 | 9300.00 | 9300.00 |
| | Stick 1MTR for Track light | गोटा | 1500.00 | 1500.00 | |
| १०९ | **MAGNETIC TRACK LIGHTS** | | | | |
| | 1 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM | गोटा | 3808.00 | 3808.00 | 3808.00 |
| | 2 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM | गोटा | 7616.00 | 7616.00 | 7616.00 |
| | 3 MTR TRIMLESS MAGNETIC TRACK LIGHT ,25MMX45MM | गोटा | 11520.00 | 11520.00 | 11520.00 |
| | 6W MAGNETIC LASER ,96MMX22MMX25MM TUNABLE DIMMING | गोटा | 4800.00 | 4800.00 | 4800.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 12W MAGNETIC LASER ,192MMX22MMX25MM TUNABLE DIMMING | गोटा | 6376.00 | 6376.00 | 6376.00 |
| | 12W MAGNETIC WALL WASHER LASER TUNABLE DIMMING | गोटा | 7040.00 | 7040.00 | 7040.00 |
| | 7W MAGNETIC HANGING 300MM | गोटा | 6080.00 | 6080.00 | 6080.00 |
| | 10W MAGNETIC LINEAR ,300MMX22MMX25MM TUNABLE DIMMING | गोटा | 4800.00 | 4800.00 | 4800.00 |
| | 20W MAGNETIC LINEAR ,600MMX22MMX25MM TUNABLE DIMMING | गोटा | 6880.00 | 6880.00 | 6880.00 |
| | 12W MAGNETIC TRACK LIGHT ,45MMX142MM ,TUNABLE DIMMING | गोटा | 6880.00 | 6880.00 | 6880.00 |
| | 18W MAGNETIC TRACK LIGHT ,55MMX142MM ,TUNABLE DIMMING | गोटा | 8448.00 | 8448.00 | 8448.00 |
| | L SHAPED RECESSED CONNECTOR | गोटा | 2868.00 | 2868.00 | 2868.00 |
| | POWER SUPPLY | गोटा | 1216.00 | 1216.00 | 1216.00 |
| | DOUBLE CONNECTOR | गोटा | 2044.00 | 2044.00 | 2044.00 |
| | DIRECT CONDUCTIVE CONNECTOR SET | गोटा | 2044.00 | 2044.00 | 2044.00 |
| | 75W ADAPTER FOR MAGNETIC TRACK LIGHT | गोटा | 3920.80 | 3920.80 | 3920.80 |
| | 100W ADAPTER FOR MAGNETIC TRACK LIGHT | गोटा | 5440.00 | 5440.00 | 5440.00 |
| | 150W ADAPTER FOR MAGNETIC TRACK LIGHT | गोटा | 7040.00 | 7040.00 | 7040.00 |
| | | | | | |
| ११० | **Exit/Directional/ Information Signage** | | | | |
| | Exit/Directional/ Information Signage with slim and lightweight, visible from 20 mtrs with integral battery capacity of 3 hrs and bicoloured LED status indicator with customize symbols/letters or as required | सेट | 12910.00 | 12910.00 | 12910.00 |
| | Self Contained Emergency Down Light Recessed/Surface Mounted, with integral battery capacity of 3 hrs | सेट | 12910.00 | 12910.00 | 12910.00 |
| | Self Contained emergency Twin Light, Wal Mounted with integral battery capacity of 3 hrs. | सेट | 12910.00 | 12910.00 | 12910.00 |
| | | | | | |
| १११ | **Fixture Accesseries** | | | | |
| | 2x2 Surface/Recess Frame | सेट | 1288.00 | 1288.00 | 1288.00 |
| | 1x1 Surface/Recess Frame | सेट | 928.00 | 928.00 | 928.00 |
| | Suspension/Hanging/Clip Kit | सेट | 1040.00 | 1040.00 | 1040.00 |
| | | | | | |
| **H** | **OUTDOOR LIGHTING** | | | | |
| | **HIGH BAY LIGHT** | | | | |
| ११२ | High Bay Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥20 (or as Mentioned), Flicker Free Light, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense , compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years. | | | | |
| | 40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 5088.00 | 5088.00 | 5088.00 |
| | 80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 5364.00 | 5364.00 | 5364.00 |
| | 120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 8000.00 | 8000.00 | 8000.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 10208.00 | 10208.00 | 10208.00 |
| | 180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 11200.00 | 11200.00 | 11200.00 |
| | 250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 20480.00 | 20480.00 | 20480.00 |
| ११३ | High Bay Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F ≥0.9, IP≥65, IK 08, Flicker Free Light, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥150lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense , compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years. | | | | |
| | 40/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w | गोटा | 7328.00 | 7328.00 | 7328.00 |
| | 80/90/100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy ≥150lm/w | गोटा | 8928.00 | 8928.00 | 8928.00 |
| | 120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w | गोटा | 10208.00 | 10208.00 | 10208.00 |
| | 150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w | गोटा | 10848.00 | 10848.00 | 10848.00 |
| | 180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w | गोटा | 11392.00 | 11392.00 | 11392.00 |
| | 250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥150lm/w | गोटा | 22848.00 | 22848.00 | 22848.00 |
| | | | | | |
| | **FLOOD LIGHTS** | | | | |
| ११४ | **General** | | | | |
| | 10W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K | गोटा | 920.00 | 920.00 | 920.00 |
| | 20W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K | गोटा | 1548.00 | 1548.00 | 1548.00 |
| | 30W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K | गोटा | 2456.00 | 2456.00 | 2456.00 |
| | 50W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K | गोटा | 2712.00 | 2712.00 | 2712.00 |
| | 100W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K | गोटा | 4608.00 | 4608.00 | 4608.00 |
| | 150W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K | गोटा | 4852.00 | 4852.00 | 4852.00 |
| | 200W FLOOD LIGHT, 3000K/4000K/5700K/6000K/6500K | गोटा | 6376.00 | 6376.00 | 6376.00 |
| | 10W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K | गोटा | 2160.00 | 2160.00 | 2160.00 |
| | 20W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K | गोटा | 2760.00 | 2760.00 | 2760.00 |
| | 30W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K | गोटा | 3656.00 | 3656.00 | 3656.00 |
| | 50W FLOOD LIGHT SENSOR, 3000K/4000K/5700K/6000K/6500K | गोटा | 3920.00 | 3920.00 | 3920.00 |
| | **Mid Segment** | | | | |
| ११५ | Flood Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F ≥0.9, IP≥65, IK 07, Flicker Free, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense ,Toughened glass cover compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years. | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | गोटा | 2492.00 | 2492.00 | 2492.00 |
| | 100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | गोटा | 5760.00 | 5760.00 | 5760.00 |
| | 120W, 3000K/4000K/5700K/6000K/6500K,Luminous Efficacy: ≥100lm/w | गोटा | 4048.00 | 4048.00 | 4048.00 |
| | 150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | गोटा | 6064.00 | 6064.00 | 6064.00 |
| | 180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | गोटा | 7968.00 | 7968.00 | 7968.00 |
| | 250W, 3000K/4000K/5700K/6000K/6500K,Luminous Efficacy: ≥100lm/w | गोटा | 10800.00 | 10800.00 | 10800.00 |
| | 300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | गोटा | 14400.00 | 14400.00 | 14400.00 |
| | 400W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | गोटा | 17600.00 | 17600.00 | 17600.00 |
| | **Standard Segment** | | | | |
| ११६ | Flood Light with voltage Range: 110V-300V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F ≥0.9, IP≥65, IK 08, Flicker Free Light, THD<10 %, CRI≥70, SPD: 4/10 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, Toughened glass cover, compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years. | | | | |
| | 30/50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 3392.00 | 3392.00 | 3392.00 |
| | 100W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 5760.00 | 5760.00 | 5760.00 |
| | 120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 7968.00 | 7968.00 | 7968.00 |
| | 150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 8892.00 | 8892.00 | 8892.00 |
| | 180/200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 11760.00 | 11760.00 | 11760.00 |
| | 250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | गोटा | 14400.00 | 14400.00 | 14400.00 |
| | | | | | |
| | **Tunnel Lights** | | | | |
| ११७ | Flow Base Flowbase is High performance IP66 Tunnel light with High Power LED light source, PDC housing with high impact resistance (IK08) . It comes with four sizes of configuration with mounting angle of 60 to -60 Degrees.Flowbase optics ensure uniform distribution and savings up to 50%* w.r.t conventional system and maintenance free system. | | | | |
| | 60W | गोटा | 6680.00 | 6680.00 | 6680.00 |
| | 120W | गोटा | 22240.00 | 22240.00 | 22240.00 |
| | 180W | गोटा | 33920.00 | 33920.00 | 33920.00 |
| | 240W | गोटा | 41600.00 | 41600.00 | 41600.00 |
| | | | | | |
| | **Street Light** | | | | |
| ११८ | **General Segment** | | | | |

# विद्युतिय सामाग्रीहरु

| क्र.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | LED AC Street light 24 W with auto on-off switch and auto dimming opetion including all accesories and exluding installation | गोटा | 7000.00 | 7000.00 | 7000.00 |
| | LED AC Street light 30/36 W with auto on-off switch and auto dimming opetion including all accesories and exluding installation | सेट | 5744.00 | 5744.00 | 5744.00 |
| | LED AC Street light 50W with auto on-off switch and auto dimming opetion including all accesories and excluding installation | गोटा | 9000.00 | 9000.00 | 9000.00 |
| | LED AC Street light 100 W with auto on-off switch and auto dimming opetion including all accesories and excluding installation | गोटा | 16000.00 | 16000.00 | 16000.00 |
| | 300/500 watt halogen weather proof **FLOOD LIGHT** with glass cover Complete set | सेट | 1613.00 | 1613.00 | 1613.00 |
| | 1000 watt halogen weather proof **flood light** with glass cover Complete set | सेट | 3227.00 | 3227.00 | 3227.00 |
| | 150 watt **HPSV** weather proof flood light with glass cover lamp Complete Set | सेट | 9682.00 | 9682.00 | 9682.00 |
| | 250 watt HPSV weather proof flood light with glass cover lamp Complete Set | सेट | 1129.00 | 1129.00 | 1129.00 |
| | Single Piece deep drawn aluminum POT optics **road light luminaries** with clear acrylic cover 70W HPSV lamp etc. complete with all accessories, | सेट | 5486.00 | 5486.00 | 5486.00 |
| | 2X18W CFL-4 Pin street light fixture with acrylic diffuser | सेट | 2372.00 | 2372.00 | 2372.00 |
| | 1X125W HPSV **street light** fixture with acrylic diffuser | सेट | 5346.00 | 5346.00 | 5346.00 |
| | 2X60/100W GLS **aviation light** fixture all complete set | सेट | 5939.00 | 5939.00 | 5939.00 |
| | | सेट | 6789.00 | 6789.00 | 6789.00 |
| | | | | | |
| ११९ | Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 07, Flicker Free, THD<10 %, CRI≥70, Burning Life>25000 hours, Luminous Efficacy: ≥100lm/w, Beam Angle: Narrow/Medium/Wide, having manufacturer's warranted from Authorized Dealer/Manufacture for minimum period of 1 years | | | | |
| | 20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 1360.00 | 1360.00 | 1360.00 |
| | 40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 2680.00 | 2680.00 | 2680.00 |
| | 70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 4768.00 | 4768.00 | 4768.00 |
| | 100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 4992.00 | 4992.00 | 4992.00 |
| | 150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 6088.00 | 6088.00 | 6088.00 |
| | 180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 7160.00 | 7160.00 | 7160.00 |
| | 240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 10760.00 | 10760.00 | 10760.00 |
| | 300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥100lm/w | सेट | 15240.00 | 15240.00 | 15240.00 |
| | **Mid Segment** | | | | |

प्रमुख जिल्ला अधिकारी

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | गु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १२० | Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 08, Flicker Free, THD<10 %, CRI≥70, SPD: 4 KV, Burning Life>50000 hours, Luminous Efficacy: ≥120lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense ,compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years. | | | | |
| | 20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 1760.00 | 1760.00 | 1760.00 |
| | 40-50W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 2804.00 | 2804.00 | 2804.00 |
| | 70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 4820.00 | 4820.00 | 4820.00 |
| | 100-120W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 5088.00 | 5088.00 | 5088.00 |
| | 150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 6240.00 | 6240.00 | 6240.00 |
| | 180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 8400.00 | 8400.00 | 8400.00 |
| | 240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 13440.00 | 13440.00 | 13440.00 |
| | 300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥120lm/w | सेट | 17920.00 | 17920.00 | 17920.00 |
| | **Standard Segment** | | | | |
| १२१ | Street Light with voltage Range: 110V-270V, Housing: Aluminum Die-Cast with good heat sink fins, Shape: Round/Square/Rectangle, Drive: Non-Dimmable, P.F.≥0.9, IP≥66, IK 09, Flicker Free, THD<10 %, CRI≥70, SPD: 10 KV, Burning Life>50000 hours, Luminous Efficacy: ≥130lm/w, Beam Angle: Narrow/Medium/Wide, LED Source: Metal Based LED PCB Strip with PC Lense, cover compiling to IS: 16102 Part-2 IS: 16103 Part – 1, IS: 16013 Part – 2, IS: 16108 having manufacture's warranted from Authorized Dealer/Manufacture for minimum period of 2 years | | | | |
| | 20-30W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w | सेट | 2000.00 | 2000.00 | 2000.00 |
| | 40-60W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w | सेट | 4328.00 | 4328.00 | 4328.00 |
| | 70-90W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w | सेट | 5088.00 | 5088.00 | 5088.00 |
| | 100-120W, 3000K/4000K/5700K/6000K/6500K,Luminous Efficacy: ≥130lm/w | सेट | 6240.00 | 6240.00 | 6240.00 |
| | 150W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w | सेट | 7168.00 | 7168.00 | 7168.00 |
| | 180-200W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w | सेट | 11840.00 | 11840.00 | 11840.00 |
| | 240-250W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w | सेट | 19200.00 | 19200.00 | 19200.00 |
| | 300W, 3000K/4000K/5700K/6000K/6500K, Luminous Efficacy: ≥130lm/w | सेट | 25600.00 | 25600.00 | 25600.00 |
| | | | | | |
| १२२ | **WALL LIGHT** | | | | |
| | Small Size wall Light | गोटा | 1176.00 | 1176.00 | 1176.00 |
| | Medium Size wall Light | गोटा | 1480.00 | 1480.00 | 1480.00 |
| | Large Size wall Light | गोटा | 2000.00 | 2000.00 | 2000.00 |
| | | | | | |
| १२३ | **Wall bracket/spout light/mirror light bulk-head ordinary** | सेट | 242.00 | 242.00 | 242.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Wall bracket/spot light/mirror light /bulk head medium decorative | सेट | 377.00 | 377.00 | 377.00 |
| | Wall bracket/spout light/mirror light / bulk head best quality with 11/13W CFL | सेट | 860.00 | 860.00 | 860.00 |
| | 1 x 11/13 watt CFL **DOWN LIGHT** with reflector & diffuser (conceal light) Complete Set | सेट | 1011.00 | 1011.00 | 1011.00 |
| | 1 x 18 watt CFL Down light with reflector & diffuser (conceal light) Complete Set | सेट | 1581.00 | 1581.00 | 1581.00 |
| | Dining lamp | सेट | 1775.00 | 1775.00 | 1775.00 |
| | **Chandliers** 6-8 lamp Medium | सेट | 15761.00 | 15761.00 | 15761.00 |
| | Chandliers 3-5 lamp Medium | सेट | 11242.00 | 11242.00 | 11242.00 |
| | Mirror Light Euro Light | सेट | 484.00 | 484.00 | 484.00 |
| | Picture light Euro Light POO2 | सेट | 699.00 | 699.00 | 699.00 |
| | Wall spot Light E27 60W Euro or eqv. | सेट | 377.00 | 377.00 | 377.00 |
| | Exit Light safety sign(8.24)W | सेट | 860.00 | 860.00 | 860.00 |
| | | | | | |
| १२४ | **LED BULKHEAD** | | | | |
| | 6W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow | गोटा | 2000.00 | 2000.00 | 2000.00 |
| | 10W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow | गोटा | 2240.00 | 2240.00 | 2240.00 |
| | 12/15W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Pressure Die-Cast Housing, Full Glow/Half Glow | गोटा | 2320.00 | 2320.00 | 2320.00 |
| | 6/10/12/16W, IP 65, IK 09, Burning Life>50000 hours, Luminous Efficacy: ≥80lm/w, Milky/Clear diffuser, Plastic Housing, Full Glow/Half Glow | गोटा | 1600.00 | 1600.00 | 1600.00 |
| | | | | | |
| १२५ | **FOOT LIGHT/STEP LIGHT** | | | | |
| | LED step/foot light with long life LED driver ,No harmful UV/IR radiation, Square/Circle/ Rectangle Shape, Luvered/NonLuverd, Die-cast Aluminium, with required IP protection from dust and water, 3000K/4000K/5700K/6000K/6500K | | | | |
| | 2/3W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K | गोटा | 1584.00 | 1584.00 | 1584.00 |
| | 4/5W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K | गोटा | 2850.00 | 2850.00 | 2850.00 |
| | 6/7W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K | गोटा | 2420.00 | 2420.00 | 2420.00 |
| | 12/15W, Surface/Recessed, 3000K /4000K /5700K/ 6000K/ 6500K | गोटा | 3225.00 | 3225.00 | 3225.00 |
| | | | | | |
| १२६ | **GARDEN SPIKE LIGHT** | | | | |
| | COB garden spike light with Aluminium Housing,Outdoor Ambient Lighting,omnidirectional protection from dust and water IP65 | | | | |
| | 7W | गोटा | 3790.00 | 3790.00 | 3790.00 |
| | 12W | गोटा | 5780.00 | 5780.00 | 5780.00 |
| | | | | | |
| १२७ | **Ground LED ground burial** | | | | |
| | Ground LED ground burial range is compact, robust design IP67/IK10 with aluminum diecast housing and stainless trim, IP67 waterproof connectors ensure easy installation & maintenance free | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 1W 12V 30D | गोटा | 2258.00 | 2258.00 | 2258.00 |
| | 2W 12V 30D | गोटा | 3011.00 | 3011.00 | 3011.00 |
| | Driver & accessories price extra for 12 V. | गोटा | 2258.00 | 2258.00 | 2258.00 |
| १२८ | **LED Ground Guide** | | | | |
| | Multiple lighting emission windows to make space out. | | | | |
| | 3W 100-240V | गोटा | 4141.00 | 4141.00 | 4141.00 |
| | 6W 100-240V | गोटा | 6023.00 | 6023.00 | 6023.00 |
| १२९ | **Ground Burial** | | | | |
| | Ground Burial Compact and robust design with diecast aluminum housing and stainless trim, IP68 waterproof connectors | | | | |
| | 3W 20D 100-240V | गोटा | 9411.00 | 9411.00 | 9411.00 |
| | 6W 20D 100-240V | गोटा | 13552.00 | 13552.00 | 13552.00 |
| | 12W 20D 100-240V | गोटा | 25411.00 | 25411.00 | 25411.00 |
| | 18W 20D 100-240V | गोटा | 27294.00 | 27294.00 | 27294.00 |
| | 36W 20D 100-240V | गोटा | 28235.00 | 28235.00 | 28235.00 |
| | 18W 20D 24V | गोटा | 30117.00 | 30117.00 | 30117.00 |
| | 18W 20D 100-240V | गोटा | 21647.00 | 21647.00 | 21647.00 |
| १३० | **Linaer Ground Light** | | | | |
| | Linear Ground light makes space distinctive with more safety and convenience of installation | | | | |
| | 2W 24V, RGB | गोटा | 13176.00 | 13176.00 | 13176.00 |
| | 9W 24V, RGB | गोटा | 17882.00 | 17882.00 | 17882.00 |
| | 7W 24V, RGB | गोटा | 25411.00 | 25411.00 | 25411.00 |
| | 36W 24V, RGB, RGB | गोटा | 32941.00 | 32941.00 | 32941.00 |
| | | | | | |
| | **Bollard Light** | | | | |
| १३१ | **Bulb Bollard Lights** | | | | |
| | Bollard Garden light small Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal block | सेट | 2689.00 | 2689.00 | 2689.00 |
| | Bollard Garden light medium Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal | सेट | 3227.00 | 3227.00 | 3227.00 |
| | Bollard Garden light Full Size with CFL ,choke & clear polycarbonate dome all complete set prewired upto terminal | सेट | 3630.00 | 3630.00 | 3630.00 |
| | | | | | |
| १३२ | **General Segment** | | | | |
| | 300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client) | सेट | 4240.00 | 4240.00 | 4240.00 |
| | 800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client) | सेट | 5280.00 | 5280.00 | 5280.00 |
| | 900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client) | सेट | 6000.00 | 6000.00 | 6000.00 |
| १३३ | **Mid Segment** | | | | |
| | 300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client) | सेट | 4416.00 | 4416.00 | 4416.00 |
| | 800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client) | सेट | 5504.00 | 5504.00 | 5504.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client) | सेट | 8480.00 | 8480.00 | 8480.00 |
| १३४ | **Standard Segment** | | | | 0.00 |
| | 300-600mm height, 7W/8W/9W/10W, LED BOLLARD Light , IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client) | सेट | 6288.00 | 6288.00 | 6288.00 |
| | 800-900mm height, 8W/9W/10W/12W /24W, LED BOLLARD Light IP 65, 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client) | सेट | 7328.00 | 7328.00 | 7328.00 |
| | 900-1200mm height, 8W/9W/10W/12/24, LED BOLLARD Light , 3000K /4000K /5700K/ 6000K/ 6500K (Fixture as per client) | सेट | 15120.00 | 15120.00 | 15120.00 |
| | | | | | |
| | **TOP POST LIGHT** | | | | |
| १३५ | **Bulb Top Lanterns** | | | | |
| | 8" Globe type Post top Lamp complete set | सेट | 1479.00 | 1479.00 | 1479.00 |
| | 10" Globe type Post top Lamp complete set | सेट | 2824.00 | 2824.00 | 2824.00 |
| १३६ | **Top Post Poles** | | | | |
| | 3M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client) | सेट | 9600.00 | 9600.00 | 9600.00 |
| | 3.5-4M, top post pole made of Galvanised MS Pipe (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client) | सेट | 12000.00 | 12000.00 | 12000.00 |
| | 3M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client) | सेट | 11200.00 | 11200.00 | 11200.00 |
| | 3.5-4M, top post pole made of Galvanized Steel with Cast Iron Embellishment (or polyurethane paint) with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client) | सेट | 14040.00 | 14040.00 | 14040.00 |
| | 3M, top post pole made of Cast Iron with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client) | सेट | 12400.00 | 12400.00 | 12400.00 |
| | 3.5-4M, top post pole made of Cast Iron with connection termial box, require civil foundation works, MCB and all complete (Pole design as per Client) | सेट | 15600.00 | 15600.00 | 15600.00 |
| १३७ | **Top Post/ Gate Post Fixtures** | | | | |
| | Top Post/Gate Light made of Die Cast Base and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client) | सेट | 2800.00 | 2800.00 | 2800.00 |
| | Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and PMMA/ Reflector of required wattage with IP 65 degree of protection (Fixture as per client) | सेट | 5600.00 | 5600.00 | 5600.00 |
| | Top Post/Gate Light made of Die Cast Base, Spun Aluminium Top and Polycarbonate Cover of required wattage with IP 65 degree of protection (Fixture as per client) | सेट | 19200.00 | 19200.00 | 19200.00 |
| | Top Post/Gate Light made of Die Cast Base, Die Cast Arm, Spun Die Cast of required wattage with IP 65 degree of protection (Fixture as per client) | सेट | 20000.00 | 20000.00 | 20000.00 |
| | Classical/Vintage Type Top Post/Gate Light made of Die Cast Aluminium body of required wattage with IP 65 degree of protection (Fixture as per client) | सेट | 22400.00 | 22400.00 | 22400.00 |
| | | | | | |
| १३८ | **Smart Lighting Fixtures:** | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.व.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Recessed Downlight: RC1, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000K, 100 lm/W, CRI>90, Dimension: L100*W100*H108MM Cutout: Dia 80 mm, Beam Angle:36 Degree, Cable: 300 mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver | गोटा | 4569.00 | 4569.00 | 4569.00 |
| | Recessed Downlight: RC2/RC3/RC4/RC6/RC7, Ceiling Recessed LED Adjustable Downlight, Power: 12W, COB, 3000K, 100 lm/w, CRI>90, Dimension: Dia 90*H113mm Cutout: Dia 78 mm, Beam Angle: 40/15 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver | गोटा | 3998.00 | 3998.00 | 3998.00 |
| | Recessed Downlight: RC5, Ceiling Recessed LED Adjustable Downlight, Power: 12w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 40 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver | गोटा | 2070.00 | 2070.00 | 2070.00 |
| | Recessed Downlight: RC2a, Ceiling Recessed LED Adjustable Downlight, Power: 18w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90MM, Beam Angle: 36 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With 0-10 Dimmable Driver | गोटा | 4998.00 | 4998.00 | 4998.00 |
| | Recessed Downlight: RC8, Ceiling Recessed LED Adjustable Downlight, Power: 10w, COB, 3000k, 100lm/W, CRI>90, Dimension: Dia 90* H113 MM Cutout: Dia 78MM, Beam Angle: 24 degree, Cable: 300mm, IP44, Color: Inner Black, Border: White, With Non Dimmable Driver | गोटा | 2142.00 | 2142.00 | 2142.00 |
| | Recessed Underground LED Light: RG1, Dia 100*H100 mm, cutout: Dia 95 mm, 3W, 3000K, IP67, CRI> 85, Beam Angle: 15 degree | गोटा | 2499.00 | 2499.00 | 2499.00 |
| | IP67 Non Dimmable Driver: IP67, Outdoor Driver, DC12V, 35W Capacity | गोटा | 1999.00 | 1999.00 | 1999.00 |
| | LED Strip Light : SL1/SL2/SL3a, Flexible Led Strip Light Wattage: 9.6 W/Meter Colour Temp: 3000 k Input Voltage: 24 V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll | र.मि. | 785.00 | 785.00 | 785.00 |
| | 0-10 Dimmable Driver: Power: 50 W, 0-10V dimmable | गोटा | 4212.00 | 4212.00 | 4212.00 |
| | Aluminium Channel Option 2: Channel With Cover, 3m/Pc | र.मि. | 542.00 | 542.00 | 542.00 |
| | LED Strip Light : SL1a, Flexible Led Strip Light Wattage: 4.8 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll | र.मि. | 414.00 | 414.00 | 414.00 |
| | Non Dimmable Driver: 150w IP20 Non Dimmable Driver | गोटा | 1785.00 | 1785.00 | 1785.00 |
| | LED Strip Light : SL3, Flexible Led Strip Light Wattage: 14.4 W/Meter Colour Temp: 3000K Input Voltage: 24V Beam Angle: 120 degree, IP20, CRI>90, 5m/Roll | र.मि. | 1106.00 | 1106.00 | 1106.00 |
| | 0-10 Dimmable Driver: Power: 150 W, 0-10V dimmable | गोटा | 9900.00 | 9900.00 | 9900.00 |
| | Aluminium Channel: Channel With Cover, 3m/Pc | र.मि. | 678.00 | 678.00 | 678.00 |
| | Gateway: DIN-Rail Mounted Intelligent Gateway, as per the confirmed technical details | गोटा | 135660.00 | 135660.00 | 135660.00 |
| | Power Supply: DIN System Power Supply, as per the confirmed technical details | गोटा | 18564.00 | 18564.00 | 18564.00 |
| | Central Distribution Box: Suitable with modules | सेट | 35700.00 | 35700.00 | 35700.00 |
| | Central Control Panel: Touch screen, Adroid System Control Computer, 18.5 inches | सेट | 257040.00 | 257040.00 | 257040.00 |
| | Software: PPS Programming software, we can also program and customize as per client request | सेट | 399840.00 | 399840.00 | 399840.00 |
| | Leading Edge Dimmer Module: 4 Channels Leading Edge Dimmer Module, as per the confirmed technical details | गोटा | 99960.00 | 99960.00 | 99960.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 0-10V Dimmer Module: 4 Channels of 0-10 V Dimmer Module with 4*16A Switbch, as per the confirmed technical details | गोटा | 88536.00 | 88536.00 | 88536.00 |
| | Switch Module: 4 Channel 16A, as per the confirmed technical details | गोटा | 72828.00 | 72828.00 | 72828.00 |
| | 8-Key Intelligent Wallplate: 8 Keys, as per the confirmed technical details | गोटा | 59976.00 | 59976.00 | 59976.00 |
| | Bus Cascade Module with power supply: AC110-220V wide voltage power supply, as per the confirmed technical details | गोटा | 32844.00 | 32844.00 | 32844.00 |
| | DIN System Power Supply: Supplies 24 V, 2.5 A DC Power, as per the confirmed technical details | गोटा | 25704.00 | 25704.00 | 25704.00 |
| | Distribution Box 1: Suitable with modules | सेट | 64260.00 | 64260.00 | 64260.00 |
| | Ceiling Light: Suitable with modules | गोटा | 121380.00 | 121380.00 | 121380.00 |
| | | | | | |
| १३९ | **Smart Automation and Control System:** | | | | |
| | Dimmable Driver 6W-50W | गोटा | 4212.00 | 4212.00 | 4212.00 |
| | Dimmable-Tunable Driver 6W-50W | गोटा | 4212.00 | 4212.00 | 4212.00 |
| | Dali-Dimmable Driver 6W-50W | गोटा | 4212.00 | 4212.00 | 4212.00 |
| | Dali-Dimmable-Tunable Driver 6W-50W | गोटा | 4212.00 | 4212.00 | 4212.00 |
| | Smart PIR Sensor Ceiling Mount Type | गोटा | 21307.00 | 21307.00 | 21307.00 |
| | Smart PIR Sensor Surface Mount Type | गोटा | 22444.00 | 22444.00 | 22444.00 |
| | Smart PIR Sensors Reccessed Mount Type | गोटा | 4403.00 | 4403.00 | 4403.00 |
| | 6 Button Keypad | गोटा | 63923.00 | 63923.00 | 63923.00 |
| | 4 Button Keypad | गोटा | 52559.00 | 52559.00 | 52559.00 |
| | 3 Channel Relay Dali Controller | गोटा | 183815.00 | 183815.00 | 183815.00 |
| | 4 Channel Relay Controller | गोटा | 84662.00 | 84662.00 | 84662.00 |
| | DMX Controller | सेट | 710260.00 | 710260.00 | 710260.00 |
| | DMX Amplirier | सेट | 213078.00 | 213078.00 | 213078.00 |
| | 15 V DC 1.5 Amps regulated power supply | गोटा | 62502.00 | 62502.00 | 62502.00 |
| | TCP/IP Protocol network gateway | गोटा | 134949.00 | 134949.00 | 134949.00 |
| | PDTS Networked Touch Screen intelligent control | गोटा | 560537.00 | 560537.00 | 560537.00 |
| | server for Software with specification Windows 10 Pro / Education / Enterprise 64 Bit, Windows Server 2008 R2 64 Bit, Windows Server 2012 R2 64 Bit Windows Server 2016, Windows Server 2019 Intel i5, i7, Xeon ≥2.7 GHz, 4-8 cores, Xeon ≥2.5 GHz 8-16+ cores, RAM ≥ 4 GB, HDD ≥ 5 GB available, Video Intel i5 or later integrated graphics, or > 500 MB PCIe video card with latest drivers | गोटा | 1832470.00 | 1832470.00 | 1832470.00 |
| | | | | | |
| | | | | | |
| I | **SURVEILLANCE SYSTEM** | | | | |
| १४० | ANALOG CCTV | | | | |
| | **2MP, Analog Turret Camera**,1080p, Smart IR, DWDR, DNR | गोटा | 2327.08 | 2327.08 | 2327.08 |
| | **2MP, Analog Bullet Camera**,1080p, Smart IR, DWDR, 3D DNR | गोटा | 2430.44 | 2430.44 | 2430.44 |
| | **5MP, Analog Turret Camera**, Smart IR, DWDR, DNR, BLC | गोटा | 3173.81 | 3173.81 | 3173.81 |
| | **5MP, Analog Bullet Camera**, Smart IR, DWDR, DNR, BLC | गोटा | 3173.81 | 3173.81 | 3173.81 |
| | **DVR 4 channel**, H.265+/H.265, 2MP, 1 SATA interface | गोटा | 5148.32 | 5148.32 | 5148.32 |
| | **DVR 8 channel**, H.265+/H.265, 2MP, 1 SATA interface | गोटा | 6614.51 | 6614.51 | 6614.51 |
| | **DVR 16 channel**, H.265+/H.265, 2MP, 1 SATA interface | गोटा | 11767.79 | 11767.79 | 11767.79 |
| | **DVR 8 channel**, H.265+/H.265, 8MP, 2 SATA interface | गोटा | 13759.29 | 13759.29 | 13759.29 |
| | **DVR 32 channel**, H.265+/H.265, 4 SATA interface | गोटा | | | 38965.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | | | | | |
| १४१ | **Mid Segment CCTV** | | | | |
| | 2MP, IP based Turret Camera, Smart IR, DWDR, 3D DNR,BLC, HLC | गोटा | 4574.16 | 4574.16 | 4574.16 |
| | 2MP, IP based Dome Camera, Smart IR, DWDR, 3D DNR,BLC, HLC, IK10 | गोटा | 5001.60 | 5001.60 | 5001.60 |
| | 2MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR,BLC, HLC | गोटा | 4574.16 | 4574.16 | 4574.16 |
| | 2MP,IP based Turret Camera, Color, White Light, DWDR, 3D DNR,BLC, HLC | गोटा | 6686.40 | 6686.40 | 6686.40 |
| | 2MP, IP based Dome Camera, Color, White Light, DWDR, 3D DNR,BLC, HLC,IK10 | गोटा | 9144.07 | 9144.07 | 9144.07 |
| | 2MP, IP based Bullet Camera, Color, White Light, DWDR, 3D DNR,BLC, HLC | गोटा | 6686.40 | 6686.40 | 6686.40 |
| | 4/5MP, IP based Dome/Turret Camera, Smart IR, DWDR, 3D DNR, BLC,HLC | गोटा | 6921.06 | 6921.06 | 6921.06 |
| | 4/5MP, IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC | गोटा | 6983.36 | 6983.36 | 6983.36 |
| | 8MP, IP based Turret Camera, Smart IR, DWDR, 3D DNR, BLC,HLC | गोटा | 11680.00 | 11680.00 | 11680.00 |
| | 8MP,IP based Bullet Camera, Smart IR, DWDR, 3D DNR, BLC, HLC | गोटा | 15429.60 | 15429.60 | 15429.60 |
| | NVR 8 channel, H.265+/H.265, 8MP, 1 SATA interface | गोटा | 9391.20 | 9391.20 | 9391.20 |
| | NVR 16 channel, H.265+/H.265, 8MP, 1 SATA interface | गोटा | 11824.42 | 11824.42 | 11824.42 |
| | NVR 8 channel, H.265+/H.265, 8MP, 2 SATA interface | गोटा | 12533.81 | 12533.81 | 12533.81 |
| | NVR 16 channel, H.265+/H.265, 8MP, 2 SATA interface | गोटा | 14188.32 | 14188.32 | 14188.32 |
| | NVR 16 channel, H.265+/H.265, 8MP, 4 SATA interface | गोटा | | | 44571.00 |
| | | गोटा | 19600.00 | 19600.00 | |
| | | | | | |
| १४२ | **Standard Segment CCTV** | | | | |
| | 4/5MP, AI based Dome Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encription, Piris | गोटा | 46400.00 | 46400.00 | 46400.00 |
| | 4/5MP, AI based Bullet Camera, Min illumination 0.008, Motorised VF, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encription, Piris | गोटा | 46400.00 | 46400.00 | 46400.00 |
| | 2MP, AI based PTZ Camera, 30x Optical Zoom, Smart IR, 3D DNR,BLC, HLC, Defog, Ambrella Chipset, 1 TB SD Card Support with Encription | गोटा | 238400.00 | 238400.00 | 238400.00 |
| | | | | | |
| १४३ | **Accessories of CCTV** | | | | |
| | Unmanaged PoE switch 4 PoE port, 1 Uplink port | गोटा | 2880.00 | 2880.00 | 2880.00 |
| | Unmanaged PoE switch 8 PoE port, 1 Uplink port | गोटा | 4160.00 | 4160.00 | 4160.00 |
| | Unmanaged PoE switch 16 PoE port, 2 Gigabit Uplink ports | गोटा | 10800.00 | 10800.00 | 10800.00 |
| | KVM | गोटा | 2240.00 | 2240.00 | 2240.00 |
| | 1TB Surveillance hard disk | गोटा | 5040.00 | 5040.00 | 5040.00 |
| | 2TB Surveillance hard disk | गोटा | 7360.00 | 7360.00 | 7360.00 |
| | 4TB Surveillance hard disk | गोटा | 11200.00 | 11200.00 | 11200.00 |
| | 6TB Surveillance hard disk | गोटा | 21200.00 | 21200.00 | 21200.00 |
| | 17/18.5/19" LCD Monitor | गोटा | 6560.00 | 6560.00 | 6560.00 |
| | 21/22" LCD Monitor | गोटा | 10240.00 | 10240.00 | 10240.00 |
| | 24" LCD Monitor | गोटा | 11840.00 | 11840.00 | 11840.00 |
| | 27/28" LED Monitor | गोटा | 15040.00 | 15040.00 | 15040.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 32" LED Monitor, FHD | गोटा | 19600.00 | 19600.00 | 19600.00 |
| | 42/44/45" LED Monitor, FHD | गोटा | 49600.00 | 49600.00 | 49600.00 |
| | 52/55" LED Monitor, FHD | | 92000.00 | 92000.00 | 92000.00 |
| | | | | | |
| | | | | | |
| **J** | **FIRE ALARM CONTROL PANEL** | | | | |
| १४४ | **Conventional Type Fire Alarm Control Panel** | | | | |
| | 2 Zone Fire Alarm Control Panel | सेट | 11360.00 | 11360.00 | 11360.00 |
| | 4 Zone Fire Alarm Control Panel | सेट | 14080.00 | 14080.00 | 14080.00 |
| | 6 Zone Fire Alarm Control Panel | सेट | 23068.00 | 23068.00 | 23068.00 |
| | 8 Zone Fire Alarm Control Panel | सेट | 27852.00 | 27852.00 | 27852.00 |
| | Conventional smoke detector | गोटा | 1600.00 | 1600.00 | 1600.00 |
| | Conventional heat detector | गोटा | 1600.00 | 1600.00 | 1600.00 |
| | Conventional manual control point | गोटा | 1520.00 | 1520.00 | 1520.00 |
| | Conventional hooter cum strobe | गोटा | 4800.00 | 4800.00 | 4800.00 |
| | | | | | |
| १४५ | **Digital Addressable Type Fire Alarm Control Panel** | | | | |
| | 2 Zone Fire Alarm Control Panel , UL/EN Certified | सेट | 36960.00 | 36960.00 | |
| | 4 Zone Fire Alarm Control Panel , UL/EN Certified | सेट | 40080.00 | 40080.00 | |
| | 6 Zone Fire Alarm Control Panel , UL/EN Certified | सेट | 42978.40 | 42978.40 | |
| | 8 Zone Fire Alarm Control Panel , UL/EN Certified | सेट | 46140.00 | 46140.00 | |
| | Digital addressable smoke detector | गोटा | 2160.00 | 2160.00 | |
| | Digital addressable heat detector | गोटा | 2240.00 | 2240.00 | |
| | Digital addressable manual control point | गोटा | 1520.00 | 1520.00 | |
| | Digital addressable hooter cum strobe | गोटा | 4800.00 | 4800.00 | |
| | | | | | |
| १४६ | **Addressable Type Fire Alarm Control Panel (FACP)** | | | | |
| | 1/2 Loop Fire Alarm Control Panel with minimum 190 Detectors , UL/EN Certified | सेट | 171200.00 | 171200.00 | 171200.00 |
| | 2/4 Loop Fire Alarm Control Panel with minimum 380 Detectors , UL/EN Certified | सेट | 320000.00 | 320000.00 | 320000.00 |
| | 6/8 Loop Fire Alarm Control Panel with minimum 760 Detectors , UL/EN Certified | सेट | 480503.20 | 480503.20 | 480503.20 |
| | Addressable Smoke detector with Standard Base | गोटा | 3221.60 | 3221.60 | 3221.60 |
| | Addressable Heat Detector with Standard Base | गोटा | 3360.00 | 3360.00 | 3360.00 |
| | Addressabl Hooter \| Sounder | गोटा | 7108.00 | 7108.00 | 7108.00 |
| | Addressabl Hooter with Strobe | गोटा | 11364.80 | 11364.80 | 11364.80 |
| | Addressable Manual Call Point | गोटा | 4160.00 | 4160.00 | 4160.00 |
| | Addressabl Control Module | गोटा | 5760.00 | 5760.00 | 5760.00 |
| | Addressabl Monitor Module | गोटा | 5028.80 | 5028.80 | 5028.80 |
| | | | | | |
| **K** | **TELEPHONE SYSTEM** | | | | |
| | **ANALOG PABX SYSTEM** | | | | |
| १४७ | **Telephone Drop wire/pair cable** | | | | |
| | $^{2}/_{20}$ Telephone drop wire | क्वायल | 1033.00 | 1033.00 | 1033.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | ²/₃ " | क्वाग्रल | 699.00 | 699.00 | 699.00 |
| | 2- pair cable wire (2×2×0.45) mmHeavy | र.मी | 14.00 | 14.00 | 14.00 |
| | 3- pair cable wire (3×2×0.45) mm Heavy | र.मी | 20.00 | 20.00 | 20.00 |
| | 5- pair cable wire (5×2×0.45) mm Heavy | र.मी | 33.00 | 33.00 | 33.00 |
| | 10- pair cable wire (10×2×0.45) mm Heavy | र.मी | 64.00 | 64.00 | 64.00 |
| | 15- pair cable wire (15×2×0.45) mm Heavy | र.मी | 95.00 | 95.00 | 95.00 |
| | 20- pair cable wire (20×2×0.45) mm Heavy | र.मी | 124.00 | 124.00 | 124.00 |
| | 1mm drop wire | र.मी | 10.00 | 10.00 | 10.00 |
| | 50 Pair Telephone D.B with crown tag | सेट | 5688.00 | 5688.00 | 5688.00 |
| १४८ | **Analog PABX System** | | | | |
| | 1-4 Line EPABX with 1set programmable master telephone set of corresponding brand | सेट | 7988.00 | 7988.00 | 7988.00 |
| | 2-6 Line EPABX " | सेट | 19230.00 | 19230.00 | 19230.00 |
| | 3-8 Line EPABX " | सेट | 21451.00 | 21451.00 | 21451.00 |
| | 4-12 Line EPABX " | सेट | 38461.00 | 38461.00 | 38461.00 |
| | 6-16 Line EPABX " | सेट | 51774.00 | 51774.00 | 51774.00 |
| | 8-24 Line EPABX " | सेट | 88756.00 | 88756.00 | 88756.00 |
| | 8-48 Line EPABX " | सेट | 94969.00 | 94969.00 | 94969.00 |
| | 8-72 Line EPABX " | सेट | 101617.00 | 101617.00 | 101617.00 |
| **L** | **NETWORKING SYSEM** | | | | |
| १४९ | **Cables** | | | | |
| | RG6 **Coaxial cable** | र.मी | 24.00 | 24.00 | 24.00 |
| | RG59 Coaxial cable | र.मी | 27.00 | 27.00 | 27.00 |
| | UTP cat -5 networking cable | र.मी | 27.00 | 27.00 | 27.00 |
| | Cat6A, 23 AWG, Pure Copper, 10G, U/UTP, 4P, LSZH | र.मी | 80.00 | 80.00 | 80.00 |
| | Cat6, 24 AWG, Pure Copper, 1G, U/UTP, 4P | र.मी | 34.10 | 34.10 | 34.10 |
| | Cat6, 23 AWG, Pure Copper, 1G, U/UTP, 4P | र.मी | 41.97 | 41.97 | 41.97 |
| | Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 1m | गोटा | 460.00 | 460.00 | 460.00 |
| | Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 2m | गोटा | 544.00 | 544.00 | 544.00 |
| | Patch Cord, Cat 6A, U/UTP, 4P, LSZH - 3m | गोटा | 608.00 | 608.00 | 608.00 |
| | Patch Cord, Cat 6, U/UTP, 4P, LSZH - 0.5m | गोटा | 192.00 | 192.00 | 192.00 |
| | Patch Cord, Cat 6, U/UTP, 4P, LSZH - 1m | गोटा | 240.00 | 240.00 | 240.00 |
| | Patch Cord, Cat 6, U/UTP, 4P, LSZH - 2m | गोटा | 280.00 | 280.00 | 280.00 |
| | Patch Cord, Cat 6, U/UTP, 4P, LSZH - 3m | गोटा | 336.00 | 336.00 | 336.00 |
| | | | | | |
| १५० | **Patch Panel [SMB Series (or Mid Segment)]** | | | | |
| | 24 Port Patch Panel | सेट | 2000.00 | 2000.00 | 2000.00 |
| | 48 Port Patch Panel | सेट | 4160.00 | 4160.00 | 4160.00 |
| | 24 Port Patch with keystone Panel | सेट | 5600.00 | 5600.00 | 5600.00 |
| | 48 Port Patch with keystone Panel | सेट | 11200.00 | 11200.00 | 11200.00 |
| | | | | | |
| १५१ | **Network Rack [SMB Series (or Mid Segment)]** | | | | |
| | 6U Network Rack | सेट | 6640.00 | 6640.00 | 6640.00 |
| | 9U Network Rack | सेट | 7920.00 | 7920.00 | 7920.00 |
| | 12U Network Rack | सेट | 9440.00 | 9440.00 | 9440.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 17 /18 / 21 / 22U Network Rack | सेट | | | 32000.00 |
| | 27U Network Rack | सेट | 54400.00 | 54400.00 | 54400.00 |
| | 42U Network Rack | सेट | 88000.00 | 88000.00 | 88000.00 |
| | Power Distribution Unit (PDU) | सेट | 3040.00 | 3040.00 | 3040.00 |
| | Single/ Double Fan | सेट | 1440.00 | 1440.00 | 1440.00 |
| | 1U Cable Manager | सेट | 1120.00 | 1120.00 | 1120.00 |
| १५२ | **Network Switch [SMB Series (or Mid Segment)]** | | | | |
| | 5/8 Port, Fast Eternet, Unmanaged Switch | सेट | 1600.00 | 1600.00 | 1600.00 |
| | 5/8 Port, Gigabit, Unmanaged Switch | सेट | 2560.34 | 2560.34 | 2560.34 |
| | 16 Port, Fast Eternet, Unmanaged Switch | सेट | 3200.00 | 3200.00 | 3200.00 |
| | 16 Port, Gigabit, Unmanaged Switch | सेट | 7200.00 | 7200.00 | 7200.00 |
| | 24 Port, Fast Eternet, Unmanaged Switch | सेट | 5200.00 | 5200.00 | 5200.00 |
| | 24 Port, Gigabit, Unmanaged Switch | सेट | 14400.00 | 14400.00 | 14400.00 |
| | 5/8 Port, Fast Eternet, managed Switch | सेट | 5600.00 | 5600.00 | 5600.00 |
| | 5/8 Port, Gigabit, managed Switch | सेट | 7200.00 | 7200.00 | 7200.00 |
| | 16 Port, Fast Eternet, managed Switch | सेट | 10400.00 | 10400.00 | 10400.00 |
| | 16 Port, Gigabit, managed Switch | सेट | 12800.00 | 12800.00 | 12800.00 |
| | 24 Port, Fast Eternet, managed Switch | सेट | 16000.00 | 16000.00 | 16000.00 |
| | 24 Port, Gigabit, managed Switch | सेट | 21600.00 | 21600.00 | |
| | | | | | |
| **M** | **SECURITY SYSTEM** | | | | |
| १५३ | **Steel Security Gate** | | | | |
| | Metal detector | गोटा | 17674.00 | 17674.00 | 17674.00 |
| | Access Controller (Standard Series ) | गोटा | 29993.00 | 29993.00 | 29993.00 |
| | Access Controller (General Series ) | गोटा | 14461.00 | 14461.00 | 14461.00 |
| १५४ | **Steel Security Door** | | | | |
| | Single leaf :- 50 mm, 70 mm, 100mm | व. मि. | 9069.00 | 9069.00 | 9069.00 |
| | Half leaf : - 50 mm, 70 mm, 100mm | व. मि. | 10371.00 | 10371.00 | 10371.00 |
| | Double leaf : - 50 mm, 70 mm, 100mm | व. मि. | 10835.00 | 10835.00 | 10835.00 |
| १५५ | **Security System** | | | | |
| | i) Short range wireless intruder Alarm (including Host Unit-1, PIR moton detector-1, Door Sensor-1, Remote Controller -2) | गोटा | 35706.00 | 35706.00 | 35706.00 |
| | iii) Access Controller with record using Card and Pin ( with 10 piece RFID Card.) | गोटा | 21424.00 | 21424.00 | 21424.00 |
| | iv) Access Controller without record using Card and Pin ( with 5 piece RFID Card.) | गोटा | 13390.00 | 13390.00 | 13390.00 |
| | v) Finger print access system with software | गोटा | 37492.00 | 37492.00 | 37492.00 |
| | vi) Securty from Panic Alarm | गोटा | 37492.00 | 37492.00 | 37492.00 |
| १५६ | **Access Controller** | | | | |
| | **Access Controller** with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimensin 120 x88 x18 mm built in two relay operating door | सेट | 21516.00 | 21516.00 | 21516.00 |
| | Access Controller with record using card and pin, Having capacity 1000 cards and 25000events,responding distance 5 cm to 15 cm, dimension 120 x88 x18 mm built in two relay operating door (Local) | सेट | 14523.00 | 14523.00 | 14523.00 |
| १५७ | **Intrusion Detection System** | | | | |
| | **Main Controller**-CONTROL,FIRE/BURG | सेट | 40579.00 | 40579.00 | 40579.00 |

# विद्युतिय सामाग्रीहरु

| सि.न | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | **Door Contact**-Wireless Door Contact with transmitter | सेट | 2797.00 | 2797.00 | 2797.00 |
| | **Motion Detector**-Wireless Passive Infrared, Pet Immune Motion Detector | सेट | 4363.00 | 4363.00 | 4363.00 |
| | **Panic Switch**-Wireless Panic Transmitter | सेट | 5139.00 | 5139.00 | 5139.00 |
| | Key -Wireless Key to Arm and Disarm the System | सेट | 4992.00 | 4992.00 | 4992.00 |
| | **Window Contact**- Wired door Contact with transmitter slim | सेट | 2937.00 | 2937.00 | 2937.00 |
| | Earth Quake Detector( JDS Inc, USA)-Quake Alarm | पिस | 3761.00 | 3761.00 | 3761.00 |
| **N** | **AIR CONDITIONING SYSTEM** | | | | |
| | Single Split (1:1) Wall mounted/ Ceilling Casset type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent control, Filter Cleaning Indicator, PMV Control and power saving features included wireless remote controller, Installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, should also be inculded with in the cost Note: AC shall have its manufacturing plant. | | | | |
| १५८ | **Wall Mounted Inverter type** Split Units with Wireless remote Controller. | | | | |
| | 0.75 Ton | सेट | 81000.00 | 81000.00 | |
| | 1.0 Ton | सेट | 56900.00 | 56900.00 | 71000.00 |
| | 1.5Ton | सेट | 76500.00 | 76500.00 | 87200.00 |
| | 2.0 Ton | सेट | 99400.00 | 99400.00 | 106194.69 |
| | | | | | |
| १५९ | **Ceiling Cassette Inverter** type Split Units with Wireless remote Controller | | | | |
| | 1.0 Ton | सेट | 118800.00 | 118800.00 | 118800.00 |
| | 1.5Ton | सेट | 145800.00 | 145800.00 | 145800.00 |
| | 2.0 Ton | सेट | 162000.00 | 162000.00 | 162000.00 |
| | 3.0 Ton (3Ph) | सेट | 261950.00 | 261950.00 | 261950.00 |
| | 4 Ton(3Ph) | सेट | 265500.00 | 265500.00 | 265500.00 |
| १६० | **Wall Mounted Non-Inverter Type Split Type AC with Wireless display remote Controller.** | | | | |
| | 0.75 Ton | सेट | 52200.00 | 52200.00 | 52200.00 |
| | 1.0 Ton | सेट | 51550.44 | 51550.44 | 51550.44 |
| | 1.5Ton | सेट | 68050.44 | 68050.44 | 68050.44 |
| | 2.0 Ton | सेट | 84250.44 | 84250.44 | 84250.44 |
| | | | | | |
| १६१ | **Ceiling Cassette Non- Inverter Type Split Type AC with Wireless display remote Controller.** | | | | |
| | 1.0 Ton | सेट | 86600.00 | 86600.00 | 86600.00 |
| | 1.5Ton | सेट | 99300.00 | 99300.00 | 99300.00 |
| | 2.0 Ton | सेट | 128600.00 | 128600.00 | 128600.00 |
| | 3.0 Ton | सेट | 176000.00 | 176000.00 | 176000.00 |
| | | | | | |
| **O** | **TRANSFORMER and ALLIED MATERIALS** | | | | |
| १६२ | **Copper wound Distribution Outdoor Transformar with first filling of oil** | | | | |
| | 15 KVA , 11/0.23kv, 3 phase,50 Hz ONAN | गोटा | 212500.00 | 212500.00 | 212500.00 |
| | 25 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 250750.00 | 250750.00 | 250750.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 50 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 357000.00 | 357000.00 | 357000.00 |
| | 75 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 510000.00 | 510000.00 | 510000.00 |
| | 100 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 535500.00 | 535500.00 | 535500.00 |
| | 125 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 748000.00 | 748000.00 | 748000.00 |
| | 150 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 773500.00 | 773500.00 | 773500.00 |
| | 200 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 956250.00 | 956250.00 | 956250.00 |
| | 250 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 1041250.00 | 1041250.00 | 1041250.00 |
| | 300 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 1130500.00 | 1130500.00 | 1130500.00 |
| | 400 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 1275000.00 | 1275000.00 | 1275000.00 |
| | 500 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 1402500.00 | 1402500.00 | 1402500.00 |
| | 630 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 1530000.00 | 1530000.00 | 1530000.00 |
| | 750 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 2188750.00 | 2188750.00 | 2188750.00 |
| | 800 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 1827500.00 | 1827500.00 | 1827500.00 |
| | 1000 KVA, 11/0.4kv, 3 phase,50 Hz ONAN | गोटा | 2295000.00 | 2295000.00 | 2295000.00 |
| १६३ | **Low Loss Transformar** | | | | |
| | No Load-75,Load loss 460(25 KVA) | गोटा | 229790.00 | 229790.00 | |
| | No Load-120,Load loss750(50 KVA) | गोटा | 334240.00 | 334240.00 | |
| | No Load-220,Load loss 1210(100 KVA) | गोटा | 438690.00 | 438690.00 | |
| १६४ | **Supply of aluminium ABC cable** | | | | |
| | 25mm square 4 core ABC cable | रुमी. | 161.00 | 161.00 | 161.00 |
| | 50 mm square 4 core ABC cable | रुमी. | 269.00 | 269.00 | 269.00 |
| | 95 mm square 4 core ABC cable | रुमी. | 527.00 | 527.00 | 527.00 |
| १६५ | **Lightening Arrestor** for 3 Phase | | | | |
| | 0.5 KV | सेट | 1291.00 | 1291.00 | 1291.00 |
| | 11 KV | सेट | 4518.00 | 4518.00 | 4518.00 |
| | Cross Arms V Channel. | गोटा | 3227.00 | 3227.00 | 3227.00 |
| | Stay set with accessories. | | | | |
| | GI wire | गोटा | 1234.00 | 1234.00 | 1234.00 |
| | GI Plate | गोटा | 1237.00 | 1237.00 | 1237.00 |
| | Guy Insulator | गोटा | 58.00 | 58.00 | 58.00 |
| | Elbow | गोटा | 107.00 | 107.00 | 107.00 |
| | Rod , Nut | गोटा | 464.00 | 464.00 | 464.00 |
| | Grip | गोटा | 51.00 | 51.00 | 51.00 |
| १६६ | **Overhead Insulators** (0.4KV) | गोटा | | | |
| | Suckle Insulator | गोटा | 32.00 | 32.00 | 32.00 |
| | D-Iron | गोटा | 97.00 | 97.00 | 97.00 |
| | Nut Bolt (3" with 8 mm Ø) | गोटा | 15.00 | 15.00 | 15.00 |
| | Nut Bolt (6" with 8 mm Ø) to clamp on Poles | गोटा | 24.00 | 24.00 | 24.00 |
| १६७ | **Overhead Insulators** with fixing accessories (11KV) | | | | |
| | Pin Insulator | गोटा | 193.00 | 193.00 | 193.00 |
| | Disc Insulator | गोटा | 1033.00 | 1033.00 | 1033.00 |
| | Cross Arms V Channel. | गोटा | 2839.00 | 2839.00 | 2839.00 |
| | Squirrel ACSR conductor 20mm$^2$ | रुमी. | 17.00 | 17.00 | 17.00 |
| | weasel ACSR conductor 30 mm$^2$ | रुमी. | 26.00 | 26.00 | 26.00 |
| | Rabbit ACSR conductor 50 mm$^2$ | रुमी. | 42.00 | 42.00 | 42.00 |
| | Dog ACSR conductor 100 mm$^2$ | रुमी. | 85.00 | 85.00 | 85.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| १५८ | LT/HT Accessories | | | | |
| | 11 kv Disc insulator with grupher(3 Bolt) | सेट | 1514.00 | 1514.00 | 1514.00 |
| | 11kv Pin insulator with spindel | सेट | 266.00 | 266.00 | 266.00 |
| | 11 KVA Drop out fuse | सेट | 12612.00 | 12612.00 | 12612.00 |
| | D-iron det with shakle insulator | सेट | 156.00 | 156.00 | 156.00 |
| | Stay Assembly Complete Set | सेट | 1514.00 | 1514.00 | 1514.00 |
| | Stay wirw (NS 7/12 guage) | केजी | 106.00 | 106.00 | 106.00 |
| | Lighting Arrester | सेट | 6606.00 | 6606.00 | 6606.00 |
| | Earthing Set | सेट | 2924.00 | 2924.00 | 2924.00 |
| | H T Tape | थान | 177.00 | 177.00 | 177.00 |
| | Stay Wire 7/12 | केजी | 125.00 | 125.00 | 125.00 |
| | Stay Wire set 12x12, 6mm thick | सेट | 1671.00 | 1671.00 | 1671.00 |
| | | | | | |
| **P** | **POLES** | | | | |
| १६९ | **Steel tubuler pole** | | | | |
| | Steel tubuler pole 11 mtr.Long (Folding/Non Folding) with nut,bolt & washer | प्रति पोल | 20419.00 | 20419.00 | 20419.00 |
| | Steel tubuler pole 10 mtr.Long (Folding/Non Folding) with nut,bolt & washer | प्रति पोल | 18978.00 | 18978.00 | 18978.00 |
| | Steel tubuler pole 9 mtr.Long (Folding/Non Folding) with nut,bolt & washer | प्रति पोल | 16936.00 | 16936.00 | 16936.00 |
| | Steel tubuler pole 8 mtr.Long (Folding/Non Folding) with nut,bolt & washer | प्रति पोल | 12131.00 | 12131.00 | 12131.00 |
| १७० | WOODEN POLE | | | | |
| | 7 mtr.length Wooden Pole | गोटा | 5218.00 | 5218.00 | 5218.00 |
| | 9 mtr.length Wooden Pole | गोटा | 7100.00 | 7100.00 | 7100.00 |
| | | | | | |
| १७१ | **FRP/GRP Poles** shall be ultraviolet resistance, corrosion proof, electrically insulated and shall have no reaction to direct contact with water, having FRP material ≥ 55%, thickness shall be >5.5mm for all poles with the cost of single/double GRP arm | | | | |
| | 3 mtr with base plate | सेट | 32625.82 | 32625.82 | 32625.82 |
| | 4 mtr with base plate | सेट | 40120.89 | 40120.89 | 40120.89 |
| | 5 mtr with base plate | सेट | 42948.27 | 42948.27 | 42948.27 |
| | 6 mtr with base plate | सेट | 46079.38 | 46079.38 | 46079.38 |
| | 7 mtr with base plate | सेट | 56519.72 | 56519.72 | 56519.72 |
| | 8 mtr with base plate | सेट | 60725.83 | 60725.83 | 60725.83 |
| | 9 mtr with base plate | सेट | 64470.36 | 64470.36 | 64470.36 |
| | 10 mtr with base plate | सेट | 82185.98 | 82185.98 | 82185.98 |
| | 11 mtr with base plate | सेट | 86290.18 | 86290.18 | 86290.18 |
| | 12 mtr with base plate | सेट | 104331.49 | 104331.49 | 104331.49 |
| | | | | | |
| **Q** | **GENERATOR SYSTEM** | | | | |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | Generator set conforming complies with current CPCB emission norms, Critical grade silencers, coupled and aligned with continuous rated KVA of DG, industrial type brushless AC Alternator on a common base frame in factory fabricated acoustic enclosure with all standard accessories such as MS painted day oil tank & valves, fully charged lead-acid batteries with angle iron stand, battery leads, engine protection unit, sensors for winding & bearing temp monitoring, antivibration mountings complete in all respects as per the manufacturer's drawing, specification, and instruction. | | | | |
| १७२ | **Diseal Generator, Single Phase** | | | | |
| | 0.7 | सेट | 77853.98 | 77853.98 | 77853.98 |
| | 2 | सेट | 96283.19 | 96283.19 | 96283.19 |
| | 2.9 | सेट | 189933.63 | 189933.63 | 189933.63 |
| | 3.8 | सेट | 202345.13 | 202345.13 | 202345.13 |
| | 3.8 | सेट | 217389.38 | 217389.38 | 217389.38 |
| | 5 | सेट | 227168.14 | 227168.14 | 227168.14 |
| | 7.5 | सेट | 391000.00 | 391000.00 | 391000.00 |
| | 10 | सेट | 429250.00 | 429250.00 | 429250.00 |
| १७३ | **Diseal Generator, Three Phase with ATS panel** | | | | |
| | 10 | सेट | 539750.00 | 539750.00 | 539750.00 |
| | 15 | सेट | 539750.00 | 539750.00 | 539750.00 |
| | 20 | सेट | 62057.52 | 62057.52 | 62057.52 |
| | 30 | सेट | 701250.00 | 701250.00 | 701250.00 |
| | 40 | सेट | 831194.69 | 831194.69 | 831194.69 |
| | 62.5 | सेट | 990250.00 | 990250.00 | 990250.00 |
| | 82.5 | सेट | 1190000.00 | 1190000.00 | 1190000.00 |
| | 100 | सेट | 1372750.00 | 1372750.00 | 1372750.00 |
| | 125 | सेट | 1429203.54 | 1429203.54 | 1429203.54 |
| | 160 | सेट | 1904000.00 | 1904000.00 | 1904000.00 |
| | 200 | सेट | 2331858.41 | 2331858.41 | 2331858.41 |
| | 250 | सेट | 2783750.00 | 2783750.00 | 2783750.00 |
| | 320 | सेट | 3485000.00 | 3485000.00 | 3485000.00 |
| | 400 | सेट | 4258500.00 | 4258500.00 | 4258500.00 |
| | 500 | सेट | 5418750.00 | 5418750.00 | 5418750.00 |
| | | | | | |
| **R** | **EARTHING SYSTEM** | | | | |
| १७४ | **Earthing System** | | | | |
| | Copper plate per kg (sp.gr copper =8930kg/m3 ) | के.जी | 957.00 | 957.00 | 957.00 |
| | 6 mm thick 600mmm× 600 mm G.I. Plate | गोटा | 2954.00 | 2954.00 | 2954.00 |
| | 3.2 mm thick 600mmm× 600 mm Copper Plate | गोटा | 9940.00 | 9940.00 | 9940.00 |
| | Copper Strip (25 x 3)mm (Appox 50*=1kg) | के.जी | 1130.00 | 1130.00 | 1130.00 |
| | Copper Strip (20mm brendth x 3mm thick) | के.जी | 1130.00 | 1130.00 | 1130.00 |
| | Copper Strip (12 x 3)mm | के.जी | 1130.00 | 1130.00 | 1130.00 |
| | Lightining rod copper conductor Air termination set | गोटा | 2851.00 | 2851.00 | 2851.00 |
| | 8 SWG bare copper wire | र. मी | 150.00 | 150.00 | 150.00 |
| | Copper wire (10 SWG) | रमी | 161.00 | 161.00 | 161.00 |
| | 29 mm Diameter GI Pipe of 1m length | र. मी | 263.00 | 263.00 | 263.00 |

# विद्युतिय सामाग्रीहरु

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०/८१ | आ.व. २०८१/८२ | आ.व. २०८२/८३ |
| | 30 Cm x 30 Cm Cast Iron Cover for water pouring into pit | गोटा | 645.00 | 645.00 | 645.00 |
| | 5/16 nuts & bolt with spring washer cadmium maker | गोटा | 15.00 | 15.00 | 15.00 |
| | 1/2" Diameter GI pipe for protecting the earth conductor 1.5 m in length | गोटा | 204.00 | 204.00 | 204.00 |
| | Funneling Mechanism with pit cover (mild steel) | सेट | 645.00 | 645.00 | 645.00 |
| | Funnel with wire mesh | गोटा | 377.00 | 377.00 | 377.00 |
| | Charcoal | ब्याग | 322.00 | 322.00 | 322.00 |
| | Salt | के.जी | 12.00 | 12.00 | 12.00 |
| | Earthing System consisting of 1 Nos copper bonded steel electrode of 20/25/17/14 mm dia with a min. coating thickness of 250 microns and length of 3 meters. 25 kgs/Electrode of earth enhancing compound needs to be considered to fill the 100-125mm augured hole surrounding to the electrode. The rate shall include excavation of earth, filling with back fill compound, and earth pit marking | | | | |
| | Low carbon copper coated earth rod of 3 metre electrode having diameter of 20/25 mm with copper coating thickness of 250micron tested as per IEC 62561-2 | सेट | 7772.00 | 7772.00 | 7772.00 |
| | Low carbon copper coated earth rod of 3 metre electrode having diameter of 17/14 mm with copper coating thickness of 250micron tested as per IEC 62561-2 | सेट | 4596.80 | 4596.80 | 4596.80 |
| | Universal Clamp of Required Size 175X50X3 mm made of SS to connect rod with flat conductor | सेट | 1039.20 | 1039.20 | 1039.20 |
| | Earth enhancing compound tested as per IEC 62561-7 | सेट | 3118.40 | 3118.40 | 3118.40 |
| | Heavy duty Pit cover tested | सेट | 2384.00 | 2384.00 | 2384.00 |
| | | | | | |
| **S** | **MISCELLANEOUS ITEMS** | | | | |
| १७५ | **WATER HEATER RATES** | | | | |
| | 15 LTRS ABS WATER HEATER | सेट | 20100.00 | 20100.00 | 20100.00 |
| | 25 LTRS ABS WATER HEATER | सेट | 22300.00 | 22300.00 | 22300.00 |
| | 15 LTRS METAL WATER HEATER | सेट | 17900.00 | 17900.00 | 17900.00 |
| | 25 LTRS METAL WATER HEATER | सेट | 19700.00 | 19700.00 | 19700.00 |
| | 3 LTR ABS INSTANT | सेट | 7525.00 | 7525.00 | 7525.00 |
| | 6 LTR GAS | सेट | 11725.00 | 11725.00 | 11725.00 |
| १७६ | **Automatic Water Level Pump Controller:** housed in metal enclosure with MCBs, Contactor, Phase sequence protection, Overload Protection and sensor set for single/three phase water pump with all necessary work as per drawing, specification and instruction all complete.Equivlalent Nepali Make | | | | |
| | Upto 1/2 HP single phase motor | सेट | 4303.00 | 4303.00 | 4303.00 |
| | Upto 1-3 HP single phase motor | सेट | 5917.00 | 5917.00 | 5917.00 |
| | Upto 1-5 HP three phase motor | सेट | 9682.00 | 9682.00 | 9682.00 |
| | | | | | |
| | | | | | |

# Solar Power

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.ब. २०८०।८१ | आ.ब. २०८१।८२ | आ.ब. २०८२।८३ |
| १ | Solar PV Module | प्रति.वाट | ९२.०० | ९२.०० | ९२.०० |
| २ | Solar Tubular Battery ( 200Ah@c20,12v) | गोटा | ३३०६३.०० | ३३०६३.०० | ३३०६३.०० |
| ३ | Solar Tubular Battery ( 150 Ah@c20,12v) | गोटा | २५२३५.०० | २५२३५.०० | २५२३५.०० |
| ४ | Solar Tubular Battery ( 100 Ah@c20,12v) | गोटा | १७५१०.०० | १७५१०.०० | १७५१०.०० |
| ५ | Solar Tubular Battery ( 80 Ah@c20,12v) | गोटा | १७४०७.०० | १७४०७.०० | १७४०७.०० |
| ६ | Solar Tubular Battery ( 60 Ah@c20,12v) | गोटा | १२५६६.०० | १२५६६.०० | १२५६६.०० |
| ७ | Solar Tubular Battery ( 40 Ah@c20,12v) | गोटा | ८२४०.०० | ८२४०.०० | ८२४०.०० |
| ८ | Solar Gel Battery ( 200 Ah@c20,12v) | गोटा | ६८७०१.०० | ६८७०१.०० | ६८७०१.०० |
| ९ | Solar Gel Battery ( 150 Ah@c20,12v) | गोटा | ५१७०६.०० | ५१७०६.०० | ५१७०६.०० |
| १० | Solar Gel Battery ( 100 Ah@c20,12v) | गोटा | ३७१८३.०० | ३७१८३.०० | ३७१८३.०० |
| ११ | Solar Gel Battery ( 80 Ah@c20,12v) | गोटा | ३२०३३.०० | ३२०३३.०० | ३२०३३.०० |
| १२ | Solar Gel Battery ( 75 Ah@c20,12v) | गोटा | २८४२८.०० | २८४२८.०० | २८४२८.०० |
| १३ | Solar Gel Battery ( 40 Ah@c20,12v) | गोटा | १६२७४.०० | १६२७४.०० | १६२७४.०० |
| १४ | Solar Lithinium Ion Battery (100AH@c10,12V) | गोटा | ३७८०१.०० | ३७८०१.०० | ३७८०१.०० |
| १५ | Solar Lithinium Ion Battery (80AH@c10,12V) | गोटा | ३३५७८.०० | ३३५७८.०० | ३३५७८.०० |
| १६ | Solar Lithinium Ion Battery (50AH@c10,12V) | गोटा | १९२६१.०० | १९२६१.०० | १९२६१.०० |
| १७ | Charge controller (60A/24-48V) | गोटा | ३३४७५.०० | ३३४७५.०० | ३३४७५.०० |
| १८ | Charge controller 45A/12-24-48 V | गोटा | २४६१७.०० | २४६१७.०० | २४६१७.०० |
| १९ | Charge controller 30A/12-24-48 V | गोटा | २०३९४.०० | २०३९४.०० | २०३९४.०० |
| २० | Charge controller 25A/12-24-48 V | गोटा | १५२४४.०० | १५२४४.०० | १५२४४.०० |
| २१ | Charge controller 20a/12-24 V | गोटा | ६१८०.०० | ६१८०.०० | ६१८०.०० |
| २२ | Charge controller 15a/12-24 V | गोटा | ५०४७.०० | ५०४७.०० | ५०४७.०० |
| २३ | Charge controller 10a/12-24 V | गोटा | २७८१.०० | २७८१.०० | २७८१.०० |
| २४ | Charge controller 5a/12-24 V | गोटा | १६४८.०० | १६४८.०० | १६४८.०० |
| २५ | Solar dusk to down controller 20A/12Vwith driver curcit | गोटा | ४६३५.०० | ४६३५.०० | ४६३५.०० |
| २६ | Solar street light 40W- 12V DC with autodimming system | गोटा | १४००८.०० | २५०२९.०० | २५०२९.०० |
| २७ | Solar street light 30W- 12V DC with autodimming system | गोटा | २५०२९.०० | १५७५९.०० | १५७५९.०० |
| २८ | Solar street light 20W- 12V DC with autodimming system | गोटा | १५७५९.०० | १४००८.०० | १४००८.०० |
| २९ | Solar street light 100W | गोटा | ४३५६९.०० | ४३५६९.०० | ४३५६९.०० |
| ३० | Solar street light 80W | गोटा | ३६८७४.०० | ३६८७४.०० | ३६८७४.०० |
| ३१ | Solar street light 60W | गोटा | २७६०४.०० | २७६०४.०० | २७६०४.०० |
| ३२ | Solar street light 40W | गोटा | १५५५३.०० | १५५५३.०० | १५५५३.०० |
| ३३ | Solar street light 30W | गोटा | १२३६०.०० | १२३६०.०० | १२३६०.०० |
| ३४ | Solar street light 20W | गोटा | ८८५८.०० | ८८५८.०० | ८८५८.०० |
| ३५ | Solar street light 12W | गोटा | ५७६८.०० | ५७६८.०० | ५७६८.०० |
| ३६ | Ms pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m | गोटा | १७९२२.०० | १७९२२.०० | १७९२२.०० |
| ३७ | Ms pole 7 m high with rustproof enamel paint dimension 4" for buttom 4m 6" for top 3 m | गोटा | १९७७६.०० | १९७७६.०० | १९७७६.०० |
| ३८ | Ms pole 8 m high with rustproof enamel paint dimension 4" for buttom 5m 6" for top 3 m | गोटा | २२०४२.०० | २२०४२.०० | २२०४२.०० |
| ३९ | Ms pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m | गोटा | २२३५१.०० | २२३५१.०० | २२३५१.०० |

# Solar Power

| सि.नं | निर्माण सामाग्रीहरुको विवरण | एकाई | मु.अ.क. बाहेकको दररेट | | |
|---|---|---|---|---|---|
| | | | आ.व. २०८०।८१ | आ.व. २०८१।८२ | आ.व. २०८२।८३ |
| ४० | 7 m Hot Deep Galvanized Pole with Diameter of Pole section 4" for bottom 4.5 m and 3" for top 2.5 m | गोटा | २२०४२.०० | २२०४२.०० | २२०४२.०० |
| ४१ | 8 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 4.5 m, 4" for Middle 1.75 m and and 3" for top 1.75 m | गोटा | २५४४१.०० | २५४४१.०० | २५४४१.०० |
| ४२ | 9 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5 m, 4" for Middle 2m and and 3" for top 2m | गोटा | २७७०७.०० | २७७०७.०० | २७७०७.०० |
| ४३ | 10 m Hot Deep Galvanized Pole with Diameter of Pole section 5" for bottom 5.2 m, 4" for Middle 2.4m and and 3" for top 2.4m | गोटा | २९९७३.०० | २९९७३.०० | २९९७३.०० |
| ४४ | Pure sine wave inverter 250 VA /12 V | गोटा | ७४१६.०० | ७४१६.०० | ७४१६.०० |
| ४५ | Pure sine wave inverter 400 VA /12 V | गोटा | १३९०५.०० | १३९०५.०० | १३९०५.०० |
| ४६ | Pure sine wave inverter 850 VA /12 V | गोटा | १६९९५.०० | १६९९५.०० | १६९९५.०० |
| ४७ | Pure sine wave inverter 1000 VA /12 V | गोटा | २३५८७.०० | २३५८७.०० | २३५८७.०० |
| ४८ | pure sine wave inverter 1400 VA | गोटा | २५०२९.०० | २५०२९.०० | २५०२९.०० |
| ४९ | Pure sine wave Solar Hybrid Inverter 850VA with inbuilt charge controller | गोटा | २०८०६.०० | २०८०६.०० | २०८०६.०० |
| ५० | Pure sine wave Solar Hybrid Inverter 1000VA with inbuilt charge controller | गोटा | २४९२६.०० | २४९२६.०० | २४९२६.०० |
| ५१ | Pure sine wave Solar Hybrid Inverter 3KVA with 50A inbuilt charge controller | गोटा | ७३६४५.०० | ७३६४५.०० | ७३६४५.०० |
| ५२ | Pure sine wave Solar Hybrid Inverter 5KVA with 50A inbuilt charge controller | गोटा | १४५८६०.०० | १४५८६०.०० | १४५८६०.०० |
| ५३ | Ms light Arms | सेट | २२६६.०० | २२६६.०० | २२६६.०० |
| ५४ | SPV mountaining frame | सेट | ५९७४.०० | ५९७४.०० | ५९७४.०० |
| ५५ | Battery box | सेट | ४६३५.०० | ४६३५.०० | ४६३५.०० |
| ५६ | Battery stand | सेट | ४६३५.०० | ४६३५.०० | ४६३५.०० |
| ५७ | 12W SENSOR SOLAR POLE LIGHT | सेट | १७०७२.०० | १७०७२.०० | १७०७२.०० |
| ५८ | 18W SENSOR SOLAR POLE LIGHT | सेट | २०३२१.०० | २०३२१.०० | २०३२१.०० |
| ५९ | Solar Lights: | | | | |
| | All in one solar street light - 2000 Lumens | गोटा | २३५८२४.०० | २३५८२४.०० | |
| | All in one solar street light - 3000 Lumens | गोटा | २६३५६८.०० | २६३५६८.०० | |
| | All in one solar street light - 4500 Lumens | गोटा | ३१९०५६.०० | २९१३१२.०० | |
| | Solar Poles with Post Top Luminaries - 2500 Lumens | गोटा | ५४१००८.०० | ५४१००८.०० | |
| | Solar Poles with street lights luminaries 6000 Lumens | गोटा | ६५१९८४.०० | ६५१९८४.०० | |
| | All in One solar Street Light - 5000 Lumens | गोटा | २९१३१२.०० | ३१९०५६.०० | |
| | All in one solar street light - 8500 Lumens | गोटा | ३५५१२३.०० | ३५५१२३.०० | |
| | All in one solar street light - 12000 lumens | गोटा | ३९३९६४.०० | ३९३९६४.०० | |

प्रमुख जिल्ला अधिकारी